

DEENDAYAL PORT AUTHORITY



Office of the Executive Engineer,
Harbour Division, Nirman Building,
New Kandla (Kutch), Gujarat-370210.
Email ID: - kphdivision@gmail.com
No:-HW/WK/EOI/2700/

Tel : (02836) 270325
9638144900

Dated: 03.10.2023.

To, M/s

Expression of Interest

Sub: - "Special Repairs to Godowns inside cargo jetty area"

Sir,

Deendayal Port Authority intends to invite e-tender for the subject work.

Kindly submit your Expression of interest along with budgetary-offer for the subject work on the basis of tentative requirements of material enclosed herewith.

The rates quoted must be inclusive of all taxes, & exclusive of GST.

Your budgetary offer for the above work should reach to the above mentioned address on or before 11.10.2023.

Thanking you,

Encl. As above

Yours faithfully,

Executive Engineer
Deendayal Port Authority

Sub: Budgetary offer for the work of

" Special Repairs to Godowns inside cargo jetty area "

Sr. No.	Description of Item	Qty	Rate	Unit	Amount
1	<p>Supplying and fixing of Colour coated profile sheet of nominal 1072 mm overall width and nominal 28.5 mm deep ribs with subtle square fluting in the five pan at nominal 203 mm Centre-to-Centre. The end rib shall be designed for anti-capillary action, to avoid any seepage of water through the lateral overlap. The feed material shall be of 0.69 mm Total Painted Thickness (0.60 mm BMT) Ultra steel- High tensile with min 550 MPa yield strength, metallic hot-dipped coated with Al-Zn alloy (55% Aluminium, 43.5% Zinc, 1.5% Si) as per AS1397 / IS15961 – ZINCALUME / GALVALUME AZ200 (min. 200 g/m2 total on both sides) with Super Durable Polyester steel Ultra quality paint system of approved color, suitable for exterior application conforming to AS/NZS 2728 type-4 / IS15965 class 3 of Tata BlueScope / Blue Scope / JSW Steel make. The sheet shall have a total coating thickness of 40 microns, super durable polyester Ultra with solar reflectance technology quality paint system of 20 microns on exposed surface and 10 micron reverse polyester coat on back surface over 5 micron primer coat on both surfaces. The paint system would have stable resin & inorganic pigments for paint durability and is lead free for water harvesting. The steel sheet shall have brand marking of "Tata Blue Scope / JSW / Bluescope" on back side at regular interval confirming genuineness of the material. (PPGL)</p> <p>Including fixing the sheet on top sloping roof of storage shed having 10 to 12m height with self-driving screw of Stainless steel 12x50mm minimum size on existing purlins including wastage complete as per the specifications and as directed by Engineer in charge.</p>	50000.00		M ²	

Note: GST Extra as applicable.

