



DEENDAYAL PORT TRUST
ISO 9001:2015 & ISO 14001:2015 certified Port



www.deendayalport.gov.in

Administrative Office Building
Post Box NO. 50
GANDHIDHAM (Kutch).
Gujarat: 370 201.
Fax: (02836) 220050
Ph.: (02836) 220038.

EG/WK/4751/Part (remaining 3 facilities)/144

Dated 08/02/2022

The Additional Secretary & Director (Environment),
Govt. of Gujarat,
Forest & Environment Department,
Block No.14, 8th floor,
Sachivalaya,
Gandhinagar - 382 010.

Sub:- Development of Integrated facilities (Stage-II) within the existing Deendayal Port Trust (Erstwhile Kandla Port Trust) at District Kutch, Gujarat. (1. Setting up of Oil Jetty No.7. 2. Setting up of Barge jetty at Jafarwadi 3. Setting up of Barge port at Veera; 4. Administrative office building at Tuna Tekra; 5. Road connecting from Veera barge jetty to Tuna gate by M/s Deendayal Port Trust (Erstwhile Kandla Port Trust)
Compliances of the stipulated conditions in CRZ Recommendations reg.

Ref.: 1) GCZMA CRZ recommendation vide Letter No- ENV-10-2015-251-E (T Cell) dated 29.06.2016
2) DPT letter EG/WK/4751/Part (remaining 3 facilities)/53 dated 29/07/2021

Sir,

It is requested to kindly refer the above cited references for the said subject.

In this connection, it is to state that, the Gujarat Coastal Zone Management Authority vide above referred letter dated 29/6/2016 had recommended the aforesaid project of Deendayal Port Trust. Subsequently, the MoEF&CC, GoI had accorded the Environmental & CRZ Clearance vide letter dated 18/2/2020. Subsequently, DPT vide above referred letter dated 29/07/2021 had submitted compliance report of stipulated condition for the period upto May,2021.

Now, as directed under Specific Condition No. 28 mentioned in the CRZ Clearance letter dated 29/6/2016 i.e. **A six-monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by the DPT on a regular basis to this Department / MoEF&CC, GoI**, please find enclosed herewith compliance report (June 2021 to November,2021) of stipulated conditions along with necessary annexure, for kind information & record please **(Annexure I)**.

.....Cont.....

Further, as per the MoEF&CC, Notification S.O.5845 (E) dated 26.11.2018, which stated that "**In the said notification, in paragraph 10, in sub-paragraph (ii), for the words "hard and soft copies" the words "soft copy" shall be substituted**". Accordingly, we are submitting herewith soft copy of the same in CD as well as through e-mail ID gczma.crz@gmail.com & direnv@gujarat.gov.in.

This has the approval of Chief Engineer, Deendayal Port Trust.

Yours faithfully,


Superintending Engineer (PL) & EMC (I/c)
Deendayal Port Trust

Copy to:

Shri Amardeep Raju,
Scientist E, Ministry of Environment, Forest and Climate Change,
& Member Secretary (EAC-Infra.1),
Indira Paryavaran Bhawan,
3rd Floor, Vayu Wing, Jor Bagh Road, Aliganj,
New Delhi- 110 003;
E-mail: ad.raju@nic.in

Subject: Point-wise Compliance Status Report for CRZ Clearance for Developing Integrated facilities (Phase-II)- within the existing Kandla Port at Kandla Dist: Kutch by M/s. Kandla Port Trust – Regarding

Ref No: - GCZMA CRZ recommendation vide Letter No- ENV-10-2015-251-E (T Cell) dated 29.06.2016

| S. No. | CRZ Conditions | Compliance Status |
|----------------------------|---|---|
| SPECIFIC CONDITIONS | | |
| 1. | The provision of the CRZ notification 2011 shall be strictly adhered to by the KPT. No activity in contradiction to the provision of the CRZ notification shall be carried out by the KPT. | It is assured that, the provisions of the CRZ Notification, 2011 shall be strictly adhere to by the DPT. |
| 2. | All necessary permissions under various laws/Rules/Notifications issued thereunder from different Government Department/agencies shall be obtained by M/s. KPT before commencing any enabling activities for proposed project. | The Consent to Establish (CTE) from the GPCB had already been obtained vide CTE No. 74134 granted by the GPCB vide letter no. PC/CCA-KUTCH 1319/GPCB ID 48573 dated 27/11/2015 <u>(Copy Annexure A)</u> . |
| 3. | The KPT shall have to ensure that there shall not be any damage to the existing mangrove area. | It is hereby assured there will not be any damage to the existing mangrove area |
| 4. | The KPT shall effectively implement the mangrove Development, Protection & Management plan for control of indirect impacts on mangrove habitat | DPT had already undertaken Mangrove Plantation in an area of 1500 Ha. till date since the year 2005.A statement showing details of mangrove plantation with cost incurred is placed at <u>Annexure B</u> . |
| 5. | The KPT shall have to make a provision that mangrove areas get proper flushing water and free flow of water shall not be obstructed | Point noted for the compliance. |
| 6. | The KPT shall have to dispose of the dredged material only after scientific study to be carried out by the Institute of National repute and at a location suggested by them | Dredged Material will be disposed off at designated location as identified by the CWPRS, Pune. |
| 7. | The KPT shall have to maintain the record for generation and disposal of capital dredging and maintenance dredging. | Point noted for the compliance. |
| 8. | No dredging, reclamation or any other project related activities shall be carried out in the CRZ area categorized as CRZ I (i) and it shall have to be ensured that the mangrove habitats and other ecologically important and significant areas, if any, in the region are not affected due to any of the project activities | Point Noted for compliance. No dredging activity started yet. |

| S. No. | CRZ Conditions | Compliance Status |
|--------|--|---|
| 9. | The KPT shall participate financially for installing and operating the vessel traffic management system in the Gulf of Kutch and shall also take lead in preparing and operational sing the Regional Oil Spill Contingency plan in the Gulf of Kutch | Point noted for the compliance. |
| 10. | The KPT shall strictly ensure that no creeks or rivers are blocked due to any activity at Kandla | Point noted for the compliance. |
| 11. | Mangrove plantation in an area of 50 ha shall be carried out by the KPT within 2 years in a time bound manner on Gujarat coastline either within or outside the Kandla port Trust area and six-monthly compliance report along with the satellite images shall be submitted to the ministry of Environment and Forest as well as to this Department with out fail. | DPT had already undertaken Mangrove Plantation in an area of 1500 Ha. till date since the year 2005. A statement showing details of mangrove plantation with cost incurred is placed at <u>Annexure C</u> . |
| 12. | No activity other than those permitted by the competent authority under the CRZ Notification Shall be carried out in the CRZ area. | Point noted for the compliance. |
| 13. | No ground water shall be tapped for any purpose during the proposed expansion/modernization activities. | It is assured that; no ground water will be tapped. The water will be purchased through GWSSB. |
| 14. | All necessary permissions from different Government Departments/agencies shall be obtained by the KPT before commencing the expansion activities. | Point noted. |
| 15. | No effluent or sewage shall be discharged into the sea/creek or in the CRZ area and it shall be treated to confirm to the norms prescribed by the Gujarat Pollution Control Board and would be reused/recycled with in the plant premises. | It is here by assured that no effluent or sewage shall be discharged into the sea/creek or in the CRZ area and it shall be treated to confirm to the norms prescribed by the Gujarat Pollution Control Board and would be reused/recycled with in the plant premises. |
| 16. | All the recommendations and suggestions given by the Mantec Consultant Pvt. Ltd. New Delhi in their Comprehensive Environment Impact Assessment report for conservation/protection and betterment of environment shall be implemented strictly by the KPT. | Point noted for the compliance. |
| 17. | The construction and operational activities shall be carried out in such a way that there is no negative impact on mangrove and other coastal/marine habitats. The construction activities and dredging shall be | Point noted for the compliance. |

| S. No. | CRZ Conditions | Compliance Status |
|---------------|--|--|
| | carried out only under the constant supervision and guidelines of the Institute of National repute like NIOT | |
| 18. | The KPT shall contribute financially for any common study or project that may be proposed by this Department for environmental management/conservation /improvement for the Gulf of Kutch | Point noted for the compliance. |
| 19. | The construction debris and/or any other type of waste shall not be disposed of into the sea, creek or in the CRZ areas. The debris shall be removed from the construction site immediately after the construction is over. | It is hereby assured that the construction debris and/or any other type of waste will not be disposed of into the sea, creek or in the CRZ areas. The debris shall be removed from the construction site immediately after the construction is over. |
| 20. | The construction camps shall be located outside the CRZ area and the construction labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the construction labours. | Point noted for the compliance. |
| 21. | The KPT shall regularly update their Local oil spill contingency and disaster management plan in consonance with the National oil Spill and Disaster Contingency plan and shall submit the same to this Department after having it vetted through the Indian Coast Guard. | Point noted for the compliance. |
| 22. | The KPT shall bear the cost of the external agency that may be appointed by this Department for supervision/monitoring of proposed activities and the environmental impacts of the proposed activities. | Point noted for the compliance. |
| 23. | The KPT shall take up massive green belt development activities in and around Kandla and also within the KPT limits. | DPT assigned work for Green belt development in an area of about 32 hectares to the Forest Department, Govt. of Gujarat during August, 2019 at the cost of Rs. 352.32 lakhs. The work is completed. Further, DPT also undertook massive green belt development in and around the Port area and at Gandhidham area. |
| 24. | The KPT shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forests and Environment Department | Point noted for the compliance. |

| S. No. | CRZ Conditions | Compliance Status |
|--------|--|--|
| | and the District Collector/District development officer. | |
| 25. | A separate budget shall be earmarked for environmental management and socio-economic activities and details there of shall be furnished to this Department as well as the MoEF,GOI. The details with respect to the expenditure from this budget head shall also be furnished. | It is assured that, DPT will earmark Rs. 2.97 crore under CER for various activities to be undertaken. |
| 26. | A separate environmental management cell with qualified personnel shall be created for environmental monitoring and management during construction and operational phases of the project. | DPT is already having Environment Management cell. Further, DPT has also appointed expert agency for providing Environmental Experts from time to time. Recently, DPT appointed M/s Precitech Laboratories, Vapi for providing Environmental Experts vide work order dated 5/2/2021 (Copy of work order & scope of work attached as Annexure D). |
| 27. | An Environmental report indicating the changes if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by the KPT to this Department as well as to the MoEF&CC,GOI | Point noted for the compliance. |
| 28. | The KPT shall have to contribute financially to support the National Green Corps Scheme being implemented in Gujarat by the GEER foundation. Gandhinagar in consultation with Forests and Environment Department. | Point noted for the compliance. |
| 29. | A six monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by the KPT on regular basis to this Department/MoEF&CC,GOI | Point noted for the compliance. |
| 30. | Any other condition that may be stipulated by this Department and MoEF&CC,Gol from time to time for environmental protection / management purpose shall also have to be complied with by DPT. | Point noted. |

ANNEXURE A



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, **Gandhinagar**-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

R.P.A.D

Consent to Establish (NOC)

CTE - 74134

NO: GPCB/CCA-KUTCH-1319/ GPCB ID 48573/

Date:-

To,

M/s. Kandla Port Trust (Developing Integrated Facilities-Stage II)

Within existing Kandla Port Trust Limit at Kandla,

Administrative Office Building, Post Box No. 50,

Tal: Gandhidham – 370 201

Dist: Kutch

Subject : Consent to Establish (NOC) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981.

Reference : Your CTE Application Inward ID No. 97768 dated 03/09/2015

Sir,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air (Prevention and Control of Pollution) Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that the Board grants **Consent to Establish (NOC)** for setting up of an industrial plant/activities **within existing Kandla Port Trust Limit at Kandla, Administrative Office Building, Post Box No. 50, Tal: Gandhidham – 370 201, Dist: Kutch**

1. The validity period of the order shall be up to 02/09/2020.

2. The list of the proposal for development of integrated facilities is as below:

| Sr. No. | PRODUCT |
|---------|---|
| 1. | Setting up 7 th oil jetty at old Kandla |
| 2. | Setting up barge jetty at Veera |
| 3. | Setting up Barge jetty at Jafarwadi |
| 4. | One administrative building at Tuna Tekra |
| 5. | Construction of 15.5 km long road from Veera Barge Jetty to Tuna Gate |

SUBJECT TO THE FOLLOWING SPECIFIC CONDITIONS:

1. Applicant shall not carry out any kind of activities till Environmental Clearance and CRZ clearance is obtained from the statutory authority.
2. You shall strictly adhere to all conditions of Terms Of Reference (TOR) (vide letter no. F.No. 11-13/2015-IA.III) by MoEF&CC, New Delhi.
3. No ground water shall be withdrawal without obtaining prior permission from competent authority.

3. CONDITIONS UNDER WATER ACT 1974:

- 3.1 There shall be no industrial effluent discharge from manufacturing process and any other ancillary operations.
- 3.2 The quantity of domestic wastewater (sewage) shall not exceed **18 KL/day**.
- 3.3 The quality of sewage shall conform to following standards;

| PARAMETER | PERMISSIBLE LIMIT |
|-----------------------|----------------------|
| BOD (5 days at 20° C) | 20 mg/liter |
| Suspended Solid | 30 mg/liter |
| Residual Chlorine | Minimum 0.5 mg/liter |

- 3.4 The sewage shall be treated in Sewage Treatment Plant and conform above standards shall be utilized for plantation / gardening area of 2,03,775 m² within the premises.
- 3.5 The unit shall install meters at utilities for measuring category wise (Category as given in Schedule II of "Water (Prevention & Control of Pollution) Cess Act-1977") consumption of water.

4. CONDITIONS UNDER AIR ACT 1981:

- 4.1 The following shall be used as fuel in the D.G Sets as following rates after proposed expansion:

| Sr. no. | Name of Fuel | Quantity |
|---------|--------------|------------|
| 1. | Diesel | 50 Lit/day |



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 4.2 The applicant shall install & operate air pollution control system in order to achieve process gas emission norms as prescribed below after proposed expansion.

| Sr. no. | Stack attached to | Stack height in Meters | Parameter | Permissible limit |
|---------|---------------------|------------------------|------------------------------|--|
| 1 | D.G. Set (50 KV) | 11 | PM SO ₂ NOx | 150mg/Nm ³ 100 ppm 50 ppm |

- 4.3 The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per National Ambient Air Quality Standards issued by Ministry of Environment and Forest dated 16th November-2009.

| Sr. No. | Pollutant | Time Weighted Average | Concentration in Ambient air in µg/M ³ |
|---------|--|-----------------------|---|
| 1. | Sulphur Dioxide (SO ₂) | Annual | 50 |
| | | 24 Hours | 80 |
| 2. | Nitrogen Dioxide (NO ₂) | Annual | 40 |
| | | 24 Hours | 80 |
| 3. | Particulate Matter (Size less than 10 µm) OR PM ₁₀ | Annual | 60 |
| | | 24 Hours | 100 |
| 4. | Particulate Matter (Size less than 2.5 µm) OR PM _{2.5} | Annual | 40 |
| | | 24 Hours | 60 |

- 4.4 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted / displayed to facilitate identification.
- 4.5 The concentration of Noise in ambient air within the premises of industrial unit shall not exceed following levels:

Between 6 A.M. to 10 P.M. : 75 dB (A)

Between 10 P.M. to 6 A.M. : 70 dB (A)

5. CONDITIONS UNDER HAZARDOUS WASTE:

- 5.1 The applicant shall provide temporary storage facilities and maintain the record for each type of Hazardous Waste as per Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 as amended from time to time.
- 5.2 The applicant shall be obtain membership of common TSDF site for disposal Hazardous Waste as categorized in Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008 as amended thereof.

6. GENERAL CONDITION:

- 6.1 Unit shall develop green belt within premises as per the CPCB guidelines. However, if the adequate land is not available within premises, the unit shall tie up with local agencies like gram panchayat, school, social forestry office etc. for the plantation at suitable open land in nearby locality and submit an action plan of plantation for next three years to GPCB.
- 6.2 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 10 meters width is developed.
- 6.3 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water (Prevention & Control of Pollution) Cess Act-1977.
- 6.4 In case of change of ownership/management the name and address of the new owners/partners/directors/proprietor should immediately be intimated to the Board.
- 6.5 The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gaseous emission or sewage waste from the proposed industrial plant. The applicant is required to make applications to this Board for this purpose in the prescribed forms under the provisions of the Water (Prevention & Control of Pollution) Act-1974, the Air (Prevention & Control of Pollution) Act-1981 and the Environment (Protection) Act-1986.
- 6.6 The applicant also comply with the General conditions as per Annexure - I attached herewith (No.1 to 38) (whichever applicable).
- 6.7 The overall noise level in and around the plant area shall be kept well within the standards by providing noise control measures including engineering control like acoustic insulation hoods, silencers, enclosures etc on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under the Environment (Protection) Act, 1986 & Rules.
- 6.8 Applicant is required to comply with the manufacturing, Storage and Import of Hazardous Chemicals Rules-1989 framed under the Environment (Protection) Act-1986.
- 6.9 If it is established by any competent authority that the damage is caused due to their industrial activities to any person or his property, in that case they are obliged to pay the compensation as determined by the competent authority.
- 6.10 Applicant shall have to comply with all the guidelines/Directive issued/ being issued by MoEF/CPCB/DoEP from time to time.
- 6.11 Applicant shall not use/withdraw ground water either during construction and /or operation phase.



GPCB

GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

- 6.12 Environmental cell shall be setup and shall be responsible for the total Environmental management.
- 6.13 Monitoring in respect to Air, Water, Noise level shall be carried out and results shall be submitted to GPCB on quarterly basis.

For and on behalf of
GUJARAT POLLUTION CONTROL BOARD

(Sushil Vegda)

Senior Environment Engineer

Outward No: 333060, 27/11/2015

Page 5 of 5

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

ANNEXURE B

DEENDAYAL PORT TRUST

DETAILS OF MANGROVE PLANTATION CARRIED OUT BY DEENDAYAL PORT TRUST

| Sr. No. | Reference of condition stipulated in EC & CRZ Clearance/CRZ Recommendation by GCZMA to Various Projects of DPT | Mangrove Plantation carried out in Hectares | Year of Plantation and Location & Name of agency |
|---------|---|--|---|
| 1 | DEENDAYAL PORT TRUST (CRZ Recommendation 13 th to 16 th CB issued by the GCZMA) (Total 1000 ha.) | 20 Hectares 50 Hectares 100 Hectares 200 Hectares 300 Hectares 330 Hectares <u>Total 1000 Ha.</u> | 2005-06 Satsida Bet, Kandla, by GUIDE, Bhuj 2008-09 Nakti Creek, Kandla by Patel Construction 2010-11 Nakti Creek, Kandla by GEC. 2011-12 by Forest Department, GoG at Satsaida Bet 2012-13 by Forest Department, GoG at Satsaida Bet 2013-14 by Forest Department, GoG at Satsaida Bet } } |
| 2 | Creation of Berthing & allied Facilities off- tekra near Tuna (Outside Kandla Creek) – EC & CRZ Clearance. MOU signed with GEC during Vibrant Gujarat Summit 2015 for 300 Ha. | 300 Ha. | 2015-17 by GEC at Kantiyajal, Bharuch District |
| 3. | EC & CRZ Clearance dated 19/12/2016 for Developing 7 integrated facilities (Condition 100 Ha) | 100 Ha | 2018- 20 by GEC (At Satsaida bet : 50 Ha. And At Kantiyajal 50 Ha Taluka: Hansot, District : Bharuch) |

| | | | |
|----|--|-----------------------|--|
| 4. | <p>Development of Integrated facilities (Stage-II) within the existing Deendayal Port Trust (Erstwhile Kandla Port Trust) at District Kutch, Gujarat. (1. Setting up of Oil Jetty No.7; 2. Setting up of Barge jetty at Jafarwadi; 3. Setting up of Barge port at Veera; 4. Administrative office building at Tuna Tekra; 5. Road connecting from Veera barge jetty to Tuna gate by M/s Deendayal Port Trust (Erstwhile: Kandla Port Trust) - <u>Environmental & CRZ Clearance accorded by the MoEF&CC, GoI dated 19/12/2020.</u></p> <p>Development of 3 Remaining Integrated Facilities (stage I) within the existing Deendayal Port Trust (Erstwhile: Kandla Port Trust) at Gandhidham, Kutch, Gujarat - <u>Environmental & CRZ Clearance accorded by the MoEF&CC, GoI dated 18/2/2020.</u></p> | <u>100 Ha.</u> | <p><u>2020-21 GEC, Gandhinagar</u></p> <p>(At Kantiyajal 50 Ha and At Aliya Bet 50 Ha.) Taluka: Hansot, District: Bharuch</p> |
|----|--|-----------------------|--|

TOTAL: 1500 Ha. Mangrove Plantation carried Out by DPT

ANNEXURE C

DEENDAYAL PORT TRUST

DETAILS OF MANGROVE PLANTATION CARRIED OUT BY DEENDAYAL PORT TRUST


| Sr. No. | Reference of condition stipulated in EC & CRZ Clearance/CRZ Recommendation by GCZMA to Various Projects of DPT | Mangrove Plantation carried out in Hectares | Year of Plantation and Location & Name of agency |
|---------|---|--|---|
| 1 | DEENDAYAL PORT TRUST (CRZ Recommendation 13 th to 16 th CB issued by the GCZMA) (Total 1000 ha.) | 20 Hectares 50 Hectares 100 Hectares 200 Hectares 300 Hectares 330 Hectares <u>Total 1000 Ha.</u> | 2005-06 Satsida Bet, Kandla, by GUIDE, Bhuj 2008-09 Nakti Creek, Kandla by Patel Construction 2010-11 Nakti Creek, Kandla by GEC. 2011-12 by Forest Department, GoG at Satsaida Bet 2012-13 by Forest Department, GoG at Satsaida Bet 2013-14 by Forest Department, GoG at Satsaida Bet } } |
| 2 | Creation of Berthing & allied Facilities off- tekra near Tuna (Outside Kandla Creek) – EC & CRZ Clearance. MOU signed with GEC during Vibrant Gujarat Summit 2015 for 300 Ha. | 300 Ha. | 2015-17 by GEC at Kantiyajal, Bharuch District |
| 3. | EC & CRZ Clearance dated 19/12/2016 for Developing 7 integrated facilities (Condition 100 Ha) | 100 Ha | 2018- 20 by GEC (At Satsaida bet : 50 Ha. And At Kantiyajal 50 Ha Taluka: Hansot, District : Bharuch) |

| | | | |
|----|--|-----------------------|--|
| 4. | <p>Development of Integrated facilities (Stage-II) within the existing Deendayal Port Trust (Erstwhile Kandla Port Trust) at District Kutch, Gujarat. (1. Setting up of Oil Jetty No.7; 2. Setting up of Barge jetty at Jafarwadi; 3. Setting up of Barge port at Veera; 4. Administrative office building at Tuna Tekra; 5. Road connecting from Veera barge jetty to Tuna gate by M/s Deendayal Port Trust (Erstwhile: Kandla Port Trust) - <u>Environmental & CRZ Clearance accorded by the MoEF&CC, GoI dated 19/12/2020.</u></p> <p>Development of 3 Remaining Integrated Facilities (stage I) within the existing Deendayal Port Trust (Erstwhile: Kandla Port Trust) at Gandhidham, Kutch, Gujarat - <u>Environmental & CRZ Clearance accorded by the MoEF&CC, GoI dated 18/2/2020.</u></p> | <u>100 Ha.</u> | <p><u>2020-21 GEC, Gandhinagar</u></p> <p>(At Kantiyajal 50 Ha and At Aliya Bet 50 Ha.) Taluka: Hansot, District: Bharuch</p> |
|----|--|-----------------------|--|

TOTAL: 1500 Ha. Mangrove Plantation carried Out by DPT

ANNEXURE D

DEENDAYAL PORT TRUST



Administrative Office Building
Post Box NO. 50
GANDHIDHAM (Kutch).
Gujarat: 370 201.
Fax: (02836) 220050
Ph.: (02836) 220038

www.deendayalport.gov.in

NO.EG/WK/4783/V/131

Dated : 05/02/2021

To,
M/s Precitech Laboratories Pvt Ltd,
1st Floor, Bhanujyot Complex,
Plot No C5/27, B/h Panchratna Complex,
Nr. GIDC Char Rasta,
VAPI-396195.

Sub: Work order for "STRENGTHENING OF EXISTING ENVIRONMENTAL MANAGEMENT CELL AT DEENDAYAL PORT TRUST: Appointment of environment experts for two years further extendable for one year"-**reg.**

Ref: 1) Tender dated 21.06.2019 submitted by M/s Precitech Laboratories Pvt.Ltd, Vapi.
2) Letter of Acceptance vide no-EG/WK/4783/V/100 dtd 01(04).01.2021
3) Letter from DPT no E/WK/4783/V/103 dtd 06.01.2021
4) Performance Guarantee submitted by M/s Precitech Laboratories Pvt Ltd in the form of Bank Guarantee of Rs. 3,60,000.00 vide Bank Guarantee no. 1102921BG0000016 dated 19.01.2021 issued by State Bank of India, Vapi.

Sir,

Kindly refer above cited Letter of Acceptance dtd 01(04).01.2021.

- 2) You shall have to provide Key Experts as per tender requirement during the entire contract period. Accordingly, you shall have to submit the qualification and experience certificates of the Key experts to be appointed at DPT, as per tender conditions for verification & approval.
- 3) Please submit the Agreement of contract as per tender conditions no 1.29.
- 4) Kindly commence the work on or before 15.02.2021.


.....Cont.....

- 2 -

Please note that the time period for providing Consultancy services for the subject work will be initially for two years and further extendable for one year on mutual consent as per tender conditions.

Thanking you.

Yours faithfully,


Superintending Engineer (Design & EMC (i/c))
Deendayal Port Trust