

**DEENDAYAL PORT AUTHORITY**  
**(Erstwhile: DEENDAYAL PORT TRUST)**

Tel(O) : (02836) 220038,  
Fax : (02836) 220050  
E Mail : kptdesignsection@gmail.com  
Website: www.deendayalport.gov.in



Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch).  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

EG/WK/5202 (D)/Part (CRZ)/ 296

Dated 05/05/2023

To,  
The Director (Environment) &  
Member Secretary, GCZMA,  
Forest & Environment Department,  
Govt. of Gujarat,  
Block No.14, 8<sup>th</sup> floor, New Sachivalaya,  
Gandhinagar - 382 010.

**Sub:** CRZ Clearance for "Creation of water front facilities (Oil Jetties 8, 9, 10 & 11) and development of land of area 554 acres for associated facilities for storage at Old Kandla, Gandhidham, Kutch, Gujarat by M/s Deendayal Port Trust" - **Submission of six-monthly Compliances of the stipulated conditions in CRZ Recommendations req.**

**Ref.:** (1) Letter No. ENV-10-2018-24-T Cell dated 30/7/2020 of Director (Environment) & Additional Secretary, Forest & Environment Department, GoG.  
(2) DPT letter no. EG/WK/5202 (D)/ Part (CRZ 2)/28 dated 29/06/2021  
(3) DPT letter no. EG/WK/5202 (D)/ Part (CRZ 2)/142 dated 08/02/2022  
(4) DPA letter no. EG/WK/5202 (D)/ Part (CRZ 2)/128 dated 30/06/2022

Sir,

It is requested to kindly refer the above cited reference for the said subject.

In this connection, it is to state that, the Gujarat Coastal Zone Management Authority vide above referred letter dated 30/7/2020 had recommended the subject project of Deendayal Port Trust. Subsequently, the MoEF&CC, GoI had accorded the Environmental & CRZ Clearance vide letter dated 20/10/2020 for the subject project. Subsequently, DPA vide above cited letters had submitted compliance report of the stipulated conditions in CRZ recommendations to GCZMA.

Now, as directed under Specific Condition No. 26 mentioned in the CRZ Clearance letter dated 30/7/2020 i.e. ***A six-monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by the DPA on a regular basis to this Department and MoEF&CC, GoI,*** please find enclosed herewith compliance report of the stipulated conditions for period upto November, 2022 along with necessary annexures, for kind information & record please **(Annexure I).**

Further, as per the MoEF&CC, Notification 5.0.5845 (E) dated 26.11.2018, in which it is mentioned that, ***"In the said notification, in paragraph 10, in subparagraph (ii), for the words "hard and soft copies" the words "soft copy" shall be substituted"***. Accordingly, we are submitting herewith soft copy of the same via e-mail in ID **gczma.crz@gmail.com** & **direnv@gujarat.gov.in**.

This has the approval of Chief Engineer, Deendayal Port Authority.

Yours Faithfully,

Manager (Env.)

Deendayal Port Authority

Copy to: -

Shri Amardeep Raju, MoEF&CC,GoI  
Scientist E, Ministry of Environment, Forest and Climate Change,  
& Member Secretary (EAC-Infra.1),  
Indira Paryavaran Bhavan,  
3<sup>rd</sup> Floor, Vayu Wing, Jor Bagh Road, Aliganj,  
New Delhi-110003.  
Email ID: [ad.raju@nic.in](mailto:ad.raju@nic.in)

# **Annexure -I**

**CURRENT STATUS OF WORK PROGRESS (Up to November, 2022)**

<b>Sr. No .</b>	<b>Name of Project</b>	<b>Status</b>
1	Oil Jetty No. 8 (Jetty & allied facilities)	<p>Deendayal Port Authority issued work order to M/s Kargwal KM Joint Venture; Mumbai vide letter no. CN/WK/1571/Work/243 dated 3/2/2021.</p> <p>Work is in progress.</p>
2	Oil Jetties no. 9, 10 & 11 to be implemented on BOT/PPP Mode.	<p>The SFC recommendation and the MoPSW, GoI approval for Oil Jetties 9, 10 &amp; 11, under PPP mode, has been received on 19/04/2021.</p> <p>a)The RFQ pre-qualification process concluded. Four out of five bidders have been prequalified to participate in the RFP (Bid) Stage.</p> <p>b) Bid due date of RFP extended up to 22/12/2022</p> <p>• RFQ for OJ-10 shall be initiated only after 4 months of 'award of concession' for Oil Jetty no 9. Same analogy with OJ-11, in context of OJ-10.</p> <p>No construction activity started yet on project site.</p>
3	Development of Land (area 554 acres) for associated facilities for storage.	<p>LOA has been issued to the Contractor, M/s Nilkanth Industries Pvt. Ltd., Gandhidham on 19/10/2022</p>



## **Annexure 1**

### **Compliance Report (For the period up to November, 2022)**

**Subject:** Point-wise Compliance of conditions stipulated in CRZ Recommendations for project "Creation of water front facilities (oil jetties 8,9,10 and 11) and development of land (1432 acres – revised area 554 acres) for associated facilities for storage at old Kandla, Tal: Gandhidham Dist. Kutch, Gujarat by Deendayal Port Authority (Erstwhile Deendayal Port Trust)" -reg.

**Ref No:** - CRZ recommendation issued by GCZMA vide Letter No- ENV-10-2018-24- T Cell dated 30.07.2020

<b>S. No.</b>	<b>CRZ Conditions</b>	<b>Compliance Status</b>
	<b>SPECIFIC CONDITIONS</b>	
1.	The DPA shall strictly adhere to the provisions of the CRZ Notification, 2011 issued by the Ministry of Environment, Forests and Climate Change, Government of India	It is assured that, the provisions of the CRZ Notification, 2011 shall be strictly adhere to by the DPA.
2.	Necessary permissions from different departments/ agencies under different laws/ acts shall be obtained before commencing any activity (including the construction)	The Consent to Establish (CTE) from the GPCB had already been obtained vide CTE No. 94118 granted by the GPCB vide letter no. PC/CCA-KUTCH 1524/GPCB ID 56985 dated 23/7/2018 ( <b>Copy Annexure A</b> ).
3.	The DPA shall ensure that that the all the provisions of CRZ Notification 2011 shall be complied with and storage facilities in CRZ areas shall be in compliance with Annexure-II of the above said Notification	It is assured that all the provisions of CRZ Notification, 2011 will be complied with and only storage of permissible cargo as per CRZ Notification, 2011, Annexure II will be allowed to store in storage facilities to be developed.
4.	There shall not be any blockage of creek due to laying of pipeline. and free flow of water shall be maintained.	Work is in progress (Oil Jetty No. 8 - Jetty & allied facilities).  It is hereby assured that, no creeks or rivers shall be blocked, due to any activities at the project site and free flow of water will be maintained.
5.	There shall not be any mangrove destruction/ damage due to proposed activities and adequate buffer zone of 70 metres shall be maintained from mangrove areas	It is assured that all the proposed activities shall be carried out strictly as per the EC & CRZ Clearance accorded by the MoEF&CC, GoI dated 20/11/2020.

6.	The DPA shall effectively implement the Mangrove Development, Protection & Management plan for control of indirect impact on mangrove habitat	<p>As per the directions of the GCZMA and MoEF&amp;CC, GoI, DPA had already undertaken Mangrove Plantation in an area of 1500 Ha. till date since the year 2005. A statement showing details of mangrove plantation at various locations with cost incurred is placed at <b>Annexure B</b>.</p> <p>Further, DPA is carrying out an additional mangrove plantation of 100 ha. with the consultation of the Gujarat Ecology Commission vide Work Order No. DD/WK/3050/Pt-I/GIM/PC-44 dated 02/06/2022 (<b>Annexure C</b>).</p> <p>It is also relevant to submit here that, as per the direction of the Gujarat Coastal Zone Management Authority, DPA had already prepared &amp; submitted a report on mangrove conservation and management plan formulated by Gujarat Institute of Desert Ecology during the study period of Jan-April, 2015 (Report already submitted along with earlier compliance reports submitted).</p> <p>In addition to the above, DPA appointed M/s GUIDE, Bhuj for "Regular Monitoring of Mangrove Plantation carried out by DPA" (period 15/9/2017 to 14/9/2018 vide work order dated 1/9/2017 and 24/5/2021 to 23/5/2022 vide work order dated 3/5/2021). The final report for the year 2021 to 2022 is attached herewith as <b>Annexure D</b>.</p>
7.	The DPA shall have to make a provision that mangrove areas get proper flushing water and free flow of water shall not be obstructed	It is assured that necessary provisions will be made so that mangrove area get proper flushing water and to maintain free flow of water.
8.	The DPA shall have to dispose of the dredged material at the designated dredged material disposal point based on scientific study and approved by the MOEF&CC, GOI	No dredging activity has been started yet. However, it is assured that dredging activity will be carried out strictly as per the requirement of the condition and the same shall be disposed at designated dumping ground (25° 51' 00" N & 70°10' 00" E).
9.	The DPA shall have to maintain the record for generation and disposal of capital dredging and maintenance dredging	No dredging activity has been started yet. However, it is assured that necessary record will be maintained as per the requirement of the condition.
10.	No dredging, reclamation or any other project related activities shall be carried out in the CRZ area categorized as CRZ I (i) (A) and it shall have to be ensured	It is assured that all the project related activities will be strictly carried out as per the EC & CRZ Clearance accorded by the MoEF&CC, GoI dated 20/11/2020.

	that the mangrove habitat and other ecologically important and significant areas, if any, in the region are not affected due to any of the project activities.	
11.	The DPA shall ensure that construction activities like dredging etc. shall be carried out in confined manner to reduce the impact on marine environment.	No dredging activities have been started yet. However, it is assured that construction activities like dredging will be carried out as per the requirement of the condition.
12.	The DPA shall ensure that the dredging shall not be carried out during the fish breeding season.	No dredging activities have been started yet. Point Noted for compliance.
13.	Construction waste including debris and dredged material shall be disposed safely in the designed areas as approved by MoEF&CC, Gol and it shall be ensured that there shall be no impact on flora and fauna	DPA had already issued general circular vide dated 3/9/2019 ( <b>Copy – Annexure E</b> ) regarding Construction and Demolition Waste Management for strict implementation in DPA.
14.	No effluent or sewage shall be discharged into the sea / creek or in the CRZ area and shall be treated to conform the norms prescribed by the Gujarat Pollution Control Board and would be reused / recycled as per the approval of the Board.	It is assured that No effluent or sewage will be discharged into the Sea/creek or in the CRZ area. Further, the same will be treated in STP as per the norms prescribed by the GPCB.
15.	All the recommendations and suggestions given by the Choramandalam MS Risk Services Limited in their Environment Impact Assessment report shall be implemented strictly by DPA	The compliance of the recommendations and suggestions is given by the EIA Consultant, M/s SV Enviro, Vizag in EIA Report is attached herewith as <b>Annexure F.</b>
16.	The DPA shall exercise extra precautions to ensure the navigation safety and mitigation of the risk associated with the project activities especially due to collision, sinking or accidents of the vessels and would deploy the latest communication and navigation aids for this purpose. The proposed facilities shall also be covered under the VTMS being developed by the GMB	In this regard, it is to state that, Deendayal Port Authority had already contributed Rs. 41.25 crores for installing and operating the VTMS in the Gulf of Kachchh.
17.	The cost of the external agency that may be appointed by this department for supervision / monitoring of the project activities during construction/ operational phases shall be paid by DPA	Point Noted.
18.	The DPA shall contribute financially for any common study or project that may be proposed by this Department for environmental management / conservation / improvement for the Gulf Kutch	Point noted for compliance.

S. No.	CRZ Conditions	Compliance Status
19.	The piling activities debris and any other type of waste shall not be discharged into the sea or creek or in the CRZ areas. The debris shall be removed from the site immediately after the piling activities are over.	Work is in progress (Oil Jetty No. 8 - Jetty & allied facilities). DPA has included clause in the tender for the Contractor to undertake precautions for safeguarding the environment during the course of the construction work.
20.	The camps shall be located outside the CRZ area and the labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the labours.	Point Noted for compliance.
21.	The DPA shall prepare and regularly update their Local Oil Spill Contingency and Disaster Management Plan in consonance with the National Oil Spill and Disaster Contingency Plan	Point Noted for compliance.  DPA is already having Local Oil Spill contingency plan and updated DMP.
22.	The DPA shall bear the cost of the external agency that may be appointed by this Department for supervision / monitoring of proposed activities and the environmental impacts of the proposed activities	Point noted for compliance.
23.	The groundwater shall not be tapped to meet with the water requirements in any case	Water requirements will be met through procurement from GWSSB or private tankers. It is hereby assured that no groundwater shall be tapped.
24.	DPA shall take up greenbelt development activities in consultation with the Gujarat institute of Desert Ecology / Forest Department / Gujarat Ecology Commission	DPA has already developed Green belt in and around the Port area.  Further, DPA assigned work for Green belt development in an area of about 32 hectares to the Forest Department, Govt. of Gujarat during August, 2019 at the cost of Rs. 352.32 lakhs. The work is completed. Further, DPA also undertook massive green belt development in and around the Port area and at Gandhidham area. Further, DPA also assigned the work of <b>"Greenbelt Development in Deendayal Port Authority and its surrounding areas Charcoal Site (Phase I)"</b> vide Work Order dated 31/05/2022 at the cost of Rs. 33.22 lakhs ( <b>Annexure G</b> ).
25.	The DPA shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forests and Environment Department and the District Collector / District Development Officer	Point noted for compliance. Work is in progress (Oil jetty No. 8 and allied facilities) As per the CSR Guidelines issued by the Ministry of Ports, Shipping & Waterways, Government of India, from time to time, DPA had undertaken CSR activities since

		the year 2011-12. The details of CSR Activities undertaken & planned is attached herewith as <b>Annexure H.</b>
26.	A six-monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by DPA on a regular basis to this Department and MoEF&CC, Gol.	DPA has been regularly submitting the six-monthly report on compliance of the conditions mentioned in the CRZ Recommendation letter dated 30/7/2020 to the CRZ Authority and to the MoEF&CC, GoI.
27.	The DPA shall ensure that the numbers of the Vessels and machinery deployed during marine construction, which are a source of low level organic and PHC pollution will be optimized to minimize risks of accidents involving these vessels.	Point Noted for compliance. Work is in progress (Oil Jetty No. 8 - Jetty & allied facilities).
28.	The noise level during transport and construction of marine facilities shall be kept minimum.	DPA has been conducting regular Monitoring of environmental parameters including STP monitoring since the year 2016 through NABL Accredited laboratories. The latest monitoring report are attached herewith as <b>Annexure I.</b>
29.	The DPA shall regularly conduct the surveys to identify changes in the channel bathymetry to minimize navigation hazards. Proper navigational aids and guidance should be provided to ships navigating the channel and there should be a properly structured vessels traffic management strategy to avoid accidents.	Point noted for compliance.  Further, it is to state that, Deendayal Port Authority had already contributed Rs. 41.25 crores for installing and operating the VTMS in the Gulf of Kachchh.
30.	The DPA shall carry out separate study for further erosion and deposition pattern in the area after dredging through a reputed agency and shall follow the suggestions of the study done by reputed agency, for maintenance dredging, the recommendations/ suggestions of the reputed agency shall be follow by the DPA.	No dredging activity has been started yet. However, it is assured that necessary will be conducted as per the requirement of the condition.
31.	Any other condition that may be stipulated by this Department and MoEF&CC, Gol from time to time for environmental protection / management purpose shall also have to be complied with by DPA.	Point noted.

# **Annexure -A**



# GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D

## CONSENT TO ESTABLISH

CTE- 94118

No. PC/CCA-KUTCH-1524/GPCB ID 56985/

Date:

To,

Deendayal Port Trust Land,

Kandla Port Trust Land,

A.O Building,P.O box No. 50,

Tal.:Gandhidham,

Dist.Kutch-370201

**Subject :** Consent to Establish (NOC) under Section 25 of Water (Prevention and Control of Pollution) Act 1974 and Section 21 of Air (Prevention and Control of Pollution) Act 1981

**Reference :** Your CTE Application Inward ID No 133847 dated 04/04/2018

Sir,

Without prejudice to the powers of the Board under the Water (Prevention and Control of Pollution) Act-1974, the Air (Prevention and Control of Pollution) Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that the Board grants **Consent to Establish (NOC)** of industrial activity at **Kandla Port Trust Land,A.O Building,P.O box No. 50,Tal.:Gandhidham**,For Creation of water front facilities of oil jetties of 8,9,10,&11 & development of land (1432 Areas).

1. The validity period of the order shall be up to **03/04/2023**

### SUBJECT TO FOLLOWING SPECIFIC CONDITIONS:

1. Proposed jetties shall be handled of 3.5 MMTP/Annum of liquid cargo of edible oil. Fertilizer & food grains etc.

2. Unit shall strictly adhere to all condition of TOR issued by MoEF & CC, Delhi dated 04/08/2017 & shall not carry out any construction activities till obtaining EC & CRZ from competent authority

3. No ground water shall be withdrawn without prior approval from competent authority.

### 2. CONDITIONS UNDER WATER ACT 1974:

2.1 There shall be no industrial water consumption and hence there shall be no industrial waste water generation from manufacturing process and other ancillary operations.

2.2 Domestic water consumption shall not exceed 20 KL/day.

2.3 The quantity of domestic waste water (Sewage) shall not exceed 16 KL/Day.

2.4 The quality of the sewage shall conform to the following standards

Page 1 of 3

**Clean Gujarat Green Gujarat**

ISO-9001-2008 & ISO-14001 - 2004 Certified Organisation

Outward No:462892-319712018

PARAMETERS	GPCB NORMS
pH	6.5 to 9.0
BOD (5 days at 20° C)	30 mg/L
Suspended Solids	100 mg/L
Fecal Coliform	1000 MPN/ 100 ml

2.5 The domestic sewage shall be treated in Sewage Treatment Plant and treated sewage conforming to standards mentioned in 2.4 shall be reused in various activities shall not be used for gardening and plantation purpose in premises.

**3. CONDITIONS UNDER AIR ACT 1981:**

3.1 There shall be no use of fuel hence there shall be no flue gas emission from manufacturing process and other industrial operations.

3.2 There shall be no process gas emission from manufacturing process and other industrial operations.

3.3 The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per National Ambient Air Quality Standards issued by MoEF&CC dated 16<sup>th</sup> November-2009.

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient air in $\mu\text{g}/\text{m}^3$
1	Sulphur Dioxide ( $\text{SO}_2$ )	Annual	50
		24 Hours	80
2	Nitrogen Dioxide ( $\text{NO}_2$ )	Annual	40
		24 Hours	80
3	Particulate Matter (Size less than $10\ \mu\text{m}$ ) OR $\text{PM}_{10}$	Annual	60
		24 Hours	100
4	Particulate Matter (Size less than $2.5\ \mu\text{m}$ ) OR $\text{PM}_{2.5}$	Annual	40
		24 Hours	60

3.4 The level of Noise in ambient air within the premises of industrial unit shall not exceed following levels:

Between 6 A.M. to 10 P.M.	: 75 dB(A)
Between 10 P.M. to 6 A.M.	: 70 dB(A)

**4. CONDITIONS UNDER HAZARDOUS WASTE:**

4.1 The applicant shall provide temporary storage facilities and maintain the record for each type of Hazardous Waste as per Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 as amended from time to time

4.2 The applicant shall be obtain membership of common TSDF site for disposal Hazardous Waste as categorized in Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 as amended thereof

**5. GENERAL CONDITION**

5.1 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.

5.2 The waste generator shall be totally responsible for (i.e. Collection, storage, transportation and ultimate disposal) of the wastes generated.

5.3 Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form – 4 by 31st January of every year.

5.4 In case of any accident, details of the same shall be submitted in Form – 5 to Gujarat Pollution Control Board.

5.5 Applicant shall comply relevant provision of "Public Liability Insurance Act-91".





## GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar 382 010

Phone : (079) 23222425

(079) 23232152

Fax : (079) 23232156

Website : [www.gpcb.gov.in](http://www.gpcb.gov.in)

- 5.6 Unit shall take all concrete measures to show tangible results in waste generation reduction, avoidance, reuse and recycle. Action taken in this regards shall be submitted within 03 months and also along with Form 4
- 5.7 Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous waste generated within the factory premises.
- 5.8 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 10 meters width shall be developed.
- 5.9 The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water (Prevention and Control of Pollution) Cess Act- 1977.

For and on behalf of  
Gujarat Pollution Control Board

(Sushil Vegda)  
Senior Environment Engineer

Outward No: 462839, 23/07/2018

# **Annexure -B**

## DEENDAYAL PORT TRUST

### DETAILS OF MANGROVE PLANTATION ALREDY CARRIED OUT & Proposed To be Carried Out :

Sr. No	Name of the Organization	Total Mangrove Plantation carried out in Hectares till date and place of plantation and agency	Cost incurred
<b>(A) <u>MANGROVE PLANTATION ALREDY CARRIED OUT</u></b>			
1	DEENDAYAL PORT TRUST  (CRZ Recommendation 13 <sup>th</sup> to 16 <sup>th</sup> CB issued by the GCZMA)  (Total 1000 ha.)	20 Hectares – 2005-06 Satsida Bet,Kandla, by GUIDE,Bhuj  50 Hectares – 2008-09 Nakti Creek,Kandla by Patel Construction  100 Hectares – 2010-11 Nakti Creek ,Kandla by GEC. (Board 29/1/2010)  200 Hectares – 2011-12 by Forest Department, GoG at Satsaida Bet  300 Hectares – 2012-13 by Forest Department, GoG at Satsaida Bet  330 Hectares – 2013-14 by Forest Department, GoG at Satsaida Bet <b>TOTAL 1000 HA.</b>	Rs. 8.8 lakhs  Rs. 27.4 lakhs  Rs.24.5 lakhs  Rs. 66.5 lakhs  Rs. 157.5 lakhs (total 630 hectares)
2	Creation of Berthing & allied Facilities off- tekra near Tuna (Outside Kandla Creek) – EC & CRZ Clearance.  (Total 500 ha. – 250Ha. by DPT & 250 ha by Adani (concessionaire)  MOU signed with GEC during Vibrant Gujarat Summit 2015 for 300 Ha.	300 Hectares – 2015-17 by GEC at Kantiyajal, Bharuch District	Rs. 90.0 lakhs
3.	EC & CRZ Clearance dated 19/12/2016 for Developing 7 integrated facilities (Condition 100 Ha)	100 Ha. –2018- 20 by GEC	Rs. 45 lakhs
<b>TOTAL MANGROVE Plantation till date by DPT 1400 Ha. – Total 419.7 lakhs</b>			

**(B) Proposed Mangrove Plantation**

1.	Development of Integrated facilities (Stage-II) within the existing Deendayal Port Trust (Erstwhile Kandla Port Trust) at District Kutch, Gujarat. (1. Setting up of Oil Jetty No.7 ; 2. Setting up of Barge jetty at Jafarwadi ; 3. Setting up of Barge port at Veera; 4. Administrative office building at Tuna Tekra; 5. Road connecting from Veera barge jetty to Tuna gate by M/s Deendayal Port Trust (Erstwhile : Kandla Port Trust) - <u>Environmental &amp; CRZ Clearance accorded by the MoEF&amp;CC,Gol dated 19/12/2020.</u>	<b><u>50 Ha. as per CRZ Recommendation issued by the GCZMA dated 29/6/2016.</u></b>	Rs. 45 lakhs
2.	Development of 3 Remaining Integrated Facilities (stage I) within the existing Deendayal Port Trust (Erstwhile : Kandla Port Trust) at Gandhidham, Kutch, Gujarat - <u>Environmental &amp; CRZ Clearance accorded by the MoEF&amp;CC,Gol dated 18/2/2020.</u>	<b><u>50 Ha. as per CRZ Recommendation issued by the GCZMA dated 29/6/2016. .</u></b>	

# **Annexure -C**



# DEENDAYAL PORT AUTHORITY

(Erstwhile Deendayal Port Trust)

Ministry of Ports, Shipping & Waterways, Govt. of India

Mech. Engg. Deptt.



Tel: (02836)220636 / 270184  
FAX: (02836) 270184 / 270475  
Email :- [cmepdt@gmail.com](mailto:cmepdt@gmail.com)  
[cmepdt@deendayalport.gov.in](mailto:cmepdt@deendayalport.gov.in)

Office of the Chief Mechanical Engineer,  
Port & Customs Building,  
New Kandla (Kutch), Gujarat-370210

No. DD/WK/3050/Pt-I/ GIM/PC-44

Date: 02.06.2022

Sir,

To,  
Gujarat Ecology Commission  
Forest & Environment Department  
Block No. 18, First Floor, Udhog Bhavan,  
Gandhinagar, Gujarat

**Sub: Work Order to carry out Mangrove Plantation-reg.**

The Competent Authority, Deendayal Port Authority has been pleased to approve:

1. To carry out mangrove plantation in 100 Ha. area with consultation of concern Gujarat Ecology Commission and at tentative estimated cost amounting to Rs. 50,00,000/- (excluding GST) for the said mangrove Plantation to be carried out in an area of 100 Ha. as per the stages mentioned by them in the MoU as follows:

Sr. No.	Terms and Condition	Rs. (in lakhs)
1	50% of the project cost of 100 Ha. Mangrove Plantation after signing the MoU.	Rs. 25.00
2	40% of the project cost of 100 Ha Mangrove Plantation after nursery preparation.	Rs. 20.00
3	10% of the project cost of 100 Ha Mangrove Plantation after plantation and submission of First year progress report.	Rs. 5.00
	<b>Total</b>	<b>50.00</b>

2. To sign MoU with the Gujarat Ecology Commission, Government of Gujarat during the ensuing Vibrant Gujarat Summit 2022, regarding proposed Mangrove Plantation to be carried out in an area of 100 Hectares through the Gujarat Ecology Commission.
3. To authorize Dy. CME & CME (I/c) to sign MoU with the Gujarat Ecology Commission, Government of Gujarat during upcoming Vibrant Gujarat Summit 2022 for proposed Mangrove Plantation in an area of 100 Hectares through GEC.

The Expenditure shall be chargeable under Code 841/587/9744 WC-13001

Authority: Approved by Board vide Resolution No. 30 in the board meeting held on 27.05.2022

  
Chief Mechanical Engineer(I/c)  
Deendayal Port Authority

Copy to:

- 1) SE(M)
- 2) A.O. (Works Audit)

# **Annexure -D**

**Regular Monitoring of Mangrove Plantation (1400 ha) carried out by  
Deendayal Port Authority, Kandla**

**DPA Work Order No: WK/EG/4751/Part/ (Marine Ecology Monitoring)/10**

**Dt.03/05/2021**

*Submitted to*



**Deendayal Port Authority  
Administrative office building**

**Post box no. 50**

**Gandhidham (Kachchh)**

**Gujarat-370201**

*Submitted by*



**Gujarat Institute of Desert Ecology**

**P.B. No. 83, Mundra road**

**Opp. Changleshwar Temple**

**Bhuj-Kachchh, Gujarat-370001**

**MAY 2022**





## Certificate

This is to state that this Final report of the work entitled, **“Regular Monitoring of Mangrove Plantation (1400 Ha) carried out by Deendayal Port Authority (Statutory Requirement)”** has been prepared in the line with the work order issued by DPA vide No. EG/WK/4751/Part (Marine Ecology Monitoring)/10. Dt. 03.05.2021.

This report covers the study conducted during the period between May'2021 and May'2022.

Authorized Signatory



Institute Seal

## PROJECT TEAM

**Project Co-ordinator: Dr. V. Vijay Kumar, Director**

<b>Name of the Staff</b>	<b>Designation</b>	<b>Role</b>
Dr. M. Jaikumar	Senior Scientist	Principal Investigator
Dr. Durga Prasad Behera	Project Scientist	Team Member
Dr. R. Ravinesh	Project Scientist	Team Member
Dr. Dhara Dixit	Project Scientist	Team Member
Dr. Kapilkumar. N. Ingle	Project Scientist	Team Member
Dr. L. Prabhadevi	Advisor	Team Member
Mr. Dayesh Parmar	Project Officer (RS&GIS)	Team Member
Mr. Sai Vineeth Perla	Senior Research Fellow	Team Member
Ms. Bhagavati Kannad	Junior Research Fellow	Team Member
Ms. Pallavi Joshi	Junior Research Fellow	Team Member

Snapshot of the Project, “Regular Monitoring of Mangrove Plantation (1400 Ha) carried out by Deendayal Port Authority (Statutory requirement)”

S. No	Components of the Study	Remarks
1	Deendayal Port's letter sanctioning the project	EG/ WK/4751/Part/ (Marine Ecology Monitoring)/10 dated 3/5/2021
2	Duration of the project	One year from 24.05.2021 to 23.05.2022
3	Period of the survey carried out for various components	July-2021 – April 2022
4	Survey area within the port limit	Sat Saida Bet, Nakti creek and Kantiyajal mangrove plantation sites
5	No of locations sampled within the port limits	05 blocks in Sat Saida Bet, 02 blocks in Nakti creek and 3 block at Kantiyajal
6	Components of the report	
6a	Mangrove density	<u>Sat Saida Bet:</u> Density of <i>A. marina</i> varied from 1300 to 3500 and individuals/ha and tree height ranging from 70 - 260cm <u>Nakti creek:</u> Density of <i>A. marina</i> varied from 900 – 3400 individuals/ha and tree height ranges from 72 - 280 cm. <u>Kantiyajal:</u> Density of <i>A. marina</i> varied from 1200 - 5200 individuals/ha tree height ranges from 13-220 cm. The density of <i>R. mucronata</i> at Kantiyajal was 1800 to 3500 individuals/ha and height ranges from 13 to 210 cm.
6b	Mangrove survival	The highest survival rate for <i>A. marina</i> plantation in 150 ha area at Kantiyajal was 75%, followed by 50ha area at Sat Saida bet (62.7%) and Nakti (54%).
6c	Assessment of below ground Carbon stock	The below ground Total Biomass Carbon of <i>A. marina</i> plantation varied from 42.36t/ha to 79.5t/ha. The highest below ground carbon stock potential was at Sat Saida Island.
6d	Assessment of above ground carbon	The above ground biomass was maximum 210.0 gm at Sat Saida Bet while at Nakti it was 161.0gm and at Kantiyajal 164.60gm.
7d	Management	The restoration efforts to be done to improve the sparse mangrove patches with multi-species plantation initiatives along with promotion of natural regeneration through long term efforts.
8	Status of 2017-2018 plantation	Sat Saida Bet

		<p>Average density of <i>A. marina</i> plants 2031 - 5387 individuals/ha with average height ranging from 39 - 113 cm.</p> <p>Nakti creek</p> <p>Plant density (<i>A. marina</i>) varied from 2340 – 2370 individuals/ha with average height from 53 - 84 cm. Very few <i>R. mucronata</i> and <i>C. tagal</i> plants survived.</p> <p>Kantiyajal</p> <p><i>A. marina</i> average density between 1460 and 2220 individuals/ha with an average height between 32 -37 cm. Average density of <i>R. mucronata</i> was 1280 individuals/ha with an average height of 30 cm and <i>R. mucronata</i> as frontline vegetation along the fringes of the block.</p> <p>Highest survival rate (88.8%) for <i>A. marina</i> plantation in 150 ha at Kantiyajal followed by <i>A. marina</i> plantation in 20 ha at Sat Saida bet (81.6%) during 2017-2018. The Total Biomass Carbon of <i>A. marina</i> plantation varied from 0.041 to 0.202 Mg/ha. The highest Carbon sequestration potential was of Nakti creek during 2017-2018.</p>
--	--	--

## Table of Contents

1 Introduction.....	12
2 Objectives of the study.....	13
3 Mangroves as blue-carbon stock.....	13
4 Rationale .....	15
5 Study Area .....	15
5.1 Deendayal Port Environment .....	15
5.2 Details of plantation sites .....	18
5.3 Regular mapping through GIS & RS .....	22
5.4 Land use/ Land cover .....	22
5.5 Mangrove plantation at Nakti creek (150 ha).....	24
5.6 Plantation at Kantiyajal (350 ha).....	29
5.7 Plantation at Sat Saida bet (900 ha) .....	34
6 Results.....	46
6.1 Mangrove plantation evaluation at Nakti creek .....	46
6.1.1 Evaluation of <i>Avicennia marina</i> Plantation at Nakti creek (2021-2022) 100 ha.....	46
6.1.2 Mangrove evaluation at Nakti creek (2021-2022) 50ha.....	47
6.2 Kantiyajal mangrove plantation (350 ha).....	48
6.2.1 <i>Avicennia marina</i> and <i>Rhizophora mucronata</i> plantation (2015-2016) 150 ha .....	48
6.2.2 <i>Rhizophora mucronata</i> plantation (2016-2017) 150 ha .....	50
6.2.3 <i>Avicennia marina</i> plantation (2018-2019) 50 ha .....	51
6.3 Monitoring of mangrove plantation at Sat-Saida Bet.....	52
6.3.1 Monitoring of <i>Avicennia marina</i> at Sat-Saida Bet (2021-2022) 20 ha.....	52
6.3.2 Monitoring of <i>Avicennia marina</i> plantation at Sat Saida bet (2021-2022) 200 ha..	53
6.3.3 Monitoring of <i>Avicennia marina</i> plantation (2021-2022) 300 ha.....	54
6.3.4 Monitoring of <i>Avicennia marina</i> plantation (2021-2022) 330 ha.....	57
6.3.5 Monitoring of <i>Avicennia marina</i> plantation (2021-2022) 50ha.....	59
7 Regeneration and recruitment class .....	60
8 Soil Biomass Carbon.....	62
8.1 Soil biomass carbon stock potential at Nakti creek mangrove site .....	62
8.2 Soil biomass carbon stock potential at Kantiyajal mangrove site .....	63
8.3 Soil carbon stock potential at Sat Saida bet at mangrove site .....	65
8.4 Details of carbon Sequestration at the plantation sites.....	67
9 Phyto-sociological observation .....	71

9.1 Halophytes.....	71
10 Discussion.....	72
11 Summary.....	74
12 Suggestions and recommendations .....	75
12.1 Management approach .....	75
12.2 Identification of suitable sites .....	76
12.3 Identification of stress factors .....	76
12.4 Bio-physical management.....	76
12.5 Community-based management.....	77
12.6 Physical protection .....	77
13 Future considerations .....	78
14 References.....	79

## List of Figures

Figure 1. Different level of Carbon Storage .....	14
Figure 2. Schematic diagram of Ecosystem services of Mangroves (IUCN, 2017) .....	17
Figure 3. Mangrove plantation carried out by DPA at Kantiyajal and in the Gulf of Kachchh .....	20
Figure 4. Location of Mangrove Plantation sites at Sat Saida Bet and Natki creek .....	21
Figure 5. Land use/Land cover classification in Deendayal port area – (April 2017) .....	22
Figure 6. Land use/ land cover classification map of DPA (March-2022) .....	23
Figure 7. Mangrove plantation 100 ha at Nakti creek during 2017-2018 .....	25
Figure 8. Satellite images of mangrove plantation at Nakti creek (2007,2014 & 2018). .....	26
Figure 9. Mangrove plantation 50 ha at Nakti creek during 2008-2009 .....	27
Figure 10. Mangrove plantation 50 ha at Nakti creek during 2017-2018 .....	27
Figure 11 Satellite images of 50 ha mangrove plantation at Nakti creek during the years 2007,2014 & 2018. ....	28
Figure 12. Mangrove plantation at Kantiyajal (350 ha) .....	29
Figure 13. Mangrove plantation 150 ha at Kantiyajal-Block 1 during 2018 .....	32
Figure 14. Mangrove plantation 150 ha at Kantiyajal-Block 2 during 2018 .....	32
Figure 15. Satellite imageries of the plantation at Kantiyajal-block 1 (2018) .....	33
Figure 16. Satellite imageries of the plantation at Kantiyajal-block 2 (2018) .....	33
Figure 17. Mangrove plantation at Sat Saida bet 20 ha during 2005-2006 .....	37
Figure 18. Satellite imageries of the plantation at Sat Saida Bet (2005-2006, 2014 & 2018).38	
Figure 19. Mangrove plantation 200 ha at Sat Saida bet during 2017-2018 .....	39
Figure 20 . Satellite imageries of the plantation at Sat Saida Bet (2007, 2014 & 2018) .....	40
Figure 21. Mangrove plantation 300 ha at Sat Saida bet during 2017-2018 .....	41
Figure 22. Satellite imageries of the plantation at Sat Saida Bet (2007, 2012-13 & 2014) .....	42
Figure 23. Mangrove plantation 330 ha at Sat Saida bet during 2013-2014 .....	44
Figure 24. Satellite imageries of the plantation at Sat Saida Bet (2007, 2014 & 2018) .....	45
Figure 25. Regeneration class density at Sat Saida Bet .....	60
Figure 26. Recruitment class density at Sat Saida Bet .....	60

## List of Tables

Table 1. Environmental setting of the Deendayal Port region.....	18
Table 2. Details of the implemented mangrove plantation activities by DPA.....	19
Table 3. Land use /land cover statistics in the DPA area for April-2017 and March-2022.....	23
Table 4. Sampling location of Nakti Creek (150 ha).....	24
Table 5. <i>A. marina</i> plantation (2010-2011) in 100 ha at Nakti creek .....	25
Table 6. <i>A. marina</i> plantation (2008-2009) in 50 ha at Nakti creek .....	27
Table 7. Sampling location of Kantiyajal (350 ha).....	30
Table 8 Mangrove plantation (2015-2016) in 150 ha at Kantiyajal.....	31
Table 9. <i>A. marina</i> (2016-2017) in 150 ha at Kantiyajal .....	32
Table 10. Sampling locations at Sat Saida Bet (630 ha).....	35
Table 11. Sampling location of Sat Saida Bet (270 ha).....	36
Table 12. <i>Avicennia marina</i> plantation (2005-2006) in 20 ha at Sat Saida bet .....	37
Table 13. <i>Avicennia marina</i> plantation (2011-2012) in 200 ha at Sat Saida bet .....	39
Table 14. <i>Avicennia marina</i> plantation (2012-2013) in 300 ha at Sat Saida bet .....	41
Table 15. <i>Avicennia marina</i> plantation (2013-2014) in 330 ha at Sat Saida bet .....	43
Table 16. Details of mangrove plantation at Nakti creek (100 ha).....	47
Table 17. Details of mangrove plantation at Nakti creek (50 ha).....	48
Table 18. Details of <i>A. marina</i> & <i>R. mucronata</i> plantation at Kantiyajal (150 ha).....	50
Table 19. Details of mangrove plantation of <i>Rhizophora mucronata</i> at Kantiyajal (150 ha) .	50
Table 20. Evaluation of <i>A. marina</i> plantation at Kantiyajal (50 ha) during 2018-2019 .....	51
Table 21. Evaluation of <i>A. marina</i> plantation at Sat Saida Bet (20 ha).....	53
Table 22. Details of mangrove plantation of <i>A. marina</i> at Sat Saida Bet (200 Ha).....	55
Table 23. Details of mangroves plantation of <i>A. marina</i> at Sat Saida Bet (300 Ha).....	56
Table 24. Details of mangroves plantation of <i>A. marina</i> at Sat Saida Bet (300 ha).....	58
Table 25. Details of mangroves plantation of <i>A. marina</i> at Sat Saida Bet (50 Ha).....	59
Table 26. Assessment of plant characteristics (Mean) at the plantation sites during 2017-2018 .....	61
Table 27. Soil Carbon stock in Nakti mangrove plantation site- 100 ha .....	62
Table 28. Soil Carbon stock in Nakti mangrove plantation site - 50 ha .....	63
Table 29. Average Carbon Stock at Nakti Creek.....	63
Table 30. Soil Carbon stock in Kantiyajal mangrove plantation site- 150 ha ( <i>A. marina</i> ).....	64
Table 31. Soil Carbon stock in Kantiyajal mangrove plantation site- 150 ha ( <i>R. mucronata</i> )	64



Table 32. Soil Carbon stock in Kantiyajal mangrove plantation site- 50 ha ( <i>A.marina</i> ).....	64
Table 33. Average Carbon Stock at Kantiyajal Creek .....	65
Table 34. Soil Carbon stock in Sat Saida bet mangrove plantation site- 300 ha .....	65
Table 35. Soil Carbon stock in Sat-Saida bet mangrove plantation site- 200 ha.....	65
Table 36. Soil Carbon stock in Sat Saida bet mangrove plantation site- 330 ha .....	66
Table 37. Soil Carbon stock in Sat Saida bet mangrove plantation site- 50 ha .....	66
Table 38 Soil Carbon stock in Sat Saida Bet mangrove plantation site- 20 ha .....	66
Table 39. Average Carbon Stock of all the sites at Sat Saida Bet .....	67
Table 40. Details of Carbon stock at Sat Saida during 2022 .....	68
Table 41. Details of Carbon stock at Kantiyajal during 2022.....	69
Table 42. Details of Carbon stock at Nakti creek during 2022.....	70

## List of Plates

Plate 1 <i>Ceriops tagal</i> stands at Nakti creek Plantation site.....	49
Plate 2 <i>Rhizophora mucronata</i> stands at Nakti creek Plantation site.....	49
Plate 3 <i>Avicennia marina</i> (100 ha) plantation at Nakti creek.....	49
Plate 4 <i>Avicennia marina</i> plantation at Kantiyajal coast.....	51
Plate 5 <i>Rhizophora mucronata</i> plantation at Kantiyajal coast.....	52
Plate 6 Sat Saida Bet <i>Avicennia marina</i> plantation.....	53
Plate 7 Monitoring of <i>A. marina</i> on field.....	57
Plate 8 Mangrove Associated Halophytes .....	71

# 1 Introduction

Mangrove forests make up one of the most productive and biologically diverse ecosystems on the planet. They grow in a variety of depths of salt water with breathing roots or Pneumatophores providing habitat for different macro and micro faunal species. The ability of mangroves to absorb up to four times more carbon dioxide by area than other terrestrial forests recognize their importance in global warming (Donato *et. al.*, 2011). The mangroves are economically important by supporting fisheries, ecotourism and carbon sequestration (Baig *et. al.*, 2015). Over the years, the global scientific community has widely realized the ecological role of mangroves and the services they provide. Despite the benefits it provides, mangroves are being overexploited and deteriorated for various reasons and area under mangrove cover decreased at an alarming rate and poorly restored (UNEP, 2014). Thus, researchers eventually tried to restore mangrove through plantation/conservation to retain the ecological and economic values, and as a result the rate of loss has been decreased and stabilized during the period of 1980 to 2000 compared to the terrestrial forest loss (Duraiappah *et. al.*, 2005). India has a total of 7516.6 km coastline distributed among nine maritime states and four Union Territories (Anon, 2001), of which Gujarat possesses the longest coastline extending to 1650 km. A total of 46 true mangrove species belonging to 14 families and 22 genera are found in Indian mangrove habitats (Ragavan *et. al.*, 2016). Around 3 % of the earth's total mangrove vegetation is found in India (FSI, 2021). Gujarat has the country's second-largest mangrove cover (1175Km<sup>2</sup>).

Mangrove being the woody habitats forms the vital carbon sinks in the coastal regions. Deendayal Port Authority (hereafter DPA) has been involved in the mangrove plantation activity as per the specifications by the Ministry of Environment Forests and Climate Change, Govt. of India, (hereafter MoEFCC) in the port premises and the adjoining creek environments in order to mitigate the environmental impacts due to the Port's regular activities in the coastal waters and the land. The coastal water itself can absorb the atmospheric carbon dioxide, and the microscopic phytoplankton tends to remove a huge amount of it through photosynthesis and diffusing oxygen into the water. The monitoring of the mangrove plantation carried out by the DPA has been undertaken by Gujarat Institute of Desert Ecology (hereafter GUIDE) regularly as per the specification in the work order (EG/WK/4751/part Marine Ecology Monitoring)/10 dated 03.05.21. This report describes the monitoring results of the mangrove plantation managed by the DPA at Nakti creek, Kantiyajal and Sat Saida Bet during the period of 2021 to 2022.

## 2 Objectives of the study

This study aims to assess the growth and survival rate of mangrove plantations, factors affecting the health of the mangrove and suggest appropriate remedial measures and techniques for conserving them.

The specific objectives are:


- i. To evaluate 1400 Ha of mangrove plantation at Sat Saida Bet, Nakti creek in Kachchh coast, and Kantiyajal in Bharuch district carried out by the Gujarat Ecology Commission (GEC), and the Department of Forest, Govt. of Gujarat.
- ii. To assess the extent of the plantation, health status, survival of the sapling, mortality rate and growth of the planted mangroves.
- iii. To provide a comprehensive overview of both the composition and distribution of the planted mangroves.
- iv. To assess the potential below ground carbon stock of the mangrove plantation in view of climate change.

## 3 Mangroves as blue-carbon stock

Mangrove ecosystems are large and dynamic carbon reservoirs, involved in the global carbon cycle and a potential sink of atmospheric carbon dioxide (Clark, 2001; Matsui *et al.*, 2010). Currently, the world's mangroves store carbon equivalent to over 21 gigatons of CO<sub>2</sub>. Destruction of mangrove ecosystems releases this carbon into the atmosphere, accelerating the rate of climate change. (Lovelock *et al.*, 2022). It has been estimated that mangroves prevent more than \$65 billion in property damages and reduce flood risk to some 15 million people every year (Spalding *et al.*, 2021). In the face of accelerating climate change, mangroves are significant contributors to ecosystem-based adaptation, with a robust capacity to support lives and livelihoods, even in the expected future changes predicted by most of the general circulation models (IPCC 2013). A salient feature of mangrove forests is converting carbon dioxide to organic carbon at higher rates than almost any other existing habitat on earth (Ezcurra *et al.*, 2016). This 'blue carbon' is stored both in the living plants and their thick muddy soils, where it can remain fixed for centuries.

Although the area covered by mangrove forests represents only a tiny fraction of the tropical forests, their position at the terrestrial-ocean interface and possible exchange with coastal ocean

waters make a unique contribution to the total carbon cycle in the coastal ocean (Twilley, 1992). The contribution of coastal and marine ecosystems to mitigate climate change through carbon sequestration and storage is much more compared to their terrestrial counterparts (Steven *et. al.*, 2008; Yee. 2010). Blue carbon sinks include open oceans, kelp forests, salt marshes, sea grass beds, coral reefs and mangroves. Management of these blue carbon sinks is currently not being accounted for in most of the climate change policies and is excluded from national carbon inventories and international carbon payment schemes (Lasco, 2004). There are two different mangrove biomass estimation methods well established viz. field measurement and remote sensing & GIS-based approach. Amongst them, the field measurement has been considered to be precise and accurate (Petrokofsky *et al.*, 2012). Further, field-based data is also required for validation in remote sensing and GIS-based approach. Hence, in recent years, field measurements have been conducted to support and collate satellite data for meaningful estimations. Approximation of the global carbon cycle done through, scaling- up of successful protection and restoration measures (Lovelock *et. al.*, 2022). And additionally, these coastal ecosystems provide numerous benefits and services that are essential for climate change adaptation, including coastal protection and food security for many communities globally (IUCN 2017). On an implementation global level, carbon stores in different level viz., mangroves, salt marshes and seagrasses can be included in national accounting, according to the Intergovernmental Panel on Climate Change (IPCC 2013). Although there was no record of sea grass in the DPA area (GUIDE 2018).



**Figure 1. Different level of Carbon Storage**  
 (Source-IPCC, 2013 Supplement to the 2006 Guidelines for National Greenhouse Gas Inventories: Wetlands).

## **4 Rationale**

DPA is one of the largest ports in India, having one of the largest coastal habitats, with mangroves (24328.7ha) and mudflats (31089.06 ha) around its jurisdiction. The Port Authority has been very keen and dedicated in restoring the environmental quality of both the shore line and the coastal zone by implementing reliable modern technologies with the participation of the state and central government departments and the local people. Besides the legal mandates, the port authority itself has been implementing projects, time to time towards the conservation of the mangrove and other plants and protecting their coastal habitats and measures been taken to conserve and preserve mangroves within the DPA area, to retain the ecosystem services of mangroves. Accordingly, DPA has carried out mangrove plantation in 1400 ha between 2005 and 2019 through various implementing agencies at Sat Saida Bet and Nakti creek in Kandla and Kantiyajal in Bharuch district. The DPA has entrusted the task of evaluating the status of 1400 ha of mangrove plantation in these locations to the GUIDE, Bhuj. The detailed report on the mangrove plantation evaluation is submitted to the DPA time to time.

## **5 Study Area**

### **5.1 Deendayal Port Environment**

Deendayal Port in Kachchh District of Gujarat State (formerly Kandla Port Trust), operated by Deendayal Port Authority (DPA), is a gateway Port to the hinterland in the western and northern states of India. It is one of the 11 major Ports of India situated at 22°59'39.77'' N latitude and; 70°13'20.14'' E longitude on Kandla creek at Gulf of Kachchh. The inclusion of Karachi Port in Pakistan after India's partition and heavy traffic congestion at the then Bombay Port gave impetus for promoting Deendayal Port during the 1950s. In 1955, Deendayal Port acquired the status of a major Port in India. Because of its proximity to the Gulf countries. Large quantities of crude petroleum and other assorted cargo are imported through Deendayal Port.


The Port presently has 14 jetties, six oil terminals, and several allied facilities for handling dry and liquid cargo. Regular expansion/developmental activities such as the addition of jetties, allied Special Economic Zones (SEZ hereafter), industrial parks and ship bunkering facilities are underway to cope with the increasing cargo handling demands. Shri Mansukh Mandaviya, Minister of State for Ports, Shipping and Waterways (I/C) appreciated the efforts taken by Deendayal Port and added that it is indeed the major achievements in the challenging COVID

times and it is significant indication that economy is bouncing back to achieve pre-COVID times. Major commodities handled by the Deendayal Port are Crude Oil, Petroleum product, Coal, Salt, Edible Oil, Fertilizer, Sugar, Timber, Soya bean, Wheat. This major achievement can be attributed to the user-friendly approach of port with the Shipping fraternity / stakeholders and constant consultations with them to improve Ease of Doing Business. An assortment of liquid and dry cargo is being handled at Deendayal Port. The dry cargo includes fertilizers, iron scrap, steel, food grain, metal products, ores, cement, coal, machinery, sugar, wooden logs, salt extractions, etc. The liquid cargo includes edible oil, crude oil and other petroleum products. DPA created a new record by handling 127.10 million metric tonnes of cargo during FY 2021-22 compared to 117.566 MMT in FY 2020-21, with a growth of 8.11%. Incidentally, DPA is the only major Indian Port to handle more than 127 MMT cargo throughput, and it has also registered as the highest cargo throughput in its history. The Port has handled 3151 vessels during FY 2021-22 compared to 3095 vessels in FY 2019-20. While the Port has flagged off several projects related to infrastructure creation, DPA has successfully awarded the work of augmentation of Liquid cargo handling capacity by revamping the existing pipeline network at the oil jetty area in September 2021.

Deendayal Port is a natural harbour located on the eastern bank of North-South trending Kandla creek at an aerial distance of 145 km from the Gulf's mouth. Being located at the inner end of the Gulf of Kachchh (GoK), Deendayal Port has a fragile marine ecosystem with a vast expanse of mangroves, mudflats, creek systems and allied biota. The Port location is marked by a network of major and minor mangrove-lined creek systems with a vast extent of mudflats. The coastal belt in and around the Port has an irregular and dissected configuration. Due to its location, the tidal amplitude varies, experiencing 6.66 m during Mean High-Water Spring (MHWS) and 0.78 m during Mean Low Water Spring (MLWS) with an MSL of 3.88 m. Commensurate with the increasing tidal amplitude, vast intertidal expanses are present in and around the Port environment. This, along with the occurrence of mudflats, enables mangrove formations at the intertidal belts. Annual rainfall during 2021 was 466 mm, which is often irregular (GWRDC, 2021). There are no perennial or seasonal rivers in Gandhidham taluka. Total rainy days during the monsoon season is limited to only 15-20 days and used to be erratic. Freshwater input into the near coastal waters is relatively meagre and appears to have less influence on the ambient coastal water quality except during monsoon months, during which freshwater through flash floods get discharged in the near coastal waters. The annual average humidity is 60%, which increases to 80% during the southwest monsoon (June to September)

and decreases to 50% during November-December. The average wind speed is 4.65 m/s, with a maximum wind speed of 10.61 m/s during June. The drought phenomenon is common with two drought years in a cycle of 5 years. The annual mean maximum and minimum temperatures are 42.8°C and 21.3°C, respectively (Table 1).

The coastal belt in and around the Kandla region is characterized by a network of creek systems and mudflats covered by sparse halophytic vegetation, creek water and salt-encrusted land mass, which forms the major land forms. The surrounding environment in a radius of 10 km from the Port is mostly built-up areas consisting of salt works, human habitations and Port related structures on the west and north, creek system, mangrove formations and mudflats on the east and south. The Deendayal Port and its surroundings have mangroves, mudflats and creek systems as major ecological entities. Various ecosystem services provided by the mangrove ecosystem is depicted in Fig-2 (IUCN-2017).



**Figure 2.** Schematic diagram of Ecosystem services of Mangroves (IUCN, 2017)



**Table 1.** Environmental setting of the Deendayal Port region


Sl. No.	Particulars	Details
1	Deendayal Port Co-ordinates	22° 59'39.77' N, 70°13'20.14'' E
2	Elevation above Mean Sea level	~20 ft
3	Climatic Conditions	As per Meteorological Station, Deendayal Port Annual Mean Max Temp: 42.8°C Annual Mean Min Temp: 21.3°C Rainfall: 466 mm (Annual mean 2021)
4	Land Use of nearby areas	Comparatively flat marshy land with stunted and dense mangrove formation, mudflats, creek systems, coastal halophytes, saltpans and salt swamps
5	Nearest Highway	National Highway 8A
6	Nearest Railway Station	Gandhidham RS
7	Nearest major airport	Bhuj (~60 km, NW)
8	Nearest Village habitation	Tuna (~12 km, North)
9	Nearest Major Town	Gandhidham (12 km, Northwest)
10	Reserved Forest	Nil
11	Historically Important Places	Nil
12	Rivers/streams around the project environs	Nil
13	Major Dams and barrages	Nil
14	Survey of India Topo sheet covering the proposed site and surroundings	41J1 and 41I4
15	Seismic Zone	Zone –V

## 5.2 Details of plantation sites

The present study focused on the assessment of the present status of the mangrove at Sat Saida bet and Nakti creek in the Kandla (Kachchh) and Kantiyajal in the Bharuch district vicinity covering eight blocks occupying an area of 1300 ha, where plantation activities have been conducted during the period between 2005 and 2017. However, the present study (2021-2022) will also cover the additional 100 ha plantations carried out at Sat Saida bet (50 ha), and Kantiyajal (50 ha) during 2018 and 2019 with a total coverage area of 1400ha. The primary goal of this study is to assess the survival rate of mangrove plantations and the carbon sequestration potential of planted mangroves and suggest achievable conservation measures. The details of the mangrove plantation work carried out in a phased manner by the DPA is presented in Fig -3 & 4 and Table 2, 3 & 4.

**Table 2.** Details of the implemented mangrove plantation activities by DPA

Location	Year of Plantation	Area (ha)	Species planted	Implementing Agency
Sat Saida Bet, Kachchh district	2005-2006	20	<i>A. marina</i>	Gujarat Institute of Desert Ecology, Bhuj
	2011-2012	200	<i>A. marina</i>	Forest Department, GoG
	2012-2013	300	<i>A. marina</i>	Forest Department, GoG
	2013-2014	330	<i>A. marina</i>	Forest Department, GoG
	2018-2019	50	<i>A. marina</i>	Gujarat Ecology Commission
Nakti Creek, Kachchh district	2008-2009	50	<i>A. marina</i>	M/s. Patel Construction Co, Gandhidham
	2010-2011	100	<i>A. marina</i> <i>R. mucronata</i> <i>C. tagal</i>	Gujarat Ecology Commission
Kantiyajal, Bharuch District	2015-2016	150	<i>A. marina</i>	Gujarat Ecology Commission
	2016-2017	150	<i>A. marina</i> <i>R. mucronata</i>	Gujarat Ecology Commission
	2018-2019	50	<i>A. marina</i>	Gujarat Ecology Commission
<b>Total</b>		<b>1400</b>		



**Figure 3.** Mangrove plantation carried out by DPA at Kantiyajal and in the Gulf of Kachchh




**Figure 4.** Location of Mangrove Plantation sites at Sat Saida Bet and Natki creek

### 5.3 Regular mapping through GIS & RS


Mangrove plantations in 1400 ha was regularly monitored and mapped using RS and GIS facilities as part of the conservation and management efforts. The difference in mangrove density was assessed through ArcGIS (version 9.3) and ERDAS (version 9.3) and areas having restoration priority was identified for plantation activity.

### 5.4 Land use/ Land cover

From April, 2017 to March, 2022 within the span of 5 years the overall mangrove area increased from 19319 ha to 24328 ha (43.7%) (Table-5). Most of the mudflat area converted to Mangrove area, and hence a decreasing trend of the mudflat is clearly observed. Good monsoon and favorable environmental conditions have positively impacted the mangroves to flourish (Saravanakumar *et. al.*, 2008, Das *et. al* 2019). The Figure -5 and 6 clearly depicts the year wise increase in mangrove area in the DPA vicinity and at present 24% of the total area is covered by mangroves.



**Figure 5.** Land use/Land cover classification in Deendayal port area – (April 2017)



**Figure 6.** Land use/ land cover classification map of DPA (March-2022)

**Table 3.** Land use /land cover statistics in the DPA area for April-2017 and March-2022

Class name	Area (ha) in 2017	Area(ha) in 2022	Area difference (ha) in 5 years	Percentage (%)
Mangrove	19319.71	24328.7	+5009	+43.7
Mudflat	31293.43	31089.06	-204.37	-1.8
Other vegetation	12438.8	11561.2	-877.6	-7.7
Port Area	1243.67	1436.75	+193.08	+1.7
Salt pan	15016.1	15545.7	+529.6	+4.6
Water bodies	20674.3	16024.6	-4649.7	-40.6
<b>Total</b>	<b>99986.01</b>	<b>99986.01</b>	<b>11463.35</b>	<b>100</b>

### 5.5 Mangrove plantation at Nakti creek (150 ha)

A total of 150 ha of mangrove plantation was carried out in Nakti creek with two blocks with an area of 100 ha and 50 ha, by two agencies; M/s. Patel Construction Co, Gandhidham (2008-09) (Fig.6,7 & Table 4) and Gujarat Ecology Commission (2010-11), respectively. The plantation was carried out using three different techniques like transplantation of nursery raised saplings, *otla* bed, and direct seed dibbling methods. For the 50ha block in Nakti creek, *A. marina* was planted (Table 6). In the second block (other side of Nakti creek) *Ceriops tagal* was also sown. In the third block, located on the eastern side of the second block, seeds of *A. marina* were sown. The fourth block plantation was done alongside the minor creek system along the bund and road, where propagules of *Rhizophora mucronata* and *Ceriops tagal* were planted in the 100ha (Table 5). The mangrove plant density at the 100 Ha and 50 Ha plot was found increased from 2007 as deduced from the imageries as shown in Figure 8 and 11.

**Table 4.** Sampling location of Nakti Creek (150 ha)

Block Area covered	Quadrante no.	Latitude	Longitude
100ha	1	22°58'8.09"	70°7.' 22.34"
	2	22°57'53.06"	70°7.' 18.92"
	3	22°58'0.58"	70°7.' 22.43"
	4	22°57'51.90"	70°7.' 27.09"
	5	22°58'3.87"	70°7.' 42.02"
	6	22°57'27.48"	70°8.' 30.93"
	7	22°57'35.06"	70°8.' 18.55"
	8	22°57'42.10"	70°8.' 10.82"
	9	22°57'40.82"	70°8.' 26.84"
	10	22°57'11.00"	70°8.' 59.69"
50ha	1	22°57'39.35"	70°8.' 8.05"
	2	22°57'28.36"	70°8.' 20.38"
	3	22°57'15.00"	70°8.' 54.57"
	4	22°57'56.23"	70°8.' 4.12"
	5	22°57'17.46"	70°8.' 39.60"




**Table 5.** *A marina* plantation (2010-2011) in 100 ha at Nakti creek

S. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	22° 57 50.0 N	70° 09 40.8 E	1200	55.3	14.7
Q2	22 °57 47.8 N	70° 09 42.4 E	2000	67.1	21.04
Q3	22 °57 46.1N	70 °09 42.8E	1200	70.1	29.3
Q4	22° 57 42.4N	70 °09 44.3E	2000	80.1	41.4
Q5	22° 57 41.6N	70° 09 46.2E	3200	90.9	28.3
Q6	22°57 31.1N	70° 09 49.6E	2700	90.9	23.4
Q7	22°57 39.8 N	70° 09 48.8E	3400	82.8	19.9
Q8	22°57 38.6 N	70 °09 51.2E	3500	88.9	20.6
Q9	22°57 38.2N	70 09 54.5 E	2500	115.9	28.2
Q10	22°57 37.5 N	70 09 52.9 E	2000	99.5	17.8
<b>Average</b>			<b>2370</b>	<b>84</b>	<b>--</b>



**Figure 7.** Mangrove plantation 100 ha at Nakti creek during 2017-2018





**Figure 8.** Satellite images of mangrove plantation at Nakti creek (2007,2014 & 2018).

**Table 6.** *A marina* plantation (2008-2009) in 50 ha at Nakti creek


Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	22° 57' 12.9N	70° 09' 04.9 E	3000	53.8	19.6
Q2	22°57' 11.6 N	70° 09'04.5 E	3000	64.8	18.4
Q3	22°57'10.9 N	70°09' 04.7 E	2400	70.5	24.0
Q4	22°57'10.3 N	70°09' 05.4 E	2800	65.8	19.2
Q5	22°57'09.6 N	70°09'06.2 E	2500	63.0	15.9
Q6	22°57'09.1 N	70°09'07.2 E	2700	60.2	15.2
Q7	22°57'09.1 N	70°09'08.2 E	2500	40.9	15.6
Q8	22°57'09.2 N	70°09'08.4 E	0	0.0	0.0
Q9	22°57'08.1 N	70°09'10.0 E	2700	54.1	15.6
Q10	22°57'07.7 N	70°09'10.3 E	1800	60.9	24.6
<b>Average</b>			<b>2340</b>	<b>53</b>	<b>--</b>



**Figure 9.** Mangrove plantation 50 ha at Nakti creek during 2008-2009




**Figure 10.** Mangrove plantation 50 ha at Nakti creek during 2017-2018



**Figure 11** Satellite images of 50 ha mangrove plantation at Nakti creek during the years 2007,2014 & 2018.

## 5.6 Plantation at Kantiyajal (350 ha)

The plantation site at Kantiyajal has naturally growing *A. marina* extending from the lower littoral to the mid-littoral zone. The plantation site is located near (N 21°27'01.1'', to 21°26'54.24'' and E 72°40'36.04, to 72°38'58.22'') to this luxuriantly growing mangrove patch. The site is behind the naturally growing plants away from the waterline; however, everyday tidal flushing keeps this site relatively healthy. The total 350 ha mangrove plantation was conducted in separate blocks, like 150 ha each during 2015-2016 and 2016-2017 and 50ha during 2018-2019 at Kantiyajal (Fig-12,15 & 16). Of the total 150 ha, 70 ha plantation activities were carried out following nursery raised saplings and the remaining 80 ha area by *Otla* beds of 1 x 1 x 1 m prepared to improve mangrove density. *A. marina* saplings were transplanted at a distance of 2.5 x 2 m. In total, 32,000 such beds were prepared in the 80 ha (Table 7,8 & 9). All plantation activities were taken care of by Gujarat Ecology Commission. *A. marina* was the preferred species for plantation in both blocks. The Figures 15 and 16 explains the sparse distribution of the plants as well as their stunted growth on the monitored plots.



**Figure 12.** Mangrove plantation at Kantiyajal (350 ha)

**Table 7.** Sampling location of Kantiyajal (350 ha)

<b>Block area covered</b>	<b>Quadrante no.</b>	<b>Latitude</b>	<b>Longitude</b>
<b>150ha</b>	1	21°28'17.76"	72°38'24.00"
	2	21°28'9.12"	72°38'16.08"
	3	21°27'56.16"	72°38'5.64"
	4	21°28'17.76"	72°39'3.24"
	5	21°27'56.16"	72°38'28.68"
	6	21°28'8.76"	72°38'29.40"
	7	21°28'8.04"	72°38'46.68"
	8	21°28'1.56"	72°38'51.72"
	9	21°28'19.20"	72°38'38.04"
	10	21°28'3.00"	72°38'43.80"
	11	21°28'7.32"	72°38'36.24"
	12	21°28'21.72"	72°38'17.88"
	13	21°27'54.72"	72°38'56.76"
	14	27°57.96"	72°38'36.60"
	15	21°28'12.72"	72°39'1.44"
<b>Block area covered</b>	<b>Quadrante no.</b>	<b>Latitude</b>	<b>Longitude</b>
<b>150 ha</b>	1	21°30'58.68"	72°38'55.32"
	2	21°31'30.00"	72°38'35.16"
	3	21°31'29.64"	72°38'49.92"
	4	21°31'41.88"	72°38'45.24"
	5	21°31'37.56"	72°38'53.52"
	6	21°31'29.64"	72°38'56.40"
	7	21°31'5.88"	72°38'44.52"
	8	21°30'57.60"	72°38'46.68"
	9	21°31'5.88"	72°38'49.56"
	10	21°31'9.12"	72°38'43.80"
	11	21°31'14.52"	72°38'58.92"
	12	21°31'24.96"	72°39'2.52"
	13	21°31'20.64"	72°38'44.88"
	14	21°31'27.12"	72°39'4.32"
	15	21°31'39.00"	72°39'4.32"
<b>Block area covered</b>	<b>Quadrante no.</b>	<b>Latitude</b>	<b>Longitude</b>
<b>50ha</b>	1	21°27'13.32"	72°38'47.04"
	2	21°27'27.36"	72°38'38.40"
	3	21°27'30.60"	72°38'40.92"
	4	21°27'22.68"	72°38'56.04"
	5	21°27'16.92"	72°38'39.12"

**Table 8** Mangrove plantation (2015-2016) in 150 ha at Kantiyajal

<i>A. marina</i>					
Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	21° 28' 5.2" N	72° 38' 57.0" E	2000	29.8	9.0
Q2	21° 28' 22.19" N	72° 38' 12.43" E	2200	42.4	10.9
Q3	21° 28' 14.73" N	72° 38' 52.97" E	1900	41.1	13.9
Q4	21° 28' 05.00" N	72° 38' 58.66" E	1000	38.1	7.1
Q5	21° 28' 56.68" N	72° 38' 50.88" E	0	0.0	0.0
Q6	21° 28' 59.18" N	72° 38' 28.70" E	1600	40.9	11.6
Q7	21° 28' 15.05" N	72° 38' 32.30" E	1900	36.0	11.3
Q8	21° 28' 17.86" N	72° 38' 39.86" E	0	0.0	0.0
Q9	21° 28' 18.73" N	72° 38' 50.30" E	2200	44.2	12.0
Q10	21° 28' 00.43" N	72° 38' 08.02" E	1800	45.8	9.7
<b>Average</b>			<b>1460</b>	<b>32</b>	<b>--</b>
<i>R. mucronate</i>					
Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	21° 28' 20.93" N	72° 38' 22.20" E	1700	32.5	7.4
Q2	21° 28' 16.56" N	72° 38' 27.88" E	1400	41.4	4.5
Q3	21° 28' 19.69" N	72° 38' 11.96" E	0	0.0	0.0
Q4	21° 28' 9.32" N	72° 38' 7.73" E	700	39.4	7.4
Q5	21° 28' 19.73" N	72° 38' 57.43" E	0	0.0	0.0
Q6	21° 28' 11.18" N	72° 38' 5.68" E	400	36.0	2.0
Q7	21° 28' 5.26" N	72° 38' 4.07" E	300	26.0	1.8
Q8	21° 28' 8.12" N	72° 38' 57.79" E	0	0.0	0.0
Q9	21° 28' 23.34" N	72° 38' 48.32" E	800	45.6	8.6
Q10	21° 28' 17.6" N	72° 38' 40.84" E	800	48.4	13.0
Q11	21° 31' 7.25" N	72° 38' 44.82" E	2800	40.6	11.5
Q12	21° 31' 6.76" N	72° 38' 52.51" E	2300	43.4	10.4
Q13	21° 31' 3.83" N	72° 38' 49.30" E	0	0.0	0.0
Q14	21° 31' 0.54" N	72° 38' 45.11" E	2200	35.9	6.8
Q15	21° 31' 0.58" N	72° 38' 39.17" E	2600	42.4	8.7
Q16	21° 31' 1.28" N	72° 38' 33.98" E	0	0.0	0.0
Q17	21° 31' 5.42" N	72° 38' 33.96" E	2300	44.9	9.8
Q18	21° 31' 7.28" N	72° 38' 38.40" E	2800	39.4	11.5
Q19	21° 31' 7.10" N	72° 38' 42.80" E	2400	42.7	12.7
Q20	21° 31' 3.75" N	72° 38' 44.30" E	2100	44.8	12.9
<b>Average</b>			<b>1280.0</b>	<b>30</b>	<b>--</b>



**Table 9.** *A marina* (2016-2017) in 150 ha at Kantiyajal


Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	21° 30 58.13" N	72° 38 59.38" E	2600	44.4	13.9
Q2	21° 31 0.49" N	72° 38 48.24" E	2200	41.9	12.7
Q3	21° 31 11.8" N	72° 38 41.61" E	2300	42.9	14.7
Q4	21° 31 15.00" N	72° 38 49.07" E	3000	44.0	9.2
Q5	21° 31 26.22" N	72° 38 46.59" E	2800	37.3	11.8
Q6	21° 31 25.92" N	72° 38 53.85" E	0	0.0	0.0
Q7	21° 31 35.09" N	72° 38 5.04" E	2100	42.1	12.2
Q8	21° 31 13.63" N	72° 38 58.43" E	2400	40.5	12.0
Q9	21° 31 5.94" N	72° 38 53.41" E	2500	41.2	10.4
Q10	21° 31 41.71" N	72° 38 34.34" E	2300	40.0	10.9
<b>Average</b>			<b>2220.0</b>	<b>37</b>	<b>--</b>




**Figure 13.** Mangrove plantation 150 ha at Kantiyajal-Block 1 during 2018



**Figure 14.** Mangrove plantation 150 ha at Kantiyajal-Block 2 during 2018



**Figure 15.** Satellite imageries of the plantation at Kantiyajal-block 1 (2018)



**Figure 16.** Satellite imageries of the plantation at Kantiyajal-block 2 (2018)



### 5.7 Plantation at Sat Saida bet (900 ha)

A total of 900 ha of mangrove assessment were carried out in Sat Saida bet with five blocks mentioned in Table 10 and 11 with an area of 330ha, 300 ha, 200 ha, 20 ha and 50ha by Gujarat institute of desert ecology (2005-2006), Department of Forest, Government of Gujarat (2011-2014), and Gujarat Ecology Commission during (2018-2019) the period between 2005 and 2019 respectively. Sat Saida bet is situated on the eastern bank of Kandla creek of Gulf of Kachchh, the unique Island of 253.8 km<sup>2</sup> area is located opposite to Deendayal port, having sparse mangroves, dense mangroves, mudflats and halophytic vegetation. Surrounded by Kandla creek and its branches in the west, Navlakhi creek and its branches on the east and Sara and Phang creek on its north, Sat Saida bet is a highly potential site for mangrove plantation with its vast mudflat. Many major, medium and minor creek systems of Kandla and Navlakhi creeks ramify into this Island in varying length and dimension, supplying tidal water to the interior regions. Southern border of the Island represents the innermost end of Gulf of Kachchh with very few minor creek systems (Fig. 18,20,22 & 24). It is known that mudflats experiencing favourable tidal amplitude are suitable for mangrove plantation. Therefore, Sat Saida Bet area was chosen by DPA to carry out the mangrove plantation and restoration activities. The details showing five years (2017-2022) change in the land cover area is given in Table 12,13,14 & 15. The present study was conducted to evaluate the plantation success including the percentage of survival rate, growth, and tree density. The baseline density was fixed at the rate of 4000/ha of *A. marina* was considered for calculating survival percentage as per GEC (2015-2017). The year wise analysis of the imageries of the sites at Sat Saida Bet clearly shows the increase in the plant density at 20 Ha, 300 Ha and 330 Ha, though the survival and height of the plants are comparatively less. Whereas, at 200 Ha plantation site, the plant density has been decreased than the previous monitoring period (2018).

**Table 10.** Sampling locations at Sat Saida Bet (630 ha)

Block Area covered	Quadrat no.	Latitude	Longitude	Block Area covered	Quadrat no.	Latitude	Longitude
330 ha.	1	23°4'25"	70°18'4"	300 ha.	1	23°0'44"	70°15'16"
	2	23°4'41"	70°18'6"		2	23°0'42"	70°15'20"
	3	23°4'55"	70°18'8"		3	23° 1'3"	70°14'42"
	4	23°4'46"	70°18'10"		4	23° 0'57"	70°14'52"
	5	23°4'40"	70°18'19"		5	23° 0'47"	70°14'50"
	6	23°4'36"	70°18'18"		6	23° 0'42"	70°14'56"
	7	23°4'32"	70°18'24"		7	23° 0'51"	70°15'3"
	8	23°4'30"	70°18'33"		8	23° 0'38"	70°14'57"
	9	23°4'29"	70°18'28"		9	23° 0'41"	70°15'3"
	10	23°4'32"	70°18'19"		10	23° 0'34"	70°15'1"
	11	23°4'29"	70°18'10"		11	23° 0'46"	70°15'10"
	12	23°4'21"	70°18'9"		12	23° 0'41"	70°15'20"
	13	23°4'13"	70°18'4"		13	23° 0'39"	70°15'28"
	14	23°4'10"	70°18'58"		14	23° 0'10"	70°15'32"
	15	23°4'12"	70°17'49"		15	23° 0'5"	70°15'28"
	16	23°4'11"	70°17'48"		16	23° 0'0"	70°15'22"
	17	23°4'8"	70°17'49"		17	23° 0'4"	70°15'17"
	18	23°4'7"	70°17'51"		18	23° 0'13"	70°15'24"
	19	23°4'8"	70°17'52"		19	23° 0'22"	70°15'30"
	20	23°4'9"	70°17'54"		20	23° 0'21"	70°15'35"
	21	23°4'11"	70°17'57"		21	23° 0'19"	70°15'40"
	22	23°4'11"	70°17'59"		22	23° 0'20"	70°14'55"
	23	23°4'12"	70°17'59"		23	23° 0'30"	70°14'54"
	24	23°4'13"	70°17'57"		24	23° 0'37"	70°14'57"
	25	23°4'14"	70°17'54"		25	23° 0'36"	70°14'43"
	26	23°4'13"	70°17'52"		26	23° 0'33"	70°14'36"
	27	23° 4'53"	70°17'2"		27	23° 0'26"	70°14'29"
	28	23° 4'43"	70°17'1"		28	23° 0'26"	70°14'36"
	29	23° 4'38"	70°17'3"		29	23° 0'18"	70°14'40"
	30	23° 4'33"	70°17'16"		30	23° 0'18"	70°14'49"
	31	23° 4'28"	70°17'22"				
	32	23° 4'23"	70°17'26"				
	33	23° 4'35"	70°17'24"				

**Table 11.** Sampling location of Sat Saida Bet (270 ha)


Block Area covered	Quad rate no.	Latitude	Longitude	Block Area covered	Quadrat no.	Latitude	Longitude
<b>200 ha.</b>	<b>1</b>	23°2'42"	70°16'10"	<b>50 ha.</b>	<b>1</b>	23° 4'41.24"	70°16'52.19"
	<b>2</b>	23°2'35"	70°15'28"		<b>2</b>	23° 4'50.78"	70°16'51.53"
	<b>3</b>	23°2'36"	70°15'26"		<b>3</b>	23° 5'1.73"	70°16'55.65"
	<b>4</b>	23°2'39"	70°15'29"		<b>4</b>	23° 4'19.15"	70°17'16.46"
	<b>5</b>	23° 2'25.36"	70°15'26.37"		<b>5</b>	23° 3'59.06"	70°17'27.14"
	<b>6</b>	23°2'41"	70°15'30"				
	<b>7</b>	23° 2'39.21"	70°15'37.25"	<b>20 ha.</b>	<b>1</b>	23° 4'27.43"	70°16'58.03"
	<b>8</b>	23°2'48"	70°15'8"		<b>2</b>	23° 4'16.41"	70°16'53.03"
	<b>9</b>	23°2'48"	70°15'9"				
	<b>10</b>	23° 2'29.30"	70°15'52.53"				
	<b>11</b>	23°2'51"	70°15'9"				
	<b>12</b>	23°2'50"	70°15'8"				
	<b>13</b>	23°2'52"	70°15'11"				
	<b>14</b>	23°2'5"	70°15'28"				
	<b>15</b>	23° 2'48.85"	70°15'50.81"				
	<b>16</b>	23°2'4"	70°15'35"				
	<b>17</b>	23° 2'7.74"	70°15'28.60"				
	<b>18</b>	23°2'7"	70°15'36"				
	<b>19</b>	23°2'8"	70°15'40"				
	<b>20</b>	23°2'12"	70°16'16"				

**Table 12.** *Avicennia marina* plantation (2005-2006) in 20 ha at Sat Saida bet

Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	23° 04'' 43.38N	70° 16''47.88E	4400	109	28.34
Q2	23° 04'' 48.18N	70° 16''48.18E	4900	115	24.7
Q3	23° 04'' 43.77N	70° 16''48.41E	5600	110	26.2
Q4	23° 04'' 44.38N	70° 16''47.99E	5700	110	27.7
Q5	23° 04'' 44.10N	70° 16''48.18E	5100	124	29.2
Q6	23° 04'' 48.17N	70° 16''48.17E	4900	135	30.7
Q7	23° 04'' 44.37N	70° 16''48.99E	5300	103	32.2
Q8	23° 04'' 43.49N	70° 16''48.69E	5300	100	34.44
Q9	23° 04'' 44.14N	70° 16''48.93E	6100	121	35.2
Q10	23° 04'' 44.99N	70° 16''47.63E	5200	104	36.7
Q11	23° 04'' 43.07N	70° 16''49.06E	4900	136	29.2
Q12	23° 04'' 43.85N	70° 16''49.88E	5200	105	28.22
Q13	23° 04'' 44.61N	70° 16''48.75E	6100	102	32.15
Q14	23° 04'' 43.53N	70° 16''49.25E	6300	110	33.22
Q15	23° 04'' 44.04N	70° 16''50.02E	5800	110	31.2
<b>Average</b>			<b>5387</b>	<b>113</b>	<b>--</b>



**Figure 17.** Mangrove plantation at Sat Saida bet 20 ha during 2005-2006



**Figure 18.** Satellite imagery of the plantation at Sat Saida Bet (2005-2006, 2014 & 2018)


**Table 13.** *Avicennia marina* plantation (2011-2012) in 200 ha at Sat Saida bet

Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	23° 00'' 48.4N	70° 15'' 49.5E	3000	33.6	9.6
Q2	23° 00'' 50.5° N	70° 15'' 50.0 E	0	0	0
Q3	23° 00 ''53.1° N	70°15'' 49.2 E	2700	55.9	9.5
Q4	23° 00 ''50.9° N	70° 15'' 47.2 E	3300	31.8	14.9
Q5	23° 00 ''50.1° N	70°15'' 45.4 E	3500	43.7	14
Q6	23° 00 ''49° N	70°15'' 43.5 E	3500	53.5	16.6
Q7	23° 00'' 49.3° N	70°15'' 41.3 E	3500	58.8	26.5
Q8	23° 00'' 51.4° N	70°15'' 42E	1700	47.9	18.7
Q9	23° 00'' 76.9° N	70°13'' .50 E	4000	52.7	18.9
Q10	23° 00 ''52.2° N	70°15'' 37.9E	4600	53.6	24
Q11	23° 00'' 51.7° N	70°15'' 35.6E	2100	69.9	22.1
Q12	23° 00 ''52.4N	70°15'' 34.4E	2600	52.7	19.6
Q13	23° 00 ''53.2° N	70°15'' 33.3E	3500	63.4	19.2
Q14	23° 00'' 55.1° N	70°15'' 32.4 E	4000	57.6	18.9
Q15	23° 00'' 57.2° N	70°15'' 33.4 E	2500	40.8	15.7
Q16	23° 00 ''57.9° N	70°15 ''35.6 E	0	0	0
Q17	23° 00'' 3.6° N	70°15'' 35.6 E	500	46.6	14.9
<b>Average</b>			<b>2647</b>	<b>45</b>	<b>--</b>



**Figure 19.** Mangrove plantation 200 ha at Sat Saida bet during 2017-2018





**Figure 20 .** Satellite imageries of the plantation at Sat Saida Bet (2007, 2014 & 2018)


**Table 14.** *Avicennia marina* plantation (2012-2013) in 300 ha at Sat Saida bet

Sl. No.	Sampling Location		Density (Ha)	Height (cm)	St. Dev
Q1	23°02.06604 N	70° 13.25285 E	3600	68.1	25.9
Q2	23°01.93788 N	70°13.244884 E	3700	46.1	19.7
Q3	23° 1.507972 N	70°13 23.2248E	1500	40.9	10.8
Q4	23° 14.5986N	70°15.2648E	1100	35.5	15.6
Q5	23°15.948N	70°15.28626 E	0	0	0
Q6	23°17.128 N	70°15. 30816 E	0	0	0
Q7	23°19.636 N	70°15. 29886 E	0	0	0
Q8	23°18.814N	70°15. 27636 E	1000	31.4	13.4
Q9	23°18.838N	70°15.27648 E	4200	44.5	20.5
Q10	23°19.768N	70°15. 26198 E	1400	31.6	13.8
Q11	23°11.3704N	70°15.231 E	2800	59	20.3
Q12	23°1 1.3644N	70°15. 231 E	3600	56	22.1
Q13	23°11.7004N	70°15.2334 E	2500	70.2	23.5
Q14	23°16.61N	70°15.25192 E	2900	59.4	21
Q15	23°1 1.4514 N	70°15.27484 E	500	22.2	6.4
Q16	23°1 1.4418 N	70°15.27336 E	3700	57.2	22.7
Average			2031	39	--



**Figure 21.** Mangrove plantation 300 ha at Sat Saida bet during 2017-2018






**Figure 22.** Satellite imageries of the plantation at Sat Saida Bet (2007, 2012-13 & 2014)

**Table 15.** *Avicennia marina* plantation (2013-2014) in 330 ha at Sat Saida bet

S. No.	Sampling Locations		Density (Ha)	Height (cm)	St. Dev
Q1	23°04'48.34" N	70° 17' 10.05" E	4400	109	28.34
Q2	23°04'46.55" N	70° 17' 13.94" E	4900	115	24.7
Q3	23°04'45.14" N	70° 17' 18.65" E	4100	110	26.2
Q4	23°04'41.97" N	70° 17' 16.66" E	5600	110	27.7
Q5	23°04'50.58" N	70° 17' 16.68" E	2900	124	29.2
Q6	23°04'44.43" N	70° 17' 16.54" E	4900	135	30.7
Q7	23°04'49.39" N	70° 17' 15.54" E	2800	103	32.2
Q8	23°04'45.35" N	70° 17' 06.79" E	5300	100	34.44
Q9	23°04'42.94" N	70° 17' 09.32" E	5200	121	35.2
Q10	23°04'40.49" N	70° 17' 13.53" E	2900	86	36.7
Q11	23°04'46.46" N	70° 17' 12.37" E	4900	73	29.2
Q12	23°04'44.26" N	70° 17' 15.86" E	5200	105	28.22
Q13	23°04'48.25" N	70° 17' 12.93" E	6100	102	32.15
Q14	23°04'44.174" N	70° 17' 16.32" E	6300	70	33.22
Q15	23°04'38.25" N	70° 17' 10.33" E	5800	110	31.2
Q16	23°04'40.41" N	70° 17' 12.07" E	3500	62	16.1
Q17	23°04'40.76" N	70° 17' 12.89" E	2600	51	14.7
Q18	23°04'38.16" N	70° 17' 20.60" E	3600	43	12.2
Q19	23°04'38.76" N	70° 17' 10.60" E	3300	45	11.1
Q20	23°04'40.69" N	70° 17' 06.48" E	2300	66	23.7
Q21	23°04'49.68" N	70° 17' 14.62" E	3600	72	9.3
Q22	23°04'47.10" N	70° 17' 03.65" E	3100	78	17.6
Q23	23°04'49.42" N	70° 17' 07.81" E	3300	85	19.2
Q24	23°04'49.87" N	70° 17' 10.23" E	2600	64	17.2
Average			4133	89	--



**Figure 23.** Mangrove plantation 330 ha at Sat Saida bet during 2013-2014



**Figure 24.** Satellite imageries of the plantation at Sat Saida Bet (2007, 2014 & 2018)

## 6 Results

The mangrove monitoring study results of the three sites, Nakti creek Kantiyajal and Sat Saida bet are presented below.

### 6.1 Mangrove plantation evaluation at Nakti creek

#### 6.1.1 Evaluation of *Avicennia marina* Plantation at Nakti creek (2021-2022) 100 ha

In total, ten quadrats were laid at Nakti creek block to assess the *A. marina* survival percentage. The survival rate was recorded to be 40%, lower than the survival rate of recorded in Nakti creek within 50 ha plot. The plantation density ranged from 900 individuals/ha to 3400 individuals/ha, with an average density of 1600 individuals/ha (Table 16). In this block, the height of the plants ranged between 70- 280 cm, with an average height of 118.9 cm was recorded. The GBH in this plantation varied from 6 to 12 cm, with an average value of 6.8 cm. The minimum and maximum canopy cover in this plantation stand ranged from 0.30 to 1.5 m<sup>2</sup> with a mean value of 0.8 m<sup>2</sup>. Even though the plantation activities were carried out near the creek system, the poor survival of planted mangroves could be due to mixed plantation techniques. *R. mucronata* saplings were recorded outside the quadrats with heights varying from 50-60 cm. Around ten individuals were seen during the entire survey. Thus, it was apparent that the plantation of *R. mucronata* showed poor survival rate as this species needs 20-25 days of tidal flushing in a month and can tolerate only moderate salinity.

**Table 16.** Details of mangrove plantation at Nakti creek (100 ha)

S. No	Density (Plants/Ha)	Height (cm)			GBH (cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
1	2200	70	170	120	7	9	8	0.42	1.25	0.8
2	1700	100	280	190	6	11	8.5	0.42	1.5	0.96
3	2300	100	235	167.5	7	12	9.5	1.32	1.5	1.4
4	1700	70	170	120	7	11	9	0.3	0.85	0.6
5	0	0	0	0	0	0	0	0	0	0
6	3400	70	180	125	7	8	7.5	1.32	0.75	1.03
7	2900	100	190	145	8	7	7.5	1.56	1.1	1.3
8	900	80	210	145	7	10	8.5	0.56	1.25	0.9
9	900	100	252	176	7	12	9.5	0.72	1.5	1.1
10	0	0	0	0	0	0	0	0	0	0
<b>Overall average Density (plants/ha) 1600.0</b>		<b>69.0</b>	<b>168.7</b>	<b>118.9</b>	<b>5.6</b>	<b>8.0</b>	<b>6.8</b>	<b>0.7</b>	<b>1.0</b>	<b>0.8</b>

### 6.1.2 Mangrove evaluation at Nakti creek (2021-2022) 50ha

Two mangrove plantation sites with an area of 50 ha and 100 ha were developed at the north-eastern bank of Nakti creek, one of the major creek systems of Kandla. The main creek and its branches are getting inundated by 3-4 m of tidal water during the high tide period. The two mangrove plantation sites developed is adjacent to each other with a good tidal flooding area. The findings based on-site visits and subsequent data are given in Table in 17.

To evaluate the *A. marina* plantation success at Nakti creek i.e., survival percentage and growth rate, an initial plantation density of 4000 saplings/ha as a baseline density was considered. Therefore, in the present study, six quadrates of 10×10m each were laid to evaluate the growth and survival of *A. marina*. The results revealed that the survival rate of *A. marina* in this block was 55 percent. The density ranged from 900 individuals/ha as high as 2800 individuals/ha, with an average density of 2200 individuals /ha. Similarly, the plant height ranged between 70 cm and 210 cm, with an average of 129.2 cm. The canopy cover ranged between 0.3 m<sup>2</sup> to 1.5 m<sup>2</sup> with an average of 0.8 m<sup>2</sup>. The Girth at base (here after GB) values are ranged from 7 cm to 46 cm, with an average of 20.4 cm. The larger values of GB indicate the presence of multiple stems. It is known that direct dibbling and plantation of nursery raised trees are superior to the *Otla* bed technique. Moderate survival (55%) of the planted *A. marina* could be attributed to mixed plantation techniques as more than two species, namely *Rhizophora mucronata* and *Ceriops tagal* were also planted at this site.

**Table 17.** Details of mangrove plantation at Nakti creek (50 ha)

S. No	Density (Plants/Ha)	Height (cm)			GBH (cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
1	2400	100	175	137.5	7	37	22	0.42	1.2	0.8
2	2300	100	185	142.5	7	37	22	0.3	1.35	0.8
3	2800	100	210	155	7	46	26.5	0.3	1.5	0.9
4	2300	100	160	130	7	26	16.5	0.3	1.1	0.7
5	2500	80	120	100	7	34	20.5	0.56	0.75	0.7
6	900	70	150	110	8	22	15	1	0.8	0.9
Avg	<b>2200.0</b>	<b>91.7</b>	<b>166.7</b>	<b>129.2</b>	<b>7.2</b>	<b>33.7</b>	<b>20.4</b>	<b>0.5</b>	<b>1.1</b>	<b>0.8</b>

During the field surveys, it was recorded that the saplings were invaded by the alga *Enteromorpha* sp. and regular tidal flushing was lacking. Due to all these factors a variation of mortality of different tree species was recorded along the Nakti creek.

## **6.2 Kantiyajal mangrove plantation (350 ha)**

The 350 ha mangrove plantation was carried out at the coastal stretch of Katpor village near Kantiyajal in Bharuch district. This plantation was carried out in two blocks of 150 ha each during the year 2015-16 and 2016-17 and 50 ha during the year 2019-20. The Gujarat Ecology Commission (GEC), Gandhinagar executed this plantation with the help of community participation by Samity at the Katpor village.

### **6.2.1 *Avicennia marina* and *Rhizophora mucronata* plantation (2015-2016) 150 ha**

Sixteen quadrats were laid in this block for assessing mangrove species survival success. As per the earlier report by GEC (2015-2017), at this site, it was evident that this block had *R. mucronata* saplings in addition to *A. marina* (Table 18, 19 & 20). An overall average density of 3000 individuals/ha was recorded for *A. marina*. The tree density varied from 1200 to 5200 individuals/ha. The height of the plants ranged from 0.90 m to 2.20 m, with an average of 1.5 m. The GB of the plants ranged from 7.0 to 25 cm with an average of 14.2 cm. The canopy cover of the mangrove plants varied between 0.56 m<sup>2</sup> and 2.4 m<sup>2</sup> with an average of 1.3 m<sup>2</sup>.





**Plate 1.** *Ceriops tagal* stands at Nakti creek Plantation site



**Plate 2.** *Rhizophora mucronata* stands at Nakti creek Plantation site



**Plate 3.** *Avicennia marina* (100 ha) plantation at Nakti creek



**Table 18.** Details of *A. marina* & *R. mucronata* plantation at Kantiyajal (150 ha)

Quadrat	Density	Height (m)			GBH (cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
Q1	5200	1	1.9	1.45	7	20	13.5	0.56	1.82	1.19
Q2	3600	1.2	2	1.6	11	25	18	1.1	2.1	1.6
Q3	4000	0.9	1.9	1.4	8	16	12	0.9	1.56	1.23
Q4	3600	1.25	1.9	1.575	9	25	17	0.72	2.4	1.56
Q5	3600	1.1	1.75	1.425	9	22	15.5	0.72	1.1	0.91
Q6	3200	1	2.1	1.55	7	20	13.5	0.72	1.82	1.27
Q7	2800	1.2	2.1	1.65	12	23	17.5	1.2	2.4	1.8
Q8	1200	1.1	1.6	1.35	7	13	10	1.1	1.2	1.15
Q9	1600	1.2	2.2	1.7	8.5	18	13.25	0.72	2.1	1.41
Q10	1200	1	1.2	1.1	8	15	11.5	0.72	1.1	0.91
<b>Overall average</b>	<b>3000</b>	<b>1.1</b>	<b>1.9</b>	<b>1.5</b>	<b>8.7</b>	<b>19.7</b>	<b>14.2</b>	<b>0.85</b>	<b>1.76</b>	<b>1.3</b>

### 6.2.2 *Rhizophora mucronata* plantation (2016-2017) 150 ha

The assessment of the *R. mucronata* plantation at this site showed an overall density of 2520 individuals/ha (Table 19). The average height of *R. mucronate* plants was 129.5 cm, and the average canopy cover was 0.9 m<sup>2</sup> in this block. *R. mucronata* being a frontline mangrove, its plantation was carried out towards the lower intertidal region. Continuous tidal flushing following appropriate zonation patterns during plantation could be attributed to a higher survival percentage of *R. mucronata*. The survival and growth of the mangrove plantation at this site was (63%) comparatively good because of continuous water inundation and availability of extensive intertidal mudflats.

**Table 19.** Details of mangrove plantation of *Rhizophora mucronata* at Kantiyajal (150 ha)

Quadrat	Density	Height (cm)			GBH (cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
Q1	3500	85	175	130	5	9	22	0.52	1	0.76
Q2	2500	100	185	142.5	7	11	22	0.65	1.5	1.075
Q3	2800	110	210	160	8	12.5	26.5	1.1	1.3	1.2
Q4	2000	70	160	115	5	8	16.5	0.3	1.1	0.7
Q5	1800	80	120	100	3	5	20.5	0.6	0.75	0.675
<b>Overall average</b>	<b>2520.0</b>	<b>89.0</b>	<b>170.0</b>	<b>129.5</b>	<b>5.6</b>	<b>9.1</b>	<b>21.5</b>	<b>0.6</b>	<b>1.1</b>	<b>0.9</b>

### 6.2.3 *Avicennia marina* plantation (2018-2019) 50 ha

During the field surveys at this site saplings of both *A. marina* and *R. mucronata* saplings were also noticed (Table 20). An average density of 2480 individuals/ha was recorded for *A. marina*. The plant density varied between of 2100 individuals/ha, to 2800 individuals/ha. The height of the plants ranged from 13 cm to 97 cm, with an average of 57.28 cm. The survival and growth of the mangrove plantation at this site (62%) was comparatively high because of continuous water inundation on the extended intertidal mudflats.

**Table 20.** Evaluation of *A. marina* plantation at Kantiyajal (50 ha) during 2018-2019

Quadrat	Density	Height (cm)		
		Min	Max	Average
Q1	2700	37	52	44.5
Q2	2100	57	93	75
Q3	2200	62	97	79.5
Q4	2600	55	73	64
Q5	2800	13	34	23.4
<b>Average</b>	<b>2480</b>	<b>44.8</b>	<b>69.8</b>	<b>57.28</b>



**Plate 4.** *Avicennia marina* plantation at Kantiyajal coast



**Plate 5.** *Rhizophora mucronata* plantation at Kantiyajal coast

### **6.3 Monitoring of mangrove plantation at Sat-Saida Bet**

#### **6.3.1 Monitoring of *Avicennia marina* at Sat-Saida Bet (2021-2022) 20 ha**

During 2005-2006, the mangrove plantation at Sat Saida Bet was carried out at Dharkadia creek banks in 20 ha. The two sites on both the banks of Dharkadia creek were planted with *A. marina* by Gujarat Institute of Desert Ecology through transplanting nursery-grown seedlings and direct seed sowing for gap filling.

In total, 2 quadrats were laid at this site to assess the survival percentage of the *A. marina*. The results of the growth of these plantations are presented in Table 21. The *A. marina* plants in the 20 ha area showed tree density varying from 2100/ha to a maximum 2500/ha, and the overall average was 2300 /ha. The overall average plant height of this site was 175cm. and the survival rate was 57.5 %. The GB ranged from 7 cm to 15 cm, with an average of 10.5 cm, while the average canopy cover was 1.89 m<sup>2</sup>. The area was moderately dense, with *A. marina* being predominant species (Plate-16).

Additionally, the area being slightly cooler due to frequent tidal exposures and is inhabited by snakes. As the area remains moist due to the tidal influx, assessment of the area becomes



difficult. This area also supports avifauna like Oriental darter (*Anhinga melanogaster*), Painted stork (*Mycteria leucocephala*), crab plovers (*Dromas ardeola*) etc.

**Table 21.** Evaluation of *A. marina* plantation at Sat Saida Bet (20 ha)

Quadrat	Density	Height (cm)			Girth (cm)			Canopy (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
Q-1	2100	180	200	190	8	15	11.5	1.14	3.21	2.175
Q-2	2500	110	160	160	7	12	9.5	1.1	2.1	1.6
Average	2300	180	180	175	7.5	13.5	10.5	1.12	2.66	1.89



**Plate 6.** Sat Saida Bet *Avicennia marina* plantation

### 6.3.2 Monitoring of *Avicennia marina* plantation at Sat Saida bet (2021-2022) 200 ha.

Mangrove plantation in 200 ha was initiated by Forest Department, Kachchh circle during 2011-2012 on DPA's request. Forest Department (Anjar circle) initiated the plantation activities at Sat Saida Bet during the rainy season of June 2011. The plantation site is opposite to Deendayal port oil jetty and is around 2 km from the bank of Sat Saida bet. A buffer zone of

nearly 2 km was allowed between the waterfront from the banks of Sat Saida bet and the plantation site. The seeds of *A. marina* were used for plantation activities due to the prevailing high salinity in the area. Raised bed method (*Otla*) was followed as the plantation technique, and *A. marina* seeds were collected from Kandla mangroves for plantation work.

In total, 20 quadrats were laid at this site to assess the survival percentage of the *A. marina*. The growth of these plantations was assessed, and the results were presented in Tables 22. The *A. marina* plants in the 200-ha area showed tree density varying from 1800/ha to a maximum 2800/ha, and the overall average was 2250 /ha. The overall average plant height of this site was 117.8 cm and the survival rate was 56.25 %. The GBH ranges from 7 cm to 11 cm with an average of 8.3 cm, while the average canopy cover was 1.1 m<sup>2</sup>.

Additionally, the area supported the luxuriant growth of halophytes like *Salicornia brachiata*, *Sesuvium sp.* and *Salvadora persica*. The area becomes dry during low tides and gets converted to a hard surface, making it accessible. Interestingly, despite the dryness of the area, snakes were recorded. It was observed that they take shelter under the canopy cover and camouflage themselves by intertwining with the stem of mangroves.

### **6.3.3 Monitoring of *Avicennia marina* plantation (2021-2022) 300 ha.**

The *A. marina* mangrove plantation carried out during 2012-2013 in 300 ha by the Range office of the Forest Department at Anjar. Initially, raised bed method was followed for mangrove plantations but was eventually replaced by direct seed sowing. In a few places, direct seed dibbling was also done.

In total, 30 quadrates were laid at this site to assess the survival percentage of the *A. marina*. The growth of these plantations was assessed, and the results are presented in Table 23. The *A. marina* plants in the 300ha area showed tree density varying from 1300/ha to a maximum 3500/ha, and the overall average was 2247/ha. The overall average plant height of this site was 125.3cm, and the survival rate was 56.17 %. The GB ranges from 0.63 cm to 19 cm with an average of 9.16 cm, while the average canopy cover was 1.44 m<sup>2</sup>.

**Table 22.** Details of mangrove plantation of *A. marina* at Sat Saida Bet (200 Ha)

Quadrat	Density	Height (cm)			Girth (cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Average	Min	Max	Average	Min	Max	Average
Q-1	2200	110	140	125	7	10	8.5	0.34	1.24	0.79
Q-2	1800	120	110	115	7	9	8	1	1.57	1.285
Q-3	2500	100	130	115	9	11	10	1	1.34	1.17
Q-4	1800	100	110	105	7	9	8	0.59	1.24	0.915
Q-5	2400	130	140	135	7	11	9	0.89	1.95	1.42
Q-6	2200	110	120	115	7	9	8	0.98	1.4	1.19
Q-7	2400	120	130	125	7	10	8.5	1	1.49	1.245
Q-8	1800	100	120	110	7	10	8.5	0.48	0.67	0.575
Q-9	2200	100	110	105	7	8	7.5	0.34	0.59	0.465
Q-10	1800	130	140	135	7	9	8	1	1.77	1.385
Q-11	2700	120	130	125	7	10	8.5	1	1.8	1.4
Q-12	2200	80	100	90	7	9	8	0.23	1.67	0.95
Q-13	1900	120	150	135	7	8	7.5	1.29	1.78	1.535
Q-14	2800	110	120	115	7	8	7.5	1	1.3	1.15
Q-15	2200	90	110	100	8	9	8.5	1.07	1.29	1.18
Q-16	2400	110	140	125	8	11	9.5	1.2	1.5	1.35
Q-17	2200	120	140	130	8	10	9	1	1.64	1.32
Q-18	2500	80	120	100	5	8	6.5	1.04	1.34	1.19
Q-19	2200	110	130	120	7	8	7.5	0.54	0.76	0.65
Q-20	2800	120	140	130	8	11	9.5	0.72	0.9	0.81
<b>Average</b>	<b>2250</b>	<b>109</b>	<b>126.5</b>	<b>117.8</b>	<b>7.2</b>	<b>9.4</b>	<b>8.3</b>	<b>0.8</b>	<b>1.4</b>	<b>1.1</b>

**Table 23.** Details of mangroves plantation of *A. marina* at Sat Saida Bet (300 Ha)

Quadrat No	Density	Height(cm)			Girth(cm)			Canopy cover (m <sup>2</sup> )		
		Min	Max	Avg	Min	Max	Avg	Min	Max	Average
Q-1	2200	120	160	140	9	19	14	1.32	2.7	2.01
Q-2	1500	100	120	110	11	12	11.5	1.56	1.75	1.65
Q-3	2500	90	130	110	0.99	10	5.5	0.96	1.69	1.325
Q-4	1900	120	140	130	9	12	10.5	1	1.39	1.195
Q-5	2600	90	180	135	7	18	12.5	1	1.69	1.345
Q-6	2100	90	140	115	8	9	8.5	1	2.19	1.595
Q-7	2500	100	130	115	7	11	9	1	2.56	1.78
Q-8	2500	90	120	105	0	9	4.5	0.47	1.39	0.93
Q-9	1900	100	120	110	7	12	9.5	1	1.22	1.11
Q-10	2600	110	190	150	10	16	13	1	1.38	1.19
Q-11	2100	110	190	150	12	20	16	1	2.79	1.895
Q-12	2500	120	270	195	9	24	16.5	2	4.46	3.23
Q-13	2200	130	260	195	11	21	16	3	4.39	3.695
Q-14	2200	90	120	105	5	10	7.5	0.39	2.35	1.37
Q-15	2100	130	170	150	11	13	12	0.56	1.67	1.115
Q-16	1800	90	140	115	6	10	8	0.76	1.36	1.06
Q-17	1800	120	130	125	7	9	8	1.2	1.32	1.26
Q-18	2200	80	100	90	5	7	6	0.65	1.02	0.835
Q-19	2200	90	120	105	6	7	6.5	0.89	1.29	1.09
Q-20	1300	130	140	135	7	9	8	0.9	1.34	1.12
Q-21	2200	100	120	110	6	9	7.5	0.79	1.1	0.945
Q-22	1500	80	130	105	6	10	8	0.63	1.35	0.99
Q-23	2200	110	140	125	7	9	8	1	1.45	1.225
Q-24	2800	100	110	105	5	7	6	0.56	1.06	0.81
Q-25	2900	105	130	117.5	7	11	9	1.38	2	1.69
Q-26	3500	120	150	135	9	13	11	1	2	1.5
Q-27	2200	110	130	120	0	9	4.5	1.02	1.89	1.455
Q-28	2400	100	140	120	0	9	4.5	1	1.68	1.34
Q-29	2800	110	150	130	0	10	5	0.64	1.83	1.235
Q-30	2200	70	140	105	0.63	16	8.315	1	1.45	1.225
<b>Average</b>	<b>2247</b>	<b>103.5</b>	<b>147</b>	<b>125.25</b>	<b>6.29</b>	<b>12.03</b>	<b>9.16</b>	<b>1.02</b>	<b>1.86</b>	<b>1.44</b>

#### 6.3.4 Monitoring of *Avicennia marina* plantation (2021-2022) 330 ha.

During 2013-14, these sites were planted with *A. marina*, plants with nursery raised saplings and direct dibbling methods, respectively. In total, 33 quadrates were laid at this site to assess the survival percentage of the *A. marina*. The growth of these plantations was assessed, and the results are presented in Table 24. The *A. marina* plants in the 330 ha area showed the tree density varying from 1800/ha to a maximum of 3200/ha, and the overall average was 2509/ha. The overall average plant height of this site was 132.3cm, and the survival rate was 62.7 %. The girth at base ranges from 5 cm to 24 cm with an average of 9.61 cm, while the average canopy cover was 1.35 m<sup>2</sup>.



**Plate 7.** Monitoring of *A. marina* on field



**Table 24.** Details of mangroves plantation of *A. marina* at Sat Saida Bet (300 ha)

Quadrat	Density	Height (cm)			Girth (cm)				Canopy cover(m <sup>2</sup> )	
		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg
1	2400	70	90	80	5	6	5.5	0.4	1.2	0.8
2	3200	110	120	115	7	8	7.5	0.28	1.62	0.95
3	2200	90	110	100	7	8	7.5	0.36	1.23	0.795
4	2600	80	100	90	5	6	5.5	1.2	2.2	1.7
5	3200	100	120	110	6	8	7	0.38	1.36	0.87
6	2200	80	90	85	5	7	6	0.7	1.9	1.3
7	3000	100	110	105	4	6	5	0.5	0.9	0.7
8	2500	110	125	117.5	6	9	7.5	0.42	1.23	0.825
9	1900	110	130	120	7	10	8.5	1.08	1.23	1.155
10	2600	110	120	115	7	9	8	0.89	1.26	1.075
11	2100	120	180	150	8	12	10	0.78	1.47	1.125
12	2500	105	150	127.5	7	14	10.5	0.42	1.68	1.05
13	2700	150	190	170	10	16	13	0.8	1.59	1.195
14	2200	110	170	140	7	18	12.5	0.89	2.38	1.635
15	2900	110	180	145	7	17	12	0.54	2.1	1.32
16	3500	110	130	120	6	10	8	0.9	1.2	1.05
17	2200	130	150	140	7	15	11	1.08	2.24	1.66
18	2400	110	140	125	7	12	9.5	0.9	2.36	1.63
19	2200	120	170	145	9	15	12	1.39	2.49	1.94
20	2400	120	140	130	7	12	9.5	1.17	2.35	1.76
21	1800	90	110	100	6	9	7.5	0.89	1.02	0.955
22	2500	100	120	110	9	10	9.5	0.64	0.98	0.81
23	3200	140	170	155	9	13	11	0.9	1.39	1.145
24	2500	80	120	100	6	8	7	0.38	0.76	0.57
25	2500	110	130	120	7	8	7.5	0.34	1.24	0.79
26	1900	110	130	120	7	9	8	0.79	1.1	0.945
27	2600	100	150	125	7	10	8.5	0.88	2.89	1.885
28	2200	100	110	105	7	10	8.5	0.54	1.96	1.25
29	2100	150	250	200	10	22	16	2.34	3.5	2.92
30	2400	160	210	185	1	18	9.5	1.78	2.7	2.24
31	2500	210	260	235	16	24	20	1.98	3.86	2.92
32	2500	150	240	195	11	19	15	2.28	2.46	2.37
33	3200	160	210	185	10	16	13	0.72	1.67	1.195
<b>Average</b>	<b>2509</b>	<b>115</b>	<b>149</b>	<b>132</b>	<b>7.3</b>	<b>12</b>	<b>9.61</b>	<b>0.90</b>	<b>1.80</b>	<b>1.35</b>

### 6.3.5 Monitoring of *Avicennia marina* plantation (2021-2022) 50ha.


During 2018-19, this site was planted with *A. marina*, plants with nursery raised saplings and direct dibbling methods, respectively by Gujarat Ecology Commission. In total, five quadrates were laid at this site to assess the survival percentage of the *A. marina*. The growth of these plantations was assessed, and the results are presented in Table 25. The *A. marina* plants in the 50 ha area showed tree density varying from 1600/ha to a maximum of 2500/ha, and the overall average was 2060/ha. The overall average plant height of this site was 141.6cm, and the survival rate was 51.5 %. The girth ranges from 8 cm to 19 cm with an average of 12.2 cm, while the average canopy cover was 1.45 m<sup>2</sup>.

**Table 25.** Details of mangroves plantation of *A. marina* at Sat Saida Bet (50 Ha)


Quadrat No	Density	Height(cm)			Girth(cm)			Canopy(m <sup>2</sup> )		
		Max	Min	Avg	Max	Min	Average	Max	Min	Average
Q-1	1900	180	140	160	18	11	14.5	2.98	0.9	1.94
Q-2	2200	160	136	148	15	12	13.5	2.57	0.48	1.525
Q-3	2500	150	110	130	12	9	10.5	1.82	0.59	1.205
Q-4	2100	190	110	150	19	8	13.5	2.36	1.04	1.7
Q-5	1600	130	110	120	10	8	9	1.34	0.46	0.9
<b>Avg</b>	<b>2060</b>	<b>162</b>	<b>121</b>	<b>141.6</b>	<b>14.8</b>	<b>9.6</b>	<b>12.2</b>	<b>2.214</b>	<b>0.69</b>	<b>1.45</b>

## 7 Regeneration and recruitment class

The regeneration class and recruitment class density were recorded in Sat Saida bet. The overall average density of the regeneration class (saplings with a height of <50 cm) of mangroves in the sampling site recorded was 43,658 plants/ha. The highest regeneration class (62,121 plants/ha) was recorded at 330 ha block, indicating the suitability of the site for germination and survival of young plants (Fig-25, 26). The lowest density of the regeneration class (25,667 plants/ha) was recorded at the 300 Ha block. In the case of recruitment class plants, the overall average density recorded was 5071 plants/ha. The maximum recorded at 330 Ha block (6061 plants/ha), and the minimum at 300 ha block. These results indicate that the 300 Ha block is not conducive for the growth of mangroves.



**Figure 25.** Regeneration class density at Sat Saida Bet



**Figure 26.** Recruitment class density at Sat Saida Bet

The regeneration class density was highest in 330 ha block followed by 50 ha, 20 ha, 200 ha and lowest in 300 ha. The recruitment class density was highest in 330 ha followed by 50 ha, 200 ha, 20 ha and lowest in 300 ha.

**Table 26.** Assessment of plant characteristics (Mean) at the plantation sites during 2017-2018

Site	Parameters	150 ha	150ha
Kantiyajal	Plant density (No/ha)	2220 ( <i>A .marina</i> )	1460 ( <i>A.marina</i> ) 1280 ( <i>R.mucronata</i> )
	Height(cm)	37	32 ( <i>A.marina</i> ) 30 ( <i>R.mucronata</i> )
	Survival rate (%)	88.8	58.4 ( <i>A. marina</i> ) 64.0 ( <i>R. mucronata</i> )
Nakti creek	Plant density (No/ha)	2370	-
	Height (cm)	53 – 84	-
	Survival rate	35.9	-
Sat Saida Bet	Plant density (No/ha)	4133	2031 to 5387
	Height (cm)	89	39 – 113
	Survival rate (%)	62.6%	81.6

## 8 Soil Biomass Carbon

### 8.1 Soil biomass carbon stock potential at Nakti creek mangrove site

At Nakti creek, the below ground soil carbon stock of the *A. marina* plantation was 51.76 t/ha and 62.74t/ha at 50 ha and 100ha respectively. At the 100 ha mangrove plantation area, the soil biomass carbon stock ranged from 42.36 to 84.32 t/ha with an average of 62.74 t/ha. Among the two locations, 100 ha plantation site at Nakti creek showed the higher soil Total Biomass Carbon stock (Table 27, 28).

**Table 27.** Soil Carbon stock in Nakti mangrove plantation site- 100 ha

Sampling Blocks	Depths	TOC (%)	Total carbon (%)	Bulk Density (g/ cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
NC 1	25 cm	0.34	0.18	1.28	5.83	84.315
	50 cm	0.37	0.20	1.30	12.85	
	75 cm	0.43	0.23	1.25	21.56	
	100 cm	0.61	0.33	1.35	44.08	
NC 2	25 cm	0.43	0.23	1.33	7.66	58.63
	50 cm	0.4	0.21	1.25	13.37	
	75 cm	0.34	0.18	1.32	17.94	
	100 cm	0.28	0.15	1.31	19.65	
NC 3	25 cm	0.24	0.13	1.32	4.22	45.27
	50 cm	0.27	0.14	1.27	9.14	
	75 cm	0.21	0.11	1.28	10.80	
	100 cm	0.3	0.16	1.32	21.11	
<b>Average Carbon stock (%)</b>						<b>62.74</b>

**Table 28.** Soil Carbon stock in Nakti mangrove plantation site - 50 ha

Sampling Blocks	Different depths	TOC%	Total carbon (%)	Bulk Density (g/m <sup>3</sup> )	Carbon stock (%)	Carbon in 1 m stock (t/ha)
NC 1	25 cm	0.21	0.11	1.41	3.95	42.364
	50 cm	0.24	0.13	1.25	8.02	
	75 cm	0.24	0.13	1.28	12.34	
	100 cm	0.27	0.14	1.25	18.05	
NC 2	25 cm	0.33	0.18	1.37	6.04	59.12
	50 cm	0.24	0.13	1.33	8.56	
	75 cm	0.3	0.16	1.39	16.71	
	100 cm	0.39	0.21	1.33	27.81	
NC 3	25 cm	0.51	0.27	1.28	8.74	53.79
	50 cm	0.33	0.18	1.32	11.61	
	75 cm	0.27	0.14	1.33	14.44	
	100 cm	0.27	0.14	1.32	19.00	
<b>Average of Carbon stock (%)</b>						<b>51.6</b>

**Table 29.** Average Carbon Stock at Nakti Creek

Plantation (ha)	Avg. Carbon stock 1 m depth (%)
100	62.74
50	51.6
Avg	57.17

## 8.2 Soil biomass carbon stock potential at Kantiyajal mangrove site

At Kantiyajal creek, the average soil biomass carbon of the *A. marina* plantation was 53.13t/ha (150ha) and it ranged from 46.4 to 59.7 t/ha. Among the three locations, 150 ha *A. marina* plantation site showed the highest soil biomass carbon stock potential at Kantiyajal (Table 30,31,32 & 33). The overall average 1 meter depth soil carbon stock was 53.35t/ha.

**Table 30.** Soil Carbon stock in Kantiyajal mangrove plantation site- 150 ha (*A. marina*)

Sampling Blocks	Different depths	TOC%	Total carbon (%)	Bulk Density (g/ m <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m(t/ha)
KC-1	25 cm	0.30	0.15	1.27	4.8	<b>54.7</b>
	50 cm	0.42	0.21	1.20	12.6	
	75 cm	0.34	0.17	1.19	15.2	
	100 cm	0.52	0.26	1.22	22.2	
KC- 2	25 cm	0.34	0.17	1.21	5.1	<b>54.0</b>
	50 cm	0.40	0.20	1.18	11.8	
	75 cm	0.38	0.19	1.20	17.1	
	100 cm	0.46	0.23	1.24	20.0	
<b>Average Carbon stock (%)</b>						<b>54.4</b>

**Table 31.** Soil Carbon stock in Kantiyajal mangrove plantation site- 150 ha (*R. mucronata*)

Sampling Blocks	Different depths	TOC %	Total carbon (%)	Bulk Density (g/ m <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m(t/ha)
KC-1	25 cm	0.38	0.19	1.09	5.2	47.7
	50 cm	0.29	0.145	1.22	8.8	
	75 cm	0.39	0.195	1.16	17.0	
	100 cm	0.49	0.145	1.21	20.8	
KC- 2	25 cm	0.36	0.18	1.26	5.7	59.7
	50 cm	0.37	0.185	1.23	11.4	
	75 cm	0.62	0.31	1.19	27.7	
	100 cm	0.37	0.185	1.16	15.0	
<b>Average Carbon stock (%)</b>						<b>53.69</b>

**Table 32.** Soil Carbon stock in Kantiyajal mangrove plantation site- 50 ha (*A.marina*)

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/ m <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m(t/ha)
KC- 1	25 cm	0.29	0.145	1.24	4.5	57.5
	50 cm	0.36	0.18	1.25	11.3	
	75 cm	0.39	0.195	1.23	18.0	
	100 cm	0.54	0.27	1.26	23.8	
KC- 2	25 cm	0.32	0.16	1.24	5.0	46.4
	50 cm	0.38	0.19	1.09	10.4	
	75 cm	0.37	0.185	1.24	17.2	
	100 cm	0.32	0.16	1.24	13.9	
<b>Average of Carbon stock (%)</b>						<b>51.97</b>

**Table 33.** Average Carbon Stock at Kantiyajal Creek

Plantation (ha)	Avg. Carbon stock 1 m depth (%)
150	54.4
150	53.69
50	51.97
Avg	53.35

### 8.3 Soil carbon stock potential at Sat Saida bet at mangrove site

At Sat Saida bet the overall average soil biomass carbon of *A. marina* plantation site was 68.17 t/ha. Whereas, at the five blocks of mangrove plantation area, the soil biomass carbon ranged from 54.5 t/ha (50ha) to 79.5 t/ha (200ha). The soil carbon sequestration potential was highest in 200 ha plot followed by 300, 20, 330 and 50 ha plantation blocks (Table 34-39).

**Table 34.** Soil Carbon stock in Sat Saida bet mangrove plantation site- 300 ha

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
Sample-1	25 cm	0.37	0.185	1.30	6	69.3
	50 cm	0.40	0.2	1.29	12.9	
	75 cm	0.37	0.185	1.26	17.5	
	100 cm	0.53	0.265	1.24	32.9	
Sample- 2	25 cm	0.35	0.175	1.23	5.4	73.9
	50 cm	0.48	0.24	1.30	15.6	
	75 cm	0.39	0.195	1.22	17.8	
	100 cm	0.58	0.29	1.21	53.1	
Average of Carbon stock (%)						71.5

**Table 35.** Soil Carbon stock in Sat-Saida bet mangrove plantation site- 200 ha

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
Sample-1	25 cm	0.39	0.195	1.23	6.0	78.1
	50 cm	0.36	0.18	1.22	11.0	
	75 cm	0.67	0.335	1.13	28.4	
	100 cm	0.59	0.295	1.24	32.7	
Sample- 2	25 cm	0.42	0.21	1.21	11.6	80.9
	50 cm	0.35	0.175	1.26	11.0	
	75 cm	0.58	0.29	1.27	27.6	
	100 cm	0.52	0.26	1.18	30.7	
Average of Carbon stock (%)						79.5



**Table 36.** Soil Carbon stock in Sat Saida bet mangrove plantation site- 330 ha

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
Sample-1	25 cm	0.42	0.21	1.09	5.7	<b>64.8</b>
	50 cm	0.32	0.16	1.29	10.3	
	75 cm	0.37	0.185	1.24	17.2	
	100 cm	0.53	0.25	1.23	31.5	
Sample- 2	25 cm	0.48	0.24	1.13	6.8	<b>55.9</b>
	50 cm	0.34	0.17	1.24	10.5	
	75 cm	0.30	0.15	1.30	14.6	
	100 cm	0.42	0.21	1.14	23.9	
<b>Average of Carbon stock (%)</b>						<b>60.3</b>

**Table 37.** Soil Carbon stock in Sat Saida bet mangrove plantation site- 50 ha

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
Sample-1	25 cm	0.31	0.155	1.26	4.9	<b>62.8</b>
	50 cm	0.36	0.18	1.30	11.7	
	75 cm	0.39	0.195	1.06	15.5	
	100 cm	0.50	0.25	1.23	30.8	
Sample- 2	25 cm	0.32	0.16	1.13	5.0	<b>54.2</b>
	50 cm	0.33	0.165	1.24	10.8	
	75 cm	0.38	0.19	1.30	17.8	
	100 cm	0.34	0.17	1.14	20.6	
<b>Average of Carbon stock (%)</b>						<b>58.5</b>

**Table 38** Soil Carbon stock in Sat Saida Bet mangrove plantation site- 20 ha

Sampling Blocks	Different depths	% of TOC	Total carbon (%)	Bulk Density (g/cm <sup>3</sup> )	Carbon stock (%)	Carbon stock in 1 m (t/ha)
Sample-1	25 cm	0.35	0.175	1.32	5.8	74.5
	50 cm	0.37	0.185	1.18	10.9	
	75 cm	0.39	0.22	1.32	21.8	
	100 cm	0.55	0.275	1.31	36	
Sample- 2	25 cm	0.35	0.175	1.19	5.2	67.6
	50 cm	0.175	0.195	1.34	13.1	
	75 cm	0.29	0.27	1.32	26.7	
	100 cm	0.26	0.19	1.19	22.6	
<b>Average of Carbon stock (%)</b>						<b>71.0</b>

**Table 39.** Average Carbon Stock of all the sites at Sat Saida Bet

<b>Plantation (ha)</b>	<b>Avg. Carbon stock 1 m depth (%)</b>
300 ha	71.5
200 ha	79.5
330 ha	60.3
50 ha	58.5
20 ha	71.0
Avg	68.18

#### **8.4 Details of carbon Sequestration at the plantation sites**

The above ground biomass varied 113.30 to 210.0gm at Sat Saida Bet while at Kantiyajal it was minimum 121.74 to 164.60 gm/ha. At Nakti creek site it was minimum 133.86 and maximum 161.02 gm/ha during the present investigation (Table 40,41 & 42). The below ground biomass was comparatively less than the above ground values. At Sat Saida Bet it ranged from 22.70 to 62.80gm and that from Kantiyajal were 21.96 to 38.23gm. The below ground biomass at Nakti varied between 29.83 and 42.30gm. The Total Biomass Carbon calculated in the different plantation sites at Sat Saida varied from 112.10kg/ha to 232.74 kg/ha. The values of carbon biomass at Kantiyajal varied from 123.69 to 178.86kg/ha whereas at Nakti it varied between 142.02 and 173.46 kg/ha.

**Table 40.** Details of Carbon stock at Sat Saida during 2022

<b>Carbon Sequestration - Dry weight basis (gm)</b>										
<b>50ha</b>										
<b>Sample</b>	<b>Root</b>	<b>Leaves</b>	<b>Stem</b>	<b>Plant Biomass Below ground</b>	<b>Plant Biomass Above Ground</b>	<b>Total Biomass</b>	<b>Total Biomass Carbon</b>	<b>Total Biomass Carbon (mg/ha)</b>	<b>Total Biomass Carbon (kg/ha)</b>	<b>Carbon equivalent (%)</b>
sample-1	39.80	108.90	48.60	39.80	157.50	197.30	82.87	168325.71	168.33	617.76
sample-2	32.90	80.90	29.60	32.90	110.50	143.40	60.23	122341.14	122.34	448.99
<b>20ha</b>										
sample-1	29.40	80.10	37.70	29.40	117.80	147.20	61.82	125583.09	125.58	460.89
sample-2	24.60	86.40	26.90	24.60	113.30	137.90	57.92	117648.83	117.65	431.77
<b>200ha</b>										
sample-1	22.70	69.30	34.40	22.70	57.10	79.80	33.52	68081.05	68.08	249.86
sample-2	36.10	90.10	43.70	36.10	79.80	115.90	48.68	98879.62	98.88	362.89
<b>300ha</b>										
sample-1	62.80	140.30	69.70	62.80	210.00	272.80	114.58	232738.23	232.74	854.15
sample-2	39.50	93.50	32.90	39.50	126.40	165.90	69.68	141536.92	141.54	519.44
<b>330ha</b>										
sample-1	37.10	64.90	29.40	37.10	94.30	131.40	55.19	112103.38	112.10	411.42
sample-2	34.40	94.60	45.20	34.40	139.80	174.20	73.16	148618.03	148.62	545.43

**Table 41.** Details of Carbon stock at Kantiyajal during 2022

Dry weight (Gram)				Carbon Sequestration						
150ha										
Sample	Root	leaves	stem	Plant Biomass Below ground	Plant Biomass Above Ground	Total Biomass	Total Biomass Carbon	Total Biomass Carbon (mg/ha)	Total Biomass Carbon (mg/ha)	Carbon equivalent (%)
sample-1	34.29	112.30	52.30	34.29	164.60	198.89	83.53	169682.21	169.68	622.73
sample-3	38.23	124.12	47.30	38.23	171.42	209.65	88.05	178862.06	178.86	656.42
150ha										
sample-1	32.86	115.80	43.70	32.86	159.50	192.36	80.79	164111.16	164.11	602.29
sample-2	35.12	108.30	39.42	35.12	147.72	182.84	76.79	155989.21	155.99	572.48
50ha										
sample-1	21.96	84.62	38.40	21.96	123.02	144.98	60.89	123689.11	123.69	453.94
sample-2	24.30	92.14	29.60	24.30	121.74	146.04	61.34	124593.44	124.59	457.26

**Table 42.** Details of Carbon stock at Nakti creek during 2022

Dry weight (Gram)				Carbon Sequestration						
50 ha										
Sample	Root	leaves	Stem	Below ground	Above Ground Biomass	Total Biomass	Total Biomass Carbon	Total Biomass Carbon (mg/ha)	Total Biomass Carbon (kg/ha)	Carbon equivalent (%)
Sample-1	37.50	112.96	34.60	37.50	147.56	185.06	77.73	157883.20	157.88	579.43
Sample-2	32.90	98.63	36.94	32.90	135.57	168.47	70.76	143729.51	143.73	527.49
Sample-3	35.64	126.23	28.72	35.64	154.95	190.59	80.05	162601.10	162.60	596.75
100 ha										
Sample-1	32.61	94.35	39.51	32.61	133.86	166.47	69.92	142023.21	142.02	521.23
Sample-2	29.83	103.42	34.26	29.83	137.68	167.51	70.35	142910.49	142.91	524.48
Sample-3	42.30	129.18	31.84	42.30	161.02	203.32	85.39	173461.64	173.46	636.60

## 9 Phyto-sociological observation

### 9.1 Halophytes

Halophytes are classified based on their growth conditions as obligate halophytes, facultative halophytes, and habitat-indifferent halophytes. In the present study, four major halophytes were recorded within the selected DPA sites during the survey, viz: *Salicornia brachiata*, *Aeluropus lagopoides*, *Salvadora persica* and *Sesuvium portulacastrum*. Among the halophyte species, *Salicornia brachiata* & *Sesuvium portulacastrum* was found to be equally distributed in Sat Saida bet.

At the plantation site, mangroves associated plants such as *Salvadora* spp and *Ipomea* spp, were found at the high tide level; the halophytes, *Suaeda* spp, *Sesuvium* have also occurred in many sites. During the field visit, several mangroves associated fauna such as mudskippers, bivalves, crabs, gastropods and other fishes were found inside the plantation sites.



**Plate 8.** Mangrove associated Halophytes

## 10 Discussion

In the present study, the overall percentage survival of the plants on Sat Saida bet in 5 different blocks was observed between 51.5% to 62.7% at different plot size and in different geophysical condition. This indicates that *A. marina* species is capable of adapting to a wide range of salinity variations and substratum types. For germination success, matured seeds should be collected and transported with proper moisture content for plantation. (Clarke and Allaway, 1993; McKee, 1995; McGuinness, 1997; Clarke *et. al.*, 2001). The recruitment and growth of established mangrove seedlings and their survival to the sapling stage are mainly determined by the availability of light and nutrients (Smith, 1987; Ellison and Farnsworth, 1993) and the influence of physicochemical factors (McKee, 1995, Koch and Snedaker 1997) at Nakti creek, survival rate ranges from 40% to 54% at 100 ha and 50ha, respectively. At Kantiyajal creek, *A. marina* plantation survival rate varies from 62% to 75% within 50 ha and 150ha respectively. The survival rate of *R.mucronata* is 63% at 150 ha plantation site. This clearly indicates that *A. marina* tolerates wide ranges of temperature and salinity to withstand in extreme environmental conditions (Das *et al.*, 2019).

The results of the 1400 ha plantation study at Kantiyajal, shows higher survival rate than the Sat saida bet and Nakti creek, this is because of site to site variations in temperature, salinity and rainfall (Das *et. al.* 2019. In the plantation sites, higher survival was reported for *A. marina*, whereas the high rates of survival, for stilt-rooted *Rhizophora* species were planted as propagules as influenced by plant spacing (Kodikara *et. al.*, 2017). The results of the present study are in conformity with the findings that several abiotic and biotic factors, including the local climatic conditions, determine the survival and growth of recruitment classes. It is to be highlighted that the aftercare by the local people and the management is very much important above all for achieving high survival rates of mangrove plantation efforts. The mangrove survival rates are dependent on factors like

- **Biological factors** – mangrove species and infestation of pests (e.g. algae, barnacles, insect larvae)
- **Physical factors** – tidal level and inundation, substrate, waves/typhoons, sedimentation.
- **Human factors** – harvesting of materials for fodder, grazing, fishing gear, management and enforcement.

Well-planned and executed mangrove planting efforts also results in poor survival rate because of a lack of participation by local communities, cultural barriers and adequate after-care (e.g., watering and removal of objects that are entangled with planted individuals) needed for long-term success (Blum and Herr, 2017). In most of the mangrove plantation, poor survival rate, due to restoration projects is often related to the high susceptibility of propagules, seedlings and saplings to wind and wave erosion, flooding and desiccation. The low survival of the recruitment class can be attributed by both the biotic (competition with native and planted vegetation) and abiotic factors (like erratic change in salinity, temperature wave energy and rainfall), site suitability (like high or low inundation, plantation area).

Effective coordination of multiple stakeholders in a given mangrove project was seen to have provided long-term positive impacts for both mangroves and dependent communities. Implementing agencies and community organizers could also contribute to greater success rates if well-trained and equipped by the appropriate environmental specialists (Flint *et al.*, 2018).

Mangrove rehabilitation and restoration are considered one of the most effective management options globally for dealing with lost or damaged mangrove forests (Ellison *et. al.*, 2020). Although planting mangroves for restoration and afforestation has been conducted in some regions in Bangladesh (1993) and Vietnam (Hong *et. al.*, 1996) are not always successful. Many biotic and abiotic influences, including predation, seed recruitment, soil characteristics, colonization rates, salinity and temperate, can reduce the survival of the mangroves, in both early (e.g., nursery) and late stages of the planting process (Lewis, 2005). Instead, mangrove restoration projects tend to use specific success criteria; for example, mangrove restoration efforts with an 85-90% survival rate after a defined number of years of monitoring are described as successful projects (Walters *et. al.*, 2008; Locatelli *et. al.*, 2014).



## 11 Summary

Mangrove formations in the Kachchh coast are predominated by a single species, *i.e.* *A. marina*, with the sporadic occurrence of *R. mucronata* and *C. tagal*. The present study was carried out at Sat Saida bet and Nakti creek in Kandla and at the vicinity of Kantiyajal covering ten blocks to evaluate mangrove plantations carried out in 1400 ha during the period between 2005 to 2019. The major goal of this study was to assess the mangrove plantation survival percentage to assess the carbon sequestration potential of planted mangroves, to understand the ecological issues related to plantation success, and suggest conservation measures. The mangrove plantation was carried out in temporally from 2005 onwards. The plantation work in Sat Saida started from 2005-2006 (20 ha), followed by 200 ha in 2011-2012, 300 ha in 2012-2013, and 330 ha during the 2013-2014. The plantation work in Nakti creek was initiated in year 2008-2009 (50 ha) followed by 100 ha during 2010-2011. In Kantiyajal the plantation work initiated from 2015-2016 (150 ha) followed by 150 ha during 2016-2017 and 100 ha during 2018-2019. Due to the prevalence of high salinity in the region, *A. marina* was the preferred species for plantation. Although, *R. mucronata* and *C. tagal* were also planted in small pockets at Nakti creek, and *R. mucronata* was attempted at Kantiyajal along with *A. marina*. Among the different plantation areas, maximum density and height of plants were observed at Kantiyanjal. However, the survival rate was highest (75%) for *A. marina* plantation in 150 ha planted during 2016-2017 followed by *R. mucronata* plantation at 150 ha in Kantiyanjal (2016-2017), 330 ha of *A. marina* at Sat Saida bet (62.7%) planted during 2013-2014. The lowest survival rate was observed in Nakti creek (40%) within 100 ha area carried out during 2010-2011. In this site, especially multi species plantation activity was carried out using *R. mucronata*, *Ceriops tagal* and *A. marina*. In rest of the blocks, the survival percentage did not reach the minimum expected (67%) despite of the mangrove species planted. Based on the field monitoring and evaluation data, it is advised to prefer nursery bed and direct seed sowing methods to the *Otla* method, since mangrove areas raised through the *Otla* method undergo high mortality rates even when initial survival rates are high.

The soil Total Biomass Carbon of *A. marina* plantation was lowest (42.36t/ha) in Nakti creek 100 ha plot and highest in 200 ha plot of Sat Saida bet (68.17t/ha). Among the three locations, *i.e.* Sat Saida bet, Nakti creek and Kantiyajal, the highest carbon sequestration potential was recorded at Sat Saida Bet.

## 12 Suggestions and recommendations

The Global Mangrove Alliance (GMA), a coalition of international nature conservation Organizations, has set the ambitious target of restoring 20% of mangroves over the current extent by 2030 (Quarto, 2013; Bayraktarov *et al.*, 2016; Wylie *et al.*, 2016; Kodikara *et al.*, 2017). Based on the data collected during the present and previous field survey, the following recommendations are suggested for current and future plantation activities.

### 12.1 Management approach

The present study indicates that ten blocks are the most suitable sites for further promoting mangrove plantation activities in Sat Saida Bet, as they have already shown survival success and there was space available for gap filling. The following conservation measures are suggested for the planted mangroves in order to improve their survival and make them a mature mangrove formation over the period of time:

- Appropriate site selection needs to be done.
- Both field observation and high-resolution mapping need to be used as a part of mangrove monitoring, conservation and management efforts.
- Site specific appropriate plantation techniques to be opted considering the hydro-geological features to avoid high mortality among mangrove plant species.
- Watering the nursery bed at some regular intervals with freshwater is required.
- Regular tidal flushing and inundation are to be ensured at the selected mangrove sites.
- Manual removal of algal entanglement and barnacle infestation on mangrove to be done periodically.
- Monitoring of existing mangrove plantation to control human interventions to avoid grazing by livestock.
- Mangrove plantation to be carried out using seed source from nearest area possible
- Restoration of mangroves, where it already exists, to be done instead of creating new plantation sites.
- Appropriate restoration efforts are needed such as deepening and de-silting and widening of canals.

- Normal tidal hydrology should not be disrupted and the availability of water-borne dispersal of seeds should be allowed.
- Awareness and outreach programmes for DPA staff and other stakeholders would strengthen the plantation efforts.
- Multispecies plantation is to be preferred while planning
- Involvement of stakeholder communities from the nearby villages to be initiated.

The most relevant suggestive measures for successful mangrove restoration efforts are described below:

## **12.2 Identification of suitable sites**

By far, site selection within the broader landscape for a plantation is the most important criterion that determines the plantation's success. For successful plantation, it is essential that the existing bio-physical conditions of the coastal landscape in a broader and general manner are to be thoroughly understood.

## **12.3 Identification of stress factors**

It is important that in any conservation efforts, stressors acting on the mangroves are to be identified and removed in order to maintain the ecosystem balance. Mangrove environment will continue to be stable and balanced if there are no external stressors such as change in hydrology, soil, water salinity, pH, soil texture and wave energy. In addition, anthropogenic stress factors such as collection of fodder and other resources, tree felling and other habitat modification activities will severely affect the ecosystem. It would be necessary to find the factors causing stand degradation and scientifically addressing it to remove the stressors allowing mangroves to flourish.

## **12.4 Bio-physical management**

Mostly, micro-topography controls the distribution and wellbeing of mangroves, and physical processes play a dominant role in the formation and functioning of mangrove ecosystem. A list of bio-physical parameters such as the gradient of the intertidal belt, soil nature, number of days of tidal flushing, presence/absence of natural mangroves in the vicinity and availability of adequate intertidal extent are to be considered, and grades should be assigned in a scale of 1 to 10. Duration of tidal flushing, which is influenced by the gradient of the intertidal extent is very essential.

### **12.5Community-based management**

Involving local people and fishermen living nearby and use their traditional knowledge will render the site selection easier since they are well versed with the local conditions, especially tidal flushing rate. In addition, short term and small-scale feasibility trials could be conducted in order to ascertain the suitability of the site.

To encourage both motivation and engagement, the needs of the community need to be assessed and addressed towards their socioeconomic development for the direct benefit of community members (Flint *et al.*, 2018). Ideally, mangroves within the DPA jurisdiction should be subjected to intense management regime to protect them. It was proven in many instances that involving the stakeholder communities in the surrounding villagers will yield better results in mangrove plantation and restoration activities. Effective coordination of multiple stakeholders in a given mangrove project or programme has provided long-term positive impacts for both mangroves and dependent communities. Though the population in the port surroundings has different livelihood activities, fishermen community could be targeted to involve them in community-based mangrove restoration and management. The community-based organization *i.e.*, Samithi roles and responsibilities with reference to mangrove conservation in their vicinity should be well defined and that would play a vital role in conserving these mangrove patches.

### **12.6Physical protection**

Physical protection of natural stand is often the best conservation measure that will fetch positive results. Employees of Deendayal port need to be made aware with the environmental and ecological significance of mangroves and other coastal resources within the port limits. Licenses for salt works and other Port allied industries are awarded by port authorities without understanding the ecological and environmental rules and regulations governing them which often lead to legal and environmental bottleneck at a later stage. Short-term awareness programs in a continuous basis to port employees could be conducted by seasoned marine/mangrove ecologists.

### 13 Future considerations

In all future plantation activities along with *A. marina*, other compatible species like *R. mucronata*, *C. tagal* and *A. corniculatum* which are available at Sat Saida Bet shall be chosen where ever suitable environmental parameters are available during post monsoon season. Further, such efforts would serve to create a seed bank in due course of time which would eventually convert single species stand of *A. marina* into multi-species assemblages. It is suggested that in future plantation activities, nursery raised saplings along with direct dibbling of seeds and propagules should be preferred rather than following the raised bed (*Otla*) method in order to have high survival rate of the plants. Raised bed plantation are to be conducted only on the suitable sites and not everywhere, for which surveys should be conducted before the initiation of plantation activities. Mangrove restoration is possible by enhancing the natural recruitment of propagules and seeds of the species for which the hydrologic manipulation of the mangrove plantation site is to be done so as to retain them in the bottom sediment and germinate. It is necessary to make sure that tidal water inundation is sufficient for the survival of the seedlings. Through appropriate restoration measures, the existing sparse mangroves could be converted into dense patches by regular gap filling and replantation in the already established blocks. The large plants will provide a protective shield for the newly planted or emerging young plants from water currents during the tidal water movements. Thus, it is suggested to carry out restoration activities along with direct plantation to improve mangrove vegetation cover in DPA. Based on the present monitoring results, it is inferred that Sat Saida Bet could be an ideal site for all future mangrove restoration activities with bio-physical amendments such as de-silting existing creeks, joining all the existing minor creeks with one another through modified creek systems. Increased tidal flooding and hydro-period will extend the mangrove formation in this location along with converting sparse mangrove vegetation into dense mangroves over a period of time. Earlier mangrove vegetation analysis studies at Kandla and Tuna mangroves (GUIDE, 2012 and 2015) have clearly indicated that density and addition of younger classes is good enough to become mature trees. To sum up, through sustainable long -term management practices, the mangroves can be made into a fully grown and functional ecosystem with enhanced ecosystem services.

## 14 References

- Anon., (2001). India 2001- A reference annual compiled and edited by Research, Reference and Training Division, Ministry of Information and Broad Casting, Government of India. 873
- Baig, M. M., Gholam Hosseini, H., and Connolly, M. J., (2015). Mobile healthcare applications: system design review, critical issues and challenges. *Australas Phys Eng Sci Med.* 38(1), 23-38.
- Bayraktarov, E., Saunders, M. I., Abdullah, S., Mills, M., Beher, J., Possingham, H. P., Mumby, P. J. and Lovelock, C. E., (2016.). The cost and feasibility of marine coastal restoration. *Ecol Appl*, 26(4), pp. 1055–1074. doi: 10.1890/15-1077.1.
- Blum, J., and Herr, D., (2017). Gender equity is key to mangrove restoration.
- Clark, D. B., (2001). Net primary production in tropical forests: an evaluation and synthesis of existing field data. *Ecol. Appl.*, 11, 371-374.
- Clarke, M. A., and Bishnoi, P. R., (2001). Measuring and modelling the rate of decomposition of gas hydrates formed from mixtures of methane and ethane. *Chem. Eng. Sci*, 56(16), 4715-4724.
- Clarke, P. J., and Allaway, W. G., (1993). The regeneration niche of the grey mangrove (*Avicennia marina*): effects of salinity, light and sediment factors on establishment, growth and survival in the field. *Oecologia*, 93(4), 548-556.
- Das, R L., Patel, H., Salvi, R.D., Kamboj., (2019) Assessment of natural regeneration of mangrove with reference to edaphic factors and water in Southern Gulf of Kachchh, Gujarat, India. *Heliyon.* (5):2250.
- Donato, D. C., Kauffman, J. B., Murdiyarso, D., Kurnianto, S., Stidham, M., & Kanninen, M., (2011). Mangroves among the most carbon-rich forests in the tropics. *Nat. Geosci*, 4(5), 293-297.
- Duraiappah, A. K., Naeem, S., Agardy, T., Ash, N. J., Cooper, H. D., Diaz, S., and Van Jaarsveld, A., (2005). Ecosystems and human well-being: biodiversity synthesis; a report of the Millennium Ecosystem Assessment.
- El Wakeel, S.K. & J.P. Riley 1961. Chemical and mineralogical studies of deep-sea sediments. *Geochim. Cosmochim. Acta* 25, 110–46.
- Ellison, A. M., & Farnsworth, E. J., (1993). Seedling survivorship, growth, and response to disturbance in Belizean mangal. *Am. J. Bot.* 80(10), 1137-1145.
- Ellison, A.M., Felson, A.J., and Friess, D.A., (2020). Mangrove Rehabilitation and Restoration as Experimental Adaptive Management. *Front. Mar. Sci.* 7:327. doi: 10.3389/fmars.2020.00327
- Ezcurra, P., Ezcurra E., Garcillan, P. P., Costa, M. T., Aburto\_Oropeza, O. (2016). Coastal Landforms and accumulation of mangrove peat increase carbon sequestration and storage. *Proc. Nat. Acad. Scie.* 4404-4409. 10.1073/pnas.1519774113
- Flint, R., Herr, D., Vorhies, F., and. Smith, J. R., (2018). Increasing success and effectiveness of mangrove conservation investments: A guide for project the purpose of these developers, donors and investors. IUCN, Geneva, Switzerland, and WWF Germany, Berlin, Germany. (106) pp.

- FSI, (2021). India State of Forest Report, Dehradun.
- GUIDE (2012). Development of berthing and allied facilities off-Tekra near Tuna: Mangrove preservation and management plan. Report submitted by Gujarat Institute of Desert Ecology (GUIDE) to Kandla Port Trust (KPT), Gandhidham.
- GUIDE (2015). Study on present status, conservation and management plan for mangroves of Kandla Port Region. Report submitted by Gujarat Institute of Desert Ecology (GUIDE) to Kandla Port Trust (KPT), Gandhidham.
- GUIDE (2018). Assessment and monitoring of Mangrove plantation (1400 ha) carried out by Deendayal Port Trust, Kandla. Final report. Submitted to DPT by Gujarat Institute of Desert Ecology, September 2018.
- Hong, S. Y., & Pan, H. L., (1996). Nonlocal boundary layer vertical diffusion in a medium-range forecast model. *Monthly weather review*, 124(10), 2322-2339.
- IUCN and UNEP-WCMC (2017). The World Database on Protected Areas (WDPA) [Online] Available online at: [www.protectedplanet.net](http://www.protectedplanet.net)
- IPCC (2013). Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptationsn (SREX), Spec.Rep., 594pp., Cambridge Univ. Press, Cambridge, U.K.
- Koch, M. S., and Snedaker, S. C., (1997). Factors influencing *Rhizophora mangle* L. seedling development in Everglades carbonate soils, *Aquat. Bot.* 59 87–98 10.1016/S0304-3770(97)00027-2
- Kodikara, K. A. S., Mukherjee, N., Jayatissa, L. P., Dahdouh-Guebas, F., & Koedam, N., (2017). Have mangrove restoration projects worked? An in-depth study in Sri Lanka. *Restor. Ecol*, 25(5), 705-716.
- Komiyama, A., Pongpan, S., & Kato, S. (2005). Common Allometric Equations for Estimating the Tree Weight of Mangroves. *Journal of Tropical Ecology*, 21, 471-477.
- Kumar Sahu, & K. Kathiresan. (2019). The age and species composition of mangrove forest directly influence the net primary productivity and carbon sequestration potential. *Biocatalysis and agricultural biotechnology*, 20, 101235
- Lasco, R. D., (2004). The clean development mechanism and LULUCF projects in the Philippines. *International Symposium/Workshop on the Kyoto Mechanism and the Conservation of Tropical Forest Ecosystems*, pp. 53-57, Waseda University.
- Lewis, W. W., (2005). The power of productivity. In *The Power of Productivity*. University of Chicago Press.
- Locatelli, T., Binet, T., Kairo, J. G., King, L., Madden, S., Patenaude, G., Upton, C. and Huxham, M., (2014). ‘Turning the tide:how blue carbon and payments for ecosystem services (PES) might help save mangrove forests’, *Ambio*, 43(8), pp. 981–995. doi:10.1007/s13280-014-0530-y.
- Lovelock.C.E, Fernanda Adame, M., Don W. Butler, Jeffrey J. Kelleway., Sabine Dittmann., Benedikt Fest., Karen J. King., Peter I. Macreadie., Katherine Mitchell., Mark Newnham., Anne Ola., Christopher J. Owers., Nina Welti. (2022). Modeled approaches to estimating blue carbon accumulation with mangrove restoration to support a blue carbon accounting method for Australia. *Limnol. Oceanogr.* doi: 2022, 1–11,10.1002/lno.12014


- Maity, Swapan and Maiti, Ramkrishna. (2012). Local scour at and around vertical hydraulic structure - A case study around the piers of bridges on Rupnarayan River. *Indian Science Cruiser*. 26. 38-46.
- Matsui, M., Suekuni, J., Nogami, M., Havanond, S. Salikul, P., (2010). Mangrove rehabilitation dynamics and soil organic carbon change as a result of full hydraulic restoration and regarding of a previously intensively managed shrimp pond. *Wetland Ecol. Manag.*, Vol. 18: 233-242.
- McGuinness, D., (1997). *Why Our Children Can't Read, and what We Can Do about it: A Scientific Revolution in Reading*. Simon and Schuster.
- McKee, T. B., (1995). Drought monitoring with multiple time scales. In *Proceedings of 9th Conference on Applied Climatology*, Boston, 1995.
- Miller, R. W., & Donahue, R. L. (1990). *Soils: an introduction to soils and plant growth* (No. Ed. 6). Prentice-Hall International Inc..
- Petrokofsky, G., Kanamaru, H. et al. (2012). Comparison of methods for measuring and assessing carbon stocks and carbon stock changes in terrestrial carbon pools. How do Accuracy and precision of current methods compare? A systematic review protocol. *Environ. Evi.* 1-6.
- Quarto, A., (2013) 'Ecological Mangrove Restoration (EMR): Re-establishing a more biodiverse and resilient coastal ecosystem with community participation', *J. Chem. Inf. Model*, 53(9), pp. 1689–1699. doi: 10.1017
- Ragavan, R., Saxena, A., Jayaraj, R. S. C., Mohan, P. M., Ravichandran K, S. Saravanan and Vijayaraghavan, A., (2016). A review of the mangrove floristics of India. *Taiwania* 61:224–242.
- Saravanakumar, A., Rajkumar, Serebiah, M., Thivakaran S.J, G.A., (2008). Seasonal variations in physico-chemical characteristics of water, sediment and soil texture in arid zone mangroves of Kachchh-Gujarat, *J. Environ. Biol.* 29 (5):725-732.
- Shaw, K. (2006). Determination of organic carbon in soil and plant material. *Eur. J. Soil Sci* 10(2):316 – 326.
- Smith, R. L., (1987). Estimating tails of probability distributions. *Ann. Stat.*, 1174-1207.
- Spalding, Mark, D and Leal, Maricé (editors)., (2021) *The State of the World's Mangroves 2021*. Global Mangrove Alliance.
- Steven, Bouillon, Alberto V, Borges, Edward Casteneda-Moya, Karen Diele, Throsten Dittmar, Norman C. Duke, Erik Kristensen, Shing Y. Lee, Cyril Marchand, Jack J. Middleberg, Victor H. Riviera-Monroy and Thomos J. Smith., (2008). Mangrove production and carbon sinks, A revision of global budget estimates. *Global Biochemical Cycles*, 22, 1-12.
- Tandon, H.L.S., (2005). *Methods of analysis of soils, plants, water and fertilizers*. New Delhi: Fertilizer Development and Consultation Organization.
- Twilley, R. R., Chen, R. H., and Hargis, T., (1992). Carbon sinks in mangroves and their implications to carbon budget of tropical coastal ecosystems. *WAT. AIR AND SOIL POLL.* 64(1), 265-288.
- Walters, B. B., Rönnbäck, P., Kovacs, J. M., Crona, B., Hussain, S. A., Badola, R., Primavera, J. H., Barbier, E. and Dahdouh-Guebas, F., (2008) 'Ethnobiology, socio-economics and



- management of mangrove forests: A review', *Aquat. Bot.*, 89(2), pp.220–236. doi: 10.1016/j.aquabot.2008.02.009.
- Wylie, L., Sutton-Grier, A. E. and Moore, A., (2016) 'Keys to successful blue carbon projects: Lessons learned from global case studies', *Mar. Policy*, 65, pp. 76–84. doi: 10.1016/j.marpol.2015.12.020.
- Yee, S. M., (2010). REDD and BLUE Carbon: Carbon Payments for Mangrove Conservation. MAS Marine Biodiversity and Conservation Capstone Project.

\*\*\*\*\*

# **Annexure -E**



## DEENDAYAL PORT TRUST

Office of the Chief Engineer  
A.O. Building,  
Gandhidham (Kutch)

No. EG/WK/4751/Part

243(B)

Dated : 03/09/2019

### \* C I R C U L A R \*

The Ministry of Environment, Forest & Climate Change, GoI vide G.S.R. 317 (E) dated 29/3/2016 had issued Notification to address in detail the management of Construction & Demolition Waste. In order to implement the said rules issued by the MoEF&CC, GoI in the Deendayal Port Trust, following instructions may kindly be followed:

- ❖ Proper management of Construction & demolition waste in accordance with the provisions of Construction and Demolition of Waste Management Rules, 2016.
- ❖ Records of generation and disposal of the waste is required to be maintained by the contractor/Lessees at source.
- ❖ All trucks before leaving the storage yards shall be covered with tarpaulin and not over loaded as well as there shall not be spillage during transportation.
- ❖ Appropriate containers shall be placed for collection of waste, removal at regular intervals, transportation to appropriate sites for processing and disposal.

This is issued with the approval of Competent Authority in DPT.

  
Chief Engineer  
Deendayal Port Trust

- |                       |  |
|-----------------------|--|
| 1. All HoD's          | - For information and necessary action |
| 2. Sr. PS to Chairman | - For kind information of Chairman     |
| 3. PS to Dy. Chairman | - For kind information of Dy. Chairman |

# **Annexure -F**

**Subject:** Compliance of mitigation measures suggested in EIA report of “**Creation of water front facilities (Oil Jetties 8, 9, 10 & 11) and development of land of area 554 acres for associated facilities for storage at Old Kandla, Gandhidham, Kutch, Gujarat by M/s Deendayal Port Authority (Erstwhile Deendayal Port Trust)**”

**Reference:** Point No. XII of Environmental and CRZ Clearance granted by MoEF&CC, GoI vide letter vide file no. 10-1/2017-IA-III dated 20/11/2020.

**Table 9.1: EMP for Construction Phase**

S. No	Environmental Aspect	Project Activity and Source of Impact/ Impacts	Mitigation Measures and Reporting and records check required to be in place	Responsibility	Compliances
	Air	<b>Construction of Jetty</b> Emissions from generator sets (NOx, SO <sub>2</sub> , hydrocarbons and CO) for operation of barges; ▪ Emissions from other construction equipment and machinery (cranes, anchored piling barges etc.); ▪ Dust emissions from on land vehicular movement (PM);	Ensuring frequent water sprinkling on roads to reduce dust during vehicular movement on land;	Contractor & DPT	• DPA has installed Mist Canon at the Port area to minimize the dust. • To control dust pollution, regular sprinkling of treated water through tankers on roads and other area is being done.
			Minimization of movement of project vehicles at night and especially during peak hour traffic (9-11 am, 2-3 pm and 5-6 pm).		Point noted. it is relevant to mention here that, for diversion of port-related traffic and transportation, DPA has obtained Environmental & CRZ Clearance from SEIAA, GoG vide letter dated 19/06/2020 for construction of Interchange cum Road Over Bridge. The construction work of ROB is ongoing.
			Covering Vehicles / Barges with tarpaulin during transportation of construction material to site;		• In this regard, it is to state that, vehicles are being covered with tarpaulin during transportation of construction material to site.
			Ensuring that contractors are maintaining engines and that machinery deployed during construction are complying with emission standards;		DPA has included clause in the tender for the Contractor to ensure supply, use and maintenance of all construction plant and equipment for its efficient working. Relevant page of the tender is attached herewith as <b>Annexure 1</b> .

			The diesel generator (DG) sets will be provided with adequate stack height as per applicable regulations and will use low sulphur diesel in DG sets;		• DG sets are used only during power failure and vent of sufficient height are provided in line with the guidelines.
			Regular maintenance of diesel generators engines;		DPA has included clause in the tender for the Contractor to ensure supply, use and maintenance of all construction plant and equipment for its efficient working. Relevant page of the tender is attached herewith as <b>Annexure 1</b> .
			▪ Monitoring of stack emissions at intervals as specified in the CFE and its comparison with the emission standards as specified in CFE; and		Point noted
			▪ Regular Ambient air quality monitoring as per conditions stipulated in the CFE.		DPA has been conducting regular Monitoring of environmental parameters since the year 2016. The Environmental Monitoring Reports is enclosed with the EC compliance report.
			<u>Documentation:</u> <ul style="list-style-type: none"> <li>▪ Construction contractor will be required to prepare a Pollution Prevention and Control Plan to address the prevention and control of pollution, including exhaust emissions.</li> <li>▪ Maintain Construction Equipment Maintenance Records.</li> <li>▪ Inspection of Maintenance Records.</li> </ul>		DPA has included clause in tender for the Contractor to maintain Construction progress Documentation comprising of Detailed Construction Sequence and Methodology, Daily site records, weekly progress reports, and environmental monitoring report. Relevant pages of the tender are attached herewith as <b>Annexure 2</b> .

		<p><b>Capital Dredging</b></p> <ul style="list-style-type: none"> <li>▪ Emissions from generators Sets (NOx, SO2, hydrocarbons and CO) for operation of dredgers/ rigs;</li> <li>▪ Drilling Rig Engine Emissions;</li> </ul>	<ul style="list-style-type: none"> <li>▪ The dredging activities will be performed by the specialist contractors using purpose-built dredgers and under the active supervision of the port operator.</li> <li>▪ Providing adequate stack height of diesel generators for proper dispersion of pollutants;</li> <li>▪ Ensuring diesel generator sets are maintained and low sulphur content diesel is used;</li> <li>▪ Monitoring of stack emissions at intervals as specified in the Consent for Establishment (CFE) and its comparison with the emission standards as specified in CFE;</li> <li>▪ Ensuring that dredging contractors are maintaining equipment maintenance records; and</li> </ul> <p>Documentation:</p> <ul style="list-style-type: none"> <li>▪ Inspection of condition of contractors dredging equipment before start of work.</li> <li>▪ Inspection of Maintenance Records.</li> </ul>	Contractor & DPT	<p>Point noted</p> <p>Dredging activity not yet started</p>
--	--	--	--	------------------	---

	Noise	<p><b>Construction of Jetty</b></p> <p>Hammering during piling activity and noise generated from other construction equipment</p>	<ul style="list-style-type: none"> <li>▪ Regular Ambient Noise Monitoring as per conditions stipulated in the CFE at receptors and construction site.</li> <li>▪ If noise levels are above acceptable limits, adequate measures will be implemented (eg. Use of sound dampening blanket, physical barriers etc.).</li> </ul>	Contractor & DPT	<ul style="list-style-type: none"> <li>• DPA has been conducting regular Monitoring of environmental parameters since the year 2016. The Environmental Monitoring Reports is enclosed with the EC compliance report.</li> <li>• DPA entrusted work of green belt development in and around the Port area to the Forest Department, Gujarat at Rs. 352 lakhs (Area 32 hectares), which can act as a natural barrier for attenuation of noise. The work is already completed.</li> <li>• Further, DPA has appointed the Gujarat Institute of Desert Ecology (GUIDE) for "Green belt development in Deendayal Port Authority and its Surrounding Areas, Charcoal site' (Phase-I)" vide Work Order No.EG/WK/4757/Part [Greenbelt GUIDE, dated 31st May 2022.</li> </ul>
--	-------	---	--	------------------	---



		<b>Capital Dredging</b> Noise generated from equipment's used during Dredging activity (Dredger-Mechanical/Hydraulic, generator, pumps etc.)	<ul style="list-style-type: none"> <li>▪ Avoiding high noise activity during night time;</li> <li>▪ Provide Diesel generators with acoustic enclosure;</li> <li>▪ Use of ear plugs by personnel working onsite in high noise generating areas (above 75 dB (A));</li> <li>▪ Encourage and support the workers to also use ear plugs during day time activities;</li> <li>▪ Use of low speed rotary equipment;</li> <li>▪ Use of high suction performance pump;</li> <li>▪ Use of grease free bearings for all on board equipment;</li> <li>▪ Maintenance of equipment used for dredging.</li> <li>▪ Regular Ambient Noise Monitoring as per conditions stipulated in the CFE.</li> </ul> <u>Documentation</u> <ul style="list-style-type: none"> <li>▪ Inspection of Maintenance Records</li> <li>▪ Maintain Equipment Maintenance Records</li> </ul>	Contractor DPT &	Point Noted.  Dredging activity not yet started
	Surface/ Groundwater/ Marine Water	<b>Construction of Jetty</b>	<ul style="list-style-type: none"> <li>▪ A method statement will be developed for the piling activity.</li> </ul>		DPA has included clause in tender/ Concession agreement for the contractor to undertake piling installation in accordance with IS 2911 and maintain record of installation of Piles. Copy of the relevant page of the tender is attached herewith as <b>Annexure 3.</b>

		<p><b>Capital Dredging</b></p> <ul style="list-style-type: none"> <li>▪ Disturbance of seafloor, the suspension of fine sediments and the re-deposition of coarse fractions causing turbidity in marine water;</li> <li>▪ Siltation and erosion along the coastline resulting in change of coastal morphology; (this was not anticipated as an impact in the chapter 5)</li> <li>▪ Turbidity in Marine water is expected to have an impact on Marine flora and fauna and other ecological issues</li> </ul>	<ul style="list-style-type: none"> <li>▪ Prior to dredging, dredge area co-ordinates will be delineated, climatic conditions will be noted, and condition of equipment etc. will be checked;</li> <li>▪ Use of Sophisticated Dredgers to avoid or minimize scattering of dredge sediments during dredging;</li> <li>▪ Controlled dredging operations during high tidal disturbances;</li> <li>▪ Continuous monitoring of turbidity and suspended sediment concentration;</li> <li>▪ Regular check on Turbidity Levels &amp; Dissolved Oxygen levels;</li> </ul>	Contractor DPT	&	<p>Point Noted.</p> <p>Dredging activity not yet started</p>
	<p><b>Biological Environment (Terrestrial &amp; Marine)</b></p>	<p><b>Construction of Jetty</b></p> <p>Seabed disturbance due to piling activity, increased turbidity, and impact on benthic habitat.</p>	<ul style="list-style-type: none"> <li>▪ Regular monitoring of Marine Water &amp; Sediment quality;</li> <li>▪ Positioning of jack-up barge primarily in areas where the seabed has recently been dredged, rather than in previously less disturbed areas to avoid unnecessary disturbance to more established benthic habitat.</li> </ul>	Contractor DPT	&	<ul style="list-style-type: none"> <li>• DPA has been conducting regular Monitoring of environmental parameters since the year 2016. The Environmental Monitoring Reports is enclosed with the EC compliance report.</li> <li>• Point noted for compliance</li> </ul>

		<b>Capital Dredging</b> <ul style="list-style-type: none"> <li>▪ Siltation and erosion during dredging activity</li> <li>▪ Increased in turbidity levels of sea</li> <li>▪ Impact on fishing activity</li> </ul>	<ul style="list-style-type: none"> <li>▪ Use of sophisticated dredgers to avoid or minimize scattering of dredge sediments during dredging;</li> <li>▪ Controlled dredging operations at the time of high tidal disturbances;</li> <li>▪ Check sediment quality for presence of heavy metals;</li> <li>▪ Disposal at approved dumping ground in the sea as per Central Water and Power Research Station (CWPRS).</li> </ul>	Contractor & DPT	Point Noted.  Dredging activity not yet started   Dredged Material will be disposed of at designated location as identified by the CWPRS, Pune.
	<b>Land / Soil</b>	<b>Construction of Jetty</b> No impacts being offshore activity	-	-	--
		<b>Capital Dredging</b> No impacts being offshore activity	-	-	--

	<p><b>Socio - economic and cultural</b></p>	<p><b>Construction of Jetty</b></p> <ul style="list-style-type: none"> <li>▪ Damages to fishing nets</li> <li>▪ Navigational problems to the fishing community</li> <li>▪ Loss of marine species, especially fishes</li> <li>▪ Immigration of construction workforce seeking proper facility</li> </ul>	<ul style="list-style-type: none"> <li>▪ Being an existing port, the fishing activity is very limited.</li> <li>▪ Planned marine traffic management by the port authorities,</li> <li>▪ If there is any loss of fishing net due to the said construction then same to be suitably compensated.</li> <li>▪ Rest rooms with canteen facility and potable water to be provided to construction labour.</li> </ul>	<p>Contractor&amp; DPT</p>	<ul style="list-style-type: none"> <li>• There is no fishing in the proposed project area, being no fishing zone. Kindly refer Point No. 13 of Standard Compliance under Compliance to the Terms of Reference specified in the EIA report. Copy of relevant page is attached herewith as <b>Annexure 4.</b></li> <li>• Deendayal Port Authority had already installed and operates the Vessel Traffic Management System in the Gulf of Kachchh.</li> <li>• There is no fishing in the proposed project area, being no fishing zone. Kindly refer Point No. 13 of Standard Compliance under Compliance to the Terms of Reference specified in the EIA report. Copy of relevant page is attached herewith as <b>Annexure 4.</b></li> <li>• DPA has included clause in the tender for the contractor to make arrangement for water requirement for labours and also make provisions for the construction labour with necessary infrastructure including canteen facility. Relevant pages of the tender is attached herewith as <b>Annexure 5.</b></li> </ul>
--	---	---	--	----------------------------	---

		<p><b>Capital Dredging</b></p> <ul style="list-style-type: none"> <li>▪ Damages to fishing nets</li> <li>▪ Navigational problems to the fishing community</li> <li>▪ Loss of marine species, especially fishes</li> </ul>	<ul style="list-style-type: none"> <li>▪ Prior to dredging, dredge area co-ordinates will be delineated, climatic conditions will be noted, and condition of equipment etc. will be checked;</li> <li>▪ Controlled Dredging operations during at the time of high tidal disturbances;</li> <li>▪ Any damages to nets and equipment would be promptly compensated after a fair negotiation;</li> <li>▪ Any disruption of fishing movement will need to be communicated in a timely manner, and minimized during peak fishing season;</li> <li>▪ The process of dredging and dumping to be taken by experienced personnel and should be carefully done to minimize impact on marine ecology;</li> <li>▪ Regular monitoring of Marine Water and Sediment Quality especially for heavy metals for taking necessary corrective measures if significant changes are observed;</li> <li>▪ Constant check on Turbidity Levels &amp; Dissolved Oxygen levels;</li> </ul>	Contractor DPT	& Point Noted.  Dredging activity not yet started
--	--	---	---	----------------	---

## 9.4 Environmental Management Plan during Operation Phase

During the Operation phase, activities will include operation of jetties and maintenance dredging. The EMP for the operational phase is summarized below in **Table 9.2**.

**Table 9.2: EMP for Operation Phase**

S.No.	Environmental Aspect	Project Activity and Source of Impact/ Impacts	Mitigation Measures and Reporting and records check required to be in place	Responsibility	Compliances
1	Air	<b>Maintenance Dredging</b> <ul style="list-style-type: none"> <li>Emissions from generator sets (NO<sub>x</sub>, SO<sub>2</sub>, hydrocarbons and CO) for operation of dredgers/rigs;</li> <li>Drilling Rig Engine Emissions;</li> </ul>	<ul style="list-style-type: none"> <li>Providing adequate stack height of diesel generators for proper dispersion of pollutants in compliance with CPCB standards;</li> <li>Use of Low sulphur diesel in DG sets;</li> <li>Regular maintenance of diesel generators engines;</li> <li>Monitoring of stack emissions at regular intervals as specified in Consent for Operation (CFO) and its comparison with the emission standards as specified in CFO;</li> <li>Regular Ambient air quality monitoring as per conditions stipulated in the CFO.</li> <li>Follow Dredging Management Plan;</li> </ul> <u>Documentation:</u> <ul style="list-style-type: none"> <li>Inspection of condition of contractors dredging equipment;</li> <li>Inspection of Maintenance Records</li> </ul>	Dredging Contractor and DPT	Point noted. Construction phase ongoing for Oil Jetty No. 8
	Noise	<b>Maintenance Dredging</b> Noise generated from equipment's used during Dredging activity (Dredger-Mechanical/Hydraulic, generator, pumps etc.	Same as followed for Capital Dredging during construction phase Please refer to Table 9.1.	Dredging Contractor and DPT	Point noted. Construction phase ongoing for Oil Jetty No. 8

	<b>Surface/ Groundwater/ Marine Water</b>	<b>Maintenance Dredging</b> Turbidity in marine water is expected to have an impact on Marine fauna	<ul style="list-style-type: none"> <li>Same as for Capital Dredging.</li> <li>Use of sophisticated dredgers to avoid or minimize scattering of dredge sediments during dredging;</li> <li>Controlled dredging operations during high tidal disturbances;</li> <li>No open discharge of oily wastes in marine waters;</li> <li>Constant check on Turbidity Levels &amp; Dissolved Oxygen levels;</li> <li>Inspection of Analysis Records.</li> </ul> <i>Documentation</i> <ul style="list-style-type: none"> <li>Wastewater Monitoring as per Monitoring Plan</li> <li>Inspection of Monitoring Records</li> </ul>	Dredging Contractor and DPT	Point noted. Construction phase ongoing for Oil Jetty No. 8
	<b>Socio-Cultural</b>	<b>Maintenance Dredging</b> <ul style="list-style-type: none"> <li>Damages to fishing nets</li> <li>Navigational problems to the fishing community</li> <li>Loss of marine species.</li> </ul>	<ul style="list-style-type: none"> <li>Planned marine traffic management by the port authorities, and if any loss of fishing net occurs due to the dredging activity, then same to be suitable compensated.</li> <li>Dredging Plan to be followed</li> </ul>	Dredging Contractor, DPT	Point noted. Construction phase ongoing for Oil Jetty No. 8





# **Annexure -1**

**5.54 SUB-SOIL DATA**

In the area covered by the Kandla Port, the nature of sub-soil is indicated in relevant section for guidance only. The tenderer shall satisfy him of the character and volume of work under the items and expected surface and/or subsoil water to be encountered.

He must satisfy himself about the general conditions of the site and ascertain the existing and future obstruction likely to come up during the execution of the contract to carry out the work.

**5.55 TIP LEVEL OF PILES**

The pile tip is tentatively proposed to be taken upto - 34.00 / -36.00 m. However, the actual founding level will be decided by the technical advisor during the execution of work.

**5.56 DECK LEVEL**

Top deck level of jetty / Dolphins	(+) 9.14 m
Approximate existing average Bed level	(-) 10.00 m
Proposed Bed level	(-) 14.00 m

**5.57 PLANT**

The contractor shall be responsible for the supply, use and maintenance of all construction plant and equipment and he shall ensure that it is suitable for the work and is maintained in such a manner as to ensure its efficient working. The Nodal Officer or his nominee may direct that plant which is not efficient and is prejudicial to the quality of the work be removed from the site and replaced by plant to his satisfaction.

**5.58 QUALIFIED PERSONNEL**

Fully qualified and experienced concrete quality control Engineers shall be employed by the Contractor and shall be available on site at all times when important work is taking place. Operators for mechanical vibrators, mixers and foreman in charge of placing of concrete shall be fully trained and experienced in their classes of work.

# **Annexure -2**

- (d) The documents that each key personnel staff is authorized to sign on behalf of the Contractor.

A201.3.2 The Staff Organization shall cover the Contractor's key staff as well as other working-level staff, with a narrative of the authorities and responsibilities of each staff member in execution of the Works, whether on site or in office locations, or in deciding technical details of the Contractor's submittals.

A201.3.3 Each member in the Contractor's Staffing Proposal, including the Key Staff, shall be allocated to this Contract on a full-time basis on site until the activities that he is responsible for, have already been completed. Should it be necessary to replace Key Staff, before the activities he is responsible for have been completed, the Contractor shall submit the CV of the proposed substitute to obtain the Notice of No Objection from the Engineer, at least 30 days before the proposed change. The substitute shall not be less qualified or experienced than the person he is replacing.

A201.3.4 All the Key Staff should have minimum overall experience (in terms of years), minimum similar work experience (in terms of years).

#### **A201.4 Contractors Emergency Contact Details**

A201.4.1 Prior to commencement of construction Works, the Contractor shall provide to the Engineer, and all other relevant government agencies, the 24-hour contact telephone number of two (02) persons with authority over the Works during the construction period. The persons shall have authority to take immediate action to shut down any activity, or to affect any emergency measures as directed by the Engineer or any other relevant government agencies.

### **A202 Construction Progress Documentation**

#### **A202.1 Detailed Construction Sequence and Methodology**

A202.1.1 The Contractor shall be responsible for scheduling, actions, personnel, materials and all other aspects of the works necessary to achieve completion of the whole of the Works within the Time for Completion and subject to the restrictions contained in this contract, including granting of Right of Access to the Site areas and use.

A202.1.2 Along with the submission of the detailed programme, the Contractor shall submit to the Engineer for approval, the Detailed Construction

Sequence and Methodology and the overall schedule from contract start to completion of all works.

- A202.1.3 The Detailed Construction programme and Methodology shall be consistent with the overall sequencing of the construction methodology submitted in the Contractor's Tender and shall provide additional details of the Contractor's proposed method of construction and sequence of work.

## **A202.2 Submittals Schedule**

- A202.2.1 The Contractor shall submit all specified documentation in accordance with the requirements of the contract including the additional submission requirements detailed in this specification.

## **A202.3 Construction Progress Reporting**

- A202.3.1 During the performance of the Works, the Contractor shall submit to the Engineer, progress reports as defined in this specification and to the format required by the Engineer in both hard copy and in a digital format until the Contractor has completed all work known to be outstanding at the completion date stated in the Taking-over Certificate for the works.

### **Daily Site Records**

- A202.3.2 The Contractor shall maintain daily records of the number of each class of the Contractor's personnel and of each type of Contractors equipment on the site along with brief description of the actual construction activities undertaken each day.
- A202.3.3 These records shall be kept in the form of separate pro-forma Daily Site Record Forms corresponding to each day throughout the works. The Contractor shall finalise the format of the Daily Site Record Form with the Engineer prior to the commencement of works on site.
- A202.3.4 The Contractor shall present the Daily Site Record Form to the Engineer (or delegated representative) each day for acceptance. The Contractor and the Engineer shall both sign the Daily Site Record Form and each shall retain hardcopy of the signed form for record purposes. Joint signature of the Daily Site Record Form shall be the responsibility of the Contractor and if this is not signed for seven consecutive working days, the Engineer or his authorised representative shall have the right to suspend the work of the Contractor.

### **Weekly Progress Reports**

- A202.3.5 The Contractor shall submit at the end of each week to the Engineer a Weekly Progress Report summarizing significant progress or problems encountered during the preceding week in respect to all parts of the works under the contract.
- A202.3.6 The Contractor shall finalise the format and content of the Weekly Progress Reports with the Engineer prior to the commencement of works on site.
- A202.3.7 The Weekly Progress Report shall include a copy of the current approved contract programme outlining progress to date for the major items of the Works, including a statement of the Contractor's programme for the following week and without restricting the generality of the foregoing, shall include reasoned and detailed comments in respect to:
- (a) Activities or items completed during the week, including dates of completion;
  - (b) Activities or items scheduled for completion during the week but not completed (showing details of intended remedial action and comments as to likely effects on the works programme);
  - (c) Changes to the critical path;
  - (d) Activities or items re-scheduled or re-estimated by the Contractor;
  - (e) Additional or deleted activities or items;
  - (f) Anticipated slippage or problems and proposed mitigation measures;
  - (g) Future up-to-date target dates for the finalisation of the items;
  - (h) Changes to the work programme duration;
  - (i) Planned percent complete;
  - (j) Actual percent complete;
  - (k) Date variance and percent variance.

A202.3.8 The Weekly Progress Report shall also include but not limited to:

- (a) Progress for that week in terms of quantities and production rates;
- (b) Key decisions required from the Engineer in the next week;
- (c) Major events for the next week;
- (d) S-curves for Actual Vs Planned;
- (e) Records of manpower and equipment compared to programmed requirements;
- (f) Approved Daily Site Record Forms applicable to that week as a separate appendix.

**Monthly Progress Reports**

A202.3.9 In addition to the Weekly Progress Reports, the Contractor shall submit each month within seven (7) days of the last day of the period or the agreed cut-off date with the Engineer, an overall Monthly Progress Report summarizing the contents of the submitted Weekly Progress Reports for that month in respect to all parts of the Works under the contract. The report shall indicate the progress and financial status of the works of the previous month. The report shall accurately estimate the work completed on each activity, including procurement and construction activities.

A202.3.10 The Contractor shall finalise the format and content of the Monthly Progress Reports with the Engineer prior to the commencement of the Works on site. The Monthly Progress Report shall also include but not limited to:

- (a) Executive Summary of previous month's events including a clear summary statement of the current progress position;
- (b) Describe current critical path;
- (c) Total work progress as at the end of the previous month with progress chart showing progress achieved as a percentage against planned progress;
- (d) State existing status, rate of progress, estimated time of completion and cause of any delay (if any);

- (e) Description of work accomplished since submission of previous progress Programme;
- (f) S-curves for physical progress against planned;
- (g) Details of work for the next month;
- (h) Safety and health performance reporting;
- (i) Information regarding any design changes;
- (j) Information regarding any variations;
- (k) Details of inspections and approvals required to proceed with work;
- (l) Records of manpower, equipment etc. compared to programmed requirements;
- (m) Information required from the Employer;
- (n) Environmental monitoring reporting, including separate waste management reporting;
- (o) Weather records;
- (p) Records of delays and stoppages with supporting reasons;
- (q) Value of work done;
- (r) Actual and anticipated cash flow;
- (s) Changes or additions to Contractors supervisory personnel since the preceding progress report;
- (t) Causes of any delays;
- (u) Proposed actions by the Contractor to restore the programme, including what is being done or what is planned to be done in each problem area;
- (v) Identify anticipated problems or changes and present plan to deal with them so as to minimize or prevent delays;
- (w) Status of equipment and material deliveries;
- (x) Submittals summary and status:



- (i) Instructions summary and status;
- (ii) Defects summary and status;
- (iii) Schedule of warranties and guarantees;
- (iv) Schedule of insurances and insurance claims;
- (v) Subcontracts awarded in the previous month.

A202.3.11 Updates and revisions to required programme and reports shall not modify or limit in any way, the Contractor's obligations to meet the Time for Completion.

A202.3.12 Copies of the site progress photos for the month shall be provided in a separate appendix.

#### **A202.4 Notice to the Engineer**

A202.4.1 Unless specified otherwise elsewhere in this Specification, the Contractor shall give the Engineer not less than 24 hours' notice in writing of the intended time for commencement of any construction activities to enable the Engineer to make his arrangements for the inspection of operations on the Site.

A202.4.2 The Contractor shall also give the Engineer not less than seven (07) days' notice in writing of the commencement of any preparation, construction or manufacturing activity occurring at the manufacturer's or supplier's site, or at a location not within the manufacturer's or supplier's site, of any article or material to be used in the works, whether by the Contractor or any Subcontractor, stating the time and place of the works such that the Engineer may make his arrangements for the supervision or inspection of such works at the manufacturer's or supplier's site. The Contractor shall bear the costs for Engineer and/or Employer costs for inspections at manufacturers/suppliers sites.

#### **A202.5 Photographic Documentation**

A202.5.1 The Contractor shall arrange to take colour photographs throughout the Works for the purposes of recording the overall progress of the works and recording details of each aspect of the Works or as otherwise directed by the Engineer. The photographs shall be of acceptable quality and shall be taken by a professionally competent person with a digital camera having resolution in excess of 10 Megapixels and able to record the date of photographs taken in the prints.

# **Annexure -3**

**B308**      **Pile Foundations**

**B308.1**      **General**

- B308.1.1      This section of specification includes requirement for furnishing and placing/installation of reinforced concrete bored cast in-situ piles.
- B308.1.2      The Contractor shall furnish materials, labour and equipment necessary to drill or bore and install bored piles in accordance with this specification.
- B308.1.3      Unless specified the grade of concrete shall be minimum M40 conforming to IS:10262. The cement content for piling work shall be minimum 430 kg/m<sup>3</sup> and maximum water cement ratio shall be 0.45.
- B308.1.4      The properties of cement, reinforcement and fine/coarse aggregates to be used for piles construction shall be in accordance with the specifications under 'Materials'.
- B308.1.5      For piles temporary casing upto its required levels shall be provided.
- B308.1.6      Construction of bored piles shall be carried out in accordance with the relevant sections of IS:2911 (Part I/sec 2) and only routine pile load test shall be conducted as per IS:2911 (Part 4) except where otherwise specified, described or directed by the Engineer.

**B308.2**      **Programme and Method of Construction**

- B308.2.1      The Contractor must furnish to the Engineer, before commencing work, a detailed method of construction he intends to adopt for piling work together with the programme of construction.

**B308.3**      **Boring**

- B308.3.1      Boring shall generally be carried out by recommended procedure as set out in IS:2911 by either rotary or percussion equipment, grabbing equipment or by reverse or direct mud circulation method. If the soil is found to be unstable, the boring tools should be such that suction effects are minimized. Walls of boreholes shall be stabilized by using removable bottom casings with or without drilling fluid depending upon the soil conditions. In soils liable to flow, the bottom casing should be kept ahead of the boring in all cases to prevent the entry of soil into the bore, so preventing the formation of cavities and settlements in the adjoining ground. Continuous pumping shall not be used for excavating inside the boreholes. While below sub-soil water level, precaution shall be taken so that no boiling of the bottom of the hole occurs due to the difference in hydrostatic head. The size of cutting tool shall not be less than the diameter of pile by more than 75 mm.

# **Annexure -4**

		are given in fig no: 4.12.
11	Details of the layout plan including details of channel, breakwaters, dredging, disposal and reclamation	<p>The master plan of Deendayal port trust is attached as <b>Annexure –XI</b></p> <p>Approach channel of 160m wide up to Turning circle of ø450, Capital dredging envisaged in <b>16,56,058 M<sup>3</sup></b>.</p> <p>Finished level of the reclamation to be kept at +8.0m CD and a seawall shall be provided along the seaward end of the plot to cater for storm water elevation. The reclamation will be constructed using imported fill material from the local quarries. The reclamation will be constructed tipping the material by end-on method in layers and subsequently the reclaimed area will have to be consolidated using Rolling/dynamic compaction/preloading (with or without accelerated drainage).</p>
12	Details of handling of each cargo, storage, transport along with spillage control, dust preventive measures	<p>Details of cargo handling is given in chapter -2: Project Description under table: 2.5 and commodity wise traffic is attached as Annexure –X</p> <p>Water sprinklers shall be used for dust suppression.</p>
13	Submit the details of fishing activity and likely impacts on the fishing activity due to the project.	<p>There is no fishing in the proposed project area, being no fishing zone.</p> <p>Hence impact on fishing activity is not envisaged.</p>
14	Details of oil spill contingency plan	Oil spill contingency plan is detailed in chapter -7: Additional studies under section -7.3
15	Details of bathymetry study	Mentioned in chapter -7: Additional studies

# **Annexure -5**

Nominee or Proof Technical Advisor and the charges there of shall be borne by the Contractor.

**5.17** Before commencement of work the Nodal officer or his nominee and the Contractor shall jointly survey and record all ground levels on the site if required. The Contractor shall supply all necessary equipment and attendance for carrying out such surveys. The contractor shall prepare record drawings showing the agreed levels which shall be signed by the Nodal Officer or his nominee and the Contractor.

**5.18** As the work progresses, inspection of cement, aggregate, reinforcing steel and testing of the concrete strength will be done by the Contractor in the presence of the Nodal officer or his nominee. The Contractor's concrete plant and materials stores shall be made accessible to the Nodal officer or his nominee at all times for inspection and for taking samples. The Contractor shall facilitate in all possible ways the inspection and testing of samples by the Nodal officer or his nominee, Labour shall be provided by the Contractor for carrying out the testing's.

**5.19 SUPPLY OF WATER**

[i] The contractor shall have to make his own arrangements for the water required for execution of work and for labours etc.

[ii] Water used for mixing and curing shall be clean and free from injurious amounts of oil, acids, alkalis, salts, sugar, organic materials or other substances that may be deleterious to concrete or steel.

[iii] Unfiltered potable water is generally considered suitable for mixing and curing. Mixing and curing with sea water shall not be permitted in any case.

[iv] Periodically samples of water shall be tested as per IS-3025 and as a guide, the following concentrations represent the maximum permissible values:

[a] To neutralize 200 ml sample of water using Phenolphthalein as an indicator, it should not require more than 2 ml of 0.1 normal NaOH.

[b] To neutralize 200 ml sample of water using Methyl Orange as an indicator, it should not require more than 10 ml. of 0.1 normal HCL.

**A403      Construction Facilities**

**A403.1      Contractor's Site Compound**

A403.1.1      The entire Contractor's Site Compound including all Contractors site offices, sanitary and first aid facilities, labour camp (if any), car parking, field laboratory, security facilities, Engineer's Field Office and the like shall be confined within the area designated for the Contractor's site establishment.

A403.1.2      The Contractor shall take all necessary measures to reduce dust, including from bulk stockpiles by means of barriers or other suitable systems. Special precautions are to be taken during the monsoon period taking into account prevailing wind directions.

A403.1.3      The Contractor shall submit the proposed location and layout of the Contractor's Site Compound and labour camp (if any) to the Engineer for approval as part of his Site Establishment Plan.

**A403.2      First Aid Facilities**

A403.2.1      The Contractor shall provide, equip and maintain throughout the Contract Period, a medical room together with first aid equipment and stores and other suitable facilities and arrangements for the first aid treatment of all persons on the Site and the transportation of any injured persons to hospital.

**A403.3      Sanitary Facilities**


A403.3.1      The Contractor shall provide and maintain to the satisfaction of the Engineer sufficient sanitary facilities and ablutions for all personnel engaged on the Works who shall use these provided facilities exclusively. The Contractor shall be responsible for arranging for the proposed handling and disposal of sewage from the site and for obtaining all required permissions from the relevant authorities.

A403.3.2      No sewage or effluent shall be discharged into any river, creek or the waters of the Port. Sewage should be treated so as to achieve the required standards prescribed by the applicable regulatory agencies and reused/recycled within the Works to the extent feasible.



# **Annexure -G**

# DEENDAYAL PORT AUTHORITY



Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch).  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

NO.EG/WK/4751/Part (Greenbelt-GUIDE) 196

Dated : 31/5/2022

✓ M/S Gujarat Institute of Desert Ecology,  
P.O.Box No. 83,  
Opp. Changleshwar Temple, Mundra Road,  
Bhuj (Kachchh)- 370 001, Gujarat (India).  
Tel.: 02832-329408, 235025.  
Tele/Fax: 02832-235027

**Email: [desert\\_ecology@yahoo.com](mailto:desert_ecology@yahoo.com)**

Kind Attn.: Dr.V.Vijay Kumar, Director, M/s GUIDE, Bhuj.

**Sub:** Greenbelt Development in Deendayal Port Authority and its Surrounding Areas Charcoal site (Phase-I).

**Ref.:** M/s GUIDE, Bhuj offer vide letter no. M/s GUIDE, Bhuj vide communication no. GUIDE/DPA/GRN/080/2022-23 dated 24/5/2022.

Sir,

Your offer for the subject work submitted vide above referred letter dated 24/5/2022 amounting to Rs. 38,22,900.00 + applicable GST (Rupees Thirty-Eight Lakhs Twenty-Two Thousand and Nine Hundred Only Plus Eighteen Percent GST), with all terms & conditions mentioned in the offer letter, has been accepted (**Copy of offer letter M/s GUIDE attached**).

## **2. Scope of work:**

Development of Greenbelt in Charcoal site – Kandla, DPA and its surrounding areas. The activities under the Greenbelt Development include; inventory of suitable sites for greenbelt development in DPA, soil & Moisture conservation and management at Plantation sites, selection of suitable species of Plants for plantation, Procurement and plantation of plant saplings and seeds (5000 plants), along with management and monitoring of plantation, including drip/tanker water supply for a period 1 year.

.....Cont.....

**3. Obligation of Deendayal Port Authority :**

- Assistance regarding the statutory clearance from authorities concerned to be rendered by DPA for field visits/plantation activities.

**4. The Terms of Payment:**

1. 50% of the project budget to be paid to GUIDE within 15 days from the date of acceptance of Work order by GUIDE.
2. 20% of the project budget to be paid to GUIDE within 15 days from the date of completion of plantation works.
3. 20% of the project budget to be paid to GUIDE within 15 days from the date of submission Progress Report (December 2022).
4. 10% of the project budget to be paid to GUIDE within 15 days from the date of submission of Final Completion Report (May 2023).

**5. Time Period :** One year (from 5/6/2022 to 4/6/2023).

**6.** Kindly send the acceptance of this work order & start the work w.e.f. 5/6/2022 .

Thanking you.

Yours faithfully,



Superintending Engineer (PL) & EMC (I/c)  
Deendayal Port Authority

**Copy To** :1) A.O.(W/A) - The proposal has been approved by the Board in its meeting held on 27/5/2022.

The expenditure shall be charged to the scheme  
Environmental Services & Clearance thereof  
(Allocation: 841/587/9744 WC - 5-13001).

- 2) TPA to CE for kind information of the Chief Engineer, please.
- 3) DA (PL) for further necessary action.
- 4) M/s Precitech Laboratorie ,Vapi, Environmental Management Cell to coordinate with M/s GUIDE,Bhuj.
- 5) RAO, DPA

# **Annexure -H**

## CSR Activities at Decadavul Port Trust

## Details of CSR

Sr. No	Year	Board Resolution For Budget Provision	Board Approved Budget Provision	Board Resolution for approval of the CSR activities	Board Approved Amount For CSR Activities	Actual exp. upto Nov'20 (Rs. In Lakhs)	Net balance (Rs. In Lakhs)	Remarks
1	2	3	4	5	6	7	6-7	
1	2011-2012	369 of 28.03.2012	3.00 Cr					
2	2012-2013	17 of 31.05.2012	4.00 Cr					
3	2013-2014	99 of 30.09.2013	6.43 Cr	64 of 30.08.2012	564.00 Lakh	564.00	Nil	Works completed
4	2014-2015	322 of 21.11.2014	1.07 Cr	20 of 16.04.2015	236.22 Lakh	188.18	8.04	Works in progress
5	2015-2016	151 of 12.02.2016	1.50 Cr	48 of 12.08.2016	28.00 Lakh	5.00	23.00	Works in progress
6	2016-2017	138 of 06.01.2017	2.60 Cr	52 of 2.8.2017	140.30 Lakh	146.00	-5.70	Works completed
7	2017-2018	41 of 2.08.2017	7.02 Cr	15 of 04.05.2018	155.10 Lakh	115.37	39.73	Works in progress
8	2018-19	51 of 07.08.2019	6.70 Cr	111 of 4.12.2018	154.90 Lakh	50.50	104.40	Works in progress
					1278.52 Lakh	1069.05	209.47	
9	2019-20	58 of 10.10.2019	5.49 Cr	92 of 06.12.2019	1838.57 Lakh	Nil		MoS approval is awaited
		Total	37.81 Cr		3117.09 Lakh	Spent in PM Fund for COVID-19-800 Lakhs		

Year-wise details of CSR works undertaken by DPT during 2012 – 13 to 2019 – 20 are given in **Tables 7.3a, 7.3b, 7.3c, 7.3d, 7.3e, 7.3f and 7.3g.**

**Table 7.3a: CSR Works Undertaken by DPT during 2011-12 and 2012 – 13**

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Repair of road from Dr. Baba Saheb Ambedkar Circle to NH 8A (via Ganesh Nagar)	518
2	Repair of road from S.T. Bus Stand to Sunderpuri Cross Road via Collector Road	
3	Repair of road from NH 8A Railway Crossing to Maninagar (along railway track)	
4	Repair of road from Khanna Market Road (Collector Road) to Green Palace Hotel	
5	Construction of internal roads at “Shri Ram” Harijan Co-operative Housing Society (near Kidana)	
6	Construction of cremation ground and graveyard with other facilities at Vadinar	19.44
7	Providing cement concrete internal roads in Village Vadinar Stage - I	16.16
8	Approach road provided for developing tourism at Village Veera near Harsidhi Mata Temple	4.65
9	Water tank along with R.O. provided near developing tourism area	0.30
10	Creating facilities of flooring and steps surrounding lake to stop soil erosion and attract tourists at Village Veera.	4.80
	<b>TOTAL</b>	<b>563.35</b>

**Table 7.3b: CSR Works Undertaken by DPT during 2014-15**

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Construction of community hall – cum – school at Maheshwari Nagar, Gandhidham	51.90
2	Renovation of “Muktidham” (cremation ground) at Kandla	10.65
3	Sunderpuri – 1 Valmiki Community Hall	5.00
4	Sunderpuri – 2 Valmiki Community Hall	5.00
5	Ganeshnagar Community Hall	10.00
6	Jagjivan Maheshwari Community Hall	10.00
7	Various works of road at Sapnanagar	99.19
8	Construction of compound wall in the dam of Jogninar Village	14.48
	<b>TOTAL</b>	<b>206.22</b>

**Table 7.3c: CSR Works Undertaken by DPT during 2015-16**

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Construction of Bus Stand at Vadinar Village	10.00
2	Providing drainage system at Vadinar Village	6.00
3	Providing and laying of water supply lines in Vadinar Village	6.00
4	Road from Gandhidham Post Office to Merchantile Marine Department Office along with toilet facilities	60.00
5	Construction of toilets for girls / women at Khari Rohar, Village	3.00
6	Construction of toilets for girls at Mathak Primary School, Mathak, Village	3.00
	<b>TOTAL</b>	<b>88.00</b>

**Table 7.3d: CSR Works Approved by DPT Board for 2016-17**

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	RCC community hall at Harsidhi Mata Temple, Village Veera, Anjar Taluka	19.00
2	Fabricated Community Hall at Sanghad Village, Anjar Taluka	21.00
3	CSR Works for Shri Maheshwari Meghavad Samaj, Gandhidham at graveyard behind Redison Hotel	8.00
4	CSR Works for Shri Dhanraj Matiyadev Mukti Dham, Sector 14, Rotary Nagar, Gandhidham	30.50
5	CSR Works for Nirvasit Harijan Co-operative Housing Society, Gandhidham Health Cum Education Centre	41.00
6	CSR Works for Shri Rotary Nagar Primary School, Gandhidham	2.80
7	CSR Works at NU-4, NU-10(B) Sapnanagar & Saktinagar, Golden Jubilee Park at Gandhidham	18.00
	<b>TOTAL</b>	<b>140.30</b>

**Table 7.3e: CSR Works Approved for 2017-18**

Sl. No.	Name of Work	Proposal Received from / / Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR Works at Shri Ganesh Nagar High School, Gandhidham	Principal, Shri Ganesh Nagar Govt High School, Gandhidham	38.30 Lakhs
2	CSR Works for MOLANA AZAD Primary School, Kandla	Shri M L Bellani, Trustee, DPT, Shri Kandla Port Education Society, New Kandla	7.00 Lakhs
3	Grant financial contribution for facility of Army Cantonment for 50 nos. air coolers at Kutch Border Area	Shri Vinod L Chavda, MP	15 Lakhs
4	40% of the estimated cost of providing drainage lines at Tuna and Vandi villages under Swachh Bharat Abhiyan.	Shri Sarpanch, Tuna Village & Vandi village & Shri M L Bellani, Trustee, DPT	<b>Rs. 39.80 Lakhs</b> <i>Approx. estimated Cost Rs.99.50 Lakhs, of which 40% to be contributed by DPT.</i>
5	CSR works for S.H.N. Academy English School (managed by Indian Inst. Of Sindhology – Bharati Sindhu Vidyapeeth), Adipur	Director, S.H.N Academy English School	<b>40 Lakhs</b>
6	Construction of internal roads at Bhaktinagar Society, Kidana	Smt Maltiben Maheshwari, MLA	<b>15 Lakh</b>
	<b>TOTAL</b>		<b>155.10</b>

**Table 7.3f: CSR Works Approved for 2018-19**

Sl. No.	Name of Work	Proposal Received from / / Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR work to Donate 100 Nos of Computers to Daughters of Martyred Soldiers in the country under the "BETI BACHAO BETI PADHAO" program by Atharva Foundation, Mumbai	Chairman, Atharva Foundation, Mumbai	<b>24.00</b>
2	CSR work to Donate ONE (40 Seater) School Bus for Deaf Children Students for the Institute of Mata Lachmi Rotary Society, Adipur	Mata Lachmi Rotary Society, Adipur	<b>18.00</b>
3	CSR work to Providing One R.O Plant with Cooler at PanchyatPrathmikSala, Gadpadar Village for the ANARDE Foundation, Kandla&Gandhidham Center.	Dist. Rural Development Officer, Annarde Foundation-Kandla & Gandhidham	<b>1.50</b>
4	CSR work for Providing Drainage Line at MeghparBorichi village, AnjarTaluka	Shri Vasanbhai Ahir, MLA, Gujarat Govt	<b>25.00</b>
5	CSR work for Construction of Health Centre at Kidana Village	Shri Vinod L Chavda, MP	<b>13.00</b>
6	CSR work to provide 4 Nos. of Big Dust Bin for MithiRoharJuth Gram Panchayat.	Shri Sarapanch, Mithi RoharJuth Gram Panchayat	<b>3.40</b>

Sl. No.	Name of Work	Proposal Received from // Name of Organization / N.G.O	Cost (Rs. In lakhs)
7	CSR work for Renovation & construction of shed at CharanSamaj, Gandhidham –Adipur.	Shri Vinod L Chavda, MP	10.00
8	CSR Work for Renovation/Repairing of Ceiling of School Building at A. P Vidhyalay, Kandla.	Smt Maltiben K. Maheshwary, MP, Gandhidham.	10.00
9	CSR work for Construction of Over Head Tank & Providing 10 Nos of Computers (for students) of NavjivanViklangSevashray, Bhachau, Kutch	Shri Jitendra Joshi, Founder Secretary, Shri Navjivan Viklang Sevashray, Bhachau, Kutch	9.50
10	CSR work to Provide Books & Tuition fees for Educational facilities to weaker section children of ValmikiSamaj, Kutch.	Shri Manohar Jala, Chairman of "National Commission of Safai Karamcharis"	2.00
11	CSR work to provide Water Purifier & Cooler for the ST. Joseph's Hospital, Gandhidham	Smt. Maltiben K Mahewari, MLA, Gandhidham	1.50
12	CSR work for Construction of Second Floor (Phase – I) for Training Centre of "GarbhSanskran Kendra" "Samarth Bharat Abhiyan" of Kutch Kalyan Sangh, Gandhidham	Shri Vinod L Chavda, MP, Kutch	37.00
<b>TOTAL</b>			<b>154.90</b>

**Table 7.3g: CSR works approved for the year 2019-20 (approval from Ministry of Shipping still awaited)**

Sl. No.	Name of Work	Proposal Received from // Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR activities for Providing Drainage line at Nani Nagalpar village.	Sarpanch of Village:-Nani Nagalpar, Taluk: Anjar.	3.00
2	CSR activities for Development of ANGANWADI Building at School no- 12 at Ward no 3 & 6 at Anjar.	Shri Vasanhbai Ahir, MLA	7.00
3	CSR activities for Improving the facilities of Garden at Sapna Nagar(NU-4)& (NU-10 B), Gandhidham.	Shri K P Maheshwari, Resident Sapnanagar, Gandhidham	18.00
4	CSR activities for Providing of Plastic Shredding Machine to Mirror Charitable Trust, Gandhidham.	Mirror Charitable Trust, Gandhidham	4.75
5	CSR activities for development of School premises of Shri Guru Nanak Edu. Society, Gim.	Shri Guru Nanak Education Society, Gandhidham.	30.00
6	CSR activities for the improvement of the facilities at St. Joseph Hospital & Shantisadan at Gandhidham	St. Joseph Hospital Trust, Gandhidham	20.00
7	CSR activities for the improvement of the facilities at SVP (SardarValabhbbhai Patel ) Multipurpose Hall at Gandhidham	Request from MarwadiYuva Munch & UNION Gandhidham	500.00
8	Consideration of Expenditure for running of St Ann's High School at Vadinar of last 5 years 2014 to 2019 under CSR.	Proposal from COM, OOT Vadinar, DPT	825.00
9	CSR activities for development of school premises of Shri Adipur Group Kanya Sala no-1 at Adipur	Principal, Shri Adipur Group KanyaSala, Adipur	6.50
10	CSR activities for development of school premises of Shri Jagjivan Nagar Panchyat Prathmiksala, Gandhidham.	Principal, Shri Jagjivan Nagar Panchyat Prathmiksala, Gandhidham.	16.50
11	CSR activities for development of school premises of Ganeshnagar Government high school, Gandhidham.	Shri Vinod L Chavda, MP, Kutch	9.00
12	CSR activities for improving greenery, increase carbon sequestration and beat Pollution at Kandla, DPT reg.	Work awarded to Forest Department, Bhuj	352.32
13	CSR activities for providing infrastructures facilities at "Bhiratna Sarmas Kanya Chhatralaya" under the Trust of Samaj Nav- Nirman at Mirjapur highway, Ta Bhuj.	SamajNav- Nirman at Mirjapur highway, Ta Bhuj.	46.50
<b>TOTAL</b>			<b>1838.57</b>



**List of CSR applications received from various NGOs , Organizations , Village Sharpanchs etc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
1	CSR activities for the development of gardening at Sector -5 , Gim	Shri Sarvodaya Co-Operative Housing Society Ltd	<b>Appx Cost – Rs 25.00 Lakhs</b>  <b>Cost for –</b> Comp wall, Benches, Plantation, walkway, other facilities  (Land is reserved for Garden development only since from 50 years)
2	CSR activities for providing various facilities in SHRI GANESHNAGAR GOVT HIGHSCHOOL, GANDHIDHAM	Principal of School	<b>Appx cost –Rs 20.00 Lakhs</b>  (Two times CSR works carried out at school by DPT)
3	CSR activities for the VadhiyarVankarSamajvaadi, NaviSunderpuriGim	SmtMaltiben K Maheswari, MLA	<b>Appx Cost Rs 6.00 Lakhs</b>  Cost for Const. of Comp Wall
4	CSR activities for Construction work of Cabin at Oslo Area- Gim	SmtMaltiben& Shri VinadChavda	Cost not mentioned.
5	CSR activities & Land requirement forAkhil Kutch SamastaMeghvanshiGurjarmeghwal Charitable Trust ,Gim.	Shri Akhil Kutch SamastaMeghvanshiGurjarmeghwal Charitable Trust. Shri Dharmendra R Gohil	Cost Not mentioned.  (demand of Land for development of SAMAJ VADI in Gandhidham)
6	CSR Activities for providing Water supply pipe line, Play ground and sports equipment, electric facilities, drinking water facilities for poor people & Fishermen at VANDI Village.	Shri R RKhambhra, PRO , Collector Office, Bhuj.	<b>Appx Cost Rs 51.00 Lakhs</b>  (Last year also applied by village Sarpanch ) &  Recommended by Shri VASANBHAI AHIR, MLA, Shri V L Chavda, MP)
7	CSR activities for the Tuna village,	Sarpanch, Tuna village	<b>Appx Cost Rs. 25 Lakhs</b> <b>Cost for :-</b>

**List of CSR applications received from various NGOs , Organizations , Village Sharpnachs etc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	Ta -Gim		2 No Fab shed 20'x20'x1250= 10 Lakh 2 Nos of Agnawadi =10 Lakh Fab shed for school=5 Lakh
8	CSR activities for the Global Vision India Foundation, Gim	Global vision India Foundation, G'dham	Requirement of Land –OR- Old building at Gandhidham for foundation of welfare activities.
9	CSR activities for the UNITED ORPHANAGE FOR THE DISABLED, TAMIL NADU	UNITED ORPHANAGE FOR THE DISABLED, TAMIL NADU	<b>Cost Rs 25,000.00</b>  (Winter sweaters for children)
10	CSR activities for the Garden Development on already bounded area with Compound wall near Plot no 448 Sector-1/A, Gandhidham.	Residents, near Plot no 448, Sector-1/A, Gim.	<b>AppxCost Rs 20.00 Lakhs</b>  (Requirement to provide benches, drinking water facility, plantation, lightings & walkways in side bounded area)
11	CSR activities for donation of Land for the Shri SUNDARPUI Govt Primary School, Gim	SmtMalti ben Maheshwari, MLA	(request for Land Requirement)
12	CSR activities for Extension of Adarsh Primary School building, Adipur	GandhidhamMatri Mandal, English Medium School, Adipur	<b>Appx Cost Rs. 40.00 Lakhs</b> (Construction for 4 Rooms extension)  (Trust registered under Societies Registration Act XXI -1860, Reg No F-42 dtd 23.9.1965. Land belong to Trust)
13	CSR Activities for providing HD projector for KANYA MAHA VIDYALAYA, Adipur	Principal, KANYA MAHA VIDYALAYA, Adipur	<b>Cost Rs 1.50 Lakhs</b>  (School Managed by G'dhamMaitry Mandal, Adipur)

**List of CSR applications received from various NGOs , Organizations , Village Sharpnchs etc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
14	CSR activities for DONATION various Medical Equipment for the Hospital of Gandhidham Jain SevaSamiti, Adipur	Gandhidham Jain SevaSamiti, Adipur	<b>Cost for :-</b> 1) Fresenius Haemodialysis Machine Rs 38.00 Lakh 2) Maltislice Helical CT Scanner- Rs 52.00 Lakhs 3) Others Rs 54.00 Lakhs <b>(Total Appx Cost Rs 144 Lakhs)</b>
15	CSR activities for SHRI VIDI JUTH GRAM PANCHAYAT, Vidi, Anjar	Sarpanch, Vidi Gram	<b>Appx Cost Rs 30.00 Lakhs</b>  Cost for- Drainage , Garbage vehicle, and Cattle shed  (Already applied earlier at Sr-5/12)
16	CSR activities for SOS CHILDREN'S VILLAGES INDIA, Madhapar, Bhuj	Director, SOS Children's Village of India-Bhuj	<b>Appx Cost Rs 31.00 Lakhs</b>  (request for Financial support towards parentless and abandoned Children Education support located at Bhuj ) & support to women working in SOS.
17	Gujarat Biodiversity Board, Gandhinagar invites to involved National & Global endeavour of conservation of biodiversity by creating financial partnership with GBB under CSR programme of expenditure to be incurred 187 Lakh.	GUJARAT BIODIVERSITY BOARD, GANDHINAGAR	<b>Requirement- Financial Support from DPT for AppxRs 1.88 Cr.</b>  (Cost for various meetings, collection of primary data from villagers , processing of documentation, printing , TA DA of Technical support & Miscexp for 150 Peoples Biodiversity Register (PBR).

**List of CSR applications received from various NGOs , Organizations , Village Sharpnachs etc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
18	CSR activities for providing furniture & Home appliances for ROJAVANAM TRUST at Madurai.	Shri Arul Kannan, Director	<b>Appx Cost Rs 30 Lakhs</b>  (seeking help to provide facilities to Aged & Homeless people living in Trust and Purchasing of New Ambulance)
19	CSR activities for providing Dialysis Machine for treatment of Kidney patients at "ST JOSEPH'S HOSPITAL TRUST" at Gandhidham.	Sr. Franciline, Administrator of Hospital.	<b>Appx Cost Rs 31.36 Lakhs</b>  (Cost of 5 Nos of Dialysis Machines for treatment of kidney patients)
20	CSR activities for providing facilities in Girls Hostel of Gasturba Gandhi BalikaVidhyalay, Gandhidham.	Shri Vinod L Chavda, MP	<b>Appx cost Rs 30 Lakhs.</b>  (Cost of Comp Wall, Entrance gate, Girls toilets etc)
21	CSR works for providing Oxygen Generator Plant and 45 KV Silent Generator for COVID HOSPITAL at Swami LilashahKutia, Adipur.	Secretary, BHARAT VIKAS PARISHAD, Gandhidham	<b>Appx Cost Rs 80.00 Lakhs</b>  (Facilities for 100 Beds of COVID patient which it to be extend upto 240 Beds)
22	CSR works for providing Two Numbers of Oxygen Concentrator and others medical equipment for the Trust ,Antarjal, Gim.	President SHRI SARV JEEV KALYAN TRUST, ANTARJAL, Gandhidham	<b>Appx Cost Rs21.50 Lakhs</b>  (Facilities to be provided for the treatment of CORONA PATIENTS at their trust.)
23	CSR works for providing Fabricated Shed , Construction of Compound Wall and Land levelling for the Cattle of <b>GauSevaSamiti-Tappar</b> at Gram-Tappar, Ta Anjar.	Shri Vinod Chavda, MP & Presedent , GauSevaSamiti, village Tappar, Ta-Anjar	<b>Appx Cost Rs84 Lakhs</b>  (Facilities to be provided for Cattle shelters at Village.) (Land belongs to Gram-panchayat)
24	CSR works for Construction of Auditorium Hall at RSETI (Rural Self Employment Training Institute) at	Shri Vinod Chavda, MP & Director of RSETI, Bhuj	<b>Cost not mentioned.</b>  (Facilities to be provided

**List of CSR applications received from various NGOs , Organizations , Village Sharpnchs etc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	Bhujodi-Bhuj.		for the people needs Self-employment activities.)
25	CSR works for Providing of Furniture for the School "SHRI GALPADAR PANCHAYAT PRATHMIC KUMAR GROUP SALA " atGalpadar Village Ta Gim.	Principal, SHRI GALPADAR PANCHAYAT PRATHMIC KUMAR GROUP SALA " atGalpadar Village Ta Gim.	<b>Cost not mentioned.</b>  (Facilities to be provided for the Students of Workers & poor village people who study in the school.)
26	Construction of Shed, hall and Gate for the DADA Bhagwandas Charitable Trust, Adipur. (Sr no -4)	Shri Vinod Chavda, MP & DADA BHAGWANDAS CharitableTrust, Gandhidham	<u>As per CSR Guideline-</u> ➤ Promoting gender equality and empowering women ➤ Eradicating extreme hunger and poverty (Considered shed and hall )  Fab Shelter Shed - 30'x100' x 1250=37.00 Lakh & RCC Hall – 20'x100'x1500=30.00 Lakh  <b>(Appx Cost Rs67.00 Lakhs)</b> Land authority belongs to Trust given by GDA and NOC given by SRC.Doc submitted.
27	CSR work for reconstruction of the Internal Roads of the Sector-9B-C and Sector-10 area in Gandhidham.	President, Shri TejaKangad, The Gandhidham Chamber of Commerce and Industry, Gandhidham.	Cost not mentioned.

**List of CSR applications received from various NGOs , Organizations , Village Sharpanchsetc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	<b><u>CSR Applications kept pending in last year Agenda:-</u></b>		
27	CSR Activities for providing Water supply pipe line, Play ground and sports equipment, electric facilities, drinking water facilities for poor people & Fishermen at VANDI Village. (Sr no-3)	Sarpanch ,Village-VANDI , Ta- Anjar  (Recommd. By Shri VASANBHAI AHIR, MLA, Shri V L Chavda, MP)	<u>As per CSR Guideline-</u> ➤ Env Sustainability ➤ Eradicating extreme hunger and poverty  (to be Consider for health Center ,Drainage line, Water sump etc activities) <b>(Appx Cost - 51.00 Lakhs )</b>  (Land authorization of Gram Panchayat)
28	Construction of Shed, hall and Gate for the DADA Bhagwandas Charitable Trust, Adipur. (Sr no -4)	DADA BHAGWANDAS CharitableTrust, Gandhidham  (Recommd. By Shri V L Chavda, MP)	<u>As per CSR Guideline-</u> ➤ Promoting gender equality and empowering women ➤ Eradicating extreme hunger and poverty (Considered shed and hall )  Fab Shed - 30'x100' x 1250=37.00 Lakh & RCC Hall – 20'x100'x1500=30.00 Lakh  <b>(Appx Cost Rs 67.00 Lakhs)</b> Land authority belongs to Trust given by GDA and NOC given by SRC. Doc submitted.
29	10 Nos of Computers required for ShirMaheswarinagar Panchayat Girls Primary School, Gandhidham& Boys Group School, Gandhidham. (Sr no-8)	Maheswarinagar Panchayat Primary Kanya Sala, Gandhidham  (Contact no 9913903686)	<b>AppxRs 5.00 Lakhs</b>  <u>As per CSR Guideline-</u> ➤ Promotion of Education (to be consider for 20 Computers)

**List of CSR applications received from various NGOs , Organizations , Village Sharpnchsetc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
			Visited the site. Land belongs to MahewariMeghwadSamaj given by SRC for school purpose, doc are awaited.
30	Construction of Shed and Roof at JeparMatiyadev, shamsanbhumi at Kidana village & Maheswari Community Hall at JuniSundarpuri, Gandhidham. (Sr no-10)	Shri VINOD CHAVDA, MP	<b>AppxRs 15.00 Lakhs</b>  (Land authorization not mentioned)
31	Drainage, road, Dust bins, & shed for Cattle shelters at VIDI Village, Ta –Anjar. (Sr no- 12)	Village- VIDI, Ta: Anjar	<b>AppxRs 30.00 Lakhs</b>  <u>As per CSR Guideline-</u> ➤ Env Sustainability ➤ Eradicating extreme hunger and poverty (Consider for Garbage vehicle & Drainage Cost)
32	Education, Women empowerment and Primary health care services at Kutch area. (Sr no-13)	Light of Life Trust, <b>Mumbai.</b>	Cost not mentioned.
33	Request for Help Divyang persons to employment by providing machineries. (Sr no-14)	Kutch DivyangSangthan, Gandhidham.	Cost not mentioned
34	Construction of 2 <sup>nd</sup> Floor of Shri MaheswariMeghwadSamaj, Gandhidham.  (Sr no-20)	Shri MaheswariMeghwadSamaj, Gandhidham	<b>AppxRs. 15.00 Lakhs</b>  (Visited the site and Land ownership documents awaited) (Name plate of DPT fixed at the Asset)

**List of CSR applications received from various NGOs , Organizations , Village Sharpanchsetc for the FY 2021-22 .**

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
35	Installation of Mini Science Center at Anjar and Gandhidham. (Sr no-21)	STEM Learning Pvt Ltd, Mumbai.	Cost not mentioned.
36	CSR work for Shri Rampar Gram Panchayat. ➤ Wall Plastering for Cattles -7 Lakhs ➤ Shed for Cattel's-15 Lakhs  (Sr no-25)	Shri Sarpanch, Rampar Village.	<b>AppxRs 22.00 Lakhs</b>  (Land authorization of Gram Panchayat and under taking submitted by applicant)
37	CSR activities for the 45,000 Patients over the period of 3 years by "SMILE FOUNDATION", Mumbai.  1. Concept for Nutrition covering 3 years 2. Concept for Mobile Health Unit reaching beneficiaries for 3 years 3. Concept for Vocational Training with NGO (Sr no-29)	Proposal from "SMILE FOUNDATION " Mumbai.	Appx Cost- <b>Rs 539 Lakhs</b> for 3 years
38	Development of Park in Public utility plot in between Block "C" & "D" of Sapna Nagar (NU-4) , Gandhidham (Sr no -31)	Shri RAVI MAHESHWARI, DPT	Land belongs to DPT earmarked for recreational purpose.  (Total Cost – <b>Rs88.75 Lakhs</b> )
39	CSR works for NariJanshsktiVikas Foundation at Gandhidham near Shakti Nagar.  (Sr no-33)	NariJanshsktiVikas Foundation, Ahmedabad	➤ Promoting gender equality and empowering women ➤ Env Sustainability ➤ Under promotion of education  (Consider for Computers with printers, Sewing machine & RO plant <b>Cost Rs 48 Lakhs</b> )



# **Annexure -I**

## ENVIRONMENTAL MONITORING REPORT FOR DEENDAYAL PORT AUTHORITY



**REPORT** : DCPL/DPA/21-22/31

**Mont** : November 01

**Issue** : 00

**Revision** : 00

**Prepare** : DETOX CORPORATION PVT. LTD.,

<b>Index</b>		
<b>Sr. No.</b>	<b>Name of Chapters</b>	<b>Page No.</b>
	<b>Executive Summary</b>	<b>3</b>
<b>A</b>	<b>Ambient Air</b>	<b>3</b>
<b>B</b>	Weather	<b>4</b>
<b>C</b>	Marine Ecology (Flora and Fauna)	4
<b>D</b>	Drinking Water Quality	4
<b>E</b>	Monitoring Performance of Sewage Treatment Plant	5
<b>F</b>	Noise	5
<b>1</b>	<b>Introduction- Deendayal Port Authority</b>	<b>7</b>
<b>2</b>	<b>Ambient Air Quality Monitoring</b>	<b>9</b>
2.1	Ambient Air Quality Monitoring	11
2.2	Results	12
2.3	Observations and Conclusion	31
<b>3</b>	<b>Meteorological Observations</b>	<b>32</b>
3.1	Meteorological Data	33
<b>4</b>	<b>Drinking Water Quality Monitoring</b>	<b>36</b>
4.1	Drinking Water Monitoring Methodology	37
4.2	Results	37
4.3	Results & Discussion	45
4.4	Conclusions	48
<b>5</b>	<b>Noise Monitoring</b>	<b>50</b>
5.1	Method of Monitoring	50
5.2	Results & Discussion	50
5.3	Conclusions	51
<b>6</b>	<b>Soil Monitoring</b>	<b>53</b>
6.1	Methodology	53
6.2	Results	54
6.3	Discussion	55
6.4	Conclusion	55
<b>7</b>	<b>Sewage Treatment Plant Monitoring</b>	<b>57</b>
7.1	Methodology for STP Monitoring	57
7.2	Results	58
7.3	Conclusions	65
<b>8</b>	<b>Marine Water Monitoring</b>	<b>67</b>
8.1	Marine Water Quality and Results	68
8.2	Results and Discussion of Marine water samples	77
8.3	Conclusions	79
<b>9</b>	<b>Marine Sediment Monitoring</b>	<b>81</b>
9.1	Results	82
9.2	Discussion of Marine Sediment samples	84
9.3	Conclusions	84
<b>10</b>	<b>Marine Ecological Monitoring</b>	<b>85</b>
10.1	Introduction	86
10.2	Results	95
<b>11</b>	<b>Conclusive Summary &amp; Remedial Measures</b>	<b>136</b>
<b>12</b>	<b>References</b>	<b>142</b>

A decorative scroll frame with a light gray background and a black border. The frame has a vertical scroll on the left side and a horizontal scroll on the top right corner. The text "EXECUTIVE SUMMARY" is centered within the frame.

## EXECUTIVE SUMMARY

## **ENVIRONMENTAL MONITORING PLAN FOR DEENDAYAL PORT ENVIRONMENTAL MONITORING REPORT- NOVEMBER, 2022**

### **1. EXECUTIVE SUMMARY**

Monitoring of various environmental aspects of the Deendayal port by M/s Detox Corporation Pvt. Ltd. has been carried out through collection of samples, analysis of the same, comparing results with respect to the national standards and any other relevant standards by GBCB/CPCB/MoEF & CC to understand status of various parameters in the Environment of the Deendayal Port. The results shall address the identified impacts and suggest measures to minimize the environmental impact due to various operations at Deendayal Port.

#### **A) Ambient Air**

The monitoring of Ambient Air quality at 6-locations at Deendayal Port Authority Kandla and 2- location at Vadinar Port on 24 hourly basis for TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>, CO<sub>2</sub>, CO, C<sub>6</sub>H<sub>6</sub> and NMHC in twice a week 24 hourly at uniform intervals (as per NAAQS) at Gopalpuri, Tuna Port, Marine Bhavan Building, Coal storage area, Estate building, Oil jetty and at Vadinar port, Vadinar Jetty and Vadinar colony area using respirable dust sampler, Fine particulate sampler and gaseous sampler.

The Maximum TSPM values in month of November 2022 were found 846 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum 107 µg/m<sup>3</sup> at Gopalpuri Hospital on 01.11.2022. The Maximum PM<sub>10</sub> values were 654 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum was 67 µg/m<sup>3</sup> at Gopalpuri Hospital 01.11.2022. Maximum PM<sub>2.5</sub> values were 187 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum was 34 µg/m<sup>3</sup> at Gopalpuri on 01.11. 2022. The PM<sub>10</sub> and PM<sub>2.5</sub> values were found for all monitoring locations (Marine Bhavan Building, Oil Jetty, Estate Office, Gopalpuri, Coal Storage Area and Tuna Port) to exceed the Standard limit (NAAQS).

At Gopalpuri location the mean concentration of PM<sub>10</sub> was 127 µg/m<sup>3</sup> & PM<sub>2.5</sub> was 66 µg/m<sup>3</sup> which are slightly exceed the Standard limit (NAAQS).

The AAQ monitoring for Vadinar at Admin building the mean TSPM, PM<sub>10</sub> and PM<sub>2.5</sub> were 237 µg/m<sup>3</sup>, 138 µg/m<sup>3</sup> and 97 µg/m<sup>3</sup> respectively which was exceed the Standard limit (NAAQS) the while at Signal Building the mean TSPM, PM<sub>10</sub> and PM<sub>2.5</sub> were 113 µg/m<sup>3</sup>, 74 µg/m<sup>3</sup> and 38 µg/m<sup>3</sup> respectively slightly exceed the Standard limit (NAAQS).

The overall values of November for Gaseous SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>, CO<sub>2</sub>, CO, C<sub>6</sub>H<sub>6</sub> concentration were within the permissible limit at all location and NMHC were found BQL (Below Quantification Limit).

## **B) Weather**

The mean day time temperature at Deendayal Port was 27.92 °C. The day-time maximum temperature was 32.9°C and minimum was 21.1 °C. The mean night time temperature recorded was 25.47 °C. The night-time maximum temperature was 29.7°C and minimum was 20.0 °C. The mean Solar Radiation in November month was 167.27 w/m<sup>2</sup>. The maximum solar radiation was recorded 759 w/m<sup>2</sup> in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80 w/m<sup>2</sup> in 30<sup>th</sup> November, 2022. The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly West-South.

## **C) Marine Ecology (Flora and Fauna) / Marine Water / Sediments:**

The results obtained from the study for the month of November 2022 for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.

## **D) Drinking Water Quality**

The drinking water being supplied to Deendayal Port Authority was safe for drinking purpose. At all drinking water monitoring stations around port area were in line with the standard limit as per the drinking water specifications given in IS 10500:2012 as per tested parameters only.

The average results for 20 locations were as: pH were found Min 7.24 and maximum 7.52, TDS were found min 300.0 mg/l and Max found 1060.0 mg/l, Chloride were found Min 140.31 mg/l and Max 576.28 mg/l, Total Hardness were found Min 270.0 mg/l and Max 380.0 mg/l and Calcium were found Min 34.47 mg/l and Max 43.29 mg/l, color were colorless and odor were odorless. In all water samples BOD, Heavy metal like manganese, Hexavalent chromium, Copper, Cadmium, Arsenic, Mercury, Lead, zinc all are found BQL (Below Quantification Limit). The bacterial count (E-coli & Coliform) is absent in all drinking water samples.

### **E) Monitoring Performance of Sewage Treatment Plant**

It was seen that the performance of STP at Deendayal Township Gopalpuri, DPA STP Plant Kandla and Vadinar STP plant was satisfactory by overall. The treatment plant was well maintained during [November 2022] with considerable removal efficiency achieving the standards prescribed for final disposal. At Gopalpuri STP, the pollutant removal efficiency for TSS, BOD and COD was ranged from 49.66-81.04%, 58.97-68.42% and 45.45-73.33% respectively. At Kandla STP, removal efficiency for TSS, BOD and COD was ranged from 53.47-73.49%, 46.15-76.74% and 50.00-82.35% respectively & at Vadinar STP removal efficiency for TSS, BOD and COD was ranged from 42.09-56.69%, 50.00-78.12% and 60.00-84.61% respectively. At all STP location treated waste water the pH were ranged from 7.21-7.42, Total Suspended Solids were found 16.9-67.9 mg/l, Residual Chlorine were below Detection Limit (< 0.5), COD were found 20-60 mg/l and 3day BOD @ 27 °C were found 7.0-16.0 mg/l.

### **F) Noise**

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. The Day Time Noise Level (SPL) in all 10 locations at Deendayal Port Authority ranged from 53.2 dB(A) to 70.4 dB(A) while at Vadinar port 3 location ranged from 52.5 dB(A) to 60.6 dB(A) which was within the permissible limits of 75 dB(A) for the industrial area for the daytime. The Night Time Average Noise Level (SPL) in all locations of Deendayal Port Authority ranged from 45.4 dB to 61.7 dB(A) while at Vadinar port ranged from 52.5 dB (A) to 60.6 dB(A) which was within the permissible limits of 70 dB(A) for the industrial area for the night time.



# CHAPTER-1

## INTRODUCTION

### DEENDAYAL PORT AUTHORITY



## **1.0 Introduction**

### **About Deendayal Port**

The Deendayal Port is situated in the Kandla Creek and is 90 Kms. From the mouth of Gulf of Kachchh. Latitude: 23° 01" N Longitude: 70° 13"E. Deendayal Port's journey began in 1931 with construction of RCC Jetty by Maharao Khengarji. After partition, Deendayal Port's success story has continued and it rise to the No. 1 Port in India in the year 2007-08 and since then retained the position for the 15 consecutive year. On 31.03.2016, Deendayal Port created history by handling 100 MMT cargoes in a year, the first Major Port to achieve the milestone. Kandla, also known as the Deendayal Port Authority is a seaport in Kutch District of Gujarat state in western India, near the city of Gandhidham. Located on the Gulf of Kutch, it is one of major ports on west coast. Kandla was constructed in the 1950s as the chief seaport serving western India, after the partition of India from Pakistan left the port of Karachi in Pakistan. The Port of Deendayal is located on the Gulf of Kutch on the northwestern coast of India some 256 nautical miles North West of the Port of Karachi in Pakistan and over 430 nautical miles north-northwest of the Port of Mumbai (Bombay). It is the largest port of India by volume of cargo handled. Kandla history Deendayal Port Authority, India's busiest major port in recent years, is gearing to add substantial cargo handling capacity with private sector participation. Deendayal port Authority creates a new record by handling 127.10 million metric tons of cargo during the FY 2021-22, as against 117.566 million metric tons in FY 2020-21. Showing a growth of 8.11 %. Incidentally, DPA is the only major Indian port of handle more than 127 MMT cargo throughout and it has also registered the highest cargo throughput in its history. While the port has flagged off several projects related to infrastructure creation, DPA has successfully awarded the work of augmentation of liquid cargo handling capacity by revamping the existing pipeline network at the oil jetty area in Sept. 2021. Even as much of this growth has come from handling of crude oil imports, mainly for Essar Oil's Vadinar refinery in Gujarat, the port is also taking measures to boost non-POL cargo. Last fiscal, POL traffic accounted for 63 per cent of the total cargo handled at Deendayal Port, as against 59% in 2007-08. The Deendayal Port Authority had commissioned the Off-shore Oil Terminal facilities at Vadinar in the year 1978, for which M/s. Indian Oil Corporation Limited (IOCL) provided Single Bouy Mooring (SBM) system, having a capacity of 54 MMTPA, which was first of its kind in India. Further, significant. Quantum of infrastructural up-gradation has been affected & excellent maritime infrastructure been created at Vadinar for the 32 MMTPA Essar Oil Refinery in Jamnagar District. Monitoring of various environmental aspects of the Deendayal port by M/s Detox Corporation Pvt. Ltd. has been carried out through collection of samples, analysis of the same, comparing results with respect to the prescribed standards by GPCB/CPCB/MoEF& CC. The results shall address the identified impacts and suggest measures to minimize the environmental impact due to various operations at Deendayal Port. The environmental monitoring is carried out as per the Environment Management and Monitoring Plan submitted by Detox Corporation Pvt. Ltd.

## **CHAPTER-2**

### **AMBIENT AIR QUALITY MONITORING**

## 2. Introduction

Air pollutants are added in the atmosphere from variety of sources that change the composition of atmosphere and affect the biotic environment. The concentration of air pollutants depend not only on the quantities that are emitted from air pollution sources but also on the ability of the atmosphere to either absorb or disperse these emissions. The air pollution concentration vary spatially and temporarily causing the air pollution pattern to change with different locations and time due to changes in meteorological and topographical condition. Air pollution occurs when harmful substances including particulates and biological molecules are introduced into earth's atmosphere. It may cause diseases, allergies or death of humans; it may also cause harm to other living organisms such as animals and food crops, and may damage the natural or built environment. Human activity and natural processes can both generate air pollution. A physical, biological or chemical alteration to the air in the atmosphere can be termed as pollution. It occurs when any harmful gases, dust, smoke enters into the atmosphere and makes it difficult for plants, animals and humans to survive as the air becomes dirty. The consequences of industrialization and the demand for improved quality of life has been increased exposure to air pollution (Vallero, 2014). An air pollutant is a substance in the air that can have adverse effects on humans and the ecosystem. The substance can be solid particles, liquid droplets, or gases. A pollutant can be of natural origin or man-made. Pollutants are classified as primary or secondary. Any gas could qualify as pollution if it reached a high enough concentration to do harm. Theoretically, that means there are dozens of different pollution gases. In practice, about ten different substances cause most concern. Heavy metals represent a class of omnipresent pollutants, with toxic potential, in some cases even at low exposure levels. They concentrate in each tropic level because of their weak mobility, so the concentration in plants is higher than in soil, in herbivore animals higher than in plants, in carnivores' tissues higher than in herbivore, the highest concentration being reached at the end of the tropic chain, at big predacious and human bodies. Globally, one of the main contributors to emissions of atmospheric pollutants and a significant user of energy is the industrial sector (Conti et al. 2015).

The concentration of air pollutants depends not only on the quantities that are emitted from the polluting sources, but also on the ability of the atmosphere to either absorb or disperse such emissions (USEPA, 2008).

Nowadays, the shipping sector provides low-cost and reliable delivery services in the economic field (Arunachalam et al. 2015). Nevertheless, shipping-related activities have a considerable impact on air pollution, especially in coastal areas but also globally (Buccolieri et al. 2016). The primary air pollutants are PM, VOCs, NO<sub>x</sub>, O<sub>3</sub>, SO<sub>2</sub>, and CO (Bailey and Solomon 2004). As a consequence, a wide range of options toward “greener” seaports is needed (Bailey and Solomon 2004). Some of these measures are easy to adopt such as the regulation of fuel quality (by using low-sulfur alternative fuels), the speed reduction (Lack et al. 2011), and the use of alternative transportation equipment (Lai et al. 2011).

Clean air is the basic requirement of all living organisms. In recent times, due to population growth, urban sprawl, industrial development, and vehicular boom, the quality of air is deteriorating and being polluted. Pollutants of major public health concerns include particulate matter, carbon monoxide, ozone, nitrogen dioxide, and sulfur dioxide, which pose serious threats to human health and hygiene. In the present study, prime particulate pollutants (PM<sub>10</sub>, PM<sub>2.5</sub>), and gaseous pollutants (SO<sub>2</sub>, and NO<sub>2</sub>) were estimated at seven stations in and around Dahej Port, Gujarat, India (Soni and Jagruti Patel, 2017).

Among particulate pollutants, particulate matter (PM) is a ubiquitous entity, and is especially a grave problem due to its higher suspension rate into the atmosphere, and adverse health effects on plants, animals, humans, and materials in the form of visibility reduction, soiling of buildings, etc. (Horaginamani and Ravichandran, 2010; Chaurasia *et al.*, 2013).

The sources of air pollutants include vehicles, industries, domestic sources and natural sources. Because of the presence of high amount of air pollutants in the ambient air, the health of the population and property is getting adversely affected. In order to arrest the deterioration in air quality, Govt. of India has enacted Air (Prevention and Control of Pollution) Act in 1981. The responsibility has been further emphasized under Environment (Protection) Act, 1986. It is necessary to assess the present and anticipated air pollution through continuous air quality survey/monitoring programs. Therefore, Central Pollution Control Board had started National Ambient Air Quality Monitoring (NAAQM) Network during 1984 - 85 at national level. The programme was later renamed as National Air Quality Monitoring Programme (NAMP).

## 2.1 Ambient Air Quality Monitoring

As per the Environmental Monitoring Plan of Deendayal Port Authority, Air monitoring was carried out at six identified locations at Deendayal Port and two locations at Vadinar Port.

**Table: 1. Ambient Air Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude	Remarks
1.	Marine Bhavan	AL-1	23° 0' 26.524"N	70° 13' 22.414"E	<b>DPA-Kandla</b>
2.	Oil Jetty	AL-2	23° 1' 45.613"N	70° 13' 11.052"E	
3.	Estate Office	AL-3	23° 1' 11.273"N	70° 12' 48.657"E	
4.	Gopalpuri Hospital	AL-4	23° 4' 53.551"N	70° 8' 7.047"E	
5.	Coal Storage Area	AL-5	22° 59' 31.812"N	70° 13' 9.979"E	
6.	Tuna Port	AL-6	22° 59' 15.291"N	70° 58' 57.018"E	
7.	Signal Building	AL-7	22° 26' 26.750"N	69° 40' 22.127"E	<b>DPA-Vadinar</b>
8.	Admin Building	AL-8	22° 26' 25.223"N	69° 40' 19.358"E	

### ● Air Quality Monitoring Methodology

Air quality is measured in all the stations, for 24 hour for Total Suspended Particulate Matter (TSPM), PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub> & Benzene and Grab-sampling for CO & CO<sub>2</sub> measurements. The Air samplers are operated for a period of 24 hours and after a continuous operation of 8 hours for gaseous parameters. The absorbing reagents for SO<sub>2</sub>:- Absorbing Reagent TCM (Potassium Tetrachloromercurate 0.04M): Mercuric Chloride, Potassium Chloride and EDTA used. For NO<sub>2</sub>:- Absorbing Reagent Sodium Hydroxide (NaOH): Sodium Hydroxide and Sodium Arsenite used. For NH<sub>3</sub> need Conc. Sulphuric Acid and Distilled water was used. By replacing 3 times the reagents per day for each parameter namely, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>. The GFA filter paper and PTFE Membrane bound filter paper are used for a period of 24 hours to obtain one sample each of TSPM, PM<sub>10</sub> & PM<sub>2.5</sub>. The AAQ samples are collected two consecutive days a week as per CPCB guidelines, from all the eight locations as mentioned in the EMP.

## 2.2 Results

The ambient air quality monitoring data for six stations, viz. Marine Bhavan, Oil Jetty, Port Colony, Gopalpuri Hospital, Tuna Port and Nr. Coal Storage Area for the month of November 2022 are given in Tables 2 to 7. The ambient air quality monitoring data for two stations at Vadinar (Nr. Admin Building & Nr. Signal Building) are given in Tables 8 to 9.

The Movement of heavy transport with uncovered coal transportation, raw road around ambient location may be causes fugitive dust emission from dry conditions. Particulate Matter then enters the atmosphere through the action of wind, vehicular movement, or other activities. The dust produces tends to float in air and spread all around the vicinity. Direction and speed of wind affect the dispersion of the dust particulate matter. Humidity of air also has strong effect on the spreading of particulate matter. With increasing humidity, moisture particles eventually grow in size to a point where 'dry deposition' occurs, reducing PM<sub>10</sub> concentrations in the atmosphere.

**Location 1: Marine Bhavan (AL1)**

**Table 2 : Results of Air Pollutant Concentration at Marine Bhavan**

	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL1 – 1	01.11.2022	435	302	121	3.93	3.93	5.19	14.43	2.07	4.11
					6.04		23.66		6.33	
					1.81		14.43		3.91	
AL1 – 2	04.11.2022	344	228	106	3.32	2.52	17.31	12.70	2.42	3.72
					2.72		8.66		5.18	
					1.51		12.12		3.57	
AL1 – 3	08.11.2022	398	281	116	2.31	3.84	25.39	17.31	4.72	3.57
					6.34		17.89		2.42	
					2.88		8.66		3.57	
AL1 – 4	11.11.2022	445	315	124	3.63	6.35	17.89	13.08	4.03	3.61
					9.07		12.70		4.72	
					6.35		8.66		2.07	
AL1 – 5	15.11.2022	364	253	110	4.53	4.53	11.54	13.85	4.60	3.07
					6.35		19.62		2.88	
					2.72		10.39		1.73	
AL1 - 6	18.11.2022	442	315	121	8.46	4.84	23.08	16.54	3.22	4.37
					3.32		8.66		5.87	
					2.72		17.89		4.03	
AL1 - 7	22.11.2022	375	266	106	3.32	4.43	17.89	18.47	4.83	4.45
					7.55		25.97		5.87	
					2.42		11.54		2.65	
AL1 – 8	25.11.2022	483	350	129	4.53	4.63	23.66	21.55	3.22	3.68
					6.95		28.86		5.29	
					2.42		12.12		2.53	
AL1 – 9	29.11.2022	534	383	142	6.35	5.84	17.89	19.04	3.57	3.57
					8.46		25.97		4.95	
					2.72		13.27		2.19	
Monthly Average		424	299	119		4.55		16.33		3.79
Standard Deviation		61	48	12		1.12		3.03		0.44

**Table 2 : Results of Air Pollutant Concentration at Marine Bhavan**

	Date	C6H6 [µg/m <sup>3</sup> ]	HC	CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm ]
Sampling Period		8 hr		Grab Sampling	Grab Sampling
NAAQMS limit		5.0 µg/m <sup>3</sup>	ppm	4.0 mg/m <sup>3</sup>	-
AL1 – 1	01.11.2022	1.09	BQL	1.44	444
AL1 – 2	04.11.2022	1.2	BQL	1.54	374
AL1 – 3	08.11.2022	1.17	BQL	1.08	538
AL1 – 4	11.11.2022	1.1	BQL	1.14	470
AL1 – 5	15.11.2022	1.11	BQL	1.26	481
AL1 - 6	18.11.2022	1.1	BQL	1.64	500
AL1 - 7	22.11.2022	1.12	BQL	1.35	620
AL1 - 8	25.11.2022	1.16	BQL	1.69	511
AL1 - 9	29.11.2022	1.21	BQL	1.16	522
Monthly Average		1.14	-	1.37	495.56
Standard Deviation		0.05	-	0.22	67.59

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

At Marine Bhavan, the overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> is attributed mainly by motor vehicle emission produced from various types of automobiles (both diesel and petrol driven). Moreover, the loading and unloading of Food Grains and Timber at Jetty no. 1 and 2 also contributes to the high levels of TSPM and PM<sub>10</sub>. The mean TSPM value at Marine Bhavan was 424 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 299 µg/m<sup>3</sup>, and PM<sub>2.5</sub> value was 119 µg/m<sup>3</sup> which is above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 4.55 µg/m<sup>3</sup>, 16.33 µg/m<sup>3</sup> & 3.79 µg/m<sup>3</sup> respectively; these values were within the standard limit prescribed by NAAQS.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Marine Bhavan. The mean Benzene concentration was 1.14 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.37 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup> prescribed by NAAQS.



**Location 3: Oil Jetty (AL2)**

**Table 2 : Results of Air Pollutant Concentration at Oil Jetty**

Table 2 : Results of Air Pollutant Concentration at Oil Jetty										
	Date	TSPM [µg/m3 ]	PM10 [µg/m3]	PM2.5 [µg/m3 ]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL2 -1	01.11.2022	150	99	50	2.42	3.22	6.35	13.66	2.88	4.53
					4.53		13.27		6.79	
					2.72		21.35		3.91	
AL2 -2	04.11.2022	253	180	70	2.72	3.53	5.77	11.73	0.81	3.18
					3.32		17.89		4.03	
					4.53		11.54		4.72	
AL2 -3	08.11.2022	235	166	67	2.59	2.50	5.19	14.04	2.19	2.80
					3.46		13.27		2.65	
					1.44		23.66		3.57	
AL2 -4	11.11.2022	275	194	76	6.35	4.53	10.39	14.24	2.42	2.42
					4.53		20.20		3.80	
					2.72		12.12		1.04	
AL2 – 5	15.11.2022	245	169	71	3.02	4.53	8.66	14.04	3.57	2.38
					6.65		16.16		2.30	
					3.93		17.31		1.27	
AL2 – 6	18.11.2022	185	119	53	5.74	4.94	14.43	13.47	4.95	3.84
					2.72		17.31		3.57	
					6.35		8.66		2.99	
AL2 – 7	22.11.2022	373	252	109	3.02	4.03	20.20	14.24	3.80	3.80
					6.35		12.12		5.53	
					2.72		10.39		2.07	
AL2 -8	25.11.2022	292	199	86	1.81	3.83	14.43	14.43	3.57	4.76
					6.35		19.62		4.72	
					3.32		9.23		5.99	
AL1 – 9	29.11.2022	299	194	97	3.63	4.63	5.19	13.47	2.88	3.49
					7.55		23.66		4.95	
					2.72		11.54		2.65	
Monthly Average		256	175	75		3.97		13.70		3.47
Standard Deviation		65	45	19		0.79		0.81		0.85

<b>Table 3 : Results of Air Pollutant Concentration at Oil Jetty</b>					
	<b>Date</b>	<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>	<b>*NMHC</b>	<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
<b>Sampling Period</b>		<b>8 hr</b>		<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL2-1</b>	01.11.2022	1.17	BQL	1.22	467
<b>AL2-2</b>	04.11.2022	1.01	BQL	1.53	451
<b>AL2-3</b>	08.11.2022	1.1	BQL	1.65	502
<b>AL2-4</b>	11.11.2022	1.19	BQL	1.04	447
<b>AL2 -5</b>	15.11.2022	1.24	BQL	1.27	634
<b>AL2 -6</b>	18.11.2022	1.16	BQL	1.22	531
<b>AL2-7</b>	22.11.2022	1.2	BQL	1.28	800
<b>AL2-8</b>	25.11.2022	1.06	BQL	1.89	1023
<b>AL2-9</b>	29.11.2022	1.22	BQL	1.46	576
<b>Monthly Average</b>		<b>1.15</b>	<b>-</b>	<b>1.40</b>	<b>603.44</b>
<b>Standard Deviation</b>		<b>0.08</b>	<b>-</b>	<b>0.26</b>	<b>193.07</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

Oil Jetty Area, the overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> was mainly by motor vehicle emission produced from various types of vehicles at Oil Jetty Area. The mean TSPM value at Oil Jetty was 256 µg/m<sup>3</sup>. The mean PM<sub>10</sub> value was 175 µg/m<sup>3</sup> and mean PM<sub>2.5</sub> value was 75 µg/m<sup>3</sup> which was above the permissible limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were within the permissible limit prescribed by NAAQS. The mean concentration of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 3.97 µg/m<sup>3</sup>, 13.70 µg/m<sup>3</sup> and 3.47 µg/m<sup>3</sup> respectively.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Oil Jetty. The mean Benzene concentration was 1.15 µg/m<sup>3</sup> which was well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.40 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 3: Kandla Colony – Estate Office (AL-3)**

**Table 4 : Results of Air Pollutant Concentration at Estate Office**

Table 4 : Results of Air Pollutant Concentration at Estate Office										
	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL3 – 1	01.11.2022	245	172	69	1.51	2.32	10.39	9.62	3.68	5.10
					3.32		13.27		7.02	
					2.12		5.19		4.60	
AL3 – 2	04.11.2022	577	445	130	4.53	2.32	5.19	10.39	3.57	2.49
					1.51		17.31		2.88	
					0.91		8.66		1.04	
AL3 – 3	08.11.2022	440	321	109	6.05	3.94	19.04	12.31	4.72	3.64
					2.59		12.12		2.42	
					3.17		5.77		3.80	
AL3 – 4	11.11.2022	518	403	111	3.32	4.23	18.47	10.58	1.38	2.42
					2.72		8.66		3.57	
					6.65		4.62		2.30	
AL3 – 5	15.11.2022	451	340	107	1.81	3.73	23.08	15.97	3.22	2.42
					6.04		14.43		2.30	
					3.32		10.39		1.73	
AL3 – 6	18.11.2022	459	346	112	4.53	4.43	16.16	15.97	5.76	4.14
					2.72		8.66		4.72	
					6.04		23.08		1.96	
AL3 – 7	22.11.2022	453	325	116	2.42	4.33	19.62	17.31	3.91	3.84
					4.23		23.66		5.18	
					6.35		8.66		2.42	
AL3 – 8	25.11.2022	337	252	83	6.04	3.93	15.00	15.58	3.80	3.91
					3.32		23.08		5.76	
					2.42		8.66		2.19	
AL1 – 9	29.11.2022	491	359	129	4.84	4.63	17.89	16.16	3.57	3.57
					6.95		24.24		5.18	
					2.12		6.35		1.96	
Monthly Average		441	329	107		3.76		13.77		3.50
Standard Deviation		98	80	20		0.87		3.00		0.91

**Table 4 : Results of Air Pollutant Concentration at Estate Office**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [µg/m <sup>3</sup> ]	*NMHC	CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm]
		8 hr		Grab Sampling	Grab Sampling
		5.0 µg/m <sup>3</sup>		4.0 mg/m <sup>3</sup>	-
NAAQMS limit					
AL3 -1	01.11.2022	1.06	BQL	1.27	508
AL3 -2	04.11.2022	1.1	BQL	1.19	508
AL3 -3	08.11.2022	1.1	BQL	1.65	502
AL3 -4	11.11.2022	1.09	BQL	1.83	429
AL3 - 5	15.11.2022	1.09	BQL	1.76	813
AL3 - 6	18.11.2022	1.2	BQL	1.14	559
AL3 - 7	22.11.2022	1.19	BQL	2.18	1022
AL3 - 8	25.11.2022	1.11	BQL	2	1026
	29.11.2022	1.06	BQL	1.22	537
Monthly Average		1.11	-	1.58	656.00
Standard Deviation		0.05	-	0.39	234.02

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Kandla Port Colony (Estate Office) was attributed by vehicle emission produced from trucks and heavy duty vehicles that pass through the road outside Kandla Port Colony. The mean TSPM values at Estate Office were 441 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 329 µg/m<sup>3</sup>, and PM<sub>2.5</sub> value was 107 µg/m<sup>3</sup> which was above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 3.76 µg/m<sup>3</sup>, 13.77 µg/m<sup>3</sup> and 3.50 µg/m<sup>3</sup> respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Kandla Port Colony. The mean Benzene concentration was 1.11 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide was 1.58 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 4: Gopalpuri Hospital (AL-4)**

**Table 5 : Results of Air Pollutant Concentration at Gopalpuri Hospital**

Table 5 : Results of Air Pollutant Concentration at Gopalpuri Hospital										
	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL4 -1	01.11.2022	107	67	34	1.21	2.22	5.77	6.93	2.42	2.53
					3.02		10.39		4.14	
					2.42		4.62		1.04	
AL4 -2	04.11.2022	177	117	54	0.91	2.22	5.19	10.00	1.61	2.49
					4.53		8.66		2.42	
					1.21		16.16		3.45	
AL4 -3	08.11.2022	148	101	44	1.15	2.21	6.93	9.81	1.73	1.69
					2.88		17.31		2.42	
					2.59		5.19		0.92	
AL4 -4	11.11.2022	184	111	68	1.51	2.62	6.93	12.89	1.04	2.30
					3.63		14.43		2.42	
					2.72		17.31		3.45	
AL4 – 5	15.11.2022	202	125	72	2.12	2.42	12.12	12.70	2.42	2.49
					3.63		8.66		3.45	
					1.51		17.31		1.61	
AL4 – 6	18.11.2022	233	153	78	1.21	2.92	8.66	12.89	2.42	2.49
					4.84		17.89		1.61	
					2.72		12.12		3.45	
AL4 – 7	22.11.2022	268	168	94	0.60	2.22	5.77	12.70	1.73	2.88
					3.32		14.43		3.68	
					2.72		17.89		3.22	
AL4 – 8	25.11.2022	202	142	56	2.12	3.42	14.43	12.50	2.07	2.99
					5.14		17.89		4.03	
					3.02		5.19		2.88	
AL1 – 9	29.11.2022	249	157	91	3.02	4.03	8.66	11.54	1.38	2.49
					6.35		20.20		3.80	
					2.72		5.77		2.30	
Monthly Average		197	127	66		2.70		11.33		2.49
Standard Deviation		50	32	20		0.65		2.05		0.37

<b>Table 5 : Results of Air Pollutant Concentration at Gopalpuri Hospital</b>					
<b>Sampling Period</b>	<b>Date</b>	<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>	<b>*NMHC</b>	<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
		<b>8 hr</b>		<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL4 -1</b>	01.11.2022	1.14	BQL	1.26	503
<b>AL4 -2</b>	04.11.2022	1.15	BQL	1.26	450
<b>AL4 -3</b>	08.11.2022	1.03	BQL	1.73	506
<b>AL4 -4</b>	11.11.2022	1.02	BQL	1.82	462
<b>AL4 – 5</b>	15.11.2022	1.09	BQL	1.04	1048
<b>AL4 – 6</b>	18.11.2022	1.14	BQL	1.32	543
<b>AL4 – 7</b>	22.11.2022	1.16	BQL	1.83	758
<b>AL4 – 8</b>	25.11.2022	1.22	BQL	1.8	816
<b>AL4 – 9</b>	29.11.2022	1.16	BQL	1.36	665
<b>Monthly Average</b>		<b>1.12</b>	<b>-</b>	<b>1.49</b>	<b>639.00</b>
<b>Standard Deviation</b>		<b>0.07</b>	<b>-</b>	<b>0.30</b>	<b>201.83</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Gopalpuri Hospital was attributed by vehicle emission produced from light motor vehicles of the colony residents. The mean TSPM values at Gopalpuri Hospital were 197 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 127 µg/m<sup>3</sup> and PM<sub>2.5</sub> was 66 µg/m<sup>3</sup> which was exceed the standard limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 2.70 µg/m<sup>3</sup>, 11.33 µg/m<sup>3</sup> and 2.49 µg/m<sup>3</sup> respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Gopalpuri Hospital. The mean Benzene concentration was 1.12 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon monoxide concentration was 1.49 mg/m<sup>3</sup> which is well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 5: Coal Storage Area (AL-5)**

**Table 6 : Results of Air Pollutant Concentration at Coal Storage Area**

	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL6 – 1	01.11.2022	779	598	175	2.72	4.33	6.35	16.54	3.68	5.06
					6.65		25.97		8.17	
					3.63		17.31		3.34	
AL6 – 2	04.11.2022	635	492	137	2.12	3.53	23.08	17.70	6.79	6.60
					5.44		12.12		8.17	
					3.02		17.89		4.83	
AL6 – 3	08.11.2022	538	412	125	8.94	5.00	23.66	21.74	2.53	3.88
					3.46		12.12		2.07	
					2.59		29.43		7.02	
AL6 – 4	11.11.2022	815	635	178	4.53	4.73	18.47	17.70	5.87	4.41
					2.72		8.66		2.65	
					6.95		25.97		4.72	
AL6 – 5	15.11.2022	792	614	176	6.35	6.65	18.47	13.66	4.72	3.88
					9.07		10.39		3.68	
					4.53		12.12		3.22	
AL6 – 6	18.11.2022	771	595	171	9.37	7.15	20.20	17.12	4.83	4.37
					5.74		8.08		2.53	
					6.35		23.08		5.76	
AL6 – 7	22.11.2022	706	543	156	4.84	4.53	10.39	18.47	4.83	5.03
					6.04		23.66		5.99	
					2.72		21.35		4.26	
AL6 – 8	25.11.2022	846	654	187	3.32	5.24	17.31	19.81	3.91	4.95
					7.86		25.97		6.91	
					4.53		16.16		4.03	
AL1 – 9	29.11.2022	801	621	172	5.14	5.64	16.16	18.28	3.57	4.30
					9.07		28.86		6.22	
					2.72		9.81		3.11	
Monthly Average		743	574	164		5.20		17.89		4.72
Standard Deviation		99	78	21		1.14		2.22		0.84

**Table 6 : Results of Air Pollutant Concentration at Coal Storage Area**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [µg/m <sup>3</sup> ]	*NMHC	CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm ]
		8 hr		Grab Sampling	Grab Sampling
NAAQMS limit		5.0 µg/m <sup>3</sup>		4.0 mg/m <sup>3</sup>	-
AL5 – 1	01.11.2022	1.1	BQL	1.12	483
AL5 – 2	04.11.2022	1.06	BQL	1.48	475
AL5 – 3	08.11.2022	1.08	BQL	1.66	421
AL5 – 4	11.11.2022	1.06	BQL	1.69	492
AL5 – 5	15.11.2022	1.06	BQL	1.06	702
AL5 – 6	18.11.2022	1.22	BQL	1.18	483
AL5 – 7	22.11.2022	1.11	BQL	1.86	564
AL5 – 8	25.11.2022	1.2	BQL	1.54	777
AL5 – 9	29.11.2022	1.22	BQL	1.89	895
Monthly Average		1.12	-	1.50	588.00
Standard Deviation		0.07	-	0.31	164.11

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Coal Storage Area was comparatively highest among all the locations of Air Quality monitoring in Kandla Port. High values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> at this location was due to lifting of coal with grab and other coal handling processes near Berth no. 6 & 7. Moreover, the traffic was also heavy around this place for transport of coal thus emissions produced from heavy vehicles. The mean TSPM values at Coal storage were 743 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 574 µg/m<sup>3</sup>, and the PM<sub>2.5</sub> value was 164 µg/m<sup>3</sup> which was above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 5.20 µg/m<sup>3</sup>, 17.89 µg/m<sup>3</sup> and 4.72 µg/m<sup>3</sup> respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Coal Storage Area. The mean Benzene concentration was 1.12 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.50 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.



**Location 6: Tuna Port (AL-6)**

**Table 7 : Results of Air Pollutant Concentration at Tuna Port**

Table 7 : Results of Air Pollutant Concentration at Tuna Port										
	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL5 -1	01.11.2022	141	88	47	0.91	1.61	2.89	6.16	2.07	2.84
					2.72		12.12		4.03	
					1.21		3.46		2.42	
AL5 – 2	04.11.2022	232	166	64	1.51	2.22	6.35	7.89	1.38	2.76
					3.02		5.19		4.49	
					2.12		12.12		2.42	
AL5 – 3	08.11.2022	184	120	55	1.44	2.40	10.39	13.08	1.73	2.61
					3.46		11.54		2.65	
					2.31		17.31		3.45	
AL5 – 4	11.11.2022	233	153	78	2.12	2.32	11.54	11.54	1.27	1.57
					3.93		17.89		1.04	
					0.91		5.19		2.42	
AL5 – 5	15.11.2022	221	145	74	1.21	2.32	6.35	12.12	3.57	2.49
					3.32		12.12		2.30	
					2.42		17.89		1.61	
AL5 – 6	18.11.2022	248	162	83	1.81	2.01	17.31	17.12	2.30	10.21
					1.21		23.66		15.57	
					3.02		10.39		12.76	
AL5 – 7	22.11.2022	214	139	74	1.51	2.52	8.66	8.46	3.57	2.84
					2.72		12.70		2.88	
					3.32		4.04		2.07	
AL5 – 8	25.11.2022	255	175	77	2.72	3.02	8.66	8.08	3.45	3.30
					4.84		11.54		4.72	
					1.51		4.04		1.73	
AL1 – 9	29.11.2022	245	155	87	1.51	3.63	12.70	11.73	1.04	2.88
					6.04		17.31		5.18	
					3.32		5.19		2.42	
Monthly Average		219	145	71		2.45		10.69		3.50
Standard Deviation		36	27	13		0.58		3.37		2.56

**Table 7 : Results of Air Pollutant Concentration at Tuna Port**

		<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>		<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
<b>Sampling Period</b>	<b>Date</b>	<b>8 hr</b>	<b>*NMHC</b>	<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL6 -1</b>	01.11.2022	1.12	BQL	1.43	543
<b>AL6 – 2</b>	04.11.2022	1.17	BQL	1.41	463
<b>AL6 – 3</b>	08.11.2022	1.13	BQL	1.39	410
<b>AL6 – 4</b>	11.11.2022	1.13	BQL	1.74	509
<b>AL6 – 5</b>	15.11.2022	1.17	BQL	1.08	911
<b>AL6 – 6</b>	18.11.2022	1.17	BQL	1.1	528
<b>AL6 – 7</b>	22.11.2022	1.06	BQL	1.88	565
<b>AL6 – 8</b>	25.11.2022	1.1	BQL	1.89	999
	29.11.2022	1.22	BQL	1.89	895
<b>Monthly Average</b>		<b>1.14</b>	<b>-</b>	<b>1.53</b>	<b>647.00</b>
<b>Standard Deviation</b>		<b>0.05</b>	<b>-</b>	<b>0.33</b>	<b>222.45</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The mean TSPM values at Tuna Port was 219 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 145 µg/m<sup>3</sup> and the mean PM<sub>2.5</sub> value was 71 µg/m<sup>3</sup> which was exceed the standard limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 2.45 µg/m<sup>3</sup>, 10.69 µg/m<sup>3</sup> and 3.50 µg/m<sup>3</sup> respectively and were all within the standard limit prescribed by NAAQS.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Tuna Port. The mean Benzene concentration was 1.14 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.53 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 7: Admin Building (Vadinar) (AL-7)**

Table 8 : Results of Air Pollutant Concentration at Admin Building										
	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL7 -1	01.11.2022	150	98	51	2.20	3.52	9.53	10.59	5.36	5.28
					4.84		16.51		2.81	
					3.52		5.72		7.66	
AL7 -2	04.11.2022	177	115	61	3.08	4.69	17.78	21.81	2.81	6.13
					7.03		21.60		8.93	
					3.96		26.04		6.64	
AL7 -3	08.11.2022	193	113	73	6.15	6.30	6.99	11.43	3.83	7.49
					8.79		20.96		10.47	
					3.96		6.35		8.17	
AL7 -4	11.11.2022	200	121	78	3.96	6.01	17.78	15.24	10.47	6.81
					5.28		22.23		5.87	
					8.79		5.72		4.08	
AL7 -5	15.11.2022	179	108	69	1.76	5.28	7.62	18.00	3.06	5.62
					5.71		26.04		5.87	
					8.35		20.33		7.91	
AL7 -6	18.11.2022	223	121	96	2.64	4.54	8.89	15.03	5.62	5.70
					4.40		16.51		8.17	
					6.59		19.69		3.32	
AL1 -7	22.11.2022	162	104	57	4.84	5.28	14.61	14.61	13.02	9.10
					7.03		5.72		8.68	
					3.96		23.50		5.62	
AL1-8	25.11.2022	237	138	97	6.59	4.40	9.53	15.24	7.91	8.00
					3.96		14.61		5.62	
					2.64		21.60		10.47	
AL1-9	28.11.2022	203	112	87	3.96	3.66	6.99	13.76	5.62	6.04
					2.20		14.61		7.91	
					4.84		19.69		4.60	
Monthly Average		191	114	74		4.85		15.08		6.68
Standard Deviation		28	12	17		0.96		3.34		1.28

**Table 8 : Results of Air Pollutant Concentration at Admin Building Vadinar**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [µg/m <sup>3</sup> ]	*NMHC	CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm ]
		8 hr		Grab Sampling	Grab Sampling
		5.0 µg/m <sup>3</sup>		4.0 mg/m <sup>3</sup>	-
<b>NAAQMS limit</b>					
<b>AL7 -1</b>	01.11.2022	1.08	BQL	1.43	225
<b>AL7 -2</b>	04.11.2022	1.13	BQL	1.54	236
<b>AL7 -3</b>	08.11.2022	1.17	1.81	1.53	455
<b>AL7 -4</b>	11.10.2022	1.14	BQL	1.61	443
<b>AL7 -5</b>	15.10.2022	1.03	BQL	1.1	347
<b>AL7 -6</b>	18.10.2022	1.06	BQL	1.57	416
<b>AL7 -7</b>	22.10.2022	1.10	BQL	1.05	372
<b>AL7 -8</b>	25.10.2022	1.20	BQL	1.79	464
<b>AL7 -9</b>	28.10.2022	1.13	BQL	1.42	487
<b>Monthly Average</b>		<b>1.12</b>	<b>-</b>	<b>1.46</b>	<b>388</b>
<b>Standard Deviation</b>		<b>0.06</b>	<b>-</b>	<b>0.25</b>	<b>75</b>

\*NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

At Admin Building, Vadinar the mean TSPM value was 191 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 114 µg/m<sup>3</sup> and the mean PM<sub>2.5</sub> value was 74 µg/m<sup>3</sup> which was slightly exceed the standard limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> concentrations were 4.85 µg/m<sup>3</sup>, 15.08 µg/m<sup>3</sup> and 6.68 µg/m<sup>3</sup> respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Vadinar Port. The mean Benzene concentration was 1.12 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.46 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 8: Signal Building (Vadinar) (AL-8)**

Table 9 : Results of Air Pollutant Concentration at Signal Building, Vadinar										
	Date	TSPM [µg/m3]	PM10 [µg/m3]	PM2.5 [µg/m3]	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
Sampling Period		24hr	24hr	24hr	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL8 -1	01.11.2022	113	74	38	3.96	4.40	6.99	13.34	2.30	7.15
					6.59		19.05		8.68	
					2.64		13.97		10.47	
AL8 -2	04.11.2022	146	93	49	2.64	4.40	14.61	15.88	5.36	6.13
					4.84		22.23		8.42	
					5.71		10.80		4.60	
AL8 -3	08.11.2022	124	82	42	3.08	3.52	14.61	16.73	5.62	5.62
					5.28		26.04		7.91	
					2.20		9.53		3.32	
AL8 -4	11.11.2022	175	105	67	2.20	4.40	8.26	13.76	8.93	9.02
					7.03		19.05		12.76	
					3.96		13.97		5.36	
AL8 -5	15.11.2022	152	97	52	3.52	4.98	5.72	13.13	6.89	7.57
					4.84		13.34		10.98	
					6.59		20.33		4.85	
AL8 -6	18.11.2022	176	111	61	3.08	3.81	15.24	17.57	7.15	8.42
					3.96		26.04		7.91	
					4.40		11.43		10.21	
AL8 -7	22.11.2022	214	118	93	3.52	5.71	5.72	12.91	7.91	8.25
					5.28		13.34		6.38	
					8.35		19.69		10.47	
AL8-8	25.11.2022	219	125	92	3.08	4.54	9.53	11.01	5.36	6.04
					4.84		17.78		8.17	
					5.71		5.72		4.60	
AL8-9	28.11.2022	154	97	57	5.71	3.81	10.80	16.94	7.15	8.76
					3.96		22.23		8.93	
					1.76		17.78		10.21	
Monthly Average		164	100	61		4.40		14.59		7.44
Standard Deviation		36	16	20		0.67		2.25		1.27

**Table 9 : Results of Air Pollutant Concentration at Signal Building Vadinar**

		C <sub>6</sub> H <sub>6</sub> [µg/m <sup>3</sup> ]		CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm]
Sampling Period	Date	8 hr	*NMHC	Grab Sampling	Grab Sampling
NAAQMS limit		5.0 µg/m <sup>3</sup>		4.0 mg/m <sup>3</sup>	-
AL8 -1	01.11.2022	1.06	BQL	1.5	467
AL8 -2	04.11.2022	1.05	BQL	1.46	501
AL8 -3	08.11.2022	1.14	1.81	1.31	489
AL8 -4	11.11.2022	1.16	BQL	1.38	439
AL8 -5	15.11.2022	1.17	BQL	1.29	231
AL8 -6	18.11.2022	1.10	BQL	1.31	244
AL8 -7	22.11.2022	1.00	BQL	1.34	227
AL8 -8	25.11.2022	1.05	BQL	1.37	261
AL8 -9	28.11.2022	1.02	BQL	1.29	234
Monthly Average		1.16	-	1.46	442
Standard Deviation		0.05	-	0.27	63


\* NMHC- Non- Methane Hydrocarbon

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)


At Signal Building, Vadinar the mean TSPM value was 164 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 100 µg/m<sup>3</sup> which was boundary line of the permissible limit, the mean PM<sub>2.5</sub> value was 61 µg/m<sup>3</sup> which was within the permissible limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> concentrations were 4.40 µg/m<sup>3</sup>, 14.59 µg/m<sup>3</sup> and 7.44 µg/m<sup>3</sup> respectively and were all within the standard limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Vadinar Port. The mean Benzene concentration was 1.16 µg/m<sup>3</sup>, well below the standard limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.46 mg/m<sup>3</sup>, well below the standard limit of 4.0 mg/m<sup>3</sup>.


**Fig. No:-1 Average ambient air quality (PM) month of November-2022 at DPA and Vadinar Sampling Station**




**Fig. No:-2. Average ambient air quality (Gaseous) month of November-2022 at DPA and Vadinar sampling location**



**Fig. No:-3. Average ambient air quality (Gaseous) month of November-2022 at DPA and Vadinar sampling location**



**Fig. No:-4. Average ambient air quality (Gaseous) month of November-2022 at DPA and Vadinar sampling location**





### 2.3 Observations and Conclusion

During the monitoring period, the overall Ambient Air Quality of the port area was found within permissible levels for various gaseous pollutants. However, Total Suspended Particulate matter as TSPM, Particulate matter as PM<sub>10</sub> and PM<sub>2.5</sub> was found to exceed the limits at locations at all ambient air sampling location.

The concentration of PM<sub>10</sub> and PM<sub>2.5</sub> were slightly exceeded at Gopalpuri and Tuna Port.

The mean concentration of PM<sub>10</sub> and PM<sub>2.5</sub> were slightly exceeded at Admin building Vadinar & at Signal building Vadinar was very close to the standard limit.

## **CHAPTER-3**

### **METEOROLOGICAL OBSERVATIONS**

#### **4.1 Meteorological Data**

Automatic Weather station (ID KAZPHOEN424) have been installed in Seva Sadan-3 at the Deendayal Port which records the data on Temperature (°C), Relative Humidity (%), Wind speed (m/s), Wind Direction (°), Solar radiation (w/m<sup>2</sup>) and Rainfall mm.

Meteorological factors play an important role in environmental pollution studies particularly in pollutant transport irrespective of their entry into the environment. The wind speed and direction play a major role in dispersion of environment pollutants. Effects of pollution on receptors animate and inanimate depends on atmospheric condition.

##### **Temperature**

At Deendayal Port, the day time temperature was found range 21.1-32.9<sup>0</sup>C. The average day time temperature was 27.92°C. The night time temperature was range from 20.0-29.7<sup>0</sup>C. The mean night time temperature recorded was 25.47 °C.

##### **Solar Radiation**

The mean Solar Radiation in November month was 167.27 w/m<sup>2</sup>. The maximum solar radiation was recorded 759.0 w/m<sup>2</sup> in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80 w/m<sup>2</sup> in 30<sup>th</sup> November, 2022.

##### **Rainfall**


Rain fall of November month was recorded 0.00 mm.

##### **Relative Humidity**

The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %.

##### **Wind Velocity and Wind Direction**

Velocity and direction of wind have a significant role in the dispersion of air borne materials and therefore determines the air quality of the area. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly North-East.



WRPLOT View - Lakes Environmental Software

## CHAPTER-4

### DRINKING WATER QUALITY MONITORING

#### 4.0 Drinking Water Quality Monitoring

Drinking Water Quality Monitoring was carried out at twenty stations at Kandla, Vadinar & Township Area of Deendayal Port.

**Table No:-10. Drinking Water Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude
1.	Nirman Building	DL-1	23° 0' 27"N	70° 13' 21"E
2.	P & C Building	DL-2	23° 0' 33"N	70° 13' 20"E
3.	North Gate	DL-3	23° 0' 26.97"N	70° 13' 21.87"E
4.	KPT-Canteen	DL-4	23° 2' 17.2674"N	70° 13' 18.2814"E
5.	West Gate	DL-5	23° 59' 40.48"N	70° 12' 50.96"E
6.	Wharf Area	DL-6	22° 59' 52.2"N	70° 13' 22.95"E
7.	Sevasadan-3	DL-7	23° 0' 22.55"N	70° 13' 15.34"E
8.	Workshop	DL-8	23° 0' 33.74"N	70° 13' 20.05"E
9.	Custom Building	DL-9	23° 1' 8.70"N	70° 12' 52.0"E
10.	Kandla Colony	DL-10	23° 11' 14.9"N	70° 12' 48.4"E
11.	KPT Hospital	DL-11	23° 1' 5.02"N	70° 12' 44.38"E
12.	A.O. Building	DL-12	23° 3' 42.89"N	70° 8' 41.5"E
13.	Gopalpuri School	DL-13	23° 5' 1.03"N	70° 7' 55.42"E
14.	Gopalpuri Guest House	DL-14	23° 4' 43.14"N	70° 7' 51.92"E
15.	E-Type Quarters	DL-15	23° 4' 59.90"N	70° 7' 56.72"E
16.	F-Type Quarters	DL-16	23° 4' 38.45"N	70° 8' 8.63"E
17.	Gopalpuri Hospital	DL-17	23° 4' 54.09"N	70° 8' 7.5"E
18.	Tuna Port	DL-18	23° 58' 23.06"N	70° 5' 35.6"E
19.	Vadinar Jetty	DL-19	22° 25' 51.73"N	69° 41' 36.62"E
20.	Vadinar Colony	DL-20	22° 30' 26.25"N	69° 39' 45.03"E

#### **4.1 Drinking Water Monitoring Methodology**

Samples for physico-chemical analysis were collected in 2 Carboys and samples for microbiological parameters were collected in sterilized bottles. These samples were then analyzed in laboratory for various drinking water parameters at Kandla Lab/Surat.

The Sampling was done as per IS: 3025 Part-1, analysis was done as per IS: 3025/APHA standard methods and, the analysis results compare with IS 10500:2012. The water samples were analyzed for various parameters, viz. Color , Odor, Turbidity , Conductivity , pH , Chlorides , TDS, Total Hardness, Iron , Sulphate, Salinity , DO, BOD, Na, K, Ca, Mg, F, NO<sub>3</sub>, NO<sub>2</sub>, Mn, Cr-6, Cu, Cd, As, Hg, Pb, Zn, Bacterial Count (CFU) .

#### **4.2 Results**

The Drinking Water Quality monitoring data for 20 stations are given in below from table No. 11 to Table No. 17

**Table 11: Drinking Water Quality Monitoring Parameters for Nirman Building, P & C Building and Main Gate (North) at Kandla.**

Sr. No.	Parameter	Unit	Nirman Building 1	P & C Building	Main Gate North	Acceptable Limits as per IS 10500 :2012 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.35	7.33	7.41	7.35	6.5 to 8.5
2	Total Dissolved Solids	mg/l	690	670	670	690	2000
3	Turbidity	NTU	0	1	1	0	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1229	1194	1211	NS*	NS*
7	Biochemical Oxygen	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	576.28	355.79	340.76	250	1000
9	Ca as Ca	mg/l	43.29	41.68	39.28	75	200
10	Mg as Mg	mg/l	58.8060	57.3480	56.3760	30	100
11	Total Hardness	mg/l	350	340	330	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.35	0.37	0.31	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	35.80	30.20	28.30	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	12.70	16.70	15.50	45	No Relaxation
17	Salinity	‰	1.04	0.64	0.62	NS*	NS*
18	Sodium as Na	mg/l	204.00	180.00	192.00	NS*	NS*
19	Potassium as K	mg/l	3.22	3.15	3.18	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/10 0ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified

BQL- Below Quantification Limit, (BOD-2.0 mg/l, Fe- 0.009 mg/l, Mn- 0.01 mg/l, Cr<sup>+6</sup>- 0.03 mg/l, Cu- 0.004 mg/l, Cd- 0.003 mg/l, As- 0.003mg/l, Hg- 0.001 mg/l, Pb- 0.006mg/l, Zinc- 0.021 mg/l).



**Table 12: Drinking Water Quality Monitoring Parameters for Canteen, West Gate – I & Wharf Area at Kandla**

Sr. No.	Parameter	Unit	Canteen	West Gate – I	Wharf Area	Acceptable Limits as per IS 10500 :	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.48	7.52	7.36	7.48	6.5 to 8.5
2	Total Dissolved Solids	mg/l	640	650	680	640	2000
3	Turbidity	NTU	0	1	0	0	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1166	1152	1196	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	335.75	360.80	350.78	250	1000
9	Ca as Ca	mg/l	40.88	38.48	40.08	75	200
10	Mg as Mg	mg/l	62.6940	66.5820	53.4600	30	100
11	Total Hardness	mg/l	360	370	320	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.32	0.30	0.35	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	31.20	28.30	26.00	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	6.60	11.40	5.80	45	No Relaxation
17	Salinity	‰	0.61	0.65	0.63	NS*	NS*
18	Sodium as Na	mg/l	202.00	200.00	-	NS*	NS*
19	Potassium as K	mg/l	3.38	3.48	3.16	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**DCPL/DPA/21-22/31– November-2022**

**Table 13: Drinking Water Quality Monitoring Parameters for Sewa sadan-3, Workshop I and Custom Building at Kandla**

Sr. No.	Parameter	Unit	Sewa Sadan – 3	Workshop	Custom Building	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.45	7.38	7.29	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	700	670	910	500	2000
3	Turbidity	NTU	0	1	1	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1213	1164	1564	NS*	NS*
7	Biochemical	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	365.81	370.82	340.76	250	1000
9	Ca as Ca	mg/l	42.48	37.68	39.28	75	200
10	Mg as Mg	mg/l	59.2920	59.7780	53.9460	30	100
11	Total Hardness	mg/l	350	340	320	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.41	0.30	0.35	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	24.90	34.20	27.2	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	6.90	3.90	11.00	45	No Relaxation
17	Salinity	‰	0.66	0.67	0.62	NS*	NS*
18	Sodium as Na	mg/l	-	-	-	NS*	NS*
19	Potassium as K	mg/l	3.26	4.03	3.29	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**DCPL/DPA/21-22/31– November-2022**

**Table 14: Drinking Water Quality Monitoring Parameters for Port Colony Kandla, Hospital Kandla and A.O. Building at Gandhidham.**

Sr. No.	Parameter	Unit	Port Colony Kandla	Hospital Kandla	A.O. Building	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 :
1	pH	-	7.39	7.31	7.24	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	760	710	1060	500	2000
3	Turbidity	NTU	1	0	0	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1328	1251	1821	NS*	NS*
7	Biochemical	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	335.75	345.77	365.81	250	1000
9	Ca as Ca	mg/l	41.68	42.48	40.88	75	200
10	Mg as Mg	mg/l	50.0580	54.4320	62.6940	30	100
11	Total Hardness	mg/l	310	330	360	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.35	0.32	0.46	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	28.10	24.50	24.50	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	20.20	7.40	15.60	45	No Relaxation
17	Salinity	‰	0.61	0.62	0.66	NS*	NS*
18	Sodium as Na	mg/l	192.80	193.60	194.50	NS*	NS*
19	Potassium as K	mg/l	4.13	4.18	3.26	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 15: Drinking Water Quality Monitoring Parameters for School Gopalpuri, Guest House) and E - Type Quarter at Gopalpuri, Gandhidham**

Sr. No.	Parameter	Unit	Gopalpuri School	Guest House	E - Type Quarter	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.3	7.24	7.26	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	830	950	1030	500	2000
3	Turbidity	NTU	1	1	0	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1435	1638	1769	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	355.79	350.78	340.76	250	1000
9	Ca as Ca	mg/l	39.28	43.29	39.28	75	200
10	Mg as Mg	mg/l	61.2360	61.2360	51.5160	30	100
11	Total Hardness	mg/l	350	360	310	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.45	0.42	0.47	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	24.90	26.00	30.20	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	7.10	8.30	12.60	45	No Relaxation
17	Salinity	‰	0.64	0.63	0.62	NS*	NS*
18	Sodium as Na	mg/l	199.00	193.80	193.00	NS*	NS*
19	Potassium as K	mg/l	3.90	3.26	3.18	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100 ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 16: Drinking Water Quality Monitoring Parameters for F-Type Quarter, Hospital Gopalpuri and Tuna Port.**

Sr. No.	Parameter	Unit	F - Type Quarter	Hospital Gopalpuri	Tuna Port	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.28	7.42	7.51	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	1050	990	600	500	2000
3	Turbidity	NTU	1	1	-	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1796	1700	1044	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	345.77	360.80	380.85	250	1000
9	Ca as Ca	mg/l	38.48	40.88	32.87	75	200
10	Mg as Mg	mg/l	61.7220	62.6940	72.41	30	100
11	Total Hardness	mg/l	350	360	380	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.42	0.45	0.43	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	26.00	26.10	24.50	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	10.30	6.80	3.00	45	No Relaxation
17	Salinity	‰	0.62	0.65	0.69	NS*	NS*
18	Sodium as Na	mg/l	201.00	201.00	193.60	NS*	NS*
19	Potassium as K	mg/l	3.15	3.16	3.21	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified, BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 17: Drinking Water Quality Monitoring Parameters for Vadinar Jetty and Port Colony at Vadinar.**

Sr. No.	Parameter	Unit	Vadinar Jetty	Port Colony Vadinar	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.4	7.43	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	320	300	500	2000
3	Turbidity	NTU	0.00	1.00	1	5
4	Odor	-	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	5	15
6	Conductivity	µs/cm	570	300	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	160.36	140.31	250	1000
9	Ca as Ca	mg/l	36.87	34.47	75	200
10	Mg as Mg	mg/l	43.25	52.00	30	100
11	Total Hardness	mg/l	270	300	200	600
12	Iron as Fe	mg/l	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.25	0.22	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	0.75	0.24	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	15.60	12.70	45	No Relaxation
17	Salinity	‰	0.29	0.25	NS*	NS*
18	Sodium as Na	mg/l	191.6	192.0	NS*	NS*
19	Potassium as K	mg/l	BQL	BQL	NS*	NS*
20	Manganese	mg/l	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

### 4.3 Results & Discussion

The colour of all drinking water samples was found Colourless and odour of the samples also agreeable. All parameters were found within the specified limit as per the Drinking water Standard.

#### pH

The pH is measure of the intensity of acidity or alkalinity and the concentration of hydrogen ion in water. At DPA Site the pH values for drinking water samples ranged from 7.24-7.52 and mean value was 7.36 while at Vadinar pH ranged from 7.40-7.43 and mean value was 7.42. All the sampling points showed pH values within the prescribed limit by Indian Standards.

#### Turbidity

The selected drinking water sample location turbidity range from 0-1NTU at all location of DPA and Vadinar in month of November. The Turbidity values were within the permissible limit at all sampling location prescribed limit by Indian standards.

#### Total Dissolved Solids (TDS)

Water has the ability to dissolve a wide range of inorganic and some organic minerals or salts such as potassium, calcium, sodium, bicarbonates, chlorides, magnesium, sulfates etc.

TDS values at DPA varied between 600-1060 mg/l. The average TDS value was found 792 mg/l. The minimum value for TDS was 600 mg/l at Hospital Gopalpuri and maximum was 980 mg/l at Tuna Port while at Vadinar TDS ranged from 280-300 mg/l and mean was 290.0 mg/l. The TDS values were within the permissible limit at all sampling location prescribed limit by Indian standards.

#### Conductivity

Electrical Conductivity is the ability of a solution to transfer (conduct) electric current. Conductivity is used to measure the concentration of dissolved solids which have been ionized in a polar solution such as water. The conductivity in the samples collected during the month of November DPA ranged from 1044.0  $\mu\text{S}/\text{cm}$  at Tuna Port to 1821.0  $\mu\text{S}/\text{cm}$  at A.O. Building and mean value was 1381.72  $\mu\text{S}/\text{cm}$  while at Vadinar ranged from 300-570  $\mu\text{S}/\text{cm}$  and mean was 435  $\mu\text{S}/\text{cm}$ .

## **BOD**

BOD value in the studied area of DPA and Vadinar was found Below Quantification Limit (<2.0 mg/l). IS 10500:2012 does not show any standard values for BOD in drinking water.

## **Chlorides**

Excessive chloride concentration increase rates of corrosion of metals in the distribution system. This can lead to increased concentration of metals in the supply. The Chloride value in the studied area of DPA ranged from 335.75-576.28 mg/l. The mean value was 365.53 mg/l. The minimum chloride was 335.75 mg/l at Port colony and maximum was 576.28 mg/l at Nirmal Building while at Vadinar location chloride ranged from 140.31-160.36 mg/l and mean was 150.33 mg/l. The Chloride was found within the Permissible limit of the Drinking Water Standard.

## **Calcium**

Calcium is most abundant element on the earth crust and is very important for human cell physiology and bones. About 95% calcium in human body stored in bones and teeth. The high deficiency of calcium in humans may caused rickets, poor blood clotting, bones fracture etc. and the exceeding limit of calcium produced cardiovascular diseases.

The Calcium value in the studied area of DPA ranged from 32.87-43.29 mg/l. The mean value was 40.12 mg/l. The minimum calcium was 32.87 mg/l at Tuna Port and maximum was 43.29 mg/l at Gopalpuri Hospital while at Vadinar location Calcium ranged from 34.47-36.87 and mean was 35.67 mg/l. All the locations had calcium within the prescribed limits of 75-200 mg/L.

## **Magnesium**

The magnesium value in the studied area of DPA ranged from 50.06-72.41 mg/l. The mean value was 59.24 mg/l. The minimum magnesium was 50.06 mg/l at Port Colony and maximum was 74.41 mg/l at Tuna Port while at Vadinar location magnesium ranged from 43.25-52.00 and mean was 47.61 mg/l. All the locations had magnesium within the prescribed limits of 30-100 mg/L.

## **Total Hardness**

Total Hardness value in the studied area of DPA ranged from 310.0 mg/l at Port Colony to 380.0 mg/l at Tuna Port and mean value was 343.89 mg/l while at Vadinar location total hardness ranged from 270.0-300.00 mg/l and mean was 285.0 mg/l. The values of total



hardness were found within the Permissible limit of the Drinking Water Standard (200-600 mg/L). These results clear, that hardness of water is according to the IS standards and it is not harmful for local inhabitants.

### **Iron**

Iron values in the studied area of DPA & Vadinar were Below Quantification Limit (0.009 mg/l) and hence well below the permissible limit as per Indian Standards are 0.3 mg/L.

### **Fluoride**

Fluoride value in the studied area of DPA varied between 0.3-0.47 mg/l and mean was 0.38 mg/l. The minimum value was 0.3 mg/ at West gate workshop and maximum was 0.47 mg/l at E-Type and mean was 0.38 mg/l while at Vadinar location fluoride ranged from 0.22-0.25 mg/l and mean was 0.24 mg/l. The Fluoride values were well below the permissible limit as per Indian Standards is 1.0-1.5 mg/L. Moderate amounts lead to dental effects, but long-term ingestion of large amounts can lead to potentially severe skeletal problems.

### **Sulphate**

Sulphate value in the studied area of DPA varied between 24.5–35.8 mg/l and mean was 27.83 mg/l. The minimum value was 24.5 mg/ at A.O. Building, Hospital Kandla and Tuna Port and maximum was 35.8 mg/l at Nirmal Building while at Vadinar location Sulphate ranged from 0.24-0.75 mg/l and mean was 0.50 mg/l. All the sampling points showed Sulphate values within the prescribed limits by Indian Standards (200-400 mg/L). Sulphate content in drinking water exceeding the 400 mg/L imparts bitter taste.

### **Nitrites (NO<sub>2</sub>) and Nitrates (NO<sub>3</sub>)**

The all values of Nitrite were found BQL (<0.05 mg/l) and Nitrate were well within the permissible limit of the Drinking water Standard.

### **Salinity**

Salinity in drinking water in the present samples collected at DPA ranged from 0.61 ‰ at Canteen to 1.04 ‰ at Nirmal Building and average salinity was 0.66 ‰ while at Vadinar sampling location salinity ranged from 0.25-0.29 ‰. There are no prescribed Indian standards for salinity in Drinking water.

### **Sodium and Potassium Salts**

Sodium values in the samples collected at DPA ranged from 180 - 204 mg/l and average was 195.74 mg/l while at Vadinar sodium ranged from 191.6- 192.0 mg/l and average was 191.8 mg/l . Potassium salts ranged at DPA ranged from 3.15 to 4.18 mg/l while average was 3.42 mg/l while at Vadinar sampling locations potassium were BQL (<2.0 mg/l). There are no prescribed limits of Sodium and Potassium in Indian standards for Drinking water.

### **Heavy Metals in Drinking Water**

In the present study period drinking water samples were analyzed for Mn, Cr, Cu, Cd, As, Hg, Pb and Zn. All these heavy metals were well Below the Quantification limits prescribed by the Indian Standards.

### **Bacteriological Study**

Analysis of the bacteriological parameter (E-coli and total coliform) at all location shows that Bacteria were not detectable. This shows that drinking water samples were safe for human consumption as per tested parameters.

## **4.4 Conclusions**

These results were compared with permissible limits as prescribed in IS 10500:2012 – Drinking Water Specification. It was seen from the analysis data that during the study period at selected sampling location the water was safe for human consumption as per analyzed parameters at all drinking water monitoring stations.

## CHAPTER-5

### NOISE MONITORING

## 5.0 Noise Level Monitoring

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. Noise Monitoring was done at 13 stations at Kandla, Vadinar and Township area.

### 5.1 Method of Monitoring

Sampling was done at all stations for 24 hour period. Data was recorded using automated sound level meter. The intensity of sound was measured in sound pressure level (SPL) and common unit of measurement is decibel (dB).

### 5.2 Results

**Table 18: Noise Monitoring data for ten locations of Deendayal Port and three locations of Vadinar Port**

Sr. No.	Location	Day Time Average Noise Level (SPL) in dB(A)	Night Time Average Noise Level (SPL) in dB(A)
	Sampling Time	6:00 am to 10:00 PM	10:00PM to 6:00 AM
1	Marine Bhavan	60.8	51.9
2	Nirman Building 1	69.9	52.0
3	Tuna Port	53.2	45.4
4	Main Gate North	63.3	51.9
5	West Gate I	67.7	58.1
6	Canteen Area	68.2	51.2
7	Main Road	66.3	52.2
8	ATM Building	69.1	51.1
9	Wharf Area /Jetty Area	70.4	61.7
10	Port & Custom Office	54.7	50.2
<b>Vadinar Port</b>			
11	Entrance Gate of Vadinar Port	55.0	53.5
12	Nr. Port Colony, Vadinar	60.6	57.6
13	Nr. Vadinar Jetty	52.5	51.0

### 5.3 Conclusions

Transportation systems are the main source of noise pollution in urban areas. Construction of buildings, highways, and roads cause a lot of noise, due to the usage of air compressors, bulldozers, loaders, dump trucks, and pavement breakers. Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships.

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. The Day Time Noise Level (SPL) in all 10 locations at Deendayal Port Authority ranged from 53.2 dB(A) to 70.4 dB(A) while at Vadinar port 3 location ranged from 52.5 dB(A) to 60.6 dB(A) which was within the permissible limits of 75 dB(A) for the industrial area for the daytime. The Night Time Average Noise Level (SPL) in all locations of Deendayal Port Authority ranged from 45.4 dB to 61.7 dB(A) while at Vadinar port ranged from 52.5 dB (A) to 60.6 dB(A) which was within the permissible limits of 70 dB(A) for the industrial area for the night time.

## CHAPTER-6

### SOIL MONITORING

## 6.0 Soil Monitoring

Sampling and analysis of soil samples were undertaken at six locations within the study area (Deendayal Port and Vadinar Port) as a part of EMP. The soil sampling locations are initially decided based on the locations as provided in the tender document of the Deendayal Port.

**Table No.:-19. Soil Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude	Remarks
1.	Tuna Port	SL-1	22° 58' 10.18"N	70° 6' 3.7"E	Near main gate of Port
2.	IFFCO Plant	SL-2	23° 26' 8.37"N	70° 13' 4.4"E	10 m away from main gate
3.	Khori creek	SL-3	22° 58' 10.18"N	70° 6' 3.7"E	Sand from creek after tide
4.	Nakti Creek	SL-4	23° 2' 1.10"N	70° 9' 33.6"E	
5.	DPA admin site	SL-5	22° 26' 30.9"N	69° 40' 37.03"E	Vadinar
6.	DPA colony	SL-6	22° 23' 57.09"N	69° 42' 49.42"E	

## 6.1 Methodology

The soil samples were collected in the month of November 2022. The samples collected from the all locations are homogeneous representative of each location. At random locations were identified at each location and soil was dug from 30 cm below the surface. It was uniformly mixed before homogenizing the soil samples. The samples were filled in polythene bags, labeled in the field with number and site name and sent to laboratory for analysis.

## 6.2 Results

**Table-20: Chemical Characteristics of Soil in the Study Area for Tuna port, IFFCO, Khori Creek, Nakti Creek, DPA admin site, DPA colony.**

Sr. No.	Parameter	Unit	Station Name					
			SL1	SL2	SL3	SL4	SL5	SL6
			Tuna Port	IFFCO Plant	Khori Creek	Nakti Creek	DPA Admin Site	DPA Colony
			Near main gate of Port	10 m away from main	Sand from creek after tide		Vadinar	
1	Texture		Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
2	pH	-	7.79	7.80	7.54	7.58	8.14	7.54
3	Electrical Conductivity	µs/cm	35000.0	36100.0	26,820.00	12,700.0	155.0	594.0
4	Phosphorus	mg/kg	10.3	10.5	9.19	8.49	6.00	4.80
5	Moisture	%	15.9	20.3	20.90	3.50	7.20	10.10
6	Total Organic	%	4.04	1.7	3.64	7.80	2.30	2.00
7	Alkalinity	mg/kg	900.0	1000.0	800.0	500.0	800.0	600.0
8	Total Nitrogen	%	BQL	BQL	BQL	BQL	BQL	BQL
9	Sulphate	mg/kg	820.00	982.00	1,080.00	810.00	30.0	70.0
10	Chloride	mg/kg	15598.0	14275.0	12,600.00	2,950.00	140.00	525.00
11	Calcium	mg/kg	2,605.00	2,505.00	31,600.00	3,086.00	1,729.00	1,849.00
12	Sodium	mg/kg	5657	7136.0	7,649.00	4,675.00	33.02	116.90
13	Potassium	mg/kg	552	694	708.00	437.00	44.60	44.52
14	Copper as Cu	mg/kg	27.4	15.5	30.50	14.50	54.10	31.60
15	Lead as Pb	mg/kg	7.4	7.4	9.50	6.30	74.10	75.30
16	Nickel as Ni	mg/kg	39.40	32.70	44.40	27.20	30.30	32.00
17	Zinc as Zn	mg/kg	62.4	77.40	79.20	56.50	50.60	86.00
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, ( TN: 0.001%, Cd: 1.0mg/kg)



### 6.3 Discussion

- DPA Kandla soil sampling data shows that value of pH ranges from 7.54 at Khori Creek to 7.80 at IFFCO Plant while the average value was 7.68. At Vadinar sampling location pH were 7.54 at DPA colony and 8.14 at DPA Admin Site.
- The Electrical Conductivity of DPA Kandla soil sample ranged from 12700.0  $\mu\text{S}/\text{cm}$  at Nakti Creek (Sand from creek after tide) to 36100  $\mu\text{S}/\text{cm}$  at IFFCO Plant and mean was 27655  $\mu\text{S}/\text{cm}$  while Vadinar soil sampling location conductivity were 155  $\mu\text{S}/\text{cm}$  at DPA Admin Site and 594  $\mu\text{S}/\text{cm}$  at DPA Colony site.
- Total organic Carbon of DPA Kandla soil sample ranged from 1.7 % at IFFCO Plant to 7.80 % at Nakti Creek (Sand from creek after tide) and mean was 4.30 % while Vadinar soil sample were 2.0 % at DPA Colony and 2.30 % at DPA admin Site.
- The concentration of Phosphorus in the soil samples of DPA Kandla varies from 8.49 mg/kg at Nakti Creek (Sand from creek after tide) and 10.5 mg/kg at IFFCO Plant and mean was 9.62 mg/kg while the Vadinar soil sample for Phosphorus were 4.80 mg/kg at DPA Colony and 6.00 mg/kg at DPA Admin Site.
- Chloride in soil sample of DPA ranged from 2950.00 mg/kg at Nakti Creek (Sand from creek after tide) to 15598 mg/kg at Tuna Port and mean was 11356 mg/kg while Vadinar soil sample were 140 mg/kg at DPA admin and 525 mg/kg at DPA Colony.
- The Concentration of Potassium in the soil samples of DPA Kandla ranged from 437 mg/kg at Nakti creek and 708 mg/kg at Khori Creek and mean was 597.75 mg/kg while the Vadinar soil sample for Potassium were 44.52 mg/kg at DPA Colony Site and 44.60 mg/kg at DPA Admin Site.
- The concentration of Sodium in the soil samples of DPA Kandla ranged from 4675.0 mg/kg at Nakti creek and 7649.0 mg/kg at Khori Creek and mean was 6279 mg/kg while the Vadinar soil sample for Sodium were 33.00 mg/kg at DPA Admin Site and 117 mg/kg at DPA Colony.

These differences in NPK in soil at different locations are due to the dissimilar nature of soil at each of the locations. Samples SL3 & SL4 (Khori Creek & Nakti Creek) were coastal soil; where as other locations are inland locations and have different chemical properties.

### Heavy Metals in the Soil

Traces of Copper, Lead, Nickel and Zinc were observed in the soil samples collected from all the four locations of Deendayal Port Authority Kandla and two locations of Vadinar Port. Cadmium metal was below detection limit in the Soil.

### 6.4 Conclusion

The soils of Deendayal Port Authority Kandla and Vadinar Port appears to be neutral to basic with varying levels of Chloride, Sulphate, NPK and Calcium. As the nature of soil at different locations are different with respect to its proximity to the sea, the samples showed high degree of variations in their chemical properties.

## **CHAPTER-7**

### **SEWAGE TREATMENT PLANT MONITORING**

## 7.0 Sewage Treatment Plant Monitoring

This involves safe collection of waste water (spent/used water) from wash areas, bathroom, industrial units, etc., waste from toilets of various buildings and its conveyance to the treatment plant and final disposal in conformity with the requirement and guidelines of State Pollution Control Board and other statutory bodies.

### 7.1 Methodology for STP Monitoring

To monitor the working efficiency of Sewage Treatment Plant (STP), STP Inlet and Outlet Samples were collected once a week. Locations selected are namely Gopalpuri Township, Deendayal Port and Vadinar. Samples were collected in 1 lit. Carboys and were analyzed in laboratory for various parameters.

A new STP with an improved capacity of 1 MLD is being constructed at Gopalpuri Colony.

**Table No. 21. Sewage Treatment Plant**

Sr. No.	Location of STP	Types of Treatment	STP Capacity	Treated water Utilization
1.	Gopalpuri Township	MBBR	450 KLD	Plantation and Gardening
2.	Deendayal Port, Kandla	MBBR	600 KLD	Discharge to marine through pipeline, Plantation, Gardening
3.	Vadinar Port Colony	MBBR	1.5 MLD	Plantation and Gardening

## 7.2 Results

**Table 22: Sewage Water Monitoring at Kandla STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.55	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	100.6	46.8	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	80.8	30.3	100
5	BOD @ 27 °C	mg/l	22	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	14.0		
7	MLVSS	%	99.73		

**Table 23: Sewage Water Monitoring at Kandla STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.41	7.36	6.5 - 8.5
2	Total Suspended Solids	mg/l	127	52.6	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	90.9	40.4	100
5	BOD @ 27 °C	mg/l	23	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	18.0		
7	MLVSS	%	85.00		

**Table 24: Sewage Water Monitoring at Kandla STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		CPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.48	7.29	6.5 - 8.5
2	Total Suspended Solids	mg/l	86.4	22.9	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	101	50.5	100
5	BOD @ 27 °C	mg/l	26	14	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	20.0		
7	MLVSS	%	98.0		

**Table 25: Sewage Water Monitoring at Kandla STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.10.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.41	7.29	6.5 - 8.5
2	Total Suspended Solids	mg/l	164.2	58.7	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	171.7	30.3	100
5	BOD @ 27 °C	mg/l	43	10	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	20.0		
7	MLVSS	%	89.0		

**Table 26: Sewage Water Monitoring at Gopalpuri STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.47	7.31	6.5 - 8.5
2	Total Suspended Solids	mg/l	121.2	61	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	111.1	60.6	100
5	BOD @ 27 °C	mg/l	32	13	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	22.0		
7	MLVSS	%	97.16		

**Table 27: Sewage Water Monitoring at Gopalpuri STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.35	7.27	6.5 - 8.5
2	Total Suspended Solids	mg/l	189	67.9	100
3	Residual Chlorine	mg/l			-
4	COD	mg/l	141.4	60.6	100
5	BOD @ 27 °C	mg/l	37	15	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	16.0		
7	MLVSS	%	89.6		

**Table 28: Sewage Water Monitoring at Gopalpuri STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Gopalpuri STP I/L	Gopalpuri STP O/L	
1	pH	-	7.41	7.36	6.5 - 8.5
2	Total Suspended Solids	mg/l	127	52.6	100
3	Residual Chlorine	mg/l			-
4	COD	mg/l	90.9	40.4	100
5	BOD @ 27 °C	mg/l	23	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	08.0		
7	MLVSS	%	98.0		

**Table 29: Sewage Water Monitoring at Gopalpuri STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Gopalpuri STP I/L	Gopalpuri STP O/L	
1	pH	-	7.48	7.28	6.5 - 8.5
2	Total Suspended Solids	mg/l	110.2	42.1	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	78	40	100
5	BOD @ 27 °C	mg/l	24.0	12.0	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	18.0		
7	MLVSS	%	90.0		

**Table 30: Sewage Water Monitoring at Vadinar STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.35	7.25	6.5 - 8.5
2	Total Suspended Solids	mg/l	74.9	39.5	100
3	Residual Chlorine	mg/	-	<0.5	-
4	COD	mg/l	101	40.4	100
5	BOD @ 27 °C	mg/l	26.0	10.0	30

**Table 31: Sewage Water Monitoring at Vadinar STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.38	7.21	6.5 - 8.5
2	Total Suspended Solids	mg/l	69.6	40.3	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	131.3	50.5	100
5	BOD @ 27 °C	mg/l	32.0	7.0	30



**Table 32: Sewage Water Monitoring at Vadinar STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar O/L	
1	pH	-	7.51	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	38.6	16.9	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	80.8	20.2	100
5	BOD @ 27 °C	mg/l	24.0	12.0	30

**Table 33: Sewage Water Monitoring at Vadinar STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.61	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	76.9	33.3	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	131.3	20.2	100
5	BOD @ 27 °C	mg/l	20.0	8.0	30

**Table No. 34. General Standards for discharge of Environmental Pollutant Part-A**

Sr. No.	Parameter	Inland Surface Water	Land Irrigation	Marine Coastal Areas
1.	pH	5.5-9.0	5.5-9.0	5.5-9.0
2.	Total Suspended Solids (mg/l)	100	200	100
3.	Residual Chlorine (mg/l)	1.0	-	1.0
4.	BOD (mg/l)	30	100	100
5.	COD (mg/l)	250	-	250

**Sources:-CPCB****7.3 Results & Discussion**

The STP Sample carried out to evaluate the efficiency and performance of the wastewater treatment plant at Gopalpuri, Kandla and Vadinar STP. The performance of these plants is an essential parameter to monitor because the treated sewage water is discharged for irrigation purposes and discharge into marine. Wastewater samples were collected from different unit operations of the plant i.e, the inlet, aeration tank and the final treated outlet. These samples were analyzed for various physico-chemical characteristics such as pH, TSS, Residual Chlorine, COD, BOD, MLSS and MLVS.

The final treated outlet observed pH values were within the allowed range at STP Gopalpuri, STP Kandla & STP Vadinar ranged from 7.22 -7.35, 7.29-7.42 & 7.21-7.42 respectively. The wastewater treatment makes it suitable for irrigation. These values are below the allowed limit of the GPCB.

- The final treated outlet observed Total suspended solid values at Gopalpuri, DPA Kandla & Vadinar ranged from 27.10-67.90 mg/l, 22.90-58.70 mg/l & 16.60-40.30 mg/l respectively. These values are below the allowed limit of the GPCB.
- The final treated outlet observed Residual Chlorine values were <0.5 at Gopalpuri, DPA Kandla & Vadinar. These values are below the allowed limit of the CPCB.
- The final treated outlet observed COD values were at Gopalpuri, DPA Kandla & Vadinar ranged from 40.40-60.60 mg/l, 30.30-50.50 mg/l & 20.20-50.50 mg/l respectively. These values are below the allowed limit of the CPCB.

- The main focus of wastewater treatment plants is supposed to reduce the BOD in the effluent discharged to natural waters. Wastewater treatment plants are designed to function as bacteria farms, where bacteria are fed oxygen and organic waste. The final treated outlet observed BOD values were at Gopalpuri, DPA Kandla & Vadinar ranged from 12.0-16.0 mg/l, 10.0-14.0 mg/l & 7.0-12.0 mg/l respectively. These values are below the allowed limit of the GPCB.

#### **7.4 Conclusions:**

All parameters for STP outlet are within limit prescribed by CPCB. After the final treatment, it is found that the treated water is satisfactory.

## CHAPTER-8

### MARINE WATER MONITORING

## **8.0 Marine Water Monitoring**

### **Marine Water Quality**

The Forty Second Amendment to the Constitution in 1976 underscored the importance of ‘green thinking’. Article 48A enjoins the state to protect and improve the environment and safeguard the forests and wildlife in the country. Further, Article 51A (g) states that the “fundamental duty of every citizen is to protect and improve the natural environment including forests, lakes, rivers and wildlife and to have compassion for living creatures”.

Policy Statement for Abatement of Pollution (1992) has suggested developing relevant legislation and regulation, fiscal incentives, voluntary agreements and educational programs and information campaigns. It emphasizes the need for integration by incorporating environmental considerations into decision making at all levels by adopting frameworks namely, pollution prevention at source, application of best practicable solution, ensure polluter pays for control of pollution, focus on heavily polluted areas and river stretches and involve public in decision-making. The National Conservation Strategy and Policy Statement on Environment and Development, (1992) aimed at “integrating environmental concerns with developmental imperatives to meet the challenges by redirecting the thrust of our developmental process so that the basic needs of our people could be fulfilled by making judicious and sustainable use of natural resources.” The priorities mentioned in this policy document include the sustainable use of land and water resources, prevention and control of pollution and preservation of biodiversity.

The National Water Policy, (2002) contains provisions for developing, conserving, sustainable utilizing and managing this important water resources and need to be governed by national perspectives.

### **Sampling Stations**

The monitoring of marine environment for the study of biological and ecological parameters was carried out on 01<sup>st</sup> & 02<sup>nd</sup> November-2022 in harbor regions of DPA & Vadinar during Neap tide period of New moon phase of Lunar Cycle. The monitoring of marine environment for the study of biological and ecological parameters was repeated again on 8<sup>th</sup> & 9<sup>th</sup> November-2022 in harbor regions of DPA & Vadinar during Spring tide period first quarter of Lunar Cycle.

Plankton samples from sub surface layer was collected both during high tide period and low tide period from 3 water quality monitoring stations of DPA harbor area and two stations in Nakti creek and one station in Khorī creek. The same sampling schedule was repeated during consecutive spring tide and neap tide in same month. Plankton samples from sub surface layer was collected both during high tide period and low tide period from 1 water quality monitoring stations near Vadinar jetty area during spring tide and neap tide in this month. Collected water samples were processed for estimation

of Chlorophyll- a, Pheophytin- a, qualitative & quantitative evaluation of phytoplankton, qualitative & quantitative evaluation zooplanktons (density and their population).

### Sampling Locations

Offshore monitoring requirement	Number of locations
Offshore Installations	3 in Kandla creek 2 in Nakti creek 1 in Khorī creek 1 near Vadinar Jetty 1 near 1 <sup>st</sup> SBM
<b>Total Number of locations</b>	<b>8</b>

### 8.1 Marine Water Quality and Results

Marine water quality of marine waters of Deendayal Port Harbor waters, Khorī & Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The results of marine water quality from table no 35 to 42. During low tide DPA-6 Nakti-II location monitoring was not possible due to non-availability of marine water.

**Table 35: Marine Water Quality Monitoring Parameters for Location Near DPA Colony**

Sr. No.	Parameters	Unit	Kandla Creek Near DPA Colony (1)			
			23°0'58"N 70°13'22."E			
			Spring Tide		Neap Tide	
	Tide		High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.61	7.58	7.55	7.46
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	19.9	20.4	19.0
5	Turbidity	NTU	38	35	42	35
6	Total Dissolved Solids	mg/l	34152.0	30868.0	30941.0	31974.0
7	Total Suspended Solids	mg/l	639.6	600.6	646.4	595.6
8	Total Solids	mg/l	34791.6	31468.6	31587.4	32569.6
9	DO	mg/l	5.8	5.6	5.7	5.5
10	COD	mg/l	88.0	79.0	82.0	86.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.06	0.82	0.99	0.91
13	Phosphate	mg/l	0.48	0.31	0.09	0.04
14	Sulphate	mg/l	3580	3407	3708.0	3658
15	Nitrate	mg/l	4.70	0.50	0.75	0.42
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	521.04	440.88	561.12	480.96
18	Magnesium	mg/l	1773.9	1749.6	1701	1773.9
19	Sodium	mg/l	8011.0	8399.0	8396.0	8699.0
20	Potassium	mg/l	299.0	385.0	391.0	395.0
21	Iron	mg/l	BQL	BQL	0.88	0.57
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 36: Marine Water Quality Monitoring Parameters for Location Near Passenger Jetty One at Kandla**

Sr. No.	Parameters	Unit	Near passenger Jetty One (2)			
			23° 0'18 "N 70°13'31"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.43	7.28	7.33	7.41
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.8	20.4	19.9	18.6
5	Turbidity	NTU	43	48	36	41
6	Total Dissolved Solids	mg/l	35468.0	37102.0	34662.0	33398.0
7	Total Suspended Solids	mg/l	679.7	665.5	703.7	663.8
8	Total Solids	mg/l	36147.7	37767.5	35365.7	34061.8
9	DO	mg/l	5.9	6.2	5.6	5.2
10	COD	mg/l	86.0	94.0	90.0	92.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.26	0.86	1.33	0.85
13	Phosphate	mg/l	0.29	0.13	0.33	0.19
14	Sulphate	mg/l	3571	3470	4072	3407
15	Nitrate	mg/l	3.40	2.70	1.17	4.36
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	601.20	601.2	521.04
18	Magnesium	mg/l	1701	1603.8	1749.6	1701
19	Sodium	mg/l	9142.0	9345.0	9247.0	9219.0
20	Potassium	mg/l	370.0	385.0	370.0	380.0
21	Iron	mg/l	0.47	BQL	1.76	0.30
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Nitrite: 0.05mg/l Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).



**Table 37: Marine Water Quality Monitoring Parameters for location Near Coal Berth**

Sr. No.	Parameters	Unit	Near Coal Berth			
			22°59'12"N 70°13'40"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.37	7.51	7.53	7.25
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	18.6	18.1	19.5	20.8
5	Turbidity	NTU	33	42	38	45
6	Total Dissolved Solids	mg/l	39222.0	37586.0	37123.0	36668.0
7	Total Suspended Solids	mg/l	540.2	638.4	620.6	580.2
8	Total Solids	mg/l	39762.2	38224.4	37743.6	37248.2
9	DO	mg/l	7.3	6.4	7.1	6.5
10	COD	mg/l	81.0	874.0	88.0	84.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.56	0.98	0.69	1.76
13	Phosphate	mg/l	0.06	0.56	0.12	0.61
14	Sulphate	mg/l	4222	3458	2981	3758
15	Nitrate	mg/l	2.20	4.60	2.68	4.70
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	480.96	641.28	641.28	721.44
18	Magnesium	mg/l	1628.1	1628.1	1676.7	1603.8
19	Sodium	mg/l	8346.0	9380.0	9245.0	9814.0
20	Potassium	mg/l	391.0	300.0	392.0	384.0
21	Iron	mg/l	BQL	BQL	BQL	1.34
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 38: Marine Water Quality Monitoring Parameters for location Khori creek at Kandla**

Sr. No.	Parameters	Unit	Khori creek			
			Near 15/16 Berth			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.48	7.27	7.34	7.21
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.4	19.5	18.6	17.7
5	Turbidity	NTU	35	31	43	39
6	Total Dissolved Solids	mg/l	32557.0	34294.0	30473.0	33329.0
7	Total Suspended Solids	mg/l	641.2	616.3	594.7	731.2
8	Total Solids	mg/l	33198.2	34910.3	31067.7	34060.2
9	DO	mg/l	7.6	6.3	7.3	6.8
10	COD	mg/l	85.0	96.0	92.0	96.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.78	1.04	1.39	1.18
13	Phosphate	mg/l	0.44	0.67	0.35	0.42
14	Sulphate	mg/l	4047	3646	3157	3170
15	Nitrate	mg/l	3.70	1.10	1.34	5.20
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	480.96	480.96	561.12
18	Magnesium	mg/l	1725.3	1676.7	1701	1628.1
19	Sodium	mg/l	9112.0	8436.0	7966.0	8696.0
20	Potassium	mg/l	299.0	385.0	382.0	377.0
21	Iron	mg/l	0.44	BQL	0.17	0.31
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	0.02
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 39: Marine Water Quality Monitoring Parameters for location Nakti Creek near Tuna Port**

Sr. No.	Parameters	Unit	Nakti Creek Near Tuna Port			
			22°57'49."N 70° 7'0.67"E			
			Spring Tide		Neap Tide	
	Tide		High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.41	7.36	7.48	7.23
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	18.6	19.0	19.5
5	Turbidity	NTU	45	36	40	42
6	Total Dissolved Solids	mg/l	30214.0	28996.0	31047.0	31957.0
7	Total Suspended Solids	mg/l	642.7	526.2	682.5	606.8
8	Total Solids	mg/l	30856.7	29522.2	31729.5	32563.8
9	DO	mg/l	8.1	7.5	6.4	7.2
10	COD	mg/l	94.0	112.0	98.0	100.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.12	1.20	1.42	1.22
13	Phosphate	mg/l	0.71	0.37	0.46	0.12
14	Sulphate	mg/l	4172	3846	3445	3433
15	Nitrate	mg/l	1.50	1.70	5.12	1.69
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	440.88	641.28	601.2	521.04
18	Magnesium	mg/l	1725.3	1555.2	1701	1773.9
19	Sodium	mg/l	8639.0	9143.0	8655.0	7939.0
20	Potassium	mg/l	395.0	386.0	384.0	386.0
21	Iron	mg/l	BQL	0.33	0.34	0.18
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l,BOD-2.0 mg/l,Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l,Zinc-0.1 mg/l).

**Table 40: Marine Water Quality Monitoring Parameters for location Nakti Creek Near NH-8A at Kandla**

Sr. No.	Parameters	Unit	Nakti Creek Near NH-8A			
			23° 02'01"N 70° 09'31"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.45	Sampling not possible during Low Tide	7.45	Sampling not possible during Low Tide
2	Color	-	Agreeable		Agreeable	
3	Odor	-	Agreeable		Agreeable	
4	Salinity	‰	19.9		20.8	
5	Turbidity	NTU	45		44	
6	Total Dissolved Solids	mg/l	30288.0		32796.0	
7	Total Suspended Solids	mg/l	529.6		595.7	
8	Total Solids	mg/l	30817.6		33391.7	
9	DO	mg/l	7.4		6.9	
10	COD	mg/l	118.0		110.0	
11	BOD	mg/l	BQL		BQL	
12	Silica	mg/l	1.02		0.16	
13	Phosphate	mg/l	0.75		0.46	
14	Sulphate	mg/l	4109		4961	
15	Nitrate	mg/l	2.70		3.52	
16	Nitrite	mg/l	<0.05		BQL	
17	Calcium	mg/l	681.36		641.28	
18	Magnesium	mg/l	1506.6		1628.1	
19	Sodium	mg/l	9280.0		8528.0	
20	Potassium	mg/l	427.0		427.0	
21	Iron	mg/l	BQL		0.54	
22	Chromium	mg/l	BQL		BQL	
23	Copper	mg/l	BQL		BQL	
24	Arsenic	mg/l	BQL		BQL	
25	Cadmium	mg/l	BQL		0.01	
26	Mercury	mg/l	BQL		BQL	
27	Lead	mg/l	BQL		BQL	
28	Zinc	mg/l	BQL		BQL	

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1 mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 41: Marine Water Quality Monitoring Parameters for locations Nr. Vadinar Jetty**

Sr. No.	Parameters	Unit	Nr.Vadinar Jetty			
			22°26'25.26"N 69°40'20.41"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.43	7.26	7.36	7.29
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.4	20.8	19.0	19.9
5	Turbidity	NTU	39	42	38	42
6	Total Dissolved Solids	mg/l	35265.0	37685.0	36325.0	36681.0
7	Total Suspended Solids	mg/l	585.3	590.8	681.4	657.6
8	Total Solids	mg/l	35850.3	38275.8	37006.4	37338.6
9	DO	mg/l	5.7	5.4	6.3	5.8
10	COD	mg/l	87.0	89.0	96.0	92.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.55	0.45	0.36	0.28
13	Phosphate	mg/l	0.18	0.42	0.33	0.19
14	Sulphate	mg/l	3608	3558	3683	3645
15	Nitrate	mg/l	2.35	1.09	1.00	2.43
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	480.96	601.20	521.04	480.96
18	Magnesium	mg/l	1603.8	1652.4	1676.7	1749.6
19	Sodium	mg/l	9448.0	7368.0	7810.0	8912.0
20	Potassium	mg/l	371.0	354.0	452.0	456.0
21	Iron	mg/l	BQL	BQL	0.31	BQL
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	0.29	BQL	0.77	0.35

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 42: Marine Water Quality Monitoring Parameters for locations Nr. Vadinar SPM**

Sr. No.	Parameters	Unit	Nr. Vadinar SPM			
			22°30'56.15"N 69°42'12.07"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.37	7.22	7.41	7.35
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	17.7	19.5	18.6
5	Turbidity	NTU	37	40	37	39
6	Total Dissolved Solids	mg/l	39961.0	39198.0	42642.0	40730.0
7	Total Suspended Solids	mg/l	545.5	493.6	714.3	657.9
8	Total Solids	mg/l	40506.5	39691.6	43356.3	41387.9
9	DO	mg/l	6.1	5.5	5.6	6.1
10	COD	mg/l	95.0	98.0	96.0	94.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.47	0.37	0.34	0.30
13	Phosphate	mg/l	1.08	0.19	0.46	0.28
14	Sulphate	mg/l	3495	3796	3745	4008
15	Nitrate	mg/l	3.86	2.18	4.95	2.10
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	400.80	681.36	641.28
18	Magnesium	mg/l	1628.1	1676.7	1555.2	1628.1
19	Sodium	mg/l	8473.0	10386.0	9131.0	8526.0
20	Potassium	mg/l	452.0	406.0	413.0	441.0
21	Iron	mg/l	BQL	BQL	0.24	BQL
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	0.28	BQL	0.40	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l)

## **8.2 Results & Discussion for Marine water samples**

Marine water quality of Deendayal Port Harbor waters, Khorī and Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The Heavy metal analyzed and mostly found below quantification limit.

### **pH**

During spring tide the pH values was ranged from 7.27-7.61 at DPA Kandla and 7.22-7.43 at Vadinar while during Neap Tide pH values was ranged from 7.21-7.55 at DPA Kandla and 7.29-7.41 at Vadinar.

### **Color and Odor**

All marine samples for Odor and Color were found agreeable at all sampling locations.

### **Turbidity**

During spring tide the Turbidity values was ranged from 31-48 NTU at DPA Kandla and 37-42 NTU at Vadinar while during Neap Tide Turbidity values was ranged from 35-45 NTU at DPA Kandla and 37-42 NTU at Vadinar. Turbidity is the amount of particulate matter that is suspended in water. Turbidity measures the scattering effect that suspended solids have on light: the higher the intensity of scattered light, the higher the turbidity (Yap et al, 2011). Materials that cause water to be turbid include clay, silt, finely divided organic and inorganic matter, soluble colored organic compounds, plankton and microscopic organisms (Lawler, 2004). The turbidity affects the amount of light penetrating to the plants for photosynthesis.

### **Total Dissolved Solids (TDS)**

TDS values in the studied area during Spring Tide varied between 28966- 39222 mg/l at DPA Kandla and 35265-39961 mg/l at Vadinar while during Neap Tide TDS values was varied 30473-37123 mg/l at DPA Kandla and 36325-42642 mg/l at Near Vadinar.

### **Calcium**

Calcium value in the studied area during Spring Tide varied between 440.9-681.4 mg/l at DPA Kandla and 400.8-601.2 mg/l at Vadinar while during Neap Tide calcium values between 481.0-721.4 mg/l at DPA Kandla and 481.0-681.4 mg/l at Vadinar.

### **Magnesium**

Magnesium value in the studied area during Spring Tide varied between 1506.6-1773.9 mg/l at DPA Kandla and 1603.8-1676.7 mg/l at Vadinar while during Neap Tide magnesium values between 1603.80-173.9 mg/l at DPA Kandla and 1555.2 -1749.60 at Vadinar. Calcium and magnesium both play an important role in antagonizing the toxic effects of various ions and neutralizing the excess acid produced (Narayan R. et. al., 2007)

### **Nitrate**

Nitrate value in the studied area during Spring Tide varied between 0.5-4.7 mg/l at DPA Kandla and 1.09-3.86 mg/l at Vadinar while during Neap Tide Nitrate values between 0.42-5.2 mg/l at DPA Kandla and 1.0-4.95 at Vadinar.

The variations were observed due to variation in phytoplankton excretion, oxidation of ammonia, reduction of nitrate and by recycling of nitrogen and bacterial decomposition of planktonic detritus (Asha and Diwakar, 2007).

### **Iron**

Iron values in the studied area during Spring Tide ranged from 0.33-0.47 mg/l at DPA Kandla and at Vadinar were BQL (<0.10 ) while during Neap Tide Iron values ranged from 0.17-1.76 mg/l at DPA Kandla and 0.24-0.31 mg/l at Vadinar.

### **Sulphates**

Sulphate values in the studied area during Spring Tide ranged from 3407-4222 mg/l at DPA Kandla and 3495-3796 mg/l at Vadinar while during Neap Tide the Sulphate values was varied 2981-4961 mg/l at DPA Kandla and 3645-4008mg/l at Vadinar.

### **Salinity**

Salinity values in the studied area during Spring Tide varied ranged 18.11 to 20.82 ‰ at DPA Kandla and 17.65 to 20.82 ‰ at Vadinar while during Neap Tide the Salinity values was varied 17.65 to 20.82 ‰ at DPA Kandla and 18.55 to 19.92 ‰ at Vadinar.

### **Sodium and Potassium Salts**

During Spring Tide the Sodium values ranged from 8011-9380 mg/l at DPA Kandla & 7368-10386 mg/l at Vadinar and Potassium salts ranged from 299-427 mg/l at DPA Kandla & 354-452 mg/l at Vadinar while during Neap Tide the Sodium values was ranges from 7939-



9814 mg/l at DPA Kandla & 7810-9131 mg/l at Vadinar and Potassium salts ranged from 370-427 mg/l at DPA Kandla & 413-456 mg/l at Vadinar.

## **DO**

The DO refers to the amount of oxygen dissolved in the water and it is particularly important in limnology {(aquatic ecology) (Weiss 1970)}. The fate and behavior of DO is of critical importance to marine organisms in determining the severity of adverse impacts (Best et al. 2007). The major factor controlling dissolved oxygen concentration is biological activity: photosynthesis producing oxygen while respiration and nitrification consume oxygen (Best et al. 2007). From the studied samples, DO in marine water during Spring Tide was found in ranges from 5.6-8.1 mg/l at DPA Kandla and 5.4-6.1 mg/l at Vadinar while during Neap Tide 5.2-7.3 mg/l at DPA Kandla and 5.6-6.3 mg/l at Vadinar.

## **BOD**

BOD in marine water at all sampling location in the studied samples were found BQL (<2.0 mg/l).

## **Heavy Metals in Marine Water**

In the present study period marine water samples were analyzed for Cr, Cu, Cd, As, Hg, Pb and Zn. Maximum heavy metals parameters were well Below the Quantification limits.

## **9.3 Conclusion**

In the present study period marine water samples were analyzed and found inline as per Primary Water Quality criteria for class-IV WATERS (For Harbour Waters).

## CHAPTER-9

### MARINE SEDIMENT MONITORING

## 9.0 Marine Sediments

The deep-sea ocean floor is made up of sediment. This sediment is composed of tiny particles such as fine sand, silt, clay, or animal skeletons that have settled on the ocean bottom. Over long periods of time, some of these particles become compressed and form stratified layers. Scientists that study these layers look at particle size, particle composition, and origin to help them create historical records of the deep ocean floor. This process is called weathering. Weathering can be either mechanical or chemical. Mechanical weathering can occur as ice, wind, or water wears away the rock's surface. Chemical weathering can occur as rocks are dissolved by a chemical such as acid rain. The particles created as a result of weathering are called terrigenous sediments. These particles are transported to the ocean by wind and by rivers and streams. Once the particles enter the ocean, they are dispersed by waves, currents, and tides. The heaviest and largest particles that reach the oceans, such as sand, settle very quickly to the bottom as a result of gravity. Sand is deposited near the coast whereas the smaller silt and clay particles are transported farther distances offshore before they settle to the bottom. Sediments are an important component of aquatic ecosystems because they provide nutrients and habitat for aquatic organisms (Benhamed et al. 2016). However, human activities result in accumulation of toxic substances such as heavy metals in marine sediments. Heavy metals are well-known environmental pollutants due to their toxicity, persistence in the environment, and bioaccumulation. Metals affect the ecosystem because they are not removed from water by self-purification, but accumulate in sediments and enter the food chain (Astakhov et al. 2015).

Sediment samples were collected with Van Veen Grab from the six locations in Kandla Port Waters and two locations in Vadinar Port. Benthic surface grab samplers look like giant metal jaws. They dig into the bottom and take a bite of the sediment. These samplers are good for collecting softer, sandy or silty sediments that do not contain rocks. A box corer is a cross between a surface sampler and a sediment corer. It is a special device that is used to collect an undisturbed sample of the very top surface layers and the sediment underneath. Samples were collected and preserved in silver foil in ice box to prevent the contamination/decaying of the samples.

## 10.1 Results

The Sediment Quality results are given in below from table no. 43 & 44.

**Table 43: Results of Analysis of Sediment of Kandla & Vadinar Port (Neap Tide)**

Sr. No.	Parameters	Unit	DPA – 1	DPA - 2	DPA - 3	DPA - 4	DPA - 5	Jetty	SPM
1	Texture	-	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
2	Organic Matter	mg/kg	1.32	0.6	0.1	0.1	0.16	1.14	1.59
3	Organic Carbon	mg/kg	0.76	0.35	0.07	0.06	0.09	0.66	0.91
4	Inorganic Phosphate	mg/kg	89.00	90.00	101.00	92.00	100.00	90.00	100.00
5	Moisture	%	3.90	2.37	4.12	3.00	4.10	3.40	4.00
6	Aluminum	mg/kg	ND	ND	ND	ND	ND	ND	ND
7	Silica	mg/kg	7.30	7.68	8.90	9.30	9.10	8.90	9.60
8	Phosphate	mg/kg	5.20	4.99	4.09	5.25	9.00	3.28	10.40
9	Sulphate	mg/kg	759.00	849.00	555.00	496.00	768.00	732.00	496.00
10	Nitrite	mg/kg	0.11	0.11	0.10	0.10	0.12	0.10	0.11
11	Nitrate	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
12	Calcium	mg/kg	2765.00	1523.00	861.00	961.00	981.00	1162.00	2485.00
13	Magnesium	mg/kg	1372.00	1300.00	1020.00	1263.00	1032.00	1089.00	2065.00
14	Sodium	mg/kg	2410.0	2760.0	2644.0	2940.0	2722.0	1394.00	1082.00
15	Potassium	mg/kg	404.00	459.00	390.00	510.00	447.00	811.0	560.0
16	Chromium	mg/kg	61.30	71.90	66.00	53.30	56.40	42.80	49.70
17	Nickel	mg/kg	26.80	31.70	29.00	23.00	24.10	13.80	29.20
18	Copper	mg/kg	17.40	19.40	17.80	15.50	15.80	13.80	47.10
19	Zinc	mg/kg	43.40	55.80	49.80	41.80	46.00	32.00	64.30
20	Cadmium	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
21	Lead	mg/kg	5.20	6.20	5.70	9.80	8.40	12.00	BQL
22	Mercury	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
23	Arsenic	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL

\*ND - Not Detected, BQL: Below Quantification Limit (NO3:10.0mg/kg, Cd: 1.0mg/kg, Hg: 1.0mg/kg, As: 1.0mg/kg).

**Table 44 : Results of Analysis of Sediment of Kandla & Vadinar Port (Spring Tide)**

Sr. No.	Parameters	Unit	DPA – 1	DPA - 2	DPA - 3	DPA - 4	DPA - 5	Jetty	SPM
1	Texture	-	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
2	Organic Matter	mg/kg	0.91	0.50	1.52	0.37	0.27	1.45	1.68
3	Organic Carbon	mg/kg	0.52	0.29	0.87	0.21	0.15	0.83	0.97
4	Inorganic Phosphate	mg/kg	98.00	90.00	80.00	78.00	100.00	88.00	90.00
5	Moisture	%	17.00	8.70	15.00	6.60	4.80	14.24	13.14
6	Aluminum	mg/kg	ND	ND	ND	ND	ND	ND	ND
7	Silica	mg/kg	7.20	8.26	9.02	5.50	7.80	9.20	10.02
8	Phosphate	mg/kg	7.87	9.29	6.16	5.75	9.49	11.61	10.80
9	Sulphate	mg/kg	745.00	862.00	585.00	490.00	510.00	590.00	396.00
10	Nitrite	mg/kg	0.11	0.12	0.12	0.11	0.10	0.10	0.11
11	Nitrate	mg/kg	BQL	BQL	12.00	16.6	26.2	BQL	BQL
12	Calcium	mg/kg	1723.00	1057.00	1320.00	1220.00	1390.00	1907.00	1643.00
13	Magnesium	mg/kg	1044.00	716.00	1090.00	690.00	896.00	1563.00	2320.00
14	Sodium	mg/kg	2733.00	2720.00	2578.00	2107.00	1558.00	1042.00	952.00
15	Potassium	mg/kg	302.00	332.00	378.0	357.0	87.8	384.00	325.00
16	Chromium	mg/kg	38.00	24.40	51.70	16.10	60.00	48.90	69.20
17	Nickel	mg/kg	15.60	9.50	21.70	6.00	24.70	19.70	28.30
18	Copper	mg/kg	7.80	BQL	11.30	31.40	16.40	12.10	19.90
19	Zinc	mg/kg	30.10	21.90	35.70	13.70	44.90	31.50	51.90
20	Cadmium	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
21	Lead	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
22	Mercury	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL
23	Arsenic	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL

\*ND - Not Detected, BQL: Below Quantification Limit (NO<sub>3</sub>:10.0 mg/kg, Cd: 1.0 mg/kg, Hg: 1.0mg/kg, As: 1.0mg/kg)

## **9.2 Discussion of Marine Sediment samples**

Marine Sediments of Deendayal Port Harbor waters, Khorī and Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The Heavy metal analyzed and found below quantification limit.

## **9.3 Conclusion**

The sediment types are majority Sandy loamy. Also maximum heavy metals parameters found below Quantification limit wise, Pb, Cd, Hg, As, Al was not Detected and Nitrate for some locations.

## CHAPTER-11

### MARINE ECOLOGICAL MONITORING

## 10.0 INTRODUCTION:

### 10.1 Sampling Stations:

The monitoring of marine environment for the study of biological and ecological Parameters was carried out on 01<sup>st</sup> November 2022 in harbour region of DPA at Kandla Creek, and on 02<sup>nd</sup> November 2022 in creeks near by the port during Neap tide. The monitoring of marine environment for the study of biological and ecological parameters was repeated again on 08<sup>th</sup> November, 2022 in harbour region of DPA at Kandla Creek and on 09<sup>th</sup> November, 2022 in creeks near by the port during spring tidal condition.

Plankton samples from sub surface layer was collected both during high tide period and low tide period from 3 water quality monitoring stations of DPA harbour area and two stations in Nakti creek and one station in Khori creek. Sampling at second sampling station of Nakti creek was possible only during high tide period.

Plankton samples from sub surface layer were collected during high tide period and low tide period from monitoring station near Vadinar Jetty at Path Finder Creek during Neap tide on 01/11/2022 and Spring tide period on 08/11/2022. Collected water samples were processed for estimation of Chlorophyll- a, Pheophytin- a, qualitative and quantitative evaluation of phytoplankton, qualitative and quantitative evaluation of zoo plankton density and their population.

**TABLE 43. SAMPLING LOCATIONS**

monitoring requirement	Number of locations
Kandla creek	3 in Kandla creek
Nakti creek	2 in Nakti creek
Khori Creek	1 in Khori creek
Vadinar jetty	1 near Vadinar Jetty
SPM	1 near I <sup>st</sup> SPM
<b>Total Number of locations</b>	<b>8</b>

#### Sampling methodology adopted:

A marine sampling is an estimation of the body of information in the population. The theory of the sampling design is depending upon the underlying frequency distribution of the population of interest. The requirement for useful water sampling is to collect a representative sample of suitable volume from the specified depth and retain it free from contamination during retrieval.



50 litres of the water sample were collected from Sub surface by using bucket. From the collected water sample 1 litres of water sample was taken in an opaque plastic bottle for chlorophyll estimation, thereafter plankton samples were collected by using filtration assembly with Nylobolt cloth of 20µm mesh size. . During low tide DPA-6 Nakti-II location monitoring was not possible due to non-availability of marine water.

#### **Samples Processing for chlorophyll estimation:**

Samples for chlorophyll estimation were preserved in ice box on board in darkness to avoid degradation in opaque container covered with aluminium foil. Immediately after reaching the shore after sampling, 1 litre of collected water sample was filtered through GF/F filters (pore size 0.45 µm) by using vacuum filtration assembly. After vacuum filtration the glass micro fiber filter paper was grunted in tissue grinder, macerating of glass fiber filter paper along with the filtrate was done in 90% aqueous Acetone in the glass tissue grinder with glass grinding tube. Glass fiber filter paper will assist breaking the cell during grinding and chlorophyll content was extracted with 10 ml of 90% Acetone, under cold dark conditions along with saturated magnesium carbonate solution in glass screw cap tubes. After an extraction period of 24 hours, the samples were transferred to calibrated centrifuge tubes and adjusted the volume to original volume with 90% aqueous acetone solution to make up the evaporation loss. The extract was clarified by using centrifuge in closed tubes. The clarified extracts were then decanted in clean cuvette and optical density was observed at wavelength 664, 665 nm. By using corrected optical density, Chlorophyll-a value was calculated as given in (APHA, 2017).

#### **PLANKTON:**

The entire area open water in the sea is the pelagic realm. Pelagic organisms live in the open sea. In contrast to the pelagic realm, the benthic realm comprises organisms and zone of the bottom of the sea. Vertically the pelagic realm can be dividing into two zones based on light penetration; upper photic or euphotic zone and lower dark water mass, aphotic zone below the photic zone.

The term plankton is a general term for organisms which have such limited powers of locomotion that they are at the mercy of the prevailing water movement. Plankton is subdivided to phytoplankton and zooplankton. Phytoplanktons are free floating organisms that are capable of photosynthesis and zooplankton is the various free-floating animals.

Pelagic zone, represents the entire ocean water column from the surface to the deepest depths, is home to a diverse community of organisms. Differences in their locomotive ability categorize the organisms in the pelagic realm into two, *plankton* and *nekton* (Lalli and Parsons, 1997). *Plankton* consists of all organisms drifting in the water and is unable to swim against water currents, whereas *Nekton* includes organisms having strong locomotive power. Ecological studies on the plankton community, which form the base of the aquatic food chain, help in the better understanding of the dynamics and

functioning of the marine ecosystem. The term 'Plankton' first coined by Victor Hensen (1887), Plankton, (Greek word: *planktos* meaning "passively drifting or wandering") is defined as drifting or free-floating organisms that inhabit the pelagic zone of water. Based on their mode of nutrition planktonic organisms are categorised into phytoplankton (organisms having an autotrophic mode of nutrition) and zooplankton (organisms having a heterotrophic mode of nutrition).

#### **Phytoplankton in the marine environment:**

Phytoplanktons are free floating unicellular, filamentous and colonial eutrophic organisms that grow in aquatic environments whose movement is more or less dependent upon water currents. These micro flora acts as primary producers as well as the basis of food chain, source of protein, bio-purifier and bio-indicators of the aquatic ecosystems of which diverse array of the life depends .They are considered as an important component of aquatic flora, play a key role in maintaining equilibrium between abiotic and biotic components of aquatic ecosystem.

The phytoplankton includes a wide range of photosynthetic and phototrophic organisms. Marine phytoplankton is mostly microscopic and unicellular floating flora, which are the primary producers that support the pelagic food-chain. The two most prominent groups of phytoplankton are Diatoms (Bacillariophyceae) and Dinoflagellates (Dinophyceae). The phytoplankton those normally captured in the net from the Gulf of Kutch is normally dominated by these two major groups; Diatoms and Dinoflagellates. Phytoplankton also include numerous and diverse collection of extremely small, motile algae which are termed micro flagellates (naked flagellates) as well as and Cyanophytes (Blue-green algae).

Algae are an ecologically important group in most aquatic ecosystems and have been an important component of biological monitoring programs. Algae are ideally suited for water quality assessment because they have rapid reproduction rates and very short life cycles, making them valuable indicators of short-term impacts.

Aquatic populations are impacted by anthropogenic stress, resulting in a variety of alterations in the biological integrity of aquatic systems. Algae can serve as an indicator of the degree of deterioration of water quality, and many algal indicators have been used to assess environmental status.

#### **Zooplankton in the marine environment:**

Zooplankton includes a taxonomically and morphologically diverse community of heterotrophic organisms that drift in the waters of the world's oceans. Qualitative and quantitative studies on zooplankton community are a prerequisite to delineate the ecological processes active in the marine ecosystem. Zooplankton community plays a pivotal role in the pelagic food web as the primary consumers of phytoplankton and act as the food source for organisms in the higher trophic levels, particularly the economically essential groups such as fish larvae and fishes. They also function in the cycling of elements in the marine ecosystem. The dynamics of the zooplankton community, their reproduction, and growth and survival rate are all significant factors determining the recruitment and

abundance of fish stocks as they form an essential food for larval, juvenile and adult fishes (Beaugrand et al., 2004). Zooplankton grazing in the marine environment controls the primary Production and helps in determining the pelagic ecosystem (Banse, 1995). Through grazing in surface waters and following the production of sinking faecal matters and also by the active transportation of dissolved and particulate matter to deeper waters via vertical migration, they help in the transport of organic carbon to deep ocean layers and thus act as key drivers of 'biological pump' in the marine ecosystem. Zooplankton grazing and metabolism also, transform particulate organic matter into dissolved forms, promoting primary producer community, microbial demineralization, and particle export to the ocean's interior.

The categorisation of zooplankton into various ecological groups is based on several factors such as duration of planktonic life, size, food preferences and habitat. As they vary significantly in size from microscopic to metazoic forms, the classification of zooplankton based on size has paramount importance in the field of quantitative plankton research.

Based on the duration of planktonic life, zooplankton are categorised into Holoplankton (organisms which complete their entire lifecycle as plankton) and Meroplankton (organisms which are planktonic during the early part of their lives such as the larval stages of benthic and nektonic organisms). Tychoplankton are organisms which live a brief planktonic life, such as the benthic crustaceans (Cumaceans, mysids, isopods) which ascend to the water column at night for feeding and certain ectoparasitic copepods, they leave the host and spend their life as plankton during their breeding cycle.


Zooplankton can be subdivided into holoplankton, i.e., permanent members of the plankton (e.g., Calanoid copepods), and meroplankton, i.e., temporary members in the plankton e.g., larvae of fish, shrimp, and crab). The meroplankton group consists of larval and young stages of animals that will adopt a different lifestyle once they mature. In contrast to phytoplankton which consist of a relatively smaller variety of organisms, Zooplankton are extremely divers, consist of a host of larval and adult forms representing many animal phylum.

Among the zooplankton one group always dominate than others; members of sub class copepods (Phylum Athropoda) and Tintinids (Phylum Protozoa) among the net planktons. These small animals are of vital importance in marine ecosystem as one of the primary herbivores animals in the sea, and it is they provide vital link between primary producer (autotrophs) and numerous small and large marine consumers.

As their community structure and function are highly susceptible to changes in the environmental conditions regular monitoring of their distribution as well as their interactions with various physicochemical parameters is inevitable for the sustainable management of the ecosystem (Kusum et al., 2014). Of all the marine zooplankton groups, copepods mainly Calanoid copepods are the

dominant groups in marine subtropical and tropical waters and exhibit considerable diversity in morphology and habitats they occupy (Madhupratap, 1991 ;)

It has been well established that potential of pelagic fishes viz. finfishes, crustaceans, molluscs and marine mammals either directly or indirectly depend on zooplankton. The herbivorous zooplanktons are efficient grazers of the phytoplankton and are referred to as living machines transforming plant material into animal tissue. Hence they play an essential role as the intermediaries for nutrients/energy transfer between primary and tertiary trophic levels. Due to their large density, shorter lifespan, drifting nature, high group/species diversity and different tolerance to the stress, they used as the indicator organisms for the physical, chemical and biological processes in the aquatic ecosystem (Ghajibhiye, 2002).



### Spatial distribution of Plankton:

A characteristic of plankton population is that they tend to occur in patches, which are varying spatially on a scale of few meters to far as few kilo metres in distance. They also vary in time scale, season as well as vertically in the water column. It is this patchiness and its constant changes in time and spot, that has made it so difficult for plankton biologist to learn about the ecology of plankton. The biological factors that causes this patchiness is due to the ability of zooplankton to migrate vertically and graze out the phytoplankton at a rapid rate that can create patchiness. Similarly the active swimming ability by certain zooplankton organisms can cause to aggregate in dense group.

DCPL/DPA/21-22/31– November-2022

At its most extreme, because the water in which plankton is suspended is constantly moving, each sample taken by the plankton biologists remain a different volume of water, so each sample is unique and replicate does not exist.

Plankton in the month of November also exhibit vertical patchiness. Physical factors contribute to this type of patchiness include light intensity, nutrients and density gradients in the water column.

Phytoplankton in particular tends to be unequally distributed vertically, which leads to the existence of different concentration of a chlorophyll value between photic zone and below the photic zone.

#### **Methodology adopted for Plankton sampling:**

##### **Preservation and storage:**

Both filtered plankton and those collected from the plankton net were preserved with 5% buffered formalin and stored in 1L plastic container for further processing in the laboratory.

##### **Sample concentration:**

The collected plankton samples were concentrated by using centrifuge and made up to 50 ml with 5% formalin -Glycerine mixture.

##### **Taxonomic evaluation:**

Before processing, the sample was mixed carefully and a subsample was taken with a calibrated Stempel-pipette. 1 ml of the concentrated plankton samples were transferred on a glass slide with automatic pipette. The plankton sample on the glass slides were stained by using Lugol's iodine and added glycerin to avoid drying while observation. The plankton samples were identified by using Labex triangular Research microscope with photographic attachment. Microphotographs of the plankton samples were taken for record as well as for confirming the identification. The bigger sized zooplankton was observed through dissecting stereomicroscope with magnification of 20-30 x. Plankton organisms in the whole slide were identified to the lowest taxon possible. A thorough literature search was conducted for the identification of the different groups of phytoplankton and zooplankton that were encountered

##### **Cell counts by drop count method:**

The common glass slide mounted with a 1ml of concentrated phytoplankton/zooplankton sample in glycerol and covered with cover slip 22 mm x 60 mm was placed under the compound microscope provided with a mechanical stage. The plankton was then counted from the microscopic field of the left top corner of the slide. Then slide is moved horizontally along the right side and plankton in each microscopic field was thus counted. When first microscopic field row was finished the next consecutive row was adjusted using the mechanical device of the stage. In this way all the plankton present in entire microscopic field are counted. From this total number in 1ml of the concentrated plankton, total amount of phytoplankton in the original volume of sample filtered was calculated as units/L and Zooplankton as  $N/m^3$ .

### **BENTHIC ORGANISMS:**

Benthos is those organisms that are associated with the sea bed or benthic habitats. Epi- benthic organisms live attached to a hard substratum or rooted to a shallow depth below the surface. In fauna organisms live below the sediment–water interface. Interstitial organisms live and move in pore water among sedimentary grains.

Because the benthic organisms are often collected and separated on sieves, a classification based on the overall size is used. Macro benthos include organisms whose shortest dimension is greater than or equal to 0.5 mm. Meio benthos are smaller than 0.5mm but larger than 42 $\mu$  in size.

The terms such as macro fauna and Meio fauna generally have little relevance with taxonomic classification. The terms Meio fauna and macro fauna depend on the size. Meio fauna were considered as good bioassay of community health and rather sensitive indicators of environmental changes

### **SAMPLING METHODOLOGY ADOPTED FOR SUB TIDAL REGION:**

Van veen sampler (0.09m<sup>2</sup>) was used for sampling bottom sediments. Two sets of sediments were sampled from each location, one for macro fauna and other for Meio fauna. The macro fauna in the sediments were sieved on board to separate out the organisms. The fixation of Meio fauna is normally done by bulk fixation of the sediment sample. The bulk fixation is done by using 10% formalin (Buffered with borate). The organisms were preserved with seawater as diluting agent.

#### **Sample sieving:**

Sediments samples were sieved to extract the organisms. Sieving was performed carefully as possible to avoid any damage to the animals. The large portion of the sediment was split in to smaller portions and mixed with sea water in a bucket. The cohesive lumps were broken down by continuous stirring. The disaggregated sediments were then passed through the sieves.

#### **Sample staining:**

Sorting of the Meio fauna from the sieve is difficult task especially in the preserved material, because organisms are not easily detectable. To facilitate the animal detection the entire sample retained on the sieve after sieving operation were stained by immersing the sieve in a flat bottom tub with 1% Rose Bengal stain; a protein stain. A staining period of 10-30 minutes is sufficient for sample detection.

### **DIVERSITY INDICES:**

On the whole, diversity indices provide more information about community composition than simply species richness (number of species present); they also, take the relative abundances of different species into account. Based on this fact, diversity indices therefore depend not only on species richness but on the evenness, or equitability, with which individuals are distributed among the different species (Magurram, A. E. (1988))

A diversity index is a measure of species diversity within a community that consists of co-occurring populations of several (two or more) different species. It includes two components: richness and evenness. Richness is the measure of the number of different species within a sample showing that more the types of species in a community, the higher is the diversity or greater is the richness. Evenness is the measure of relative abundance of the different species within a community.

The basic idea of diversity index is to obtain a quantitative estimate of biological variability that can be used to compare biological entities composed of discrete components in space and time (Carol H. R. *et al.* 1998). Biodiversity is commonly expressed through indices based on species richness and species abundances (Whittaker 1972, Lande 1996, Purvis and Hector 2000). Biodiversity indices are a non-parametric tool used to describe the relationship between species number and abundance. The most widely used bio diversity indices are Shannon Weiner index and Simpson's index.

A diversity Index is a single statistic that incorporates information on richness and evenness. Any study intended to interpret causes and effect of adverse impact on Biodiversity of communities require suitable measures to evaluate specie richness and Diversity. The former is number of species in community, while latter is a function of relative frequency of different species. Species richness is the iconic measure of biological diversity (Magurran, 2004). Several indices have been created to measure the diversity of species; however, the most widely used in the last decades are the Shannon (1948) and Simpson (1949) (Buzas and Hayek 1996; Gorelick 2006), with the components of diversity: richness ( $S$ ) and evenness ( $J$ )

### **Simpson's diversity index**

Simpson's index ( $D$ ) is a measure of diversity, which takes into account both species richness, and evenness of abundance among the species present. The Simpson index is one of the meaningful and robust biodiversity measures available. (Magurran, 2004).

The formula for calculating  $D$  is presented as:

$$D = \frac{\sum n_i(n_i - 1)}{N(N - 1)}$$

Where  $n_i$  = the total number of organisms of each individual species

$N$  = the total number of organisms of all species

The value of  $D$  ranges from 0 to 1. With this index, 0 represents infinite diversity and, 1, no diversity. When  $D$  increases diversity decreases. Simpson's index is therefore usually expressed as  $1-D$  or  $1/D$ . (Magurran, 2004)

Low species diversity suggests:

- relatively few successful species in the habitat
- the environment is quite stressful with relatively few ecological niches and only a few organisms are really well adapted to that environment



- food webs which are relatively simple
- change in the environment would probably have quite serious effects

High species diversity suggests:

- a greater number of successful species and a more stable ecosystem
- more ecological niches are available and the environment is less likely to be hostile complex food webs
- environmental change is less likely to be damaging to the ecosystem as a whole

### **Species richness indices**

The species richness( $S$ ) is simply the number of species present in an ecosystem. Species richness Indices of species richness are widely used to quantify or monitor the effects of anthropogenic disturbance. A decline in species richness in may be concomitant with severe or chronic human-induced perturbation (Fair Fair weather 1990) Species richness measures have traditionally been the mainstay in assessing the effects of environmental degradation on the biodiversity of natural assemblages of organisms (Clarke & Warwick, 2001)

Species richness is the iconic measure of biological diversity (Magurran, 2004). The species richness( $S$ ) is simply the number of species present in an ecosystem. This index makes no use of relative abundances. The term species richness was coined by Mc Intosh (1967) and oldest and most intuitive measure of biological diversity (Magurran, 2004).

Margalef's diversity index is a species richness index. Margalef's Species richness index ( $d$ ), or indices that describe the evenness of the distribution of the numbers of individuals among species, were derived.

The value of a diversity index increases both when the number of types increases and when evenness increases. For a given number of types, the value of diversity index is maximised when all types are equally abundant [Rosenzweig, M. L. (1995)]

### **Shannon-Wiener's index:**

An index of diversity commonly used in plankton community analyses is the Shannon-Wiener's index ( $H$ ), which emphasizes not only the number of species (richness or variety), but also the apportionment of the numbers of individuals among the species (Odum 1971 and Reish 1984). Shannon-Wiener's index ( $H$ ) reproduces community parameters to a single number by using an equation.

Shannon and Weiner index represents entropy. It is a diversity index taking into account the number of individuals as well as the number of taxon. It varies from 0 for communities with only single taxa to high values for community with many taxon each with few individuals. This index can also determine the pollution status of a water body. Normal values range from 0 to 4. This index is a combination of species present and the evenness of the species. Examining the diversity in the range



of polluted and unpolluted ecosystems, Wilham and Dorris (1968) concluded that the values of the index greater than

3 indicate clean water, values in the range of 1 to 3 are characterized by moderate pollution and values less than 1 are characterized as heavily polluted

#### 10.2:- RESULTS:

##### CHLOROPHYLL-a:

$$H' = - \sum_{j=1}^s \frac{n_j}{N} \ln \left( \frac{n_j}{N} \right)$$

In the sub surface water chlorophyll-a was varying from 0.472-0.969 mg/m<sup>3</sup> with an average value 0.645 mg/m<sup>3</sup> in harbour region of DPA in Kandla Creek during sampling done in spring tide period of November 2022. In the nearby creeks chlorophyll-a was varying from 0.359-0.717 mg/m<sup>3</sup> with an average value 0.552 mg/m<sup>3</sup> Pheophytin –a level was below detectable limit- the all the sampling stations during springtide. Even though the plankton diversity and abundance were more during the spring tide sampling, the chlorophyll-content was detected lesser than expected because, the phytoplankton communities were mainly represented by diatoms *Skeletonema* sp. *Coscinodiscus* sp. and *Chaetoceros* sp.

In the sub surface water chlorophyll-a was varying from 0.338-0.547 mg/m<sup>3</sup> with an average value 0.437 mg/m<sup>3</sup> in harbour region of DPA in Kandla Creek during sampling done in Neap tide period of November 2022. In the nearby creeks chlorophyll-a was varying from 0.205- 0.440mg/m<sup>3</sup> with an average value 0.370 mg/m<sup>3</sup>. Pheophytin–a level was below detectable limit- the all the sampling stations. During neap tide sampling phytoplankton communities were mainly represented by *Coscinodiscus* sp. and *Ditylum* sp.

In the sub surface water chlorophyll-a was varying from 0.598-0.968 mg/m<sup>3</sup> in harbour region of DPA OOT in path finder Creek during sampling done in spring tide period of November 2022. In the sub surface water chlorophyll-a was varying from 0.709 - 0.987mg/m<sup>3</sup> in harbour region of DPA OOT in path finder Creek during sampling done in Neap Tide period of November 2022

**TABLE:-45 VARIATIONS IN CHLOROPHYLL-a PHEOPHYTIN-a AND ALGAL BIOMASS FROM SAMPLING STATIONS IN DPA HARBOUR AREA IN KANDLA CREEK ,NEAR BY CREEKS AND DPA OOT JETTY IN PATH FINDER CREEK AND SPM NEAR VADINAR DURING SPRING TIDE IN NOVEMBER 2022**

Sr. No.	Station	Tide	Chlorophyll-a (mg/m <sup>3</sup> )	Pheophytin- a (mg/m <sup>3</sup> )	Algal Biomass (Chlorophyll method) mg/m <sup>3</sup>
DPA HARBOUR AREA KANDLA CREEK					
1	KPT1	High tide	0.969	BDL	64.92
		Low tide	0.647	BDL	43.35
2	KPT 2	High tide	0.511	BDL	34.24
		Low tide	0.521	BDL	34.91
3	KPT 3	High tide	0.749	BDL	50.18
		Low tide	0.472	BDL	31.62
CREEKS					
4	KPT-4 Khor-I	High tide	0.638	BDL	42.75
		Low tide	0.359	BDL	24.05
5	KPT-5 Nakti-I	High tide	0.717	BDL	48.04
		Low tide	0.493	BDL	33.03
6	KPT-6 Nakti-II	High tide	ND	ND	ND
PATHFINDER CREEK VADINAR					
7	VADINAR-I jetty	High tide	0.968	BDL	64.86
8		Low tide	0.732	BDL	49.04
9	SPM	High tide	0.953	BDL	63.85
10		Low tide	0.598	BDL	

BDL: Below Detectable Limit., ND: Not detected

**TABLE:-46. VARIATIONS IN CHLOROPHYLL-a PHEOPHYTIN-a AND ALGAL BIOMASS FROM SAMPLING STATIONS IN DPA HARBOUR AREA, NEAR BY CREEKS AND DPA OOT JETTY IN PATH FINDER CREEK AND SPM NEAR VADINAR DURING NEAP TIDE IN NOVEMBER 2022**

Sr.No.	Station	Tide	Chlorophyll-a (mg/m <sup>3</sup> )	Pheophytin- a (mg/m <sup>3</sup> )	Algal Biomass (Chlorophyll method) mg/m <sup>3</sup>
DPA HARBOUR AREA KANDLA CREEK					
1	KPT1	High tide	0.547	BDL	
		Low tide	0.450	BDL	
2	KPT 2	High tide	0.338	BDL	
		Low tide	0.409	BDL	
3	KPT 3	High tide	0.354	BDL	
		Low tide	0.523	BDL	
CREEKS					
4	KPT-4 Khor-I	High tide	0.440	BDL	
		Low tide	0.408	BDL	
5	KPT-5 Nakti-I	High tide	0.205	BDL	
		Low tide	0.426	BDL	
6	KPT-6 Nakti-II	High tide	ND	ND	ND
PATHFINDER CREEK VADINAR					
7	VADINAR-I jetty	High tide	0.799	BDL	
8		Low tide	0.709	BDL	
9	SPM	High tide	0.857	BDL	
10		Low tide	0.987	BDL	

BDL: Below Detectable Limit. ND: Not detected

### PHYTOPLANKTON POPULATION:

For the evaluation of the Phytoplankton population in DPA harbour area and within the immediate surroundings of the port, sampling was conducted from 5 sampling locations (3 in harbour area and two in Nakti creek) during high tide period and low tide period of spring tide and neap tide.

The phytoplankton community of the sub surface water in the harbour and nearby creeks was represented by, Diatoms, blue green algae and Dinoflagellates during spring tide period. Diatoms were represented by 26 genera, Blue green algae were represented by 2 genera and Dinoflagellates were represented by 6 genera during the sampling conducted in spring tide in November, 2022. Phytoplankton of the sampling stations at sub surface layer in the harbour area and nearby creeks was varying from 39-243units/ L during high tide period and 115-199 units/L during low tide of Spring Tide. During spring tide sampling phytoplankton communities were dominated by *Skeletonema* sp almost forming a bloom in the Kandla creek and other nearby creek area and abundant population of *Coscinodiscus* sp. and *Chaetoceros* sp.

The phytoplankton community of the sub surface water in the harbour and nearby creeks was represented by Diatoms, Blue green algae and Dinoflagellates during Neap tide period. Diatoms were represented by 24 genera, Blue green algae were represented 2 genera and Dinoflagellates with 5 genera during the sampling conducted in Neap tide in November, 2022. Phytoplankton of the sampling stations at sub surface layer in the harbour area and nearby creeks was varying from 43-299 units/ L during high tide period and 143-193 units/L during low tide of Neap Tide. During Neap tide sampling phytoplankton communities were dominated by, *Ditylum* sp and *Coscinodiscus* sp.

For the evaluation of the Phytoplankton population in DPA OOT jetty area in Path Finder creek sampling was conducted from two sampling locations; Jetty area and SPM area during high tide period and low tide of spring tide and Neap tide period.

The phytoplankton community of the sub surface water in the path finder creeks was represented by Diatoms, Blue green algae and Dinoflagellates during spring tide period. Diatoms were represented by 25 genera, Blue Green algae by 5 genera and Dinoflagellates by 6 genera during the sampling conducted in spring tide in November, 2022. Phytoplankton of the sampling stations at sub surface path finder creek near OOT Jetty area was 209 units/L during high tide period and 177 units/L during low tide of Spring Tide. Phytoplankton of the sampling stations at sub surface layer in the SPM area was varying from 206 units/ L during high tide period and 131 units/ L during low tide of Spring Tide.

The phytoplankton community of the sub surface water in the path finder creeks was represented by Diatoms, Blue green and Dinoflagellates during Neap tide period. Diatoms were represented by 32 genera and Blue green algae by 4 genera and Dinoflagellates by 6 genera during the sampling conducted in Neap tide in November, 2022. Phytoplankton of the sampling stations at sub surface path finder creek near OOT Jetty was varying from 244units/ L during high tide period and 200

units/L during low tide of Neap Tide. Phytoplankton of the sampling stations at sub surface path finder creek near SPM area was varying from 259 units/L during high tide period and 294 units/L during low tide of Neap Tide.

#### **Species Richness Indices and Diversity Indices:**

##### **Margalef's diversity index (Species Richness)**

Margalef's diversity index (Species Richness) of phytoplankton communities in the Kandla creek and nearby creeks sampling stations was varying from 2.184- 4.688 with an average of 3.346 during the sampling conducted in High tide period of spring tide. While Margalef's diversity index (Species Richness) S of phytoplankton communities in the Kandla creek region and nearby creeks was varying from 1.963- 3.589 with an average of 2.835 during the consecutive low tide period.

Margalef's diversity index (Species Richness) of phytoplankton communities in the stations in Kandla creek and nearby creeks was varying from 2.393-4.279 with an average of 3.586 during the sampling conducted in High tide period of Neap tide. While Margalef's diversity index (Species Richness) of phytoplankton communities in the Kandla creek region and nearby creeks was varying from 2.821- 3.86 with an average of 3.357 during consecutive low tide.

Margalef's diversity index (Species Richness) S of phytoplankton communities in the stations was 4.867 at OOT jetty area and 4.129 at SPM area during the sampling conducted in High tide period of spring tide. While Margalef's diversity index (Species Richness) S of phytoplankton communities in the path finder creek near OOT jetty was 4.443 and 3.692 at SPM during the consecutive low tide period.

Margalef's diversity index (Species Richness) of phytoplankton communities in the stations was 4.73 at OOT jetty area and 4.139 at SPM area during the sampling conducted in High tide period of Neap tide. While Margalef's diversity index (Species Richness) of phytoplankton communities in the path finder creek near OOT jetty was 4.152 and SPM area was 5.454 during the consecutive low tide period.

##### **Shannon-Wiener's index:**

Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.786- 1.034 between selected sampling stations with an average value of 0.925 during high tide period of spring tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.790-0.915 between selected sampling stations with an average value of 0.855 during consecutive low tide at Kandla creek and nearby creeks.

Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.867–1.022 between selected sampling stations with an average value of 0.932 during high tide period of neap tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton

communities in the sampling stations was in the range of 0.926- 1.001 between selected sampling stations with an average value of 0.951 during consecutive low tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton communities in the stations was 1.037 at OOT jetty area and 0.946 at SPM area during the sampling conducted in High tide period of spring tide. While Shannon-Wiener's Index (H) of phytoplankton communities in the path finder creek near OOT jetty was 1.043 and 0.982 at SPM during the consecutive low tide period of spring tide.

Shannon-Wiener's Index (H) of phytoplankton communities in the stations was 0.998 at OOT jetty area and 1.035 at SPM area during the sampling conducted in High tide period of Neap tide. While Shannon-Wiener's Index (H) of phytoplankton communities in the path finder creek near OOT jetty was 0.942 and at SPM area was 1.036 during the consecutive low tide period.

Typical values are generally between 1.5 and 3.5 in most ecological studies, and the index is rarely greater than 4. The Shannon-Wiener's index increases as both the richness and the evenness of the community increase. This result indicates that diversity of phytoplankton of Kandla Harbour region and nearby creeks is less but with abundant population of few, with relatively few ecological niches and only very few opportunist organisms are really well adapted to this environment and thrive better than other species.

#### **Simpson's diversity index:**

Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks, which was varying from 0.778-0.851 between selected sampling stations with an average of 0.823 during high tide period of spring tide. Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks except few, which was varying from 0.787-0.842 between selected sampling stations with an average of 0.814 during consecutive low tide.

Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations except few in Kandla Harbour region and nearby creeks, during high tide period and low tide period during Neap tide also, which was varying from 0.813-0.874 with an average value of 0.847 between selected sampling stations during high tide period and 0.840-0.871 varying from with an average value of 0.858 between selected sampling stations during consecutive low tide period. Low species diversity suggests a relatively few successful species in this habitat.

Simpson diversity index (1-D) of phytoplankton communities in the stations was 0.863 at OOT jetty area and 0.820 at SPM area during the sampling conducted in High tide period of spring tide at Path finder creek. While Simpson diversity index (1-D) of phytoplankton communities in the path finder creek near OOT jetty was 0.876 and 0.867 at SPM during the consecutive low tide period in the path finder creek.

Simpson diversity index (1-D) of phytoplankton communities in the stations was 0.838 at OOT jetty area and 0.881 at SPM area during the sampling conducted in High tide period of Neap tide at Path

finder Creek. While Simpson diversity index (1-D) of phytoplankton communities in the path finder creek near OOT jetty was 0.832 and at SPM area was 0.867 during the consecutive low tide period.

**Table:-47 4PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND , NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% Of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	207	26/34	76.47	4.688	1.034	0.8511
	2	183	22/34	64.71	4.031	1.005	0.8437
	3	193	13/34	38.24	2.28	0.811	0.7778
	4	243	18/34	52.94	3.095	0.9391	0.8192
	5	193	21/34	61.76	3.8	0.9777	0.8281
	6	39	9/34	26.47	2.184	0.786	0.8178
LOW TIDE	1	178	14/34	41.18	2.509	0.8042	0.787
	2	199	20/34	58.82	3.589	0.8982	0.8075
	3	115	14/34	41.18	2.74	0.8696	0.8365
	4	154	18/34	52.94	3.375	0.915	0.8416
	5	163	11/34	32.35	1.963	0.7895	0.7957

**Table:-48 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	216	24/31	77.42	4.279	0.98	0.8568
	2	229	22/31	70.97	3.865	0.958	0.853
	3	228	22/31	70.97	3.868	1.022	0.8743
	4	299	23/31	74.19	3.859	0.8667	0.8127
	5	254	19/31	61.29	3.251	0.8929	0.8307
	6	43	10/31	32.26	2.393	0.8712	0.8571
LOW TIDE	1	183	18/31	58.06	3.263	0.9504	0.8636
	2	143	15/31	48.39	2.821	0.946	0.8666
	3	178	21/31	67.74	3.86	1.001	0.8708
	4	193	19/31	61.29	3.42	0.931	0.84
	5	193	19/31	61.29	3.42	0.9259	0.8469



**Table:-49 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND, NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	6	BLUE GREEN ALGAE	0-8	2/34	5.88
			DIATOMS	38-238	26/34	76.47
			DINOFLAGELLATES	0-11	6/34	17.65
			TOTAL PHYTO PLANKTON	<b>39-243</b>	<b>34</b>	
LOW TIDE	Sub surface	5	BLUE GREEN ALGAE	1-6	2/34	5.88
			DIATOMS	110-190	26/34	76.47
			DINOFLAGELLATES	1-7	6/34	17.65
			TOTAL PHYTO PLANKTON	<b>115-199</b>	<b>34</b>	

**TABLE:-50 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND, NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	6	BLUE GREEN ALGAE	0-6	2/31	6.45
			DIATOMS	43-293	24/31	77.42
			DINOFLAGELLATES	0-9	5/31	16.13
			TOTAL PHYTO PLANKTON	<b>43-299</b>	<b>31</b>	
LOW TIDE	Sub surface	5	BLUE GREEN ALGAE	2-6	2/31	6.45
			DIATOMS	133-186	24/31	77.42
			DINOFLAGELLATES	3-8	5/31	16.13
			TOTAL PHYTO PLANKTON	<b>143-193</b>	<b>31</b>	

**TABLE:-51 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	209	27/36	75.00	4.867	1.037	0.863
	SPM	206	23/36	63.89	4.129	0.946	0.820
LOW TIDE	Jetty	177	24/36	66.67	4.443	1.043	0.876
	SPM	131	19/36	52.78	3.692	0.982	0.867

**TABLE:-52 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	244	27/42	64.29	4.73	0.998	0.838
	SPM	259	24/42	57.14	4.139	1.035	0.881
LOW TIDE	Jetty	200	23/42	54.76	4.152	0.942	0.832
	SPM	294	32/42	76.19	5.454	1.036	0.867


**TABLE:-53 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPAOOT AT PATH FINDER CREEK, VADINAR & NEAR BY SPM, DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	BLUE GREEN ALGAE	14-20	5/36	13.89
			DIATOMS	180-192	25/36	69.44
			DINOFLAGELLATES	3-6	6/36	16.67
			TOTAL PHYTO PLANKTON	206-209	36	
LOW TIDE	Sub surface	2	BLUE GREEN ALGAE	12-19	5/36	13.89
			DIATOMS	118-156	25/36	69.44
			DINOFLAGELLATES	1-2	6/36	16.67
			TOTAL PHYTO PLANKTON	131-177	36	


**Table:- 54 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	2	BLUE GREEN ALGAE	5-7	4/42	9.52
			DIATOMS	238-248	32/42	76.19
			DINOFLAGELLATES	1-4	6/42	14.29
			TOTAL PHYTO PLANKTON	<b>244-259</b>		
LOW TIDE	Sub surface	2	BLUE GREEN ALGAE	4-8	4/42	9.52
			DIATOMS	194-282	32/42	76.19
			DINOFLAGELLATES	2-4	6/42	14.29
			TOTAL PHYTO PLANKTON	<b>200-294</b>		


**Species Composition % of Phytoplankton during High tide and Low tide period during spring tide in Kandla creek and nearby creeks**




**Species Composition % of Phytoplankton during High tide and Low tide period during Neap tide in Kandla creek and nearby creeks**



**Species Composition % of Phytoplankton during High tide and Low tide period during spring tide in Path Finder Creek, Vadinar**



**Species Composition % of Phytoplankton during High tide and Low tide period during Neap tide in Path Finder Creek, Vadinar**



### **ZOOPLANKTON POPULATION:**

For the evaluation of the Zooplankton population in DPA harbour area and within the immediate surroundings of the port sampling was conducted from 6 sampling locations (3 in harbour area and two in Nakti creek and one in Khoricreek) during high tide period and low tide period of spring tide and Neap tide in November, 2022. The Zooplankton community of the sub surface water in the harbour and nearby creeks during spring tide was represented by mainly six groups; Tintinnids, Copepods, Arrow worms, Mysids, Urochordata, Ciliates and 8 larval forms. The Zooplankton community of the sub surface water in the harbour and nearby creeks during neap tide was represented by mainly six groups; Tintinnids, Copepods, Arrow worms, Mysids, Urochordata, Ciliates and 6 larval forms.

Zooplankton of the sampling stations at sub surface layer in the DPA harbour area and nearby creek was varying from  $25-128 \times 10^3 \text{ N/m}^3$  during high tide and  $103-144 \times 10^3 \text{ N/m}^3$  during low tide of Spring Tide period. Zooplankton of the sampling stations at sub surface layer in the DPA harbour area and nearby creek was varying from  $19-114 \times 10^3 \text{ N/m}^3$  during high tide and  $76-106 \times 10^3 \text{ N/m}^3$  during low tide of Neap Tide period.

For the evaluation of the Zooplankton population in DPA OOT jetty area in Path Finder creek and SPM in Vadinar selected 2 sampling locations (1 in jetty area and one near SPM).

During spring tide sampling plankton sample were collected at Jetty area and near SPM during consecutive high tide period and low tide period. During Neap tide sampling Plankton samples were collected from jetty area and SPM during consecutive high tide period and low tide period.

The Zooplankton community of the sub surface water in the path finder creek during spring tide was represented by mainly four groups Tintinnids, Copepods, Urochordata, Ciliates and 4 larval forms. While the Zooplankton community of the sub surface water in the path Finder creeks at Jetty region and SPM during neap tide was represented by four groups, Tintinnids, Copepods, Arrow worms, Urochordata and 5 larval forms.

Zooplankton of the sampling stations at sub surface layer in the DPA OOT Jetty area of path finder creek was  $91 \times 10^3 \text{ N/m}^3$  during high tide and  $86 \times 10^3 \text{ N/m}^3$  during low tide of Spring Tide period. Zooplankton of the sampling stations at sub surface layer in the DPA SPM area of path finder creek was  $101 \times 10^3 \text{ N/m}^3$  during high tide and  $70 \times 10^3 \text{ N/m}^3$  during low tide of spring Tide period.

Zooplankton of the sampling stations at sub surface layer in the DPA OOT jetty area in path finder creek was recorded  $87 \times 10^3 \text{ N/m}^3$  during high tide and  $65 \times 10^3 \text{ N/m}^3$  during consecutive low tide period of Neap tide. Zooplankton of the sampling stations at sub surface layer in the DPASPM area in path finder creek was recorded  $64 \times 10^3 \text{ N/m}^3$  during high tide and  $87 \times 10^3 \text{ N/m}^3$  during consecutive low tide period of Neap Tide.

### **Species Richness Indices and Diversity Indices:**

#### **Margalef's diversity index (Species Richness)**

Margalef's diversity index (Species Richness) of Zooplankton communities in the stations Kandla creek region and nearby creeks was varying from 2.175- 5.186 with an average of 3.450 during the sampling conducted in High tide period. Margalef's diversity index (Species Richness) of Zooplankton communities varying from 2.373-3.823 with an average of 3.261 during the sampling conducted in low tide period during Spring tide.

Margalef's diversity index (Species Richness) of Zooplankton communities in the Kandla creek region and nearby creeks sampling stations were varying from 1.358-3.858 with an average of 2.930 during the sampling conducted in high tide and varying from 2.289- 4.618 with an average of 3.513 during the sampling conducted in low tide during Neap tide period.

Margalef's diversity index (Species Richness) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive high tide period and low tide of spring tide was recorded as 1.995 and 1.796 respectively. Margalef's diversity index (Species Richness) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive high tide period and low tide of spring tide was recorded as 2.600 and 2.118 respectively.

Margalef's diversity index (Species Richness) of Zooplankton communities near Jetty at Path finder creek were varying from 3.807 and 2.396 respectively during the sampling conducted in consecutive high tide period and Low tide period of Neap tide. While Margalef's diversity index (Species Richness) of Zooplankton communities near SPM at Path finder creek were varying from 2.645-3.135 respectively during the consecutive high tide and low tide period.

#### **Shannon-Wiener's index:**

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.778-1.164 between selected sampling stations with an average value of 0.939 during high tide period of spring tide. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.795-1.015 between selected sampling stations with an average value of 0.938 during consecutive low tide period.

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.490-0.914 between selected sampling stations with an average value of 0.805 during high tide period of Neap tide. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range 0.797-1.041 of between selected sampling stations with an average value of 0.928 during consecutive low tide period.

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.816-0.793 respectively. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.834-0.808 respectively.

Shannon-Wiener's Index (H) of Zooplankton communities near jetty at Path finder creek was varying from 0.956-0.755 respectively during the sampling conducted consecutive high tide period and low tide period of Neap tide. While Shannon-Wiener's Index (H) of Zooplankton communities near SPM at Path finder creek was varying from 0.775-0.751 during the consecutive high tide and low tide period.

Typical values are generally between 1.5 and 3.5 in most ecological studies, and the index is rarely greater than 4. The Shannon-Wiener's index increases as both the richness and the evenness of the community increase. This result indicates that diversity of Zooplankton of Kandla Harbour region and nearby creeks stations is slightly high with very minimum diverse population but very few opportunist organisms are really well adapted to this environment and thrive better than other species.

**Simpson's diversity index:**

Simpson diversity index (1-D) of Zooplankton communities was below 0.9 most of sampling stations in the Kandla Harbour region and nearby creeks during high tide and low tide of spring tide period except few stations, which was varying from 0.780-0.909 between selected sampling stations with an average of 0.837 during high tide period and was varying from 0.785- 0.864 with an average value of 0.837 between selected sampling stations during low tide.

Simpson diversity index (1-D) of Zooplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks during high tide and low tide period of Neap tide except few, which was varying from 0.591-0.827 between selected sampling stations with an average of 0.753 during high tide period and was varying from 0.793-0.852 with an average value of 0.820 between selected sampling stations during consecutive low tide. This species diversity suggests a relatively few successful species in this habitat during November, 2022 sampling.

Simpson diversity index (1-D) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.821 and 0.815 respectively. Simpson diversity index (1-D) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.812 and 0.828 respectively.



Simpson diversity index (1-D) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of Neap tide was recorded as 0.836- 0.766 respectively. Simpson diversity index (1-D) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.768 and 0.719 respectively.

**TABLE:-55 ZOOPLANKTON VARIATION IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $N \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H ( $\log_{10}$ )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	124	26/33	78.79	5.186	1.164	0.9089
	2	114	18/33	54.55	3.589	0.8655	0.7802
	3	102	16/33	48.48	3.243	0.9207	0.8189
	4	128	17/33	51.52	3.298	0.9062	0.8124
	5	107	16/33	48.48	3.21	0.997	0.8686
	6	25	8/33	24.24	2.175	0.7777	0.83
LOW TIDE	1	117	16/33	48.48	3.15	0.9709	0.8609
	2	144	20/33	60.61	3.823	0.9468	0.8238
	3	121	19/33	57.58	3.753	1.015	0.8639
	4	108	16/33	48.48	3.204	0.9609	0.8505
	5	103	12/33	36.36	2.373	0.7949	0.7853

**TABLE:-56 ZOOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $No \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H ( $\log_{10}$ )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	82	18/32	56.25	3.858	0.9017	0.7814
	2	99	16/32	50.00	3.264	0.9138	0.8273
	3	89	13/32	40.63	2.673	0.8264	0.7763
	4	114	18/32	56.25	3.589	0.8478	0.7645
	5	98	14/32	43.75	2.835	0.8503	0.7766
	6	19	5/32	15.63	1.358	0.4901	0.5906
LOW TIDE	1	79	11/32	34.38	2.289	0.797	0.7932
	2	76	21/32	65.63	4.618	1.041	0.8516
	3	106	21/32	65.63	4.289	1.026	0.8446
	4	90	15/32	46.88	3.111	0.9087	0.8177
	5	100	16/32	50.00	3.257	0.865	0.7939

**Table:-57 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS  
IN DPA HARBOUR AREAATKANDLA CREEK AND NEAR BY CREEKS DURING  
SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / \text{m}^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	6	tintinnids	9-26	11/33	33.33
			Copepods	11-51	9/33	27.27
			Arrow worms	0-1	1/33	3.03
			Mysids	0-2	1/33	3.03
			Urochordata	1-6	2/33	6.06
			Ciliates	0-2	1/33	3.03
			Larval forms	4-50	8/33	24.25
			TOTAL ZOOPLANKTON N/ $\text{M}^3$	<b>25-128</b>	<b>33</b>	
LOW TIDE	Sub surface	5	Tintinnids	18-33	11/33	33.33
			Copepods	37-49	9/33	27.27
			Arrow worms	0-4	1/33	3.03
			Mysids	0-2	1/33	3.03
			Urochordata	0-2	2/33	6.06
			Ciliates	0-2	1/33	3.03
			Larval forms	41-65	8/33	24.25
			TOTAL ZOOPLANKTON N/ $\text{M}^3$	<b>103-144</b>	<b>33</b>	

**TABLE:-58 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA IN KANDLA CREEK AND, NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	6	Tintinnids	0-14	10/32	31.25
			Copepods	6-49	10/32	31.25
			Arrow worms	0	1/32	3.13
			Mysids	0-6	2/32	6.25
			Urochordata	0-4	2/32	6.25
			Ciliates	0-2	1/32	3.13
			Larval forms	13-50	6/32	18.74
			TOTAL ZOOPLANKTON N/M <sup>3</sup>	<b>19-114</b>	<b>32</b>	
LOW TIDE	Sub surface	5	tintinnids	4-17	10/32	31.25
			Copepods	25-45	10/32	31.25
			Arrow worms	0-2	1/32	3.13
			Mysids	0-6	2/32	6.25
			Urochordata	0-5	2/32	6.25
			Ciliates	0-1	1/32	3.13
			Larval forms	27-47	6/32	18.74
			TOTAL ZOOPLANKTON N/M <sup>3</sup>	<b>76-106</b>	<b>32</b>	

**Table:-59 ZOOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $\times 10^3 N / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	91	10/20	50.00	1.995	0.816	0.821
	SPM	101	13/20	65.00	2.6	0.834	0.812
LOW TIDE	Jetty	86	9/20	45.00	1.796	0.793	0.815
	SPM	70	10/20	50.00	2.118	0.808	0.828

**TABLE:-60 ZOOPLANKTON VARIATION IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $N \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index $H (\log_{10})$	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	87	18/21	85.71	3.807	0.956	0.836
	SPM	64	12/21	57.14	2.645	0.775	0.768
LOW TIDE	Jetty	65	11/21	52.38	2.396	0.755	0.766
	SPM	87	15/21	71.43	3.135	0.751	0.719


**Table:-61 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA OOT AREA AND PATH FINDER CREEK AND NEAR BY SPM DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	Tintinnids	24-32	5/20	25.00
			Copepods	28-38	8/20	40.00
			Urochordata	1-2	2/20	10.00
			Ciliates	0-1	1/20	5.00
			Larval forms	30-36	4/20	20.00
			TOTAL ZOOPLANKTON	<b>91-101</b>	<b>20</b>	
LOW TIDE	Sub surface	2	Tintinnids	17-21	5/20	25.00
			Copepods	30-37	8/20	40.00
			Urochordata	0	2/20	10.00
			Ciliates	0	1/20	5.00
			Larval forms	19-32	4/20	20.00
			TOTAL ZOOPLANKTON	<b>70-86</b>	<b>20</b>	


**TABLE:-62 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	tintinnids	9-16	7/21	33.33
			Copepods	23-34	6/21	28.57
			Arrow worms	0	1/21	4.76
			Urochordata	0-2	2/21	9.52
			Larval forms	32-35	5/21	23.82
			TOTAL ZOOPLANKTON	<b>64-87</b>	<b>21</b>	
LOW TIDE	Sub surface	2	tintinnids	6-9	7/21	33.33
			Copepods	29	6/21	28.57
			Arrow worms	0-1	1/21	4.76
			Urochordata	0-3	2/21	9.52
			Larval forms	27-48	5/21	23.82
			TOTAL ZOOPLANKTON	<b>65-87</b>	<b>21</b>	


**Species Composition % of Zooplankton during High tide and Low tide period of spring tide In  
Kandla Creek and nearby Creeks**




**Species Composition % of Zooplankton during High tide and Low tide period of Neap tide In  
Kandla Creek and nearby Creeks**



**Species Composition % of Zooplankton during High tide and Low tide period of Spring tide In Path Finder Creek and near Jetty**



**Species Composition % of Zooplankton during High tide and Low tide period of Neap tide In Path Finder Creek near jetty and nearby SPM**





**TABLE:-63 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING NEAP TIDE OF NOVEMBER 2022**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Oscillatoria sp.</i>	B1	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B2	Very sparse
Coccinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphiasp</i>	D1	Abundant
	Chaetocerotales	Chaetocerotaceae	<i>Bacteriastrum sp</i>	D2	Very sparse
			<i>Chaetoceros sp.</i>	D3	Scattered
	Corethrales	Corethraceae	<i>Corethron sp</i>	D4	Very sparse
	Coccinodiscales	Coccinodiscaceae	<i>Coccinodiscus sp.</i>	D5	Dominant
	Hemiaulales	Bellerucheaceae	<i>Belleruche sp</i>	D6	Very sparse
		Streptothecaceae	<i>Helicotheca sp</i>	D7	Very sparse
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D8	Sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp</i>	D9	Dominant
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniellasp</i>	D10	Very sparse
		Skeletonemataceae	<i>Skeletonemas sp</i>	D11	Abundant
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D12	Very sparse
			<i>Triceratium sp.</i>	D13	Very sparse
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D14	Very sparse
			<i>Nitzschia sp</i>	D15	Sparse
			<i>Pseudo-nitzschia sp.</i>	D16	Very sparse
	Naviculales	<u>Pleurosigmataceae</u>	<i>Pleurosigma sp.</i>	D17	Very sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D18	Very sparse
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp</i>	D19	Scattered
			<i>Fragilariasp</i>	D20	Very sparse
			<i>Synedrassp</i>	D21	Very sparse

	Striatellales	Striatellaceae	<i>Grammatophora sp</i>	D22	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D23	Sparse
			<i>Thalassiothrix sp.</i>	D24	Very sparse
Noctiluca / Noctiluciphyceae (Dinokaryota)	Noctilucales	Noctilucaceae	<i>Noctiluca sp.</i>	DF1	Sparse
Dinophyceae	Peridiniales	Protopteridiniaceae	<i>Protopteridinium sp.</i>	DF2	Very sparse
	Gonyaulacales	Pyrophacaceae	<i>Pyrophacus sp.</i>	DF3	Very sparse
		Ceratiaceae	<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium tripos</i>	DF5	Very sparse

**TABLE:-64 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Oscillatoria sp.</i>	B1	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B2	Very sparse
Coscinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphia</i> sp.	D1	Sparse
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros sp.</i>	D2	Abundant
	Corethrales	Corethraceae	<i>Corethron sp.</i>	D3	Very sparse
	Coscinodiscales	Coscinodiscaceae	<i>Coscinodiscus sp.</i>	D4	Abundant
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D5	Sparse
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp.</i>	D6	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp.</i>	D7	Scattered
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniella</i> sp.	D8	Very sparse
		Lauderiaceae	<i>Lauderia sp.</i>	D9	Very sparse
		Skeletonemataceae	<i>Skeletonemas</i> sp.	D10	Dominant
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D11	Very sparse
			<i>Triceratium sp.</i>	D12	Very sparse
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D13	Very sparse
			<i>Nitzschia sp.</i>	D14	Very sparse
			<i>Pseudo-nitzschia</i> sp.	D15	Very sparse
	Naviculales	Naviculaceae	<i>Navicula sp.</i>	D16	Very sparse
		Plagiotropidaceae	<i>Plagiotropis sp.</i>	D17	Very sparse
		Pleurosigmataceae	<i>Pleurosigma sp.</i>	D18	Sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D19	Very sparse
		Surirellaceae	<i>Surirella sp.</i>	D20	Very sparse
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp.</i>	D21	Sparse

			<i>Fragilariasp</i>	D22	Very sparse
			<i>Synedrasp</i>	D23	Sparse
	Striatellales	Striatellaceae	<i>Grammatophora sp</i>	D24	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D25	Scattered
			<i>Thalassiothrix sp.</i>	D26	Sparse
Noctiluca / Noctiluciphyceae (Dinokaryota)	Noctilucales	Noctilucaceae	<i>Noctiluca sp.</i>	DF1	Sparse
Dinophyceae	Peridiniales	Protoperidiniaceae	<i>Protoperidinium sp.</i>	DF2	Very sparse
	Gonyaulacales	Ceratiaceae	<i>Ceratium breve</i>	DF3	Very sparse
			<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium fusus</i>	DF5	Very sparse
			<i>Ceratium tripos</i>	DF6	Very sparse

**TABLE:-65 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINARDURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Lyngbya sp.</i>	B1	Very sparse
			<i>Oscillatoria sp.</i>	B2	Very sparse
			<i>Spirulina sp.</i>	B3	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B4	Very sparse
Coscinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphia</i> sp	D1	Scattered
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros</i> sp	D2	Scattered
	Corethrales	Corethraceae	<i>Corethron sp</i>	D3	Very sparse
	Coscinodiscales	Coscinodiscaceae	<i>Coscinodiscus sp.</i>	D4	Dominant
	Hemiaulales	Bellerocheaceae	<i>Belleroche</i> sp	D5	Very sparse
		Hemiaulaceae	<i>Cerataulina sp.</i>	D6	Very sparse
			<i>Eucampia sp</i>	D7	Very sparse
		Streptothecaceae	<i>Helicotheca sp</i>	D8	Very sparse
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp</i>	D9	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum</i> sp	D10	Abundant
	Rhizosoleniales	Rhizosoleniaceae	<i>Dactyliosolen sp.</i>	D11	Very sparse
			<i>Rhizosolenia sp.</i>	D12	Sparse
	Thalassiosirales	Skeletonemataceae	<i>Skeletonema sp.</i>	D13	Abundant
		Lauderiaceae	<i>Lauderia sp</i>	D14	Very sparse
		Thalassiosiraceae	<i>Planktoniella</i> sp	D15	Very sparse
	Triceratiales	Triceratiaceae	<i>Odontella</i> sp	D16	Very sparse
			<i>Triceratium</i> sp	D17	Very sparse
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria</i> sp.	D18	Abundant
			<i>Nitzschia sp</i>	D19	Very sparse

			<i>Pseudo-nitzschiasp</i>	D20	Scattered
	Naviculales	Naviculaceae	<i>Meuniera sp.</i>	D21	Very sparse
			<i>Navicula sp</i>	D22	Very sparse
		Pinnulariaceae	<i>Pinnulariasp</i>	D23	Very sparse
		<u>Pleurosigmataceae</u>	<i>Pleurosigma sp</i>	D24	Very sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D25	Very sparse
		Surirellaceae	<i>Surirellasp</i>	D26	Very sparse
Fragilariophyceae	Climacospheniales	Climacospheniaceae	<i>Climacosphenia sp.</i>	D27	Very sparse
	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp.</i>	D28	Very sparse
			<i>Synedra sp.</i>	D29	Very sparse
	Striatellales	Striatellaceae	<i>Striatellasp</i>	D30	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D31	Sparse
			<i>Thalassiothrix sp.</i>	D32	Sparse
Dinophyceae	Peridiniales	Protoperidiniaceae	<i>Protoperidinium sp.</i>	DF1	Very sparse
	Dinophysales	Dinophysaceae	<i>Dinophysis sp.</i>	DF2	Very sparse
	Gonyaulacales	Pyrophacaceae	<i>Pyrophacus sp.</i>	DF3	Very sparse
		Ceratiaceae	<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium fusus</i>	DF5	Very sparse
			<i>Ceratium tripos</i>	DF6	Very sparse

**TABLE:-66 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPAOOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINAR DURING AND SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Chroococcales	Chroococcaceae	<i>Merismopedia sp.</i>	B1	Very sparse
	Nostocales	Oscillatoriaceae	<i>Lyngbya sp.</i>	B2	Very sparse
			<i>Oscillatoria sp.</i>	B3	Sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B4	Very sparse
	Stigonematales	Stigonemataceae	<i>Stigonema sp.</i>	B5	Very sparse
Coscinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphia</i> sp.	D1	Sparse
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros sp.</i>	D2	Dominant
	Corethrales	Corethraceae	<i>Corethron sp.</i>	D3	Very sparse
	Coscinodiscales	Coscinodiscaceae	<i>Coscinodiscus sp.</i>	D4	Abundant
	Hemiaulales	Bellerucheaceae	<i>Belleruche sp.</i>	D5	Very sparse
		Hemiaulaceae	<i>Cerataulina sp.</i>	D6	Very sparse
		Streptothecaceae	<i>Helicotheca sp.</i>	D7	Very sparse
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D8	Scattered
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp.</i>	D9	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp.</i>	D10	Abundant
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniella</i> sp.	D11	Very sparse
		Lauderiaceae	<i>Lauderia sp.</i>	D12	Very sparse
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D13	Sparse
			<i>Triceratium sp.</i>	D14	Very sparse
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D15	Scattered
			<i>Nitzschia sp.</i>	D16	Very sparse
			<i>Pseudo-nitzschia</i> sp.	D17	Sparse
	Naviculales	Pinnulariaceae	<i>Pinnularia</i> sp.	D18	Very sparse

		<u>Pleurosigmataceae</u>	<i>Pleurosigma</i> sp.	D19	Very sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis</i> sp.	D20	Very sparse
		Surirellaceae	<i>Surirella</i> sp.	D21	Very sparse
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis</i> sp	D22	Sparse
			<i>Synedrassp</i>	D23	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema</i> sp.	D24	Sparse
			<i>Thalassiothrix</i> sp.	D25	Very sparse
Dinophyceae	Peridiniales	Protoperidiniaceae	<i>Protoperidinium</i> sp.	DF1	Very sparse
	Dinophysales	Dinophysaceae	<i>Dinophysis</i> sp.	DF2	Very sparse
	Gonyaulacales	Pyrophacaceae	<i>Pyrophacus</i> sp.	DF3	Very sparse
		Ceratiaceae	<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium fusus</i>	DF5	Very sparse
			<i>Ceratium tripos</i>	DF6	Very sparse



**TABLE:-67 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnus</i> sp.	T1	Very sparse
		Codonellidae	<i>Tintinnopsis dadayi</i>	T2	Very sparse
			<i>Tintinnopsis failakkaensis</i>	T3	Very sparse
			<i>Tintinnopsis gracilis</i>	T4	Very sparse
			<i>Tintinnopsis mortensenii</i>	T5	Very sparse
			<i>Tintinnopsis radix</i>	T6	Very sparse
			<i>Tintinnopsis tocaninensis</i>	T7	Very sparse
		Tintinnidae	<i>Amphorellopsis</i> sp.	T8	Very sparse
			<i>Eutintinnus</i> sp.	T9	Very sparse
		Xystonellidae	<i>Favella</i> sp.	T10	Very sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus</i> sp.	C1	Sparse
			<i>Parvocalanus</i> sp.	C2	Very sparse
		Acartiidae	<i>Acartia</i> sp.	C3	Very sparse
		Clausocalanidae	<i>Clausocalanus</i> sp.	C4	Very sparse
		Centropagidae	<i>Centropages</i> sp.	C5	Very sparse
		Temoridae	<i>Temora</i> sp.	C6	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona</i> sp.	C7	Abundant
	Harpacticoida	Ectinosomatidae	<i>Microsetella</i> sp.	C8	Scattered
		Euterpinae	<i>Euterpina</i> sp.	C9	Sparse
	Poecilostomatoida	Oncaeidae	<i>Oncaea</i> sp.	C10	Very sparse
Sagittioidea	Aphragmophora	Sagittidae	<i>Sagitta</i> sp.	A1	Very sparse
Malacostraca	Mysida,	Penaeidae	<i>Metapenaeus</i> sp.	M1	Very sparse
	Decapoda	Solenoceridae	<i>Solenocera</i> sp.	M2	Very sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium sp.</i>	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca Decapoda			Brachyuran zoea	L2	Very sparse
Maxillopoda Thecostraca			Cirripede larvae	L3	Very sparse
			Cyphonautes larvae	L4	Very sparse
			Ophiopluteus larvae	L5	Very sparse
Polychaeta			Trochophore larvae	L6	Very sparse

**TABLE:-68 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leptotintinnus</i> sp.	T1	Scattered
		Codonellidae	<i>Tintinnopsis dadayi</i>	T2	Very sparse
			<i>Tintinnopsis failakkaensis</i>	T3	Very sparse
			<i>Tintinnopsis gracilis</i>	T4	Very sparse
			<i>Tintinnopsis mortensenii</i>	T5	Very sparse
			<i>Tintinnopsis radix</i>	T6	Sparse
			<i>Tintinnopsis tocanensis</i>	T7	Very sparse
		Metacyclidae	<i>Metacyclis</i> sp.	T8	Very sparse
		Tintinnidae	<i>Amphorellopsis</i> sp.	T9	Very sparse
			<i>Eutintinnus</i> sp.	T10	Very sparse
		Xystonellidae	<i>Favella</i> sp.	T11	Sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus</i> sp.	C1	Scattered
			<i>Parvocalanus</i> sp.	C2	Very sparse
		Acartiidae	<i>Acartia</i> sp.	C3	Very sparse
		Clausocalanidae	<i>Clausocalanus</i> sp.	C4	Very sparse
		Centropagidae	<i>Centropages</i> sp.	C5	Very sparse
		Eucalanidae	<i>Subeucalanus</i> sp.	C6	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona</i> sp.	C7	Abundant
	Harpacticoida	Ectinosomatidae	<i>Microsetella</i> sp.	C8	Sparse
		Euterpinae	<i>Euterpina</i> sp.	C9	Sparse
Sagittioidea	Aphragmophora	Sagittidae	<i>Sagitta</i> sp.	A1	Very sparse
Malacostraca	Mysida, Decapoda	Solenoceridae	<i>Solenocera</i> sp.	M1	Very sparse

Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium sp.</i>	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca			Brachyuran zoea	L2	Sparse
Decapoda					
Maxillopoda			Cirripede larvae	L3	Very sparse
Thecostraca					
			Cyphonautes larvae	L4	Very sparse
			Ophiopluteus larvae	L5	Very sparse
Gastropoda			Opisthobranchia larvae	L6	Very sparse
Streptoneura					
Polychaeta			Trochophore larvae	L7	Sparse
Pelecypoda			Veliger larvae of bivalves	L8	Very sparse

**TABLE:-69 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINARDURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leptotintinnussp.</i>	T1	Sparse
		Codonellidae	<i>Tintinnopsisfailakkaensis</i>	T2	Very sparse
			<i>Tintinnopsis gracilis</i>	T3	Very sparse
			<i>Tintinnopsis radix</i>	T4	Very sparse
			<i>Tintinnopsis tocaninensis</i>	T5	Very sparse
		Tintinnidae	<i>Amphorellopsis sp.</i>	T6	Very sparse
		Xystonellidae	<i>Favella sp.</i>	T7	Very sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus sp.</i>	C1	Scattered
			<i>Parvocalanus sp.</i>	C2	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona sp.</i>	C3	Abundant
	Harpacticoida	Euterpinae	<i>Euterpina sp.</i>	C4	Very sparse
		Ectinosomatidae	<i>Microsetellasp.</i>	C5	Very sparse
	Poecilostomatoida	Oncaeidae	<i>Oncaea sp.</i>	C6	Very sparse
Sagittioidea	Aphragmophora	Sagittidae	<i>Sagitta sp.</i>	A1	Very sparse
Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Maxillopoda Thecostraca			Cirripede larvae	L2	Very sparse
Gastropoda Streptoneura			Opisthobranchia larvae	L3	Very sparse
Polychaeta			Trochophore larvae	L4	Very sparse
Pelecypoda			Veliger larvae of bivalves	L5	Very sparse

**TABLE:-70 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINAR DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnussp.</i>	T1	Abundant
		Codonellidae	<i>Tintinnopsisgracilis</i>	T2	Very sparse
			<i>Tintinnopsis mortensenii</i>	T3	Very sparse
			<i>Tintinnopsis radix</i>	T4	Very sparse
		Xystonellidae	<i>Favella sp.</i>	T5	Scattered
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus sp.</i>	C1	Sparse
			<i>Parvocalanus sp.</i>	C2	Very sparse
		Centropagidae	<i>Centropages sp.</i>	C3	Very sparse
		Tortanidae	<i>Tortanus sp.</i>	C4	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona sp.</i>	C5	Abundant
		Euterpinae	<i>Euterpina sp.</i>	C6	Very sparse
	Harpacticoida	Ectinosomatidae	<i>Microsetellasp.</i>	C7	Scattered
	Poecilostomatatoida	Corycaidae	<i>Corycaeus sp.</i>	C8	Very sparse
Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium sp.</i>	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca Decapoda			Brachyuran zoea	L2	Very sparse
Gastropoda Streptoneura			Opisthobranchia larvae	L3	Very sparse
Pelecypoda			Veliger larvae of bivalves	L4	Very sparse

**BENTHIC ORGANISMS:**

Few Benthic organisms were observed in the collected sediments by using the Van-Veen grabs during the sampling conducted during spring tide period and Neap tide period from DPA harbour region and nearby creek. The Meio-benthic organisms during spring tide were represented by Polychaetes *Tharyx sp.* and *Nereis sp.*, during Neap tide by *Nereis sp.* and few Amphipods. Population of benthic fauna was varying from 10-60- N/m<sup>2</sup> during spring tide and 0-80 N/m<sup>2</sup> during Neap tide. The benthic communities at path finder Creek were represented by Polychaetes *Glycera sp.* *Cirratulus sp.* *Nereis sp.* and few Amphipods. Their population was varying as 60 N/m<sup>2</sup> at OOT jetty premises and 80 N/m<sup>2</sup> near the SPM area during spring tide and 50 N/m<sup>2</sup> at OOT jetty premises and 50 N/m<sup>2</sup> near the SPM area during Neap tide period.

**Table:-71 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA HARBOUR AREA CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS						
REPRESENTATION BY GROUP	DPA HARBOUR			CREEKS		
<b>Benthic fauna</b>						
<b>POLYCHAETES</b>	DPA-1	DPA-2	DPA-3	DPA-4	DPA-5	DPA-6
Family : CIRRATULIDAE <i>Tharyxsp.</i>	20	10	10	0	0	NS
Family :NEREIDAE <i>Nereis sp.</i>	0	0	0	20	40	NS
<b>AMPHIPODA</b>	0	0	0		20	NS
TOTAL Benthic Fauna NUMBER/ M <sup>2</sup>	20	10	10	20	60	NS

NS: No sample

**Table:-72 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA HARBOUR AREA CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS						
REPRESENTATION BY GROUP	DPA HARBOUR			CREEKS		
<b>Benthic fauna</b>						
<b>POLYCHAETES</b>	DPA-1	DPA-2	DPA-3	DPA-4	DPA-5	DPA-6
Family :NEREIDAE <i>Nereis sp.</i>	0	0	0	40	60	NS
<i>Amphipoda</i>	0	20	10	10	20	NS
TOTAL Benthic Fauna NUMBER/M <sup>2</sup>	0	20	10	50	80	NS

**Table:-73 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA OOT JETTY AREA,  
VADINAR DURING SPRING TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS		
REPRESENTATION BY GROUP	OOT Jetty Area	SPM area
<b>POLYCHAETES</b>		
Family : Glyceride <i>Glycerasp.</i>	20	40
Family : CIRRATULIDAE <i>Cirratulussp.</i>	0	20
Family: NEREIDAE <i>Nereis sp.</i>	30	10
<i>Amphipoda</i>	10	20
TOTAL Benthic Fauna NUMBER/ M <sup>2</sup>	60	80

**Table:-74 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA OOT JETTY AREA,  
VADINAR DURING NEAP TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS		
REPRESENTATION BY GROUP	OOT Jetty Area	SPM area
<b>POLYCHAETES</b>		
Family : Glyceridase <i>Glycera sp.</i>	20	40
Family: NEREIDAE <i>Nereis sp.</i>	30	10
TOTAL Benthic Fauna NUMBER/ M <sup>2</sup>	50	50



## **CHAPTER-11**

### **CONCLUSIVE SUMMARY & REMEDIAL MEASURES**

### 11.0 Conclusive Summary and Remedial measures Suggested

- The AAQ monitoring of six locations at Deendayal Port Authority indicates that the mean  $PM_{10}$  and  $PM_{2.5}$  values for four locations viz. Marine Bhavan, Oil Jetty, Estate Office and Coal storage area were found higher than the permissible limit (standards  $100 \mu g/m^3$ ,  $60 \mu g/m^3$ ). The higher concentration of Particulate matter at Marine Bhavan may be due to vehicles emissions during loading-unloading of food grains and timbers; at Estate office due to construction work, vehicles emission produced from trucks, heavy duty vehicles that pass through the road outside Kandla port and Oil jetty area; while at Coal Storage area lifting of coal from grab yard and other coal handling processes. Moreover, the transportation of coal produces pollution from heavy vehicles. At Tuna Port location, concentration of  $PM_{10}$  varied from  $88-175 \mu g/m^3$  and mean value was observed  $145 \mu g/m^3$  which was exceed the prescribed standard limit ( $100 \mu g/m^3$ ), concentration of  $PM_{2.5}$  was ranged from  $47-87 \mu g/m^3$  and mean was found  $71 \mu g/m^3$  which was exceed the standard limit ( $60 \mu g/m^3$ ). At Gopalpuri  $PM_{10}$  concentration ranged from  $67-168 \mu g/m^3$  and mean was  $127 \mu g/m^3$  while  $PM_{2.5}$  concentration ranged from  $34-94 \mu g/m^3$  and mean was  $66 \mu g/m^3$  were found exceed standard limit prescribed by NAAQS.
- At Vadinar, the average concentration of  $PM_{10}$  was  $114 \mu g/m^3$  and  $PM_{2.5}$  was  $74 \mu g/m^3$  at Admin Colony which was slightly exceed the standard limit while at Signal building the mean concentration  $PM_{10}$  was  $100 \mu g/m^3$  and  $PM_{2.5}$  was  $61 \mu g/m^3$  which were very close to standard limit.
- During winter, the concentration of  $PM_{10}$  and  $PM_{2.5}$  has been slowly augmented and reached a peak in the evening due to surface inversion of temperature after sunset. Thus, the pollutants are subsequently trapped in the lower layer of the atmosphere due to high atmospheric air pressure.
- Further, precautionary measures and management strategies to minimize the effect of particulate as well as gaseous pollutants have also been suggested for achieving its ambient levels in and around Kandla Port and Vadinar Port, Gujarat, India.
- Drinking water at all the twenty locations was found potable and it was found within in line of BIS standards (IS: 10500-2012).
- Transportation systems are the main source of noise pollution in project areas. Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading

containers and ships. All sampling location were within the permissible limit day time 75 dB (A) and night time 70 dB (A) for the industrial area.

- The treated sewage water of Kandla STP, Deendayal Port Colony (Gopalpuri) STP and Vadinar were in line with the standards set by the Central Pollution Control Board.
- It was suggested to monitor the STP performance on regular basis to avoid flow of contamination / Polluted water into the sea.
- Good species diversity suggests a relatively successful species in this habitat. A greater number of successful species and a more stable ecosystem. More ecological niches are available and the environment is less likely to be hostile complex food webs environmental change is less likely to be damaging to the ecosystem as a whole.
- The results obtained from the study for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.
- The mean day time temperature at Deendayal Port was 27.92 °C. The day-time maximum temperature was 32.9°C and minimum was 21.1 °C. The mean night time temperature recorded was 25.47 °C. The night-time maximum temperature was 29.7°C and minimum was 20.0 °C. The mean Solar Radiation in November month was 167.27 w/m<sup>2</sup>. The maximum solar radiation was recorded 759 w/m<sup>2</sup> in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80 w/m<sup>2</sup> in 30<sup>th</sup> November, 2022. The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly North-East.
- The results obtained from the study for the month of November 2022 for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.

#### **Reasons for higher Values of PM<sub>10</sub>**

- The unloading of coal directly in the truck, using grabs cause coal to spread in air as well as coal dust to fall on ground. This settled coal dust again mixes with the air while trucks travel through it.

- Also, the coal loaded trucks were not always covered with tarpaulin sheets and these results in spillage of coal from trucks/dumpers during its transit from vessel to yard or storage site. This also increased PM values around marine Bhavan & Coal storage area.

### **Remedial Measures**

The values of PM<sub>10</sub> & PM<sub>2.5</sub> during the month of November, 2022 were beyond the standard limit at all locations (Coal Storage, Marine Bhavan, Oil Jetty and Estate office, Tuna Port) except Gopalpuri the concentration of particulate matter was slightly exceed. Given below are the remedial measures suggest to minimize the Air pollution.

- During November, 2022 overall ambient air quality of the DPA was within CPCB permissible limits except TSPM, PM<sub>10</sub>, PM<sub>2.5</sub> at Coal storage area, Marine Bhavan, Oil Jetty and Estate Office. To improve air quality the port was using number of precautionary measures, such as maintained a wide expanse of Green zone, initiated Inter-Terminal Transfer (ITT) of tractor-trailers, Centralized Parking Plaza, providing shore power supply to tugs and port crafts, the use of LED lights at DPA area helps in lower energy consumption and decreases the carbon foot prints in the environment, time to time cleaning of paved and un paved roads, use of tarpaulin sheets to cover dumpers at project sites etc. are helping to achieve the cleaner and green future at port.

### **Solution towards the Green port:**

Today, it is increasingly recognized that air pollution hurts human health. Consequently, efficient mitigation strategies need to be implementation for substantial environmental and health co-benefits.

The guidelines can be considered a basis for governments for the implementation of a strategic plan focused on the reduction of multi pollutant emission, as well as of the overall air pollution related risk.

- The plantation should be all along the periphery of the port and inside and outside the port along with the road. Trees having high dust trapping efficiency (*Azadirachta indica*, *Cassia fistula*, *Delonix regia*, *Ficus religiosa*, *Pterocarpus marsupium*) are to be grown alongside the roads.
- The water sprinkling should be use at each and every stage of transporting coal up the loading of truck to avoid generation of coal dust.

- The vehicles should be covered during transportation and the vehicle carrying the coal should not be overloaded by raising the height of carriage.
- The water sprinklers should be use during transportation of loaded heavy vehicles on raw road.
- It should be ensure that regular sweeping of coal internal, main road and space a free circulation.
- Practice should be initiated for using mask as preventative measure, to avoid Inhalation of dust particle- Mask advised in sensitive areas.
- Department for use maintenance should have a routine checkup noise level by replacing bearings, tights of all loose parts that can vibrate.
- Speed control is also an effective way to mitigate noise pollution, the lowest sound emission arise from vehicles moving smoothly.
- Use of renewable energy like solar energy should be optimal and ensure to work continuously.
- Keep neat and clean public transport and all basic items at public interaction places as much as possible.
- Technology like Electric cart, Inter-Terminal Transfer (ITT) are worthy selection to reduce Port operation efficiency and fuel cost.
- Conventional RTGCs should be altered as E-RTGCs counting inside the port completely.
- Initiate Natural Gas (CNG) as fuel by all buses and trucks.

### **Green Ports Initiative**

- Deendayal Port is committed to sustainable development and adequate measures are being taken to maintain the Environmental well-being of the Port and its surrounding environs. Weighing in the environmental perspective for sustained growth, the Ministry of Shipping had started “Project Green Ports” which will help in making the Major Ports across India cleaner and greener. “Project Green Ports” will have two verticals - one is “Green Ports Initiatives” related to environmental issues and second is “Swachh Bharat Abhiyaan”.
- The Green Port Initiatives include twelve initiatives such as preparation and monitoring plan, acquiring equipments required for monitoring environmental pollution, acquiring dust suppression system, setting up of waste water treatment plants/ garbage disposal plant, setting up Green Cover area, projects for energy generation from renewable

energy sources, completion of shortfalls of Oil Spill Response (OSR) facilities (Tier-I), prohibition of disposal of almost all kind of garbage at sea, improving the quality of harbour wastes etc.

- Deendayal port has also appointed GEMI as an Advisor for “Making Deendayal Port a Green Port - Intended Sustainable Development under the Green Port Initiatives.
- Deendayal Port has also signed MOU with Gujarat Forest Department in August 2019 for Green Belt Development in an area of 31.942 Ha of land owned by Deendayal Port Trust. The plantation is being carried out by the Social Forestry division of Kachchh.

## CHAPTER-12

### REFERENCES

## 12.0 SOURCE OF LITERATURE AND ADDITIONAL REFERENCE

- 1) ALBERT WEST PHAL (1976) Protozoa Blackwell , London
- 2) Arunachalam S, Brantley H, Barzyk TM, Hagler G, Isakov V, Kimbrough E, Naess B, Rice N, Snyder MG, Talgo K, Venkatram A (2015) Assessment of port-related air quality impacts: geographic analysis of population. *Int J Environ Pollut* 58(4):231–250
- 3) Asha, P. S. and Diwakar (2007). Hydrobiology of the inshore waters off Tuticorin in the Gulf. *J. Mar. Biol. Ass. India*, 49: 7-11.
- 4) Astakhov AS, Kalugin IA, Aksentov KI, Daryin AV (2015) Geochemical indicators of paleo typhoons in shelf sediments. *Geochemistry* 4:387–392.
- 5) Bailey D, Solomon G (2004) Pollution prevention at ports: clearing the air. *Environ Impact Assess Rev* 24(7):749–774.
- 6) BANERJEE R.K. (1989) Heavy metals and Benthic foraminiferal distribution along Bombay coast India. *Studies in benthic foraminifera. Tokyo University Press Tokyo* pp 151-157
- 7) Banse K (1995) Zooplankton: Pivotal role in the control of ocean production: I. Biomass and production. *ICES J Mar Sci* 52: 265–277.
- 8) Beaugrand G, and Ibanez F (2004) Monitoring marine plankton ecosystems. II: long-term changes in North Sea calanoid copepods in relation to hydroclimatic variability. *Inter Res Mar Ecol Prog Ser* 284:35-47.
- 9) Benhamed S, Guardiola FA, Martinez S, Sanchez MJM, Sirvent CP, Mars M, Esteban MA (2016) Exposure of the gilthead seabream (*Sparus aurata*) to sediments contaminated with heavy metals down-regulates the gene expression of stress biomarkers. *Toxicol Rep* 3:364–372.
- 10) Best, M. A., Wither, A.W. and Coates, S. (2007). Dissolved oxygen as a physicochemical supporting element in the Water Framework Directive. *Marine Pollution Bulletin* 55(1-6): 53-64.
- 11) Buccolieri R, Cesari R, Dinoi A, Maurizi A, Tampieri F, Di Sabatino S (2016) Impact of ship emissions on local air quality in a Mediterranean City's harbour after the European sulphur directive. *Int J Environ Pollut* 59(1):30–42.
- 12) Chaurasia, S, Singh, S. and Gupta, A.D., 2013. Study on air quality of SKS Ispat and Power Ltd. Raipur (CG), India. *Asian Journal of Science and Technologies*, 4 (4), 48-50.



- 13) Conti ME, Ciasullo R, Tudino MB, Matta EJ (2015) “The industrial emissions trend and the problem of the implementation of the industrial emissions directive (IED)” Air Quality. Atmosph Health 8(2): 151–161.
- 14) CPCB (2013): Guidelines for Manual Sampling & Analyses. (Guidelines for the Measurement of Ambient Air Pollutants, Vol. I), Central Pollution Control Board, National Ambient Air Quality Series: NAAQMS/36/2012-13.
- 15) DAY F. (1889) The fauna of British India Ceylon and Burma- Fishes Vol-1- Vol-2 *Taylor and Francis* London
- 16) DESIKACHARYT.V. (1989) Atlas of diatoms, Madras Science Foundation
- 17) DESIKACHARYT.V.(1959) CyanophytaICAP Monographs on Algae *Indian Council of Agricultural research* New Delhi
- 18) FAIZAYOUSIF AL-YAMANI& MARIA A. SABUROVA(2010) illustrative guide on the flagellates of Intertidal soft sediment *Kuwait Institute for scientific Research* Kuwait
- 19) FAIZAYOUSIF AL-YAMANI, VALERIYSKRYABIN, ALEKSANDRA GUBANOVA, SERGEY KHVOROV AND IRINA PRUSOVA (2011), Marine zooplankton Practical guide from North western Arabian gulf Vol-1 and vol-2 *Kuwait Institute for scientific Research* Kuwait
- 20) FAUVEL P. (1953), The fauna of India Annelida - Polychaeta *Indian Press* Allahabad
- 21) GajbhiyeSN, Nair VR, and Desai BN (1984). Diurnal variation of zooplankton in Malad creek, Bombay. *Indian Journal of Marine Science*. 13:75-79.
- 22) Guidelines for the Measurement of Ambient Air Pollutants: National Ambient Air Quality Series/NAAQMS/36/2012-13, Volume-I.
- 23) Gujrat Pollution Control Board Inward No. 143215 dated 06.09.2018.
- 24) HAYWARD P.J AND RYLAND J.S. (1995) Handbook of Marine fauna of north –West Europe oxford University Press London
- 25) Hefmi R., Tanjung1 R., Hamuna B., and Alianto(2019).Assessment of Water Quality and Pollution Index in Coastal Waters of Mimika, Indonesia. *Journal of Ecological Engineering*, 20(2);87-94
- 26) HIGGINS R.P. HAJAMARTHIEL Eds. (1998) Introduction to the study of Meio Fauna
- 27) HORACE G. BARBER AND ELIZABETH Y. HAWORTH (1981) A guide to the Morphology of DIATOMS FRUSTULES.

- 28) Horaginamani, S.M. and Ravichandran, M., 2010. Ambient air quality an urban area and its effects on plants and human beings: A case study of Tiruchirappalli, India. Kathmandu University Journal of Science, Engineering and Technology, 6 (2), 13-19.
- 29) INGRAM HENDEY (1964) An introductory account of smaller Algae of British coastal waters part-V. Bacillariophyceae
- 30) IS1050:2012 Drinking Water-Specification: (second Revision).
- 31) JOHN H. WICKSTEAD(1965) an Introduction to the study of Tropical Plankton .Hutchinson Tropical Monographs
- 32) JOYOTHIBABU,R. MADHU, N.V. MAHESHWARAN, P.A.,NAIRK.K.C., VENUGOPL,P. BALASUBRAMANIAN T.2005) Dominance of Dinoflagellates in micro zooplankton communities in the oceanic region Bay of Bengal and Andaman sea Current science vol.84. 10<sup>th</sup>NOVEMBER2003
- 33) KASTURIRANGANL.R. (1963) A key for the identification of the Common Planktonic Copepoda of Indian Coastal water
- 34) KusumKK, Vineetha G, Raveendran TV, Nair VR, Muraleedharan KR, Achuthankutty CT and Joseph T (2014) Chaetognath community and their responses to varying environmental factors in the northern Indian ocean. J Plankton Res 36(4): 1146- 1152.
- 35) Lack DA, Cappa CD, Langridge J, Bahreini R, Buffaloe G, Brock C, Cerully K, Coffman D, Hayden K, Holloway J, Lerner B, Massoli P, Li SM, McLaren R, Middlebrook AM, Moore R, Nenes A, Nuaaman I, Onasch TB, Peischl J, Perring A, Quinn PK, Ryerson T, Schwartz JP, Spackman R, Wofsy SC, Worsnop D, Xiang B, Williams E (2011) Impact of fuel quality regulation and speed reductions on shipping emissions: implications for climate and air quality. Environ Sci Technol 45(20):9052–9060.
- 36) Lai KH, Lun VYH, Wong CWY, Cheng TCE (2011) Green shipping practices in the shipping industry: conceptualization, adoption, and implications. Resour Conserv Recycl 55(6):631–638.
- 37) Lalli CM and Parsons TR (1997) Biological Oceanography: An Introduction. DOI<https://doi.org/10.1016/B978-0-7506-3384-0.X5056-7>.
- 38) Lawler, D.M. 2004. Turbidimetry and nephelometry. In:Townshend, A. (Ed.) Encyclopedia of Analytical Science, 2nd edition. London: Academic Press (pp. 343-351).

- 39) Madhu D. Nathani, Mrugesh H. Trivedi (2015). Pre Monsoon Study of Water Quality with reference to Rapid Industrial Development in and around Gandhidham, Kachchh, Gujarat, International Journal of Scientific & Engineering Research, 6(9):1851-1862.
- 40) Madhupratap M (1978) Studies on ecology of zooplankton of Cochin backwaters. Mahasagar Bull Nat Inst Oceanogr 11: 45-56.
- 41) Madhupratap M (1979) Distribution, community structure and species succession of copepods from Cochin Backwaters. Indian J Ma Sci 8: 1-8.
- 42) Madhupratap M (1987) Status and strategy of zooplankton of tropical Indian estuaries: A review. Bull Plank Soc Jpn 34: 65-81.
- 43) Madhupratap M (1999). Free living copepods of the Arabian Sea, Distribution and Research Perspectives. I J Mar Sci 146-149.
- 44) Madhupratap M and Haridas P (1986) Epipelagic calanoid copepods of the northern Indian Ocean. Oceanologica Acta 9(2):105-117.
- 45) MANAL AL-KANDARI, FAIZA Y. AL-YAMANI , KHOLOOD AL-RIFAIE ( 2009) Marine phytoplankton Atlas of Kuwait's water *Kuwait Institute for scientific Research*
- 46) Meiaraj C. & Jeyapriya S.P. (2019). Marine water quality studies at Tuticorin harbour coastal area. Indian Journal of Geo Marine Sciences 48 (06): 943-946.
- 47) MPEDA (1998) Commercial Fishes and shell fishes of India
- 48) Murtini J.T., Ariyani F., Wahyuni I.S., Hak N., Suherman M., Dolaria N., Nurwiyanto. 2001. Inventory research and identification of heavy metal pollution in waters and fish. Technical Report. Pusat Riset Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan. Jakarta. (in Indonesian).
- 49) Narayan R, Saxena K.K. and Chauhan S. (2007). Limnological investigations of Texi Temple pond in district Etawah (U.P.), Journal of Environmental Biology, January 28(1):155-157.
- 50) NEWEL G.E. & NEWELL R.C. (1963) Marine plankton a Practical Guide Hutchinson Educational
- 51) NIGAM R.C. AND CHATURVEDIS.K. (2000) Foraminiferal Study from Kharo Creek , Kachchh ( Gujarat) North west coast of India. *Indian Journal of marine science* Vol.29 133-189
- 52) OLAV GIERE (1993) Meiobenthology , Microscopic Fauna in Aquatic Sediments m Springer London

- 53) PERRAGALLO (1965) *Diatomees marines de France* A. Asher & Co. Amsterdam
- 54) Robert P. Higgins (Eds.), (1985) *An introduction to the study of Meiofauna* Smithsonian Institution press Washington DC
- 55) Salmin (2005). Dissolved oxygen (DO) and biological oxygen demand (BOD) as indicator to determine water quality. *Oseana*, 30(3):21–26.
- 56) Salvi H., Patel R., Thakur B., Shah K. and Parmar D. (2014). Assessment of Coastal Water Quality Parameters of Selected Areas of Marine National Park & Sanctuary (Okha, Sikka & Khijadiya), *SSRN Electronic Journal*, (pg 1-16)
- 57) STERRER W. STERRER C.S Eds. *Marine fauna and flora of Bermuda A systematic Guide to the identification of Marine Organisms. John Wiley and Sons* New York
- 58) Suresh Gandhi. M. (2009) Distribution of certain ecological parameters and Foraminiferal distribution in the depositional environment of Pak Strait east coast of India. *Indian J. of Marine Science* Vol.33 pp 287-295
- 59) USEPA, 2008. *Air Quality Index: A Guide to Air Quality and Your Health*. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, USA. 12 pp.
- 60) Vallero (2014): *Fundamentals of Air Pollution* 5<sup>th</sup> Edition 2014.
- 61) Venkataraman (1993) A systematic account of some south Indian diatoms. *Proceedings of Indian Academy of Science* Vol. X No.6 Sec.B.
- 62) Weiss, R.F., (1970): The solubility of nitrogen, oxygen and argon in water and seawater. *Deep Sea Research and Oceanographic Abstracts* 17(4): 721-735.
- 63) Yap C.K., Chee M.W., Shamarina S., Edward F.B., Chew W. and Tan S.G. (2011). Assessment of Surface Water Quality in the Malaysian Coastal Waters by Using Multivariate Analyses, *Sains Malaysiana* 40 (10)1053–1062

