

**DEENDAYAL PORT AUTHORITY**  
**(Erstwhile: DEENDAYAL PORT TRUST)**



[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch).  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

EG/WK/4751 (EC)/part (Comp 1)/ 288

Dated: 22/04/2023

To,  
Shri T.C. Patel,  
Environmental Engineer,  
The Unit Head, Kachchh,  
Gujarat Pollution Control Board,  
Paryavaran Bhavan,  
Sector 10A, Gandhinagar- 382 010.

**Sub:** "Development of 7 Integrated facilities (Stage I) within the existing Kandla Port Trust limit at District Kutch (Gujarat) by M/s Kandla Port Trust Limited" - **Pointwise Compliance of the conditions stipulated in NOC (CTE- 74334) issued by GPCB req.**

- Ref.:**1) GPCB letter no.PC/CCA-KUTCH-1231/GPCB ID: 44000 dated 22/12/2015 (Online application Inward ID No. 78337 dated 25/2/2014).  
2) Compliance Report (period up to May, 2017) submitted by KPT vide letter no. EG/WK/4751 (EC)/part (Compliance) Dated: 15/06/2017.  
3) Compliance Report (period up to Nov, 2017) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Compliance)/611 Dated: 15/12/2017.  
4) Compliance Report (period up to May, 2018) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Compliance)/314 Dated: 14(21)/06/2018.  
5) Compliance Report (period up to March, 2019) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Compliance)/ Dated: 30(2)/03(04)/2019.  
6) Compliance Report (period up to October, 2019) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Comp 1)/154 Dated: 14/11/2019.  
7) Compliance Report (period up to November, 2020) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Comp 1)/Dated: 29/12/2020.  
8) Compliance Report (period up to May, 2021) submitted by DPT vide letter no. EG/WK/4751 (EC)/part (Comp 1)/94 Dated: 07/10/2021.  
9) Compliance Report (period up to May, 2022) submitted by DPA vide letter no. EG/WK/4751 (EC)/part (Comp 1)/223 Dated: 30/01/2023.

Sir,

It is requested to kindly refer above cited references for the said subject.

In this connection, it is to state that, vide above referred letter, Gujarat Pollution Control Board had granted Consent to Establish (CTE- 74334) with certain specific & general conditions and validity up to 15/11/2022. In this regard, it is relevant to mention here that, DPA had already obtained Environmental & CRZ Clearance for 7 project activities from the MoEF&CC,GoI dated 19/12/2016, based on the recommendation of the Gujarat Coastal Zone Management Authority dated 1/7/2015.

.....Cont.....

Subsequently, DPA vide above referred letters had regularly submitted compliance report of the stipulated conditions, to GPCB.


Now, please find enclosed herewith, compliance report of conditions stipulated in CTE Order (period up to November, 2022) along with necessary enclosures as **Annexure I**, for kind perusal & record please.

Further, as per the MoEF&CC, Notification S.O.5845 (E) dated 26.11.2018, stated that **"In the said notification, in paragraph 10, in sub-paragraph (ii), for the words "hard and soft copies" the words "soft copy" shall be substituted"**. Accordingly, we are submitting herewith soft copy of the same via e-mail ID [kut-uh-gpcb@gujarat.gov.in](mailto:kut-uh-gpcb@gujarat.gov.in).

This has the approval of the Chief Engineer, Deendayal Port Authority.

Thanking You.

Yours faithfully,

  
Manager (Env.)  
Deendayal Port Authority

Encl.: As above

**Copy to:** Regional Officer,  
Gujarat Pollution Control Board,  
Regional office,  
Kutch (East), Gandhidham-**370201**.  
Email Id. [ro-gpcb-kute@gujarat.gov.in](mailto:ro-gpcb-kute@gujarat.gov.in)

# **Annexure -I**

# Annexure 1

## CURRENT STATUS OF WORK (up to November, 2022)

**Subject: Development of 7 integrated facilities (Stage I) within existing Deendayal Authority at Kandla.**

<b>Name of Project</b>	<b>Status</b>
1. Development of oil jetty to handle liquid cargo and ship bunkering terminal at old Kandla under PP mode (jetty: 300m x 15m, approach 450 m X 10 m, back up area 5.5 HA, capacity - 3.39 MMTPA, capital dredging 1,73,660 m <sup>3</sup> maintenance dredging 1,56,294 m <sup>3</sup> (Estimated cost: 276.53 Cr.).	<p>The Concession Agreement was executed between DPA and M/s KOTPL on 16/11/2013 to implement the project on Built, Transfer &amp; Operate (BOT- PPP) Basis by M/s KOTPL.</p> <p>The award of concession was issued on 11/12/2020 to M/s KOTPL by DPA.</p> <p><b>The Project is under construction phase.</b></p>
2. Multipurpose Cargo Terminal at Tekra off Tuna on BOT basis (T shape jetty 600m X 80 m Capacity 18MMTPA, back up area 101 Ha capital dredging 1,26,57,175 m <sup>3</sup> maintenance dredging 18,98,576. 25 m <sup>3</sup> Estimated cost: 1686.66 Cr.	<p>The Board of DPA approved the Feasibility Report in its meeting on 19.02.2021.</p> <p>The MoPSW,GoI vide communication dated 21/10/2022 has conveyed approval granted by the Cabinet Committee on Economic Affairs to the project.</p> <p>Accordingly, DPA already invited RFQ and RFP which is currently under bidding stage</p> <p><b><u>No construction activity has started yet.</u></b></p>
3. Up gradation of Barge handling capacity at Bundar basis at Kandla capacity 3.33 MMTA back-up area 5 Ha, Estimated cost: 109.59 Cr.	The up-gradation work was completed.
4. Construction of Rail over Bridge at NH 8 A near Nakti Bridge (crossing of NH 8 A Estimated cost: 32.17 Cr.	<b>Construction activity has not yet started.</b>
5. Mechanization of Dry Cargo handling capacity at Kandla Port (Berth 7 and 8 capacity 7.35 MMTPA estimated cost 80.61	Mechanization work already completed.

Cr.	
6. Strengthening of Oil jetty 1 (Estimated cost: 7.5 Cr.	The strengthening work completed.
7. Modification and strengthening of Cargo berth No. 6 at Kandla Port Estimated cost: 11.5 Cr.	The modification & strengthening work completed.

**Out of a total of 7 project activities, construction activities of 4 projects (i.e. Sr. No. 3, 5, 6 & 7 mentioned in the EC & CRZ Clearance) have already been completed. Whereas construction activity of the project at Sr. No. 2 & 4 have not yet started.**

**For the current compliance period up to November, 2022, construction activity related to project No. 1 is ongoing. The compliance report submitted by the Concessionaire M/s KOTPL is attached herewith as Annexure A.**

## **COMPLIANCE REPORT (for the period up to November, 2022)**

**Subject:** Compliance of conditions stipulated by the Gujarat Pollution Control Board in NOC/CTE issued for the project "**Development 7 Integrated facilities (Stage I) within the existing Kandla Port Trust limit at District Kutch (Gujarat)**".

**Reference:** NOC/CTE issued by the GPCB (CTE – 74334) vide no. PC/CCA-KUTCH-1231/GPCB ID 44000 dated 22/12/2015 (outward) with validity upto 15/11/2022. DPA applied for a CTE extension vide Inw Id 268644 dated 9/11/2022.

<b>Sr. No.</b>	<b>Specific Condition</b>	<b>Compliance</b>
1	Kandla Port Trust shall strictly adhere to all conditions of CRZ Clearance issued by the Forest & Environment Department vide order no. ENV-10-2014-25-E dated 01/07/2015.	a) It is assured that Deendayal Port Authority (Erstwhile Deendayal Port Trust) strictly adheres to all conditions of CRZ Clearance issued by the Forest & Environment Department vide order no. ENV-10-2014-25-E dated 01/07/2015. The current compliance report up to November 2022 for the conditions stipulated in CRZ recommendation report is attached as <b>Annexure B.</b>  b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b>
2	CTE is granted conditionally that Kandla Port Trust shall not install & commission the construction activity of the seven activities mentioned above without obtaining Environment Clearance from MoEF&CC, New Delhi.	DPA had already obtained Environmental & CRZ Clearance from the MoEF&CC, GoI, dated 19/12/2016. A copy had already been submitted to the GPCB, along with the compliance report submitted dated 15/6/2017. The construction activity was commissioned after obtaining Environment Clearance from MoEF&CC, New Delhi.
3	Kandla Port Trust shall strictly adhere to all conditions of the Terms Of Reference (TOR) (vide letter no. F. No, 11-82/2011-IA.III) by MoEF&CC, New Delhi.	Based on the EIA report prepared by the M/s Mantec Consultants Pvt. Ltd., as per TOR given by the MoEF&CC, GoI dated 4/5/2016; DPA had obtained EC & CRZ Clearance from the

		MoEF&CC, GoI dated 19/12/2016.								
<b>3.</b>	<b>Conditions under Water Act 1974.</b>									
3.1	There shall be no industrial effluent generation from the loading and unloading activities at the Port and other ancillary operations.	N/A								
3.2	The quantity of Domestic wastewater (sewage) shall not exceed 6.4 KL/Day	a) Point noted.  b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b>								
3.3	The quantity of sewage shall conform to the following standards:  <table border="1" data-bbox="236 898 810 1189"> <thead> <tr> <th>Parameter</th> <th>Permissible limit</th> </tr> </thead> <tbody> <tr> <td>BOD (5 days at 20 *C)</td> <td>Less than 20 mg/lit</td> </tr> <tr> <td>Suspended solids</td> <td>Less than 30 mg/lit</td> </tr> <tr> <td>Residual chlorine</td> <td>Minimum 0.5 mg/lit</td> </tr> </tbody> </table>	Parameter	Permissible limit	BOD (5 days at 20 *C)	Less than 20 mg/lit	Suspended solids	Less than 30 mg/lit	Residual chlorine	Minimum 0.5 mg/lit	a) DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters since the year 2016. The work is in progress & DPA submitted monitoring data regularly to all the concerned authorities along with compliance reports submitted.  The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure C.</b>  b) For Project at Sr. No. 1 which is under construction, kindly refer the monitoring report submitted by the Concessionaire M/s KOTPL along with the compliance report attached herewith as <b>Annexure A.</b>
Parameter	Permissible limit									
BOD (5 days at 20 *C)	Less than 20 mg/lit									
Suspended solids	Less than 30 mg/lit									
Residual chlorine	Minimum 0.5 mg/lit									
3.4	Sewage shall be disposed of through a septic tank /soak pit system.	a)For completed projects (modification/ strengthening/ up-gradation of existing facilities), Sewage is being treated in the STP of Kandla (1.5 MLD). The treated sewages from STP of DPA are utilized for plantation / Gardening.  b) For Project at Sr.No. 1 which is under construction, kindly refer								

		compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b>
3.5	The unit shall install a flow meter at utilities for measuring category-wise (category as given in the water cess act - 1977 schedule II) consumption of water.	Point noted
<b>4</b>	<b>Conditions Under Air Act 1981.</b>	
4.1	There shall be no use of fuel; hence shall be no flue gas emission from storage handling activity and other ancillary operations.	Not applicable.
4.2	The applicant shall provide portholes, ladder, platform etc. at chimney (s) for monitoring the air emission and shall be open for inspection to and for use of Boards staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.	Not applicable

4.3	<p>The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per national Ambient Air Quality Emission Standards issued by the Ministry of Environment and Forest dated 16<sup>th</sup> November 2009.</p> <table border="1" data-bbox="239 582 837 1411"> <thead> <tr> <th data-bbox="239 582 327 761">Sr. No</th> <th data-bbox="327 582 502 761">Pollutant</th> <th data-bbox="502 582 678 761">Time-weighted Average</th> <th data-bbox="678 582 837 761">Concentration in Ambient air in <math>\mu\text{g}/\text{M}^3</math></th> </tr> </thead> <tbody> <tr> <td data-bbox="239 761 327 862">1</td> <td data-bbox="327 761 502 862">Sulphur Dioxide (SO<sub>2</sub>)</td> <td data-bbox="502 761 678 862">Annual 24 Hours</td> <td data-bbox="678 761 837 862">50 80</td> </tr> <tr> <td data-bbox="239 862 327 974">2</td> <td data-bbox="327 862 502 974">Nitrogen Dioxide (NO<sub>2</sub>)</td> <td data-bbox="502 862 678 974">Annual 24 Hours</td> <td data-bbox="678 862 837 974">40 80</td> </tr> <tr> <td data-bbox="239 974 327 1187">3</td> <td data-bbox="327 974 502 1187">Particulate Matter (Size less than 10 <math>\mu\text{m}</math>) OR PM<sub>10</sub></td> <td data-bbox="502 974 678 1187">Annual 24 Hours</td> <td data-bbox="678 974 837 1187">60 100</td> </tr> <tr> <td data-bbox="239 1187 327 1411">4</td> <td data-bbox="327 1187 502 1411">Particulate Matter (Size less than 2.5 <math>\mu\text{m}</math>) OR PM<sub>2.5</sub></td> <td data-bbox="502 1187 678 1411">Annual 24 Hours</td> <td data-bbox="678 1187 837 1411">40 60</td> </tr> </tbody> </table>	Sr. No	Pollutant	Time-weighted Average	Concentration in Ambient air in $\mu\text{g}/\text{M}^3$	1	Sulphur Dioxide (SO <sub>2</sub> )	Annual 24 Hours	50 80	2	Nitrogen Dioxide (NO <sub>2</sub> )	Annual 24 Hours	40 80	3	Particulate Matter (Size less than 10 $\mu\text{m}$ ) OR PM <sub>10</sub>	Annual 24 Hours	60 100	4	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) OR PM <sub>2.5</sub>	Annual 24 Hours	40 60	<p>a) DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters since the year 2016. The work is in progress &amp; DPA submitted monitoring data regularly to all the concerned authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure C</b>.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer the monitoring report submitted by the Concessionaire M/s KOTPL along with the compliance report attached herewith as <b>Annexure A</b>.</p>
Sr. No	Pollutant	Time-weighted Average	Concentration in Ambient air in $\mu\text{g}/\text{M}^3$																			
1	Sulphur Dioxide (SO <sub>2</sub> )	Annual 24 Hours	50 80																			
2	Nitrogen Dioxide (NO <sub>2</sub> )	Annual 24 Hours	40 80																			
3	Particulate Matter (Size less than 10 $\mu\text{m}$ ) OR PM <sub>10</sub>	Annual 24 Hours	60 100																			
4	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) OR PM <sub>2.5</sub>	Annual 24 Hours	40 60																			
3.4	<p>The concentration of Noise in ambient air within the premises of the industrial unit shall not exceed the following levels:</p> <p>Between 6 A.M. and 10 P.M.:75dB (A) Between 10 P.M. and 6 A.M.: 70 dB(A)</p>	<p>a) DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters since the year 2016. The work is in progress &amp; DPA submitted monitoring data regularly to all the concerned authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure C</b>.</p>																				

		b) For Project at Sr. No. 1 which is under construction, kindly refer the monitoring report submitted by the Concessionaire M/s KOTPL along with the compliance report attached herewith as <b>Annexure A</b> .
<b>5</b>	<b>Conditions Under Hazardous Waste</b>	
5.1	The applicant shall provide temporary storage facilities for each type of hazardous waste as per the hazardous waste (management, handling & transboundary movement) Rule, 2008, as amended from time to time.	<p>a) DPA has appointed GPCB/CPCB authorised vendors for the management and recycling of hazardous waste as per the Hazardous Waste Management Rule, 2008 and its subsequent amendments.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
5.2	The applicant shall obtain membership of a common TSDF site for disposal of Hazardous waste as categorised in Hazardous Waste (Management, Handling & transboundary Movement) Rules, 2008, as amended from time to time.	Not applicable
<b>6</b>	<b>General Conditions</b>	
6.1	Any change in personnel, equipment or working conditions as mentioned in the consent form/order should immediately be intimated to this Board.	<p>a) Point noted.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
6.2	The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) of the waste generated.	<p>a) DPA has appointed GPCB/CPCB-authorised vendors for the management of hazardous waste.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>

6.3	Records of waste generation, its management and annual returns shall be submitted to Gujarat Pollution Control Board in Form - 4 by 31 <sup>st</sup> January of every year.	<p>a) DPA regularly submitted annual return Hazardous waste in Form IV to the Gujarat Pollution Control Board. The annual return for the year 2021-22 is attached herewith as <b>Annexure D</b>.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
6.4	In case of any accident the same shall be submitted in form - 5 to Gujarat Pollution Control Board.	<p>a) Point Noted</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
6.5	The applicant shall comply with the relevant provision of "Public liability insurance act - 91".	Not applicable
6.6	Unit shall take all concrete measures to show the tangible result in waste generation reduction, avoidance, reuse and recycling. Action taken in this regard shall be submitted within 03 months and also along with form 4.	<p>a) The hazardous waste generated has been disposed of by selling out to registered recyclers/reprocessors. DPA regularly submitted the annual return of hazardous waste in Form IV to the GPCB.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
6.7	Industry shall have to display on - line data outside the main factory gate with regard to the quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous waste generated within the factory premises.	<p>a) Point Noted.</p> <p>Further, DPA invited tender for 'Online Continuous Ambient Air Quality Monitoring (CAAQM) For the Period of Three Years at Deendayal Port Authority'. The same is under evaluation stage.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL</p>

		(concessionaire of the project) placed at <b>Annexure A.</b>
6.8	Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 10 meters width is developed.	<p>a) DPA entrusted work of green belt development in and around Port area to the Forest Department, Gujarat at a cost of Rs. 352 lakhs (Area 32 hectares). The work is completed.</p> <p>Further, DPA has appointed Gujarat Institute of Desert Ecology (GUIDE) for "Green belt development in Deendayal Port Authority and its Surrounding Areas, Charcoal site' (Phase-I)" vide Work Order No.EG/WK/4757/Part [Greenbelt GUIDEJ, dated 31st May, 2022 (<b>Annexure E.</b>)</p> <p>Moreover, DPA and BOT operator will carry out plantation as per the condition.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p>
6.9	The applicant shall have to submit the returns in prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the water (prevention & control of pollution) Cess Act-1977.	<p>a) DPA regularly submitted the Environmental Statement in Form V. The annual return for the year 2021-22 is attached herewith as <b>Annexure F.</b></p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p>

# **Annexure -A**



# Kandla Oil Terminal Private Limited

Registered Office: "NEELADRI", 3rd Floor, No. 9, Cenotaph Road, Alwarpet, Chennai - 600 018.  
Tel: +91-44-4590 2222, 4590 2299, Fax: + 91-44-4590 2200, URL : www.imc.net.in CIN: U60200TN2013PTC092551

KRO/KOTPL/17122022

December 17, 2022

The Superintending Engineer (Design)  
Deendayal Port Authority  
Administrative -Office  
Gandhidham  
Kutch 370 201

Dear Sir,

Sub. : Development of Oil Jetty to handle Liquid Bulk and Ship bunkering Terminal at Old Kandla ("Project").-  
Half Yearly EC & CRZ Compliance report

The half-yearly compliance reports for the KOTPL project for the period from June 2022 to November 2022 are enclosed. (EC, CRZ & CTE)

We would appreciate your acknowledgment of receipt of these documents.

Yours sincerely,

For Kandla Oil Terminal (P) Limited

(Authorized Signatory)

17/12/2022.

CC: Independent Engineer, IITM

Encls.:

1. EC Compliance report
2. CRZ Compliance report
3. CTE Compliance report
4. Monitoring Data sheet
5. Ambient Air (Six Months)
6. Noise Monitoring (Six Months)
7. Drinking Water Report (Six Months)
8. Construction Activities Photographs

145(PL)  
06/01/23

17(0)  
08/01/2023

08(0)  
08/01/2023

Manager(Env)/S/Si Annex  
EMC  
6/1

SE(EMC) &  
6/1/23



Monitoring Report (Up to November, 2022)  
DATA SHEET

Sr. No.	Particulars	Reply
1.	Project type: River valley/ Mining/Industry/ thermal/nuclear/Other (specify)	Development of Oil Jetty to handle Liquid Bulk and Ship bunkering Terminal at Old Kandla
2.	Name of the project	Development of Oil Jetty to handle Liquid Bulk and Ship bunkering Terminal at Old Kandla
3.	Clearance Letter (s). OM no and date	MoEFCC File No. F.No.11-82/2011-IA-III Proposal No. IA/GJ/MIS/28772/2011 Dated 16 <sup>th</sup> May 2016
4.	Location a) District (s)  b) State (s)	Location: a) Kutch  b) Gujarat
5.	Address for Correspondence a) address of Concerned Project Chief Engineer (with pin code & telephone/telex/fax numbers  b) Address of Executive project Engineer/manager/ (with pin code fax numbers)	Regional Head Kandla Regional Office Kutch 370 201  Deputy General Manager Kandla Regional Office Administrative -Office Gandhidham Kutch 370 201
6.	Salient features a) Of the Project  b) Of the Environmental Management Plan	<b>Jetty : 3.39 MTPA</b> <b>Tank farm : 1,64,500 KL ( As Per Concession Agreement)</b> <b>Approved Construction Capacity About 1,36,417 KL (As per revised statutory/OISD norms duly approved by the competent Authorities) &amp; Allied Facilities</b>
7.	Production Details during compliance period and (or) during the previous financial year	Project is under construction stage.
8.	Breakup of the project area a) Submergence area: forest & non-	N/A





	forest b) Others	
9.	Breakup of the project affected population with enumeration of those loing houses/dwelling units only agricultural land & landless laborer's/artisen  a) SC. ST/Adivasis b) Others (please indicate whether these figures arebased on any scientific and systematic survey carried out of only provisional figures, if a survey is carried out give details and years of survey).	Not Applicable
10.	Financial details a) Project cost as originally planned and subsequent revised estimates and the year of prices reference  b) Allocation made for environmental management plans with item wise and year wise break-up  c) Benefit cost ratio/Internal rate of Return and the year of assessment Whether (c) includes the cost of environmental management plans so far.  d) Actual expenditure incurred on the project  e) Actual expenditure incurred on the environmental management plans so far.	Estimated Project cost: Rs. 233.50 Cr(Estimated by the Concessioneing Authority in RFQ. Revised project cost: Rs.343 Cr.  Rs. 10 Lacs     Rs.22.04 Cr. ( Till November 22 )  Rs. 7 Lakhs
11.	Forest land requirement  a) The status of approval for diversion of forest land for non-forestry use  b) The status of clear felling	Nil  N/A.  N/A





	c) The status of compensatory a forestation, if any	N/A
	d) Comments on the viability & sustainability of compensatory a forestation programmed in the light of actual field experience so far	N/A
12.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	N/A
13.	Status of construction a) Date of commencement (Actual and/or planned) b) Date of completion (Actual and/or planned)	Project is under construction stage. Award of concession: December, 2020. Construction schedule- 24 months. Planned date of Completion.: 4th week of July 2024
14.	Reasons for the delay if the Project is yet to start	Project is under construction stage and delayed because on Pandemic & Local Hindrances.
15.	Date of site visited a) The dates on which the project was monitored by the regional office on pervious occasion. if any b) The date site visit for this monitoring report	No
16.	Details of the correspondence with project authorities for obtaining action plans/information on status of compliance to safeguard other than the routine letters for logistic support for site visit.  (The first monitoring report may contain the details of all the letters issued so far but the later reports may cover only the letters issued subsequently.)	Noted.





Subject: Point-wise Compliance Status Report for Environmental clearance for Developing integrated facility within the existing Kandla Port at Kandla, Dist: Kutch by M/s. Kandla Port Trust Limited – Reg.

Ref No: - Environmental Clearance vide Letter No- F. No. 11-82/2011-IA III dated 19.12.2016

Sr. No.	EC Conditions	Compliance Status
<b>PART A – SPECIFIC CONDITIONS</b>		
I	Construction activity shall be carried out strictly according to the provisions of CRZ Notification 2011 No. construction work other than those permitted in coastal Regulation Zone Notification Shall be carried out in Coastal Regulation Zone area	Noted
ii	The project proponent shall ensure that there shall be no damage to the existing mangroves patches near site and also ensure the free flow of water to avoid damage to the mangroves.	Noted
iii	The project proponent shall ensure that no creeks or rivers are blocked due to any activities at the project site, and free flow of water is maintained.	Noted
iv	The shoreline should not be disturbed due to dumping. Periodical study on shoreline changes shall be conducted, and mitigation carried out, if necessary. The details shall be submitted along with the six-monthly monitoring reports.	No shoreline is disturbed.
v	The foreshore facilities shall be set up in the stable/low or medium eroding site as demarcated in the shoreline change map by NCSCM. Further, NCSCM shall be authorized to	Noted





Sr. No.	EC Conditions	Compliance Status
	monitor the project during the construction and operation phases so as to ensure that the foreshore facilities cause minimum or no impact to the geomorphological systems.	
vi	The PP should take measures to ensure that construction materials/debris (mortar, cementing material, etc.) do not fall in the water. Construction material including labour camps should be located at adequate distance form CRZ areas.	Noted.
vii	Dredged materials should be analyzed for the presence of contaminants and also to decide the disposal options. Monitoring of dredging activities should be conducted, and the findings should be shared with the Gujarat SPCB and the Regional office of the Ministry.	No dredging activity carried out till date.
viii	PP in consultation with GCZMA should prepare a regional strategic impact assessment report with a special focus on the region where the PP started construction without permission. The cost towards this study should be borne by the PP	Noted
ix	A comprehensive and integrated conservation plan including a detailed bathymetry study and protection of creeks/mangrove area including buffer zone, mapping of coordinates, running length, HTL, and CRZ boundary should be put in the place. The plan should take note of all the conditions of approvals granted to all the project proponents in this area, and the reported cases of the disappearance of mangroves	DPA appointed Gujrat Institute of Desert Ecology, Bhuj for the said work.





Sr. No.	EC Conditions	Compliance Status
	near the project site. The preservation of the entire area to maintain the fragile ecological conditions should be a part of the plan in relation to the creek and mangrove conservation.	
x	The commitments made during the Public Hearing and recorded in the minutes shall comply with by letter and spirit. A hard copy of the action taken shall be submitted to the ministry.	Not Applicable
xi	All the conditions stipulated in the earlier clearance including the recommendations of the Environment Management Plan, and Disaster Management Plan shall be strictly complied with.	Noted
xii	Disposal sites for excavated material should be so designed that the revised land use after dumping and changes in the land use pattern does not interfere with the natural drainage.	Noted
xiii	PP shall install a continuous automatic ambient air quality monitoring system (24x7) for all relevant parameters at two locations to monitor the ambient air quality status of the project area. Data should be transferred online to CPCB and SPCB websites.	We are conducting AAQ monitoring as per CPCB guidelines and are attached as <b>Annexure</b> .
xiv	The groundwater shall not be tapped within the CRZ areas by the PP to meet the water requirement in any case.	Noted
xv	Necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that they conform to the standards laid down by the competent authorities including the Central	The project is under the construction stage.





Sr. No.	EC Conditions	Compliance Status
	or State Pollution Control Board and under the Environment (Protection) Act, 1986.	
xvi	All the operational areas will be connected with the network of liquid waste collection corridors comprising of stormwater, oily waste and sewage collection pipelines.	The project is under the construction stage.
xvii	Automatic /online monitoring system (24x7) monitoring devices) for water pollution in respect of flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCB and in the Company's website.	Not Applicable
xviii	Marine ecology shall be monitored regularly also in terms of seaweeds, sea grasses, mudflats, sand dunes, fisheries, echinoderms, shrimps, turtles, corals, coastal vegetation, mangroves and other marine biodiversity components as part of the management plan. Marine ecology shall be monitored regularly also in terms of all micro, macro and mega floral and faunal components of marine biodiversity.	DPA appointed the Gujarat Institute of Desert Ecology, Bhuj for Regular Monitoring of Marine Ecology in May 2017. Present work was assigned by DPT for 2021-2024.
xix	Measures should be taken to contain, control and recover the accidental spills of fuel and cargo handle.	Noted
xx	All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to the RO, MoEF&CC along with half yearly compliance report.	Noted





Sr. No.	EC Conditions	Compliance Status
xxi	Ships/barges shall not be allowed to release any oily bilge waste or ballast water in the sea. Any effluents from the Jetty which have leachable characteristics shall be segregated and recycled/disposed of as per SPCB guidelines.	The project is under the construction stage.
xxii	The location of DG sets and other emission-generating equipment shall be decided keeping in view the predominant wind direction so that emissions do not affect nearby residential areas. Installation and operation of DG sets shall comply with the guidelines of CPCB.	Not Applicable
xxiii	All the mechanized handling systems and other associated equipment such as hoppers, belt conveyors, stackers cum reclaimers shall have integrated dust suppression systems. Dust suppression systems shall be provided at all transfer points.	Not applicable as this project is for the handling of liquid cargo.
xxiv	No product other than permitted under the CRZ notification, 2011 shall be stored in the CRZ area.	Noted.
xxv	It shall be ensured by the Project Proponent that the activities do not cause disturbance to the fishing activity, movements of fishing boats and destruction of mangroves during the construction and operation phase.	Noted.
xxvi	As proposed, a green belt over an area of 36.8 ha shall be developed with at least 10-meter-wide green belt on all sides along the periphery of the project area, in the downward direction, and along roadsides etc. Selection of plant species shall be as per the CPCB guidelines in	Noted.





Sr. No.	EC Conditions	Compliance Status
xxvii	consultation with the DFO. Mangrove plantation in an area of 100 ha. shall be carried out by KPT within 2 years in a time bound manner. Action taken report shall be submitted to the Regional Office of MoEF &CC.	Not Applicable
xxviii	Municipal solid wastes and hazardous wastes shall be managed as per the Municipal Solid Waste Rule, 2016 and Hazardous Waste Management Rule, 2016.	Noted.
xxix	The Project Proponent shall take up and earmark adequate funds for socio-economic development and welfare measures as proposed under the CSR program. This shall be taken up on priority.	Noted.
xxx	The project proponent shall set up a separate environmental management cell for the effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.	Noted.
xxxii	The funds earmarked for the environment management plan shall be included in the budget, and this shall not be diverted for any other purposes.	Noted.
xxxiii	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also during their presentation to the EAC.	Noted.
xxxiii	The company shall prepare an operating manual in respect of all activities. It shall cover all safety & environmental related issues and systems. Measures to be taken for protection. One set of the environmental manual shall	Noted.





Sr. No.	EC Conditions	Compliance Status
	be made available at the project site. Awareness shall be created at each level of management. All the schedules and results of environmental monitoring shall be available at the project site office.	
xxxiv	Corporate Social Responsibility.	
a.	The Company shall have a well-laid-down Environment Policy approved by the Board of Directors.	Noted.
b.	The Environment Policy shall prescribe for standard operating processes/procedures to bring into focus any infringements/deviation/violations of the environmental or forest norms/conditions.	Noted.
c.	The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.	Noted.
d.	To have proper checks and balances, the company shall have a well-laid-down system of reporting of non-compliances/violations of environmental norms to the board of Directors of the company and/or shareholders or stakeholders at large.	Noted.
<b>B. GENERAL CONDITIONS:</b>		
(i)	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State Government and any other statutory authority.	Noted.
(ii)	Full support shall be extended to the officers of this Ministry/ Regional Office at Bhopal by the	Noted.





Sr. No.	EC Conditions	Compliance Status
	project proponent during the inspection of the project for monitoring purposes by furnishing full details and an action plan including action is taken reports in respect of mitigation measures and other environmental protection activities.	
(iii)	A six-Monthly monitoring report shall need to be submitted by the project proponents to the Regional Office of this Ministry at Bhopal regarding the implementation of the stipulated conditions.	Noted.
(iv)	Ministry of Environment, Forest and Climate Change or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary, in the interest of the environment and the same shall be complied with.	Noted.
(v)	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated have not complied with the satisfaction of the Ministry.	Noted.
(vi)	In the event of a change in the project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment, Forest and Climate Change.	Noted.
(vii)	The project proponents shall inform the Regional Office as well as the Ministry, of the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.	Noted.
(viii)	A copy of the clearance letter	Complied



Sr. No.	EC Conditions	Compliance Status
	shall be marked to the concerned Panchayat/local NGO, if any, from whom any suggestion/representation has been made or received while processing the proposal.	
(ix)	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/Tehsildar's office for 30 days.	Complied.
11	These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.	Noted.
12	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Till date no tank farm construction activity has been started.
13	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language	Complied



Sl. No.	EC Conditions	Compliance Status
	<p>informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a>. The advertisement should be made within Seven days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.</p>	
14	<p>This Clearance is subject to a final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this product.</p>	Noted.
15	<p>The status of compliance with the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent on its website.</p>	Noted.
16	<p>Any appeal against this Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.</p>	Noted.
17	<p>A copy of the clearance letter shall be sent by the proponent to the concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The</p>	Complied.



Sr. NO.	EC Conditions	Compliance Status
	clearance letter shall also be put on the website of the company by the proponent.	
18	The proponent shall upload the status of compliance with the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEFCC, the respective Zonal Office of CPCB and the SPCB.	Noted.
19	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEFCC by e-mail.	Noted.





**Subject: Point-wise Compliance Status Report for CRZ clearance for Developing integrated facility within the existing Kandla Port at Kandla, Dist: Kutch by M/s. Kandla Port Trust Limited – Reg.**

**Ref No: - GCZMA CRZ recommendation vide Letter No- ENV-10-2014-25-E Cell dated 01.07.2015**

S. No.	CRZ Conditions	Compliance Status
<b>SPECIFIC CONDITIONS</b>		
1.	The provisions of the CRZ notification of 2011 shall be strictly adhered to by the KPT. No activity in contradiction to the provisions of the CRZ Notification shall be carried out by the KPT.	Noted.
2.	The KPT shall have to ensure that there shall not be any damage to the existing mangrove area.	Noted
3.	The KPT shall prepare an emergency plan to protect existing mangroves in case of any eventuality/accident	Noted
4.	The KPT shall have to make a provision that mangrove areas get proper flushing water and free flow of water shall not be obstructed.	Noted
5.	The KPT shall have to abide by whatever decision taken by the GCZMA for violations of CRZ notification 2011	Noted
6.	There shall not be violations of the order dated 9-12-2013 passed by the National Green Tribunal, and accordingly, there shall be no mangrove destruction taking place in the KPT area.	Noted
7.	No dredging, reclamation or any other project-related activities shall be carried out in the CRZ area categorized as CRZ I (i), and it shall have to be ensured that the mangrove habitats and other ecologically important and significant areas, if any, in the region are not affected due to any of the project activities.	Noted
8.	The KPT shall participate financially in installing and operating the Vessel Traffic Management System in the Gulf of Kachchh and shall also take the lead in preparing and operational sing the Regional Oil Spill Contingency plan in the Gulf of Kachchh.	Not Applicable
9.	The KPT shall strictly ensure that no creeks or rivers are blocked due to any activity at Kandla.	Noted





S. No.	CRZ Conditions	Compliance Status
10.	Mangrove plantation in an area of 100 ha. shall be carried out by the KPT within 2 years in a time-bound manner on the Gujarat coastline either within or outside the Kandla Port Trust area, and a six-monthly compliance report along with the satellite images shall be submitted to the Ministry of Environment and Forests as well as to this Department without fail.	Not Applicable
11.	No activities other than those permitted by the competent authority under the CRZ Notification shall be carried out in the CRZ area.	Noted
12.	No groundwater shall be tapped for any purpose during the proposed expansion/modernization activities.	Noted
13.	All necessary permissions from different Government Departments/agencies shall be obtained by the KPT before commencing the expansion activities.	Noted
14.	No effluent or sewage shall be discharged into the sea/creek or in the CRZ area, and it shall be treated to conform to the norms prescribed by the Gujarat Pollution Control Board and would be reused/recycled within the plant premises.	No waste water generation during the construction phase
15.	All the recommendations and suggestions given by Mantec Consultants Pvt. Ltd. New Delhi in their Comprehensive Environment Impact Assessment report for conservation/protection and betterment of the environment shall be implemented strictly by the KPT.	Noted
16.	The construction and operational activities shall be carried out in such a way that there is no negative impact on mangroves and other coastal/marine habitats. The construction activities and dredging shall be carried out only under the constant supervision and guidelines of the Institute of National repute like NIOT.	Noted
17.	The KPT shall contribute financially to any common study or project that may be proposed by this Department for environmental management/conservation /improvement for the Gulf of Kutch.	Not applicable
18.	The construction debris and/or any other type of waste shall not be disposed of into the sea, creek or in the CRZ areas. The	Noted





## Kandla Oil Terminal Private Limited

S. No.	CRZ Conditions	Compliance Status
	debris shall be removed from the construction site immediately after the construction is over.	
19.	The construction camps shall be located outside the CRZ area, and the construction labour shall be provided with the necessary amenities, including sanitation, water supply and fuel, and it shall be ensured that the environmental conditions are not deteriorated by the construction labours.	Noted.
20.	The KPT shall regularly update their Local Oil Spill Contingency and Disaster Management plan in consonance with the National Oil Spill and Disaster Contingency Plan and shall submit the same to this Department after having it vetted through the Indian Coast Guard.	Noted
21.	The KPT shall bear the cost of the external agency that may be appointed by this Department for supervision/ monitoring of proposed activities and the environmental impacts of the proposed activities.	Not applicable
22.	The KPT shall take up massive greenbelt development activities in and around Kandla and also within the KPT limits.	Not applicable
23.	The KPT shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forests and Environment Department and the District Collector/ District Development officer.	Not applicable
24.	A separate budget shall be earmarked for environmental management and socio-economic activities, and details thereof shall be furnished to this Department as well as MoEF,GOI. The details with respect to the expenditure from this budget head shall also be furnished.	Noted
25.	A separate environmental management cell with qualified personnel shall be created for environmental monitoring and management during the construction and operational phases of the project.	Noted
26.	An environmental report indicating the changes, if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by the KPT to this Department as well as to the	Noted





S. No.	CRZ Conditions	Compliance Status
	MoEF&CC,GOI.	
27.	The KPT shall have to contribute financially to support the National Green Corps Scheme being implemented in Gujarat by the GEER Foundation, Gandhinagar, in consultation with the Forests and Environment Department	Not applicable
28.	A six-monthly report on compliance with the conditions mentioned in this letter shall have to be furnished by the KPT on a regular basis to this Department/MoEF&CC,GOI	Noted
29.	Any other conditions that may be stipulated by this Department/MoEF&CC,GOI from time to time for environmental protection/management purposes shall also have to be complied with by the KPT.	Noted.





Subject: Point-wise Compliance Status Report for Consent to Establish for Developing integrated facility within the existing Kandla Port at Kandla, Dist: Kutch by M/s. Kandla Port Trust Limited – Reg.

Ref No: - PC/CCA-KUTCH-1231/GPCB ID 44000 dated 22.12.2015 and Amendment of Consent t to Establish dated 04.12.2017

Sr. No.	Condition	Compliance Status								
2.	<b>SPECIFIC CONDITIONS:</b>									
	1. Kandla Port Trust shall strictly adhere to all conditions of CRZ Clearance issued by the Forest & Environment Department vide order no. ENV-10-2014-25-E dated 01/07/2015.	Noted								
	2. CTE is granted conditionally that Kandla Port Trust shall not install & commission, including the construction activity of seven activities mentioned above, without obtaining Environment Clearance from MoEF&CC, New Delhi.	Noted								
	3. Kandla Port Trust shall strictly adhere to all conditions of the Terms of Reference (ToR) (vide letter no. F. No. 11-82/2011-IA.III) by MoEF&CC, New Delhi.	Noted								
3.	<b>CONDITION UNDER THE WATER ACT 1974:</b>									
	3.1 There shall be no industrial effluent generation from the loading and unloading activities at the port and other ancillary operations.	Not applicable								
	3.2 The quantity of Domestic wastewater (Sewage) shall not exceed 6.4 KL/Day.	Not applicable								
	3.3 The quality of the sewage shall conform to the following standards:	Not applicable								
	<table border="1"> <thead> <tr> <th>PARAMETERS</th> <th>GPCB NORMS</th> </tr> </thead> <tbody> <tr> <td>BOD (5 days at 20 °C)</td> <td>20 mg/L</td> </tr> <tr> <td>Suspended solids</td> <td>30 mg/L</td> </tr> <tr> <td>Residual Chlorine</td> <td>Minimum 0.5 mg/L</td> </tr> </tbody> </table>	PARAMETERS	GPCB NORMS	BOD (5 days at 20 °C)	20 mg/L	Suspended solids	30 mg/L	Residual Chlorine	Minimum 0.5 mg/L	
PARAMETERS	GPCB NORMS									
BOD (5 days at 20 °C)	20 mg/L									
Suspended solids	30 mg/L									
Residual Chlorine	Minimum 0.5 mg/L									
	3.4 Sewage shall be disposed of through a septic tank/soak pit system.	Not applicable								
	3.5 The unit shall install meters at utilities for measuring category-wise (Category as given in Schedule II of "Water (Prevention & Control of Pollution ) Cess Act-1977") consumption of water.	Not applicable								





**CONDITION UNDER THE AIR ACT 1981:**

- 4.1 There shall be no use of fuel hence there shall be no flue and process gas emission from storage handling activity and other ancillary operations.
- 4.2 The applicant shall provide portholes, ladder, platform etc at chimney(s) for monitoring the air emissions and the same shall be open for inspection. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4.3 The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per National Ambient Air Quality Standards issued by MoEF&CC dated 16<sup>th</sup> November-2009.

**Noted**

**Not Applicable**

**Noted (Annexure)**

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient air in $\mu\text{g}/\text{m}^3$
1.	Sulphur Dioxide ( $\text{SO}_2$ )	Annual 24Hours	50 80
2.	Nitrogen Dioxide ( $\text{NO}_2$ )	Annual 24Hours	40 80
3.	Particulate Matter (Size less than $10 \mu\text{m}$ ) OR PM10	Annual 24Hours	60 100
4.	Particulate Matter (Size less than $2.5 \mu\text{m}$ ) OR PM 2.5	Annual 24Hours	40 60

- 4.4 The level of Noise in ambient air within the premises of the industrial unit shall not exceed the following levels:  
 Between 6 A.M. to 10 P.M.:75 dB(A)  
 Between 10 P.M. to 6 A.M.:70 dB(A)

**Noted (Annexure)**

**5. CONDITIONS UNDER HAZARDOUS WASTE:**

- 5.1 The applicant shall provide temporary storage facilities for each type of Hazardous Waste as per Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2008, as amended from time to time.
- 5.2 The applicant shall obtain membership of a common TSDf site for the disposal Hazardous. Waste as categorized in Hazardous

**Noted**

**The project is under the construction**





Waste (Management, Handling & Transboundary Movement) Rules, 2008, as amended from time to time.

**GENERAL CONDITIONS**

6.		stage
	6.1 Any change in personnel, equipment or working conditions as mentioned in the consent form/order should immediately be intimated to this Board.	Noted
	6.2 The waste generator shall be totally responsible for (i.e. Collection, storage, transportation and ultimate disposal) the wastes generated.	Noted
	6.3 Records of waste generation, its management and annual return shall be submitted to the Gujarat Pollution Control Board in Form- 4 by 31 <sup>st</sup> January of every year.	Noted
	6.4 In case of any accident, details of the same shall be submitted in Form- 5 to the Gujarat Pollution Control Board.	Noted
	6.5 Applicant shall comply with the relevant provision of "Public Liability Insurance Act-91".	Noted
	6.6 Unit shall take all concrete measures to show tangible results in waste generation reduction, avoidance, reuse, and recycle. Action taken in this regard shall be submitted within 03 months and also along with Form 4.	The project is under the construction stage
	6.7 Industry shall have to display online data outside the main factory gate with regard to the quantity and nature of hazardous chemicals being handled in the plant, including wastewater and air emissions and solid hazardous waste generated within the factory premises,	Noted
	6.8 Adequate plantation shall be carried out all along the periphery of the industrial premises in such a way that the density of plantation is at least 1000 trees per acre of land and a green belt of 10 meters width is developed.	Noted
	6.9 The applicant shall have to submit the returns in the prescribed form regarding water consumption and shall have to make payment of water cess to the Board under the Water (Prevention and Control of Pollution) Cess Act 1977.	The project is under the construction stage





TC-10331

## TEST REPORT

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210Format No. : 7.8 F-01  
Date of Report : 12/08/2022  
Report No : A2ZELPL/DW/08/2022/01

### Description of Sample:

Date of Sampling	: 08/08/2022	Type of Sampling	: Drinking Water
Date of Sample Received	: 09/08/2022	Sample ID	: DW/052022/01
Sampling Location of Sampling Point	: Near office area	Sample Particular	: Drinking Water
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 3025 (Part-1)
Sample Quantity / Total No.	: 2 Litre/1Nos.	Date of Analysis Start	: 09/08/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 11/08/2022
Environment condition during the test	: 25 ± 3 °C		

### Test Results

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1.	pH @°C	6.9	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H* B
2.	Electrical Conductivity @°C	0.52	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2510-B
3.	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4.	Total dissolved solids	236	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-C
5.	Total Suspended solids	21	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-D
6.	Chloride as Cl	289	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 4500 Cl· B
7.	Total Hardness as CaCO <sub>3</sub>	64	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8.	Calcium as Ca	31	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/3500-Ca-B
9.	Magnesium as Mg,	24	30	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
10.	E Coil	Absent	Shall Not be detectable	Nos./100 ml	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9221D

A.A. JALOR  
Tested By  
(Sr. Analyst/Analyst)Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)  
Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms &amp; Condition:

1. The results relate only to the items tested and for applicable parameter
2. This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
PORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 12/08/2022  
Report No : AZZELPL/AA/08/2022/01

**Description of Sample:**

Date of Sampling	: 08/08/2022	Type of Sampling	:
Date of Sample Received	: 09/08/2022	Sample ID	: AA/082022/01
Sampling Location of Sampling Point	: NEAR TANK FARM AREA	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 09/08/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 10/08/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: AZZELPL/RDS/01 AZZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

**Test Results**

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
1.	Particulate Matter PM <sub>10</sub>	79	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
2.	Particulate Matter PM <sub>2.5</sub>	36	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
3.	Sulphur Dioxide SO <sub>2</sub>	20	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
4.	Nitrogen Dioxide NO <sub>2</sub>	38	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

*A. A. Jalori*  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*A. A. Jalori*  
Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

TEST REPORT



TC-10331

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 12/08/2022  
Report No : A2ZELPL/AA/08/2022/02

Description of Sample:

Date of Sampling	: 08/08/2022	Type of Sampling	:
Date of Sample Received	: 09/08/2022	Sample ID	: AA/082022/02
Sampling Location of Sampling Point	: NEAR JEETY LAND FALL POINT	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity /Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 09/08/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 10/08/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
5.	Particulate Matter PM <sub>10</sub>	64	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
6.	Particulate Matter PM <sub>2.5</sub>	40	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
7.	Sulphur Dioxide SO <sub>2</sub>	24	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
8.	Nitrogen Dioxide NO <sub>2</sub>	36	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A. A. Jalori  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court
- of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhinagar - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mirzapar Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST :24AAUCA0391F120  
info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbarkhan Jalori  
+91 98987 11906



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Client's Name and Address:  
 SHIRVA RAILWAY CROSSING, NEAR LOC  
 SHORE TERMINALS NEW KANDLA - 370210

Format No. : 7.8 F-01  
 Date of Report : 12/08/2022  
 Report No : AZZELPL/AN/082022/01

Description of Sample	: 11/08/2022	Type of Sampling	:
Date of Sampling	: 11/08/2022	Sample ID	: AN/082022/01
Date of Sample Received	: -----	Sample Particular	: NOISE
Sampling Location of Sampling	: -----	Reference Method for Sampling	: IS 9989-1991
Sample Collected / Submitted by	: AZZELPL Team Member	Date of Analysis Start	: -----
Instrument calibration status	: OK	Date of Analysis Completion	: -----
Metreological conditions during monitoring	: CLEAR SKY	Actual Duration of Monitoring (MINUTE)	: 30
Instrument code	: AZZELPL/SLM/01		

**Test Results**

LOCATION	Results	GPCB Limit	Unit	Reference Method
NEAR TANK FARM	63	75	dB	IS 9989-1991
NEAR JEETY LANDFALL AREA	60	75	dB	IS 9989-1991
TANK FARM RIGHT SIDE	50	75	dB	IS 9989-1991
TANK FARM LEFT SIDE	56	75	dB	IS 9989-1991

A. A. Surani  
 Tested By  
 (Sr. Analyst/Analyst)

Checked By/Prepared By  
 Dr. Jagruti P. Matang  
 (Technical Manager)

*(Signature)*  
 Authorized Signatory  
 Akbarkhan P. Jalori  
 (Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

-----  
**End of Report**



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 06/07/2022  
Report No : A2ZELPL/AN/072022/01

**Description of Sample:**

Date of Sampling	: 05/07/2022	Type of Sampling	: -----
Date of Sample Received	: 05/07/2022	Sample ID	: AN/072022/01
Sampling Location of Sampling Point	: -----	Sample Particular	: ----
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 9989-1991
Instrument calibration status	: OK	Date of Analysis Start	: ----
Metreological conditions during monitoring	: CLEAR SKY	Date of Analysis Completion	: ----
Instrument code	: A2ZELPL/SLM/01	Actual Duration of Monitoring (MINUTE)	: 30

**Test Results**

Sl. No.	LOCATION	Results	CPCB Limit	Unit	Reference Method
1	NEAR TANK FARM	60	75	dB	IS 9989-1991
2	NEAR JEETY LANDFALL AREA	55	75	dB	IS 9989-1991
3	TANK FARM RIGHT SIDE	62	75	dB	IS 9989-1991
4	TANK FARM LEFT SIDE	57	75	dB	IS 9989-1991

*A.A. Jagnani*  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*Akbar Khan P. Jalori*  
Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

1. The results relate only to the items tested and for applicable parameter
2. This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

-----  
End of Report



ENVIROTECH LAB PVT. LTD.

TEST REPORT



TC-10331

Customer's Name and Address:

WOTPL,  
OPP SHIRVA RAILWAY CROSSING, NEAR LOC  
KORISHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 10/07/2022  
Report No : A2ZELPL/AA/07/2022/01

Description of Sample:

Date of Sampling	: 05/07/2022	Type of Sampling	
Date of Sample Received	: 06/07/2022	Sample ID	: AA/072022/01
Sampling Location of Sampling Point	: NEAR TANK FARM AREA	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity /Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 06/07/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 08/07/2022
Environment condition during the test	: 25 ± 3 ° C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
1.	Particulate Matter PM <sub>10</sub>	84	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
2.	Particulate Matter PM <sub>2.5</sub>	42	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
3.	Sulphur Dioxide SO <sub>2</sub>	23	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
4.	Nitrogen Dioxide NO <sub>2</sub>	46	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

*A. A. Jalori*

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*A. A. Jalori*

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Ozo Circle,  
Gandhinagar - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire,  
Mirjapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST : 24AAUCA0391F120  
Info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbar Khan Jalori  
+ 91 98987 11906



# A2Z

ENVIROTECH LAB PVT. LTD.



TC-10331

## TEST REPORT

Customer's Name and Address:

OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
PORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 10/07/2022  
Report No : A2ZELPL/AA/07/2022/02

Description of Sample:

Date of Sampling	: 05/07/2022	Type of Sampling	:
Date of Sample Received	: 06/07/2022	Sample ID	: AA/072022/02
Sampling Location of Sampling Point	: NEAR JEETY LAND FALL POINT	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 06/07/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 08/07/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

### Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
5.	Particulate Matter PM <sub>10</sub>	80	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
6.	Particulate Matter PM <sub>2.5</sub>	46	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
7.	Sulphur Dioxide SO <sub>2</sub>	20	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
8.	Nitrogen Dioxide NO <sub>2</sub>	52	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A.A. Jalori  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhinagar - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mijapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST: 24AAUCA0391F1Z0  
info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbarkhan Jalori  
+ 91 98987 11906



ENVIROTECH LAB PVT. LTD.



TC-10331

## TEST REPORT

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 15/07/2022  
Report No : A2ZELPL/DW/07/2022/01

Description of Sample:

Date of Sampling	: 12/07/2022	Type of Sampling	: Drinking Water
Date of Sample Received	: 12/07/2022	Sample ID	: DW/072022/01
Sampling Location of Sampling Point	: Near office area	Sample Particular	: Drinking Water
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 3025 (Part-1)
Sample Quantity / Total No.	: 2 Litre/1Nos.	Date of Analysis Start	: 13/07/2022
Details of Packing / Label / Seal	: Satisfactory	Date of Analysis Completion	: 14/07/2022
Environment condition during the test	: 25 ± 3 °C		

### Test Results

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1	pH @°C	7.2	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H* B
2	Electrical Conductivity @°C	0.55	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2510-B
3	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4	Total dissolved solids	242	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-C
5	Total Suspended solids	22	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-D
6	Chloride as Cl	28.4	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 4500 Cl- B
7	Total Hardness as CaCO <sub>3</sub>	62	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8	Calcium as Ca	34	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
9	Magnesium as Mg	23	30	mg/L	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9221D
10.	E Coil	Absent	Shall Not be detectable	Nos./100 ml	

A.A. Jalori  
Tested By

Checked By/Prepared By

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

(Sr. Analyst/Analyst)

- This Report is issued under the following terms & Condition:
1. The results relate only to the items tested and for applicable parameter
  2. This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
  3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

Page No.: 1 of 1

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhidham - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mirjapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST : 24AAUCA0391F120  
Info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbar Khan Jalori  
+ 91 98987 11906



**A2Z**  
ENVIROTECH LAB PVT. LTD.



TC-10331

### Test Results

Customer's Name and Address:

KOTPL  
Opp. Shirva Railway Crossing, Near Ioc  
Foreshore Terminals New kandla-370210

Format No. : 7.8 F-01  
Date of Report : 29/06/2022  
Report No : A2ZELPL/AA/062022/05

#### Description of Sample:

Date of Sampling	: 26/06/2022	Sample Particular	: Ambient Air
Date of Sample Received	: 26/06/2022	Sample ID	: AA/062022/05
Sampling Location of Sampling Point	: Tank Farm Area	Instrument calibration status	: Ok
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 5182
Sample Quantity /Total No.	: 2 Filter paper, 1 SO <sub>2</sub> ×35 mL, 1 NO <sub>2</sub> ×35 mL	Date of Analysis Start	: 27/06/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 27/06/2022
Environment condition during the test	: 25 ± 3 °C	Meteorological condition during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual duration of Monitoring, (Hours)	: 8

#### Test Results

Sr.No.	Parameter	Result	Unit	Test Method
1	Particulate Matter PM <sub>10</sub>	73.81	µg/m <sup>3</sup>	IS 5182 (Part 23) 2006/Reaffirmed 2017
2	Particulate Matter PM <sub>2.5</sub>	32.45	µg/m <sup>3</sup>	IS 5182 (Part 24) 2019
3	Sulfur Dioxide SO <sub>2</sub>	16.06	µg/m <sup>3</sup>	IS 5182 (Part 2) 2001/Reaffirmed 2017
4	Nitrogen Dioxide NO <sub>2</sub>	22.87	µg/m <sup>3</sup>	IS 5182 (Part 6) 2006/Reaffirmed 2017

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

Tested By

(Sr. Analyst/Analyst)

This Report is issued under the following terms & Condition:

1. The results relate only to the items tested and for applicable parameter
2. This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

Page No.: 1 of 1



## TEST REPORT

Customer's Name and Address

Shri. Shriya Railway Crossing, Near loc  
Shore Terminals New kandla-370210

Format No. : 7.8 F-07  
Date of Report : 28/06/2022  
Report No : AZZELPL/AN/062022/06

### Description of Sample:

Date of Sampling	: 24/06/2022	Type of Sampling	: Ambient Noise
Date of Sample Received	: 24/06/2022	Sample ID	: AN/062022/06
Sampling Location of Sampling Point	:	Sample Particular	: Noise Monitoring
Sample Collected / Submitted by	: AZZELPL TEAM MEMBER	Reference Method for Sampling	: IS 9989-1991
Instrument code	: AZZELPL/SLM/01	Sampling Duration (Minute)	: 30 min
Instrument calibration status	: Ok	Date of Analysis Start	: -
Meteorological condition during monitoring	: Clear Sky	Date of Analysis Completion	: -

### Test Results

Sr. No.	Location	Result	Unit	GPCB Limit	Test Method
1.	Near Tank Farm	69	dB	75	IS 9989-1991
2.	Near jeety landfall Area	59	dB	75	IS 9989-1991
3.	Tank farm right side	68	dB	75	IS 9989-1991
4.	Tank farm Left side	62	dB	75	IS 9989-1991

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Tested By

(Sr. Analyst/Analyst)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

Page No.: 1 of 1



**ENVIROTECH LAB PVT . LTD .**

**TEST REPORT**

Customer's Name and Address:

SOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 28/06/2022  
Report No : A2ZELPL/DW/06/2022/25

Description of Sample:

Date of Sampling	: 25/06/2022	Type of Sampling	: Drinking Water
Date of Sample Received	: 25/06/2022	Sample ID	: DW/062022/25
Sampling Location of Sampling Point	: Near office area	Sample Particular	: Drinking Water
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 3025 (Part-1)
Sample Quantity /Total No.	: 2 Litre/1Nos.	Date of Analysis Start	: 26/06/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 27/06/2022
Environment condition during the test	: 25 ± 3 °C		

**Test Results**

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1.	pH @°C	6.9	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H* B
2.	Electrical Conductivity @°C	0.47	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2511 -B
3.	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4.	Total dissolved solids	263	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-C
5.	Total Suspended solids	23	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-D
6.	Chloride as Cl	26	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 4500 Cl- B
7.	Total Hardness as CaCO <sub>3</sub>	61	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8.	Calcium as Ca	32	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/3500-Ca-B
9.	Magnesium as Mg,	19	30	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
10.	E Coil	Absent	Shall Not be detectable	Nos./100 ml	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9221D

A. A. Jalori

Checked By/Prepared By

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

Tested By

(Sr. Analyst/Analyst)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.



TC-10331

## TEST REPORT

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA - 370210

Format No. : 7.8 F-01  
Date of Report : 18/11/2022  
Report No : AZZELPL/DW/11/2022/01

### Description of Sample:

Date of Sampling	: 15/11/2022	Type of Sampling	: Drinking Water
Date of Sample Received	: 16/11/2022	Sample ID	: DW/112022/01
Sampling Location of Sampling Point	: Near office area	Sample Particular	: Drinking Water
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: IS 3025 (Part-1)
Sample Quantity / Total No.	: 2 Litre / 1Nos.	Date of Analysis Start	: 16/11/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 17/11/2022
Environment condition during the test	: 25 ± 3 °C		

### Test Results

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1.	pH @°C	7.3	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H-B
2.	Electrical Conductivity @°C	0.60	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2511-B
3.	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4.	Total dissolved solids	268	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-C
5.	Total Suspended solids	26	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-D
6.	Chloride as Cl	29.7	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 4500 Cl-B
7.	Total Hardness as CaCO <sub>3</sub>	73	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8.	Calcium as Ca	35	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/3500-Ca-B
9.	Magnesium as Mg.	19	30	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
10.	E Coil	Absent	Shall Not be detectable	Nos./100 ml	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9221D

A.A. Julari

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

1. The results relate only to the items tested and for applicable parameter
2. This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

Page No.: 1 of 1



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

NOPTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 16/11/2022  
Report No : A2ZELPL/AN/112022/01

Description of Sample:

Date of Sampling	: 15/11/2022	Type of Sampling	: -----
Date of Sample Received	: 15/11/2022	Sample ID	: AN/102022/01
Sampling Location of Sampling Point	: -----	Sample Particular	: ----
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 9989-1991
Instrument calibration status	: OK	Date of Analysis Start	: ----
Metrological conditions during monitoring	: CLEAR SKY	Date of Analysis Completion	: ----
Instrument code	: A2ZELPL/SLM/01	Actual Duration of Monitoring (MINUTE)	: 30

**Test Results**

Sr. No.	LOCATION	Results	CPCB Limit	Unit	Reference Method
1.	NEAR TANK FARM	60	75	dB	IS 9989-1991
2.	NEAR JEETY LANDFALL AREA	45	75	dB	IS 9989-1991
3.	TANK FARM RIGHT SIDE	50	75	dB	IS 9989-1991
4.	TANK FARM LEFT SIDE	52	75	dB	IS 9989-1991

*A.A. Jalori*

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*Akbar Khan P. Jalori*  
Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

NDTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 18/11/2022  
Report No : AZZELPL/AA/11/2022/02

**Description of Sample:**

Date of Sampling	: 15/11/2022	Type of Sampling	:
Date of Sample Received	: 16/11/2022	Sample ID	: AA/112022/2
Sampling Location of Sampling Point	: NEAR TANK FARM AREA	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: ----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 16/11/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 17/11/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: AZZELPL/RDS/01 AZZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24


**Test Results**

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
1.	Particulate Matter PM <sub>10</sub>	72	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
2.	Particulate Matter PM <sub>2.5</sub>	32	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
3.	Sulfur Dioxide SO <sub>2</sub>	28	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
4.	Nitrogen Dioxide NO <sub>2</sub>	42	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A. A. Jalori

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
)

  
Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

TEST REPORT



TC-10331

Customer's Name and Address:

AAZ ENVIROTECH LAB PVT. LTD.  
SHIRVA RAILWAY CROSSING, NEAR LOC  
GORESHORE TERMINALS NEW KANDLA - 370210

Format No. : 7.8 F-01  
Date of Report : 18/11/2022  
Report No : A2ZELPL/AA/11/2022/03

Description of Sample:

Date of Sampling	: 15/11/2022	Type of Sampling	:
Date of Sample Received	: 16/11/2022	Sample ID	: AA/112022/3
Sampling Location of Sampling Point	: NEAR JEETY LAND FALL POINT	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: ----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 16/11/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 17/11/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24


Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
5.	Particulate Matter PM <sub>10</sub>	72	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
6.	Particulate Matter PM <sub>2.5</sub>	36	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
7.	Sulfur Dioxide SO <sub>2</sub>	26	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
8.	Nitrogen Dioxide NO <sub>2</sub>	38	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A. A. Jalori

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By

  
Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

AAZ Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhinagar - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mirjapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST : 24AAUCA0391F1Z0  
info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbarkhan Jalori  
+ 91 98987 11906



ENVIROTECH LAB PVT. LTD.

TEST REPORT



TC-10331

Customer's Name and Address:

AZZELPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
SEASHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 P-01  
Date of Report : 16/10/2022  
Report No : AZZELPL/AA/010/2022/03

Description of Sample:

Date of Sampling	: 12/10/2022	Type of Sampling	:
Date of Sample Received	: 13/10/2022	Sample ID	: AA/102022/03
Sampling Location of Sampling Point	: NEAR JEETY LAND FALL POINT	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 13/10/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 15/10/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: AZZELPL/RDS/01 AZZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
5.	Particulate Matter PM <sub>10</sub>	65	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
6.	Particulate Matter PM <sub>2.5</sub>	30	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
7.	Sulfur Dioxide SO <sub>2</sub>	20	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
8.	Nitrogen Dioxide NO <sub>2</sub>	32	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

*A.A. Jhalori*  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*A.A. Jhalori*  
Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:  
4. The results relate only to the items tested and for applicable parameter  
5. This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited  
6. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.



FD-11131

### TEST REPORT

Customer's Name and Address:

WPTPL  
RPT SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : ZRF-01  
Date of Report : 15/10/2022  
Report No. : A2ZELPL/DW/10/2022/01

#### Description of Sample:

Date of Sampling	: 12/10/2022	Type of Sampling	Drinking Water
Date of Sample Received	: 12/10/2022	Sample ID	DW/102022/01
Sampling Location of Sampling Point	: Near office area	Sample Particular	Drinking Water
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	IS 3025 (Part-1)
Sample Quantity /Total No.	: 2 Litre/1Nos.	Date of Analysis Start	13/10/2022
Details of Packing /Label/Seal	: Satisfactory	Date of Analysis Completion	14/10/2022
Environment condition during the test	: 25 ± 3 °C		

#### Test Results

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1	pH @°C	6.8	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H <sup>+</sup> B
2	Electrical Conductivity @°C	0.45	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2510-B
3	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4	Total dissolved solids	200	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2540-C
5	Total Suspended solids	22	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2540-D
6	Chloride as Cl	27.5	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/4500 Cl <sup>-</sup> B
7	Total Hardness as CaCO <sub>3</sub>	60	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8	Calcium as Ca	30	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/3500-Ca-B
9	Magnesium as Mg	22	30	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
10	E Coil	Absent	Shall Not be detectable	Nos./100 ml	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9321D

A A - 30102  
Tested By

(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

### TEST REPORT



TC-10331

Customer's Name and Address:

NO. 340, SECTOR 1A, 2ND FLOOR,  
SHIV HOUSE, NEAR OSLO CIRCULE,  
GANDHIDHAM - KACHCHH, GUJARAT - 370201

Format No. : 7.8 F-01  
Date of Report : 13/10/2022  
Report No. : A2ZELPL/AN/102022/01

Description of Sample:			
Date of Sampling	: 12/10/2022	Type of Sampling	: -----
Date of Sample Received	: 12/10/2022	Sample ID	: AN/102022/01
Sampling Location of Sampling Point	: -----	Sample Particular	: ----
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 9989-1991
Instrument calibration status	: OK	Date of Analysis Start	: ----
Metrological conditions during monitoring	: CLEAR SKY	Date of Analysis Completion	: ----
Instrument code	: A2ZELPL/SLM/01	Actual Duration of Monitoring (MINUTE)	: 30

#### Test Results

Sr. No.	LOCATION	Results	CPCB Limit	Unit	Reference Method
1.	NEAR TANK FARM	65	75	dB	IS 9989-1991
2.	NEAR JEETY LANDFALL AREA	55	75	dB	IS 9989-1991
3.	TANK FARM RIGHT SIDE	55	75	dB	IS 9989-1991
4.	TANK FARM LEFT SIDE	56	75	dB	IS 9989-1991

A. A. J. 2022  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:  
1. The results relate only to the items tested and for applicable parameter  
2. This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited  
3. Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhidham - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mirjapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC-10331  
GST : 24AAUCA0391F120  
info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbarkhan Jalori  
+ 91 98987 11906



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

ADPTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
PORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 16/10/2022  
Report No : AZZELPL/AA/010/2022/02

**Description of Sample:**

Date of Sampling	: 12/10/2022	Type of Sampling	:
Date of Sample Received	: 13/10/2022	Sample ID	: AA/102022/02
Sampling Location of Sampling Point	: NEAR TANK FARM AREA	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 13/10/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 15/10/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: AZZELPL/RDS/01 AZZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

**Test Results**

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
1.	Particulate Matter PM <sub>10</sub>	69	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
2.	Particulate Matter PM <sub>2.5</sub>	32	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
3.	Sulfur Dioxide SO <sub>2</sub>	22	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
4.	Nitrogen Dioxide NO <sub>2</sub>	38	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

*A. A. Jalori*

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

*A. A. Jalori*

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.

**TEST REPORT**



TC-10331

Customer's Name and Address:

KOTPL  
OPP SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of : 06/09/2022  
Report  
Report No : AZZELPL/AN/092022/01

**Description of Sample:**

Date of Sampling	: 05/09/2022	Type of Sampling	: .....
Date of Sample Received	: 05/09/2022	Sample ID	: AN/092022/01
Sampling Location of Sampling Point	: .....	Sample Particular	: ....
Sample Collected / Submitted by	: AZZELPL Team Member	Reference Method for Sampling	: IS 9989-1991
Instrument calibration status	: OK	Date of Analysis Start	: .....
Metrological conditions during monitoring	: CLEAR SKY	Date of Analysis Completion	: .....
Instrument code	: AZZELPL/SLM/01	Actual Duration of Monitoring (MINUTE)	: 30

**Test Results**

Sr. No.	LOCATION	Results	CPCB Limit	Unit	Reference Method
1.	NEAR TANK FARM	58	75	dB	IS 9989-1991
2.	NEAR JEETY LANDFALL AREA	52	75	dB	IS 9989-1991
3.	TANK FARM RIGHT SIDE	54	75	dB	IS 9989-1991
4.	TANK FARM LEFT SIDE	59	75	dB	IS 9989-1991

A.A. JALORI

Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



**A2Z**  
ENVIROTECH LAB PVT. LTD.



TC-10331

**TEST REPORT**

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA - 370210

Format No. : 7.8 F-01  
Date of : 15/09/2022  
Report :  
Report No : A2ZELPL/DW/09/2022/01

**Description of Sample:**

Date of Sampling	: 11/09/2022	Type of Sampling	: Drinking Water
Date of Sample Received	: 12/09/2022	Sample ID	: DW/092022/01
Sampling Location of Sampling Point	: Near office area	Sample Particular	: Drinking Water
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: IS 3025 (Part-1)
Sample Quantity / Total No.	: 2 Litre/1Nos.	Date of Analysis Start	: 12/09/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 14/09/2022
Environment condition during the test	: 25 ± 3 °C		

**Test Results**

Sr. No.	Parameters	Results	STANDARD Limit	Unit	Reference Method
1.	pH @°C	7.3	6.5-8.5	-	APHA, 23 <sup>rd</sup> Edition 2017/4500-H° B
2.	Electrical Conductivity @°C	0.55	--	mS/cm	APHA, 23 <sup>rd</sup> Edition 2017/2510-B
3.	Temperature	25	--	°C	APHA, 23 <sup>rd</sup> Edition 2017/2550B
4.	Total dissolved solids	256	500	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-C
5.	Total Suspended solids	24	50-150	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 2540-D
6.	Chloride as Cl	29.2	250	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/ 4500 Cl- B
7.	Total Hardness as CaCO <sub>3</sub>	64	200	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/2340-C
8.	Calcium as Ca	32	75	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/3500-Ca-B
9.	Magnesium as Mg,	26	30	mg/L	APHA, 23 <sup>rd</sup> Edition 2017/Calculation Method 3500 -Mg B
10.	E Coil	Absent	Shall Not be detectable	Nos./100 ml	APHA 23 <sup>rd</sup> Edition Part - 9000 Section : 9221D

A. A. JALORI  
Tested By

(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

Authorized Signatory  
Akbar Khan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report



ENVIROTECH LAB PVT. LTD.



TC-10331

## TEST REPORT

Customer's Name and Address:

KOTPL  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 15/09/2022  
Report No : A2ZELPL/AA/09/2022/01

### Description of Sample:


Date of Sampling	: 11/09/2022	Type of Sampling	:
Date of Sample Received	: 12/09/2022	Sample ID	: AA/092022/01
Sampling Location of Sampling Point	: NEAR JEETY LAND FALL POINT	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: ----
Sample Quantity / Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 12/09/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 14/09/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

### Test Results

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
1.	Particulate Matter PM <sub>10</sub>	72	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
2.	Particulate Matter PM <sub>2.5</sub>	30	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
3.	Sulphur Dioxide SO <sub>2</sub>	22	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
4.	Nitrogen Dioxide NO <sub>2</sub>	36	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A. A. J. J. J.  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

  
Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

End of Report

A2Z Envirotech Lab Pvt. Ltd.  
Plot No. 340, Sector 1A, 2nd Floor,  
Shiv House, Near Oslo Circle,  
Gandhinagar - Kachchh, Gujarat - 370201

Branch:  
147, Time Square Empire  
Mirjapur Road, Bhuj - Kachchh  
Gujarat - 370001

NABL / TC:10331  
GST :24AAUCA0391F1ZO  
Info@a2zenvirotechlab.com  
www.a2zenvirotechlab.com

Akbarkhan Jalori  
+91 98987 11906



**ENVIROTECH LAB PVT. LTD.**  
**TEST REPORT**



TC-10331

Customer's Name and Address:

A2Z  
OPP. SHIRVA RAILWAY CROSSING, NEAR LOC  
FORESHORE TERMINALS NEW KANDLA -370210

Format No. : 7.8 F-01  
Date of Report : 15/09/2022  
Report No : A2ZELPL/AA/09/2022/01

**Description of Sample:**


Date of Sampling	: 11/09/2022	Type of Sampling	:
Date of Sample Received	: 12/09/2022	Sample ID	: AA/092022/01
Sampling Location of Sampling Point	: NEAR TANK FARM AREA	Sample Particular	: AMBIENT AIR
Sample Collected / Submitted by	: A2ZELPL Team Member	Reference Method for Sampling	: -----
Sample Quantity /Total No.	: 2 Filter paper 1SO <sub>2</sub> × 35 ml, 1NO <sub>2</sub> × 35 ml.	Date of Analysis Start	: 12/09/2022
Details of Packing/Label/Seal	: Satisfactory	Date of Analysis Completion	: 14/09/2022
Environment condition during the test	: 25 ± 3 °C	Metrological conditions during monitoring	: Clear Sky
Instrument code	: A2ZELPL/RDS/01 A2ZELPL/FDS/01	Actual Duration of Monitoring (Hours)	: 24

**Test Results**

Sr. No.	Parameters	Results	Unit	NAAQS LIMITS	Reference Method
5.	Particulate Matter PM <sub>10</sub>	72	µg/m <sup>3</sup>	100 µg/m <sup>3</sup>	IS 5182 (Part 23)2006/ Reaffirmed 2017
6.	Particulate Matter PM <sub>2.5</sub>	30	µg/m <sup>3</sup>	60 µg/m <sup>3</sup>	IS 5182 (Part 24)2019
7.	Sulphur Dioxide SO <sub>2</sub>	22	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 2)2001/ Reaffirmed 2017
8.	Nitrogen Dioxide NO <sub>2</sub>	36	µg/m <sup>3</sup>	80 µg/m <sup>3</sup>	IS 5182 (Part 6)2006/ Reaffirmed 2017

A.A. Jalori  
Tested By  
(Sr. Analyst/Analyst)

Checked By/Prepared By  
Dr. Jagruti P. Matang  
(Technical Manager)

  
Authorized Signatory  
Akbarkhan P. Jalori  
(Quality Manager)

This Report is issued under the following terms & Condition:

- The results relate only to the items tested and for applicable parameter
- This Test report shall not to be reproduced in full or part for any promotional or publicity and can't be used as evidence in court of law without the written consent of A 2 Z Envirotech Lab Private Limited
- Reanalysis of the sample will be done if requested Within 15 days from the date of reporting of sample if the samples are not consumed during analysis.

----- End of Report -----

# **Annexure -B**

# **Annexure 1**

## **CURRENT STATUS OF WORK (up to November, 2022)**

**Subject: Development of 7 integrated facilities (Stage I) within existing Deendayal Authority at Kandla.**

<b>Name of Project</b>	<b>Status</b>
1. Development of oil jetty to handle liquid cargo and ship bunkering terminal at old Kandla under PP mode (jetty: 300m x 15m, approach 450 m X 10 m, back up area 5.5 HA, capacity – 3.39 MMTPA, capital dredging 1,73,660 m <sup>3</sup> maintenance dredging 1,56,294 m <sup>3</sup> (Estimated cost: 276.53 Cr.).	The Concession Agreement was executed between DPA and M/s KOTPL on 16/11/2013 to implement the project on Built, Transfer & Operate (BOT- PPP) Basis by M/s KOTPL. The award of concession was issued on 11/12/2020 to M/s KOTPL by DPA. <b>The Project is under construction phase.</b>
2. Multipurpose Cargo Terminal at Tekra off Tuna on BOT basis (T shape jetty 600m X 80 m Capacity 18 MMTPA, back up area 101 Ha capital dredging 1,26,57,175 m <sup>3</sup> maintenance dredging 18,98,576. 25 m <sup>3</sup> Estimated cost: 1686.66 Cr.	The Board of DPA approved the Feasibility Report in its meeting on 19.02.2021.  The MoPSW,GoI vide communication dated 21/10/2022 has conveyed approval granted by the Cabinet Committee on Economic Affairs to the project.  Accordingly, DPA already invited RFQ and RFP which is currently under bidding stage  <b><u>No construction activity has started yet.</u></b>
3. Up gradation of Barge handling capacity at Bundar basis at Kandla capacity 3.33 MMTA back-up area 5 Ha, Estimated cost: 109.59 Cr.	The up-gradation work was completed.
4. Construction of Rail over Bridge at NH 8 A near Nakti Bridge (crossing of NH 8 A Estimated cost: 32.17 Cr.	<b>Construction activity has not yet started.</b>
5. Mechanization of Dry Cargo handling capacity at Kandla Port (Berth 7 and 8 capacity 7.35 MMTPA estimated cost 80.61 Cr.	Mechanization work already completed.
6. Strengthening of Oil jetty 1 (Estimated cost: 7.5 Cr.	The strengthening work completed.
7. Modification and strengthening of Cargo berth No. 6 at Kandla Port Estimated	The modification & strengthening work completed.

cost: 11.5 Cr.	
----------------	--

**Out of a total of 7 project activities, construction activities of 4 projects (i.e. Sr. No. 3, 5, 6 & 7 mentioned in the EC & CRZ Clearance) have already been completed. Whereas construction activity of the project at Sr. No. 2 & 4 have not yet started.**

**For the current compliance period up to November, 2022, construction activity related to project No. 1 is ongoing. The compliance report submitted by the Concessionaire M/s KOTPL is attached herewith as Annexure A.**

## **COMPLIANCE REPORT (for the period up to November, 2022)**

**Subject:** Status of Compliance with the conditions stipulated By Gujarat State Coastal Zone Management Authority, Gandhinagar, in CRZ Recommendation Letter granted for "Development of 7 integrated facilities (Stage I) within existing Deendayal Authority at Kandla".

**CRZ Recommendations:** Letter No. ENV-I0-2014-25-E dated July 1, 2015, of Director (Environment) & Member Secretary, GCZMA, Forest & Environment Department, GoG.

*\*Note: Based on the recommendation of the GCZMA, MoEF&CC, GoI had accorded Environmental & CRZ Clearance vide letter dated 19/12/2016*

<b>Sr. No.</b>	<b>Conditions in CRZ Recommendation Letter</b>	<b>Compliance</b>
	<b>Specific Conditions</b>	
1	The provisions of the CRZ notification of 2011 and subsequent amendments issued from time to time shall be strictly adhered to by the KPT. No activity in contradiction to the Provisions of the CRZ Notification shall be carried out by the KPT.	a) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b> .  b) Further, w.r.t. project at Sr. No. 2 & 4 (construction not yet started), it is assured that no activity in contradiction to the Provisions of the CRZ Notification shall be carried out by the DPA.
2	The KPT shall have to ensure that there shall not be any damage to the existing mangrove area.	a) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b> .  b) Further, w.r.t. project at sr.no. 2 & 4 (construction not yet started), it is assured that due care shall be taken to protect the existing mangrove area.
3	The KPT shall prepare an emergency plan to protect existing mangroves in case of any eventuality/accident.	The final report submitted by M/s GUIDE, Bhuj (vide letter dated 21/5/2018) had already been communicated to the MoEF&CC, GoI, Bhopal & copy to the MoEF&CC, GoI, New Delhi, along with six monthly compliance report submitted vide letter dated 21/06/2018.
4	The KPT shall have to make a provision that mangrove areas get proper flushing water and free flow of water shall not be obstructed.	a) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b> .  b) Further, w.r.t. project at sr.no. 2 & 4 (construction not yet started), it is assured that provisions shall be made that mangrove areas get proper flushing water and free flow of water shall not be obstructed.

5	The KPT shall have to abide by whatever decision is taken by the GCZMA for violations of CRZ Notification, 2011.	<p>a) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p> <p>b) Point noted. DPA will abide by whatever decision is taken by the GCZMA for violations of CRZ Notification, 2011.</p>
6	There shall not be violations of the order dated 9/12/2013 passed by the National Green Tribunal; and accordingly, there shall be no mangrove destruction taking place in the KPT area.	<p>a) Point Noted. It is hereby assured that due care shall be taken to protect the existing mangrove area.</p> <p>b) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p>
7	No dredging, reclamation or any other project-related activities shall be carried out in the CRZ area categorised as CRZ I (i), and it shall have to be ensured that the mangrove habitats and other ecologically important and significant areas, if any, in the region are not affected due to any of the project activity.	<p>a) It is hereby assured that DPA will undertake only such project activities (7 project activities) recommended by the GCZMA vide letter dated 1/7/2015 and EC &amp; CRZ Clearance accorded by the MoEF&amp;CC, GoI vide letter dated 19/12/2016.</p> <p>DPA issued a work order to M/s GUIDE vide its letter no. EG/WK/ 4751 /Part (Marine Ecology Monitoring) /11 dated 03/05/2021 for Regular monitoring of Marine Ecology in and around Deendayal Port Authority (Erstwhile Deendayal Port Trust) and continuous Monitoring Program covering all seasons on various aspects of the Coastal Environs for the period 2021-24. The first season report for the year 2022-2023 submitted is attached herewith as <b>Annexure B.</b></p> <p>b) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p>
8	The KPT shall participate financially in installing and operating the Vessel Traffic Management System in the Gulf of Kachchh and shall also take the lead in preparing and operational sing and updating regularly after getting it vetted by the Indian Coast Guard.	Deendayal Port Authority had already contributed a number of Rs. 41.25 crores, i.e. 25% of the total project cost of 165 crores for installing and operating the VTMS in the Gulf of Kachchh.
9	The KPT shall strictly ensure that no creeks or rivers are blocked due to any activity at Kandla.	<p>a) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A.</b></p> <p>b) Further, w.r.t. project at sr.no. 2 &amp; 4</p>

		(construction not yet started), it is assured that no creeks or rivers shall be blocked due to any activity at Kandla.
10	Mangrove plantation in an area of 100 ha. Shall be carried out by the KPT within 2 years in time bound manner on Gujarat coastline either within or outside the Kandla port Trust area, and a six-monthly compliance report along with the satellite images shall be submitted to the Ministry of Environment and Forest as well as to this Department without fail.	<p>DPA had already undertaken Mangrove Plantation in an area of 1500 Ha. till date since the year 2005. A statement showing details of the mangrove plantation and the cost incurred is again placed in <b>Annexure C</b>.</p> <p>Further, DPA is carrying out an additional mangrove plantation of 100 ha. with the consultation of the Gujarat Ecology Commission vide Work Order No. DD/WK/3050/Pt-I/GIM/PC-44 dated 02/06/2022 (<b>Annexure D</b>).</p> <p>In addition to the above, DPA appointed M/s GUIDE, Bhuj, for "Regular Monitoring of Mangrove Plantation carried out by DPA" (period 15/9/2017 to 14/9/2018 vide work order dated 1/9/2017 and 24/5/2021 to 23/5/2022 vide work order dated 3/5/2021). The final report submitted by M/s GUIDE, Bhuj, for the years 2017 to 2018 as well as for the year 2021 to 2022 has been submitted in the earlier compliance report submitted.</p>
11	No activities other than those permitted by the competent authority under the CRZ Notification shall be carried out in the CRZ area.	<p>a) Point Noted. It is assured that only activities permitted by the competent authority under the CRZ Notification shall be carried out in the CRZ area.</p> <p>b) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p>
12	No groundwater shall be tapped for any purpose during the proposed expansion modernization activities.	<p>a) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p> <p>b) Further, w.r.t. Project at Sr. no.2 &amp; 4 (construction not yet started), Water requirement will be met through procurement from GWSSB or private tankers. No ground water shall be tapped.</p>
13	All necessary permissions from different Government Departments/agencies shall be obtained by the KPT before commencing the expansion activities.	DPA had already obtained the necessary Environmental & CRZ Clearance for 7 project activities (dated 19.12.2016). Further, Consent to Establish from GPCB had already been obtained from GPCB for 7 project activities. Moreover, DPA applied for a CTE extension vide Inw Id 268644 dated 9/11/2022.
14	No effluent or sewage shall be discharged	a) For completed projects (modification/

	<p>into sea/creek or in the CRZ area and it shall be treated to conform to the norms prescribed by the GPCB and would be reused /recycled within the plant premises.</p>	<p>strengthening/ up-gradation of existing facilities), Sewage is being treated in the STP of Kandla (1.5 MLD). The treated sewages from STP of DPA are utilized for plantation / Gardening.</p> <p>In addition to the above, DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters including effluent to confirm to the norms prescribed by the GPCB since the year 2016. The work is in progress &amp; DPA have been monitoring data regularly to all the concerned authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure E</b>.</p> <p>b) Further, w.r.t. Project at Sr.No.1, kindly refer to the Monitoring reports submitted by M/s KOTPL along with compliance report placed at <b>Annexure A</b>.</p>
15	<p>All the recommendations and suggestion given by the MANTEC Consultants Pvt. Ltd. in their Comprehensive Environment Impact Assessment report for conservation / protection and betterment of environment shall be implemented strictly by the KPT.</p>	<p>DPA has installed Mist Canon at the Port area to minimize the dust.</p> <p>Further, DPA has already installed continuous sprinkling system in coal stack yard in DPA (40 ha. area) for to prevent dust pollution. Further, to control dust pollution in other area, regular sprinkling through tankers on roads and other staking yards is being done. Regular sweeping of spilled cargo from roads is done by parties on regular basis.</p> <p>DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters since the year 2016. DPA submitted monitoring data regularly to all the concerned authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports as submitted by M/s Detox Corporation is enclosed herewith as <b>Annexure E</b>.</p> <p>For ship waste management, DPA issued Grant of License/Permission to carry out the work of collection and disposal of "Hazardous Waste/Sludge/ Waste Oil" and "Dry Solid Waste (Non- Hazardous)" from Vessels calling at Deendayal Port" through DPA contractors. Further, it is to state that, all ships are required</p>

to follow DG Shipping circulars regarding the reception facilities at Swachh Sagar portal.

DPA assigned work to M/s GUIDE, Bhuj, for regular monitoring of Marine Ecology since the year 2017 (From 2017 – 2021), and reports of the same are being submitted regularly to the Regional Office, MoEF&CC, GoI, Gandhinagar as well as to the MoEF&CC, GoI, New Delhi along with compliance reports submitted.

The final report for the Holistic Marine Ecological Monitoring for the period up to May 2021 was submitted on 22.05.2021. Copy of the report was communicated vide earlier compliance report submitted vide letter dated 29/6/2021.

Further, it is to submit that DPA issued a work order to M/s GUIDE vide its letter no. EG/WK/4751 /Part (Marine Ecology Monitoring) /11 dated 03/05/2021 for Regular monitoring of Marine Ecology in and around Deendayal Port Authority (Erstwhile Deendayal Port Trust) and continuous Monitoring Program covering all seasons on various aspects of the Coastal Environs for the period 2021-24. The first season report for the year 2022-2023 submitted is attached herewith as **Annexure B**.

As already informed, DPA entrusted work of green belt development in and around the Port area to the Forest Department, Gujarat at Rs. 352 lakhs (Area 32 hectares). The work is completed.

Further, DPA has appointed the Gujarat Institute of Desert Ecology (GUIDE) for "Green belt development in Deendayal Port Authority and its Surrounding Areas, Charcoal site' (Phase-I)" vide Work Order No.EG/WK/4757/Part [Greenbelt GUIDE, dated 31st May 2022 (**Annexure F**).

For dredged material management, DPA assigned work to M/s GUIDE, Bhuj for analysis of dredged material since the year 2017 and the reports are being submitted from time to time along with compliance reports submitted. The second Season Report submitted by M/s GUIDE, Bhuj for the period 2021-2022 is attached herewith as **Annexure G**.

Further, Dredged Material will be disposed of at

		<p>designated location as identified by the CWPRS, Pune.</p> <p>For energy conservation measures, DPA is already generating 20 MW of Wind energy. In addition to it, DPA has commissioned a 45 kW Solar Plant at Gandhidham. Further, it is relevant to mention that, two out of four Nos. of Harbour Mobile Crane (HMC) made electric operated. Balance 02 Nos. shall be made electric operated by 2023-2024. Four Nos. of Deisel operated RTGs converted to e-RTGs. Retrofitting of hydrogen fuel cell in Tug Kalinga and Pilot Boat Niharika to be done as a pilot project under the guidance of MoPSW. Also, 14 Nos. of EV cars to be hired in this year and 03 Nos. EV Bus to be procured by the year 2023-24.</p> <p>Further, for Oil Spill Management, DPA is already having Oil Spill Contingency Plan in place and Oil Response System as per the NOS-DCP guidelines.</p>
16	The construction and operational activities shall be carried out in such a way that there is no negative impact on mangroves and other coastal /marine habitats. The construction activities and dredging shall be carried out only under the constant supervision and guidelines of the Institute of National repute like NIOT.	<p>a) For Project at Sr. No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p> <p>b) For the remaining projects Sr. No 2 &amp; 4 (construction not yet started), it is assured that construction activities and dredging shall be carried out only under the constant supervision and guidelines of the Institute of National repute like NIOT.</p>
17	The KPT shall contribute financially for any common study or project that may be proposed by this Department for environmental management / conservation / improvement for the Gulf of Kutch.	Point noted.
18	The construction debris and / or any other of waste shall not be disposed of into the sea, creek or the CRZ areas. The debris shall be removed from the construction site immediately after the construction is over.	<p>a) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p> <p>b) Further, w.r.t. project at sr.no. 2 &amp; 4 (construction not yet started), it is assured that construction debris and/ or any other of waste shall not be disposed of into the sea, creek or the CRZ areas, and the debris shall be removed from the construction site immediately after the construction is over.</p>

19	The construction camps shall be located outside the CRZ area and the construction labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the construction labours.	<p>a) No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p> <p>b) Further, w.r.t. project at sr.no. 2 &amp; 4 (construction not yet started), it is assured that, the construction camps shall be located outside the CRZ area, provision of the necessary amenities, including sanitation, water supply and fuel to the construction labour shall be made, and that the environmental conditions are not deteriorated by the construction labours.</p>
20	The KPT shall regularly updates its Local Oil Spill Contingency and Disaster management Plan in accordance with the National Oil Spill and Disaster Contingency Plan and shall submit the same to the MoEF, GoI and this department after having it vetted through the Indian Coast Guard.	<ul style="list-style-type: none"> <li>▪ Deendayal Port already has an updated Disaster Management Plan.</li> <li>▪ Further, the Local Oil Spill Contingency Plan is already available with Deendayal Port Trust.</li> <li>▪ DPT has also executed MOU with Oil Companies, i.e. IOCL, HPCL, BPCL etc., for combating the Oil Spill at Kandla</li> </ul>
21	The KPT shall bear the cost of the external agency that may be appointed by this Department for supervision/monitoring of proposed activities and the environmental impacts of the proposed activities.	Point noted.
22	The KPT shall take up massive greenbelt development activities in and around Kandla and also within the KPT limits.	<p>DPA has planted about one lakhs trees in roadside dividers, colony areas at Kandla and Gopalpuri, in the green belt area of Gandhidham &amp; Adipur Township, Sewage Treatment Plants at Gopalpuri &amp; Kandla and some green belt development plans initiated at different locations in Township areas.</p> <p>DPA entrusted work of green belt development in and around the Port area to the Forest Department, Gujarat, at the cost of Rs. 352 lakhs (Area 32 hectares). The plantation is completed.</p> <p>Further, DPA has appointed the Gujarat Institute of Desert Ecology (GUIDE) for "Green belt development in Deendayal Port Authority and its Surrounding Areas, Charcoal site' (Phase-I)" vide Work Order No.EG/WK/4757/Part [Greenbelt GUIDE, dated 31st May 2022 (<b>Annexure F</b>).</p>
23	The KPT shall have to contribute financially for taking up the socio-	The details of the fund earmarked under CSR activities and CSR activities undertaken by DPA

	economic upliftment activities in this region in construction with the Forest and Environment Department and the District Collector/District Development Officer.	to date & proposed activities are placed at <b>Annexure H.</b>
24	A separate budget shall be earmarked for environmental management and socioeconomic activities and details thereof shall be furnished to this Department as well as the MoEF, GOI. The details with respect to the expenditure from this budget head shall also be furnished.	<p>a) The allocation made under the "Environmental Services &amp; Clearance of other related Expenditure" scheme during BE 2021-22 is Rs. 266 Lakhs. and BE 2022-2023 is Rs. 345 Lakhs.</p> <p>b) The funds earmarked for EMP by the Concessionaire M/s KOTPL w.r.t. project at Sr.No. 1 are delineated in the compliance report submitted (<b>Annexure A</b>).</p>
25	A separate environmental management cell with qualified personnel shall be created for environmental monitoring and management during the construction and operational phases of the project.	<p>a) For Project at Sr.No. 1 which is under construction, kindly refer compliance submitted by M/s KOTPL (concessionaire of the project) placed at <b>Annexure A</b>.</p> <p>b) DPA already has an Environment Management cell. Further, DPA has also appointed an expert agency to provide Environmental Experts from time to time. Recently, DPA appointed M/s Precitech Laboratories Pvt. Ltd., Vapi, for three years vide work order dated 5/2/2021 (<b>Annexure I</b>).</p> <p>Further, DPA has appointed a Manager Environment on a contractual basis for 3+2 years. A copy of the office order is attached herewith as <b>Annexure J</b>.</p> <p>In addition to the above, DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters including effluent to confirm to the norms prescribed by the GPCB since the year 2016. The work is in progress &amp; DPA have been monitoring data regularly to all the concerned authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure E</b>.</p>
26	An Environmental report indicating the changes, if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by the KPT to this Department as well as to the MoEF&CC, GOI.	DPA appointed M/s Detox Corporation, Surat (NABL Accredited laboratory) for regular Monitoring of environmental parameters including effluent to confirm to the norms prescribed by the GPCB since the year 2016. The work is in progress & DPA have been monitoring data regularly to all the concerned

		<p>authorities along with compliance reports submitted.</p> <p>The Environmental Monitoring Reports, as submitted by M/s Detox Corporation, is enclosed herewith as <b>Annexure E</b>.</p>
27	The KPT shall have to contribute financially to support the National Green Corps Scheme being implemented in Gujarat by the GEER Foundation, Gandhinagar, in construction with Forests and Environment Department.	Point Noted.
28	A six-monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by the KPT on regular basis to this department/MoEF, GOI.	Point Noted.
29	Any other condition that may be stipulated by this department from time to time for environmental protection/management purpose shall also have to be complied with by the KPT.	Point noted.

# **Annexure -C**

## ENVIRONMENTAL MONITORING REPORT FOR DEENDAYAL PORT AUTHORITY



**REPORT** : DCPL/DPA/21-22/31  
**Mont** : November 01  
**Issue** : 00  
**Revision** : 00  
**Prepare** : DETOX CORPORATION PVT. LTD.,

<b>Index</b>		
Sr. No.	Name of Chapters	Page No.
	<b>Executive Summary</b>	<b>3</b>
<b>A</b>	<b>Ambient Air</b>	<b>3</b>
<b>B</b>	Weather	<b>4</b>
<b>C</b>	Marine Ecology (Flora and Fauna)	4
<b>D</b>	Drinking Water Quality	4
<b>E</b>	Monitoring Performance of Sewage Treatment Plant	5
<b>F</b>	Noise	5
<b>1</b>	<b>Introduction- Deendayal Port Authority</b>	<b>7</b>
<b>2</b>	<b>Ambient Air Quality Monitoring</b>	<b>9</b>
2.1	Ambient Air Quality Monitoring	11
2.2	Results	12
2.3	Observations and Conclusion	31
<b>3</b>	<b>Meteorological Observations</b>	<b>32</b>
3.1	Meteorological Data	33
<b>4</b>	<b>Drinking Water Quality Monitoring</b>	<b>36</b>
4.1	Drinking Water Monitoring Methodology	37
4.2	Results	37
4.3	Results & Discussion	45
4.4	Conclusions	48
<b>5</b>	<b>Noise Monitoring</b>	<b>50</b>
5.1	Method of Monitoring	50
5.2	Results & Discussion	50
5.3	Conclusions	51
<b>6</b>	<b>Soil Monitoring</b>	<b>53</b>
6.1	Methodology	53
6.2	Results	54
6.3	Discussion	55
6.4	Conclusion	55
<b>7</b>	<b>Sewage Treatment Plant Monitoring</b>	<b>57</b>
7.1	Methodology for STP Monitoring	57
7.2	Results	58
7.3	Conclusions	65
<b>8</b>	<b>Marine Water Monitoring</b>	<b>67</b>
8.1	Marine Water Quality and Results	68
8.2	Results and Discussion of Marine water samples	77
8.3	Conclusions	79
<b>9</b>	<b>Marine Sediment Monitoring</b>	<b>81</b>
9.1	Results	82
9.2	Discussion of Marine Sediment samples	84
9.3	Conclusions	84
<b>10</b>	<b>Marine Ecological Monitoring</b>	<b>85</b>
10.1	Introduction	86
10.2	Results	95
<b>11</b>	<b>Conclusive Summary &amp; Remedial Measures</b>	<b>136</b>
<b>12</b>	<b>References</b>	<b>142</b>



**EXECUTIVE SUMMARY**

## ENVIRONMENTAL MONITORING PLAN FOR DEENDAYAL PORT ENVIRONMENTAL MONITORING REPORT- NOVEMBER, 2022

### 1. EXECUTIVE SUMMARY

Monitoring of various environmental aspects of the Deendayal port by M/s Detox Corporation Pvt. Ltd. has been carried out through collection of samples, analysis of the same, comparing results with respect to the national standards and any other relevant standards by GBCB/CPCB/MoEF & CC to understand status of various parameters in the Environment of the Deendayal Port. The results shall address the identified impacts and suggest measures to minimize the environmental impact due to various operations at Deendayal Port.

#### A) Ambient Air

The monitoring of Ambient Air quality at 6-locations at Deendayal Port Authority Kandla and 2- location at Vadinar Port on 24 hourly basis for TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>, CO<sub>2</sub>, CO, C<sub>6</sub>H<sub>6</sub> and NMHC in twice a week 24 hourly at uniform intervals (as per NAAQS) at Gopalpuri, Tuna Port, Marine Bhavan Building, Coal storage area, Estate building, Oil jetty and at Vadinar port, Vadinar Jetty and Vadinar colony area using respirable dust sampler, Fine particulate sampler and gaseous sampler.

The Maximum TSPM values in month of November 2022 were found 846 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum 107 µg/m<sup>3</sup> at Gopalpuri Hospital on 01.11.2022. The Maximum PM<sub>10</sub> values were 654 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum was 67 µg/m<sup>3</sup> at Gopalpuri Hospital 01.11.2022. Maximum PM<sub>2.5</sub> values were 187 µg/m<sup>3</sup> at Coal Storage area on 25.11.2022 and minimum was 34 µg/m<sup>3</sup> at Gopalpuri on 01.11. 2022. The PM<sub>10</sub> and PM<sub>2.5</sub> values were found for all monitoring locations (Marine Bhavan Building, Oil Jetty, Estate Office, Gopalpuri, Coal Storage Area and Tuna Port) to exceed the Standard limit (NAAQS).

At Gopalpuri location the mean concentration of PM<sub>10</sub> was 127 µg/m<sup>3</sup> & PM<sub>2.5</sub> was 66 µg/m<sup>3</sup> which are slightly exceed the Standard limit (NAAQS).

The AAQ monitoring for Vadinar at Admin building the mean TSPM, PM<sub>10</sub> and PM<sub>2.5</sub> were 237µg/m<sup>3</sup>, 138 µg/m<sup>3</sup> and 97 µg/m<sup>3</sup> respectively which was exceed the Standard limit (NAAQS) the while at Signal Building the mean TSPM, PM<sub>10</sub> and PM<sub>2.5</sub> were 113 µg/m<sup>3</sup>, 74 µg/m<sup>3</sup> and 38 µg/m<sup>3</sup> respectively slightly exceed the Standard limit (NAAQS).

The overall values of November for Gaseous SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>, CO<sub>2</sub>, CO, C<sub>6</sub>H<sub>6</sub> concentration were within the permissible limit at all location and NMHC were found BQL (Below Quantification Limit).

## **B) Weather**

The mean day time temperature at Deendayal Port was 27.92 °C. The day-time maximum temperature was 32.9°C and minimum was 21.1 °C. The mean night time temperature recorded was 25.47 °C. The night-time maximum temperature was 29.7°C and minimum was 20.0 °C. The mean Solar Radiation in November month was 167.27 w/m<sup>2</sup>. The maximum solar radiation was recorded 759 w/m<sup>2</sup> in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80 w/m<sup>2</sup> in 30<sup>th</sup> November, 2022. The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly West-South.

## **C) Marine Ecology (Flora and Fauna) / Marine Water / Sediments:**

The results obtained from the study for the month of November 2022 for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.

## **D) Drinking Water Quality**

The drinking water being supplied to Deendayal Port Authority was safe for drinking purpose. At all drinking water monitoring stations around port area were in line with the standard limit as per the drinking water specifications given in IS 10500:2012 as per tested parameters only.


The average results for 20 locations were as: pH were found Min 7.24 and maximum 7.52, TDS were found min 300.0 mg/l and Max found 1060.0 mg/l, Chloride were found Min 140.31 mg/l and Max 576.28 mg/l, Total Hardness were found Min 270.0 mg/l and Max 380.0 mg/l and Calcium were found Min 34.47 mg/l and Max 43.29 mg/l, color were colorless and odor were odorless. In all water samples BOD, Heavy metal like manganese, Hexavalent chromium, Copper, Cadmium, Arsenic, Mercury, Lead, zinc all are found BQL (Below Quantification Limit). The bacterial count (E-coli & Coliform) is absent in all drinking water samples.

### **E) Monitoring Performance of Sewage Treatment Plant**

It was seen that the performance of STP at Deendayal Township Gopalpuri, DPA STP Plant Kandla and Vadinar STP plant was satisfactory by overall. The treatment plant was well maintained during [November 2022] with considerable removal efficiency achieving the standards prescribed for final disposal. At Gopalpuri STP, the pollutant removal efficiency for TSS, BOD and COD was ranged from 49.66-81.04%, 58.97-68.42% and 45.45-73.33% respectively. At Kandla STP, removal efficiency for TSS, BOD and COD was ranged from 53.47-73.49%, 46.15-76.74% and 50.00-82.35% respectively & at Vadinar STP removal efficiency for TSS, BOD and COD was ranged from 42.09-56.69%, 50.00-78.12% and 60.00-84.61% respectively. At all STP location treated waste water the pH were ranged from 7.21-7.42, Total Suspended Solids were found 16.9-67.9 mg/l, Residual Chlorine were below Detection Limit (< 0.5), COD were found 20-60 mg/l and 3day BOD @ 27 °C were found 7.0-16.0 mg/l.

### **F) Noise**

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. The Day Time Noise Level (SPL) in all 10 locations at Deendayal Port Authority ranged from 53.2 dB(A) to 70.4 dB(A) while at Vadinar port 3 location ranged from 52.5 dB(A) to 60.6 dB(A) which was within the permissible limits of 75 dB(A) for the industrial area for the daytime. The Night Time Average Noise Level (SPL) in all locations of Deendayal Port Authority ranged from 45.4 dB to 61.7 dB(A) while at Vadinar port ranged from 52.5 dB (A) to 60.6 dB(A) which was within the permissible limits of 70 dB(A) for the industrial area for the night time.



**CHAPTER-1**  
**INTRODUCTION**  
**DEENDAYAL PORT AUTHORITY**

## **1.0 Introduction**

### **About Deendayal Port**

The Deendayal Port is situated in the Kandla Creek and is 90 Kms. From the mouth of Gulf of Kachchh. Latitude: 23° 01" N Longitude: 70° 13"E. Deendayal Port's journey began in 1931 with construction of RCC Jetty by Maharao Khengarji. After partition, Deendayal Port's success story has continued and it rise to the No. 1 Port in India in the year 2007-08 and since then retained the position for the 15 consecutive year. On 31.03.2016, Deendayal Port created history by handling 100 MMT cargoes in a year, the first Major Port to achieve the milestone. Kandla, also known as the Deendayal Port Authority is a seaport in Kutch District of Gujarat state in western India, near the city of Gandhidham. Located on the Gulf of Kutch, it is one of major ports on west coast. Kandla was constructed in the 1950s as the chief seaport serving western India, after the partition of India from Pakistan left the port of Karachi in Pakistan. The Port of Deendayal is located on the Gulf of Kutch on the northwestern coast of India some 256 nautical miles North West of the Port of Karachi in Pakistan and over 430 nautical miles north-northwest of the Port of Mumbai (Bombay). It is the largest port of India by volume of cargo handled. Kandla history Deendayal Port Authority, India's busiest major port in recent years, is gearing to add substantial cargo handling capacity with private sector participation. Deendayal port Authority creates a new record by handling 127.10 million metric tons of cargo during the FY 2021-22, as against 117.566 million metric tons in FY 2020-21. Showing a growth of 8.11 %. Incidentally, DPA is the only major Indian port of handle more than 127 MMT cargo throughout and it has also registered the highest cargo throughput in its history. While the port has flagged off several projects related to infrastructure creation, DPA has successfully awarded the work of augmentation of liquid cargo handling capacity by revamping the existing pipeline network at the oil jetty area in Sept. 2021. Even as much of this growth has come from handling of crude oil imports, mainly for Essar Oil's Vadinar refinery in Gujarat, the port is also taking measures to boost non-POL cargo. Last fiscal, POL traffic accounted for 63 per cent of the total cargo handled at Deendayal Port, as against 59% in 2007-08. The Deendayal Port Authority had commissioned the Off-shore Oil Terminal facilities at Vadinar in the year 1978, for which M/s. Indian Oil Corporation Limited (IOCL) provided Single Bouy Mooring (SBM) system, having a capacity of 54 MMTPA, which was first of its kind in India. Further, significant. Quantum of infrastructural up-gradation has been affected & excellent maritime infrastructure been created at Vadinar for the 32 MMTPA Essar Oil Refinery in Jamnagar District. Monitoring of various environmental aspects of the Deendayal port by M/s Detox Corporation Pvt. Ltd. has been carried out through collection of samples, analysis of the same, comparing results with respect to the prescribed standards by GPCB/CPCB/MoEF& CC. The results shall address the identified impacts and suggest measures to minimize the environmental impact due to various operations at Deendayal Port. The environmental monitoring is carried out as per the Environment Management and Monitoring Plan submitted by Detox Corporation Pvt. Ltd.

## CHAPTER-2

### AMBIENT AIR QUALITY MONITORING

## 2. Introduction

Air pollutants are added in the atmosphere from variety of sources that change the composition of atmosphere and affect the biotic environment. The concentration of air pollutants depend not only on the quantities that are emitted from air pollution sources but also on the ability of the atmosphere to either absorb or disperse these emissions. The air pollution concentration vary spatially and temporarily causing the air pollution pattern to change with different locations and time due to changes in meteorological and topographical condition. Air pollution occurs when harmful substances including particulates and biological molecules are introduced into earth's atmosphere. It may cause diseases, allergies or death of humans; it may also cause harm to other living organisms such as animals and food crops, and may damage the natural or built environment. Human activity and natural processes can both generate air pollution. A physical, biological or chemical alteration to the air in the atmosphere can be termed as pollution. It occurs when any harmful gases, dust, smoke enters into the atmosphere and makes it difficult for plants, animals and humans to survive as the air becomes dirty. The consequences of industrialization and the demand for improved quality of life has been increased exposure to air pollution (Vallero, 2014). An air pollutant is a substance in the air that can have adverse effects on humans and the ecosystem. The substance can be solid particles, liquid droplets, or gases. A pollutant can be of natural origin or man-made. Pollutants are classified as primary or secondary. Any gas could qualify as pollution if it reached a high enough concentration to do harm. Theoretically, that means there are dozens of different pollution gases. In practice, about ten different substances cause most concern. Heavy metals represent a class of omnipresent pollutants, with toxic potential, in some cases even at low exposure levels. They concentrate in each tropic level because of their weak mobility, so the concentration in plants is higher than in soil, in herbivore animals higher than in plants, in carnivores' tissues higher than in herbivore, the highest concentration being reached at the end of the tropic chain, at big predacious and human bodies.

Globally, one of the main contributors to emissions of atmospheric pollutants and a significant user of energy is the industrial sector (Conti et al. 2015).

The concentration of air pollutants depends not only on the quantities that are emitted from the polluting sources, but also on the ability of the atmosphere to either absorb or disperse such emissions (USEPA, 2008).

Nowadays, the shipping sector provides low-cost and reliable delivery services in the economic field (Arunachalam et al. 2015). Nevertheless, shipping-related activities have a considerable impact on air pollution, especially in coastal areas but also globally (Buccolieri et al. 2016). The primary air pollutants are PM, VOCs, NO<sub>x</sub>, O<sub>3</sub>, SO<sub>2</sub>, and CO (Bailey and Solomon 2004). As a consequence, a wide range of options toward “greener” seaports is needed (Bailey and Solomon 2004). Some of these measures are easy to adopt such as the regulation of fuel quality (by using low-sulfur alternative fuels), the speed reduction (Lack et al. 2011), and the use of alternative transportation equipment (Lai et al. 2011).

Clean air is the basic requirement of all living organisms. In recent times, due to population growth, urban sprawl, industrial development, and vehicular boom, the quality of air is deteriorating and being polluted. Pollutants of major public health concerns include particulate matter, carbon monoxide, ozone, nitrogen dioxide, and sulfur dioxide, which pose serious threats to human health and hygiene. In the present study, prime particulate pollutants (PM<sub>10</sub>, PM<sub>2.5</sub>), and gaseous pollutants (SO<sub>2</sub>, and NO<sub>2</sub>) were estimated at seven stations in and around Dahej Port, Gujarat, India (Soni and Jagruti Patel, 2017).

Among particulate pollutants, particulate matter (PM) is a ubiquitous entity, and is especially a grave problem due to its higher suspension rate into the atmosphere, and adverse health effects on plants, animals, humans, and materials in the form of visibility reduction, soiling of buildings, etc. (Horaginamani and Ravichandran, 2010; Chaurasia *et al.*, 2013).

The sources of air pollutants include vehicles, industries, domestic sources and natural sources. Because of the presence of high amount of air pollutants in the ambient air, the health of the population and property is getting adversely affected. In order to arrest the deterioration in air quality, Govt. of India has enacted Air (Prevention and Control of Pollution) Act in 1981. The responsibility has been further emphasized under Environment (Protection) Act, 1986. It is necessary to assess the present and anticipated air pollution through continuous air quality survey/monitoring programs. Therefore, Central Pollution Control Board had started National Ambient Air Quality Monitoring (NAAQM) Network during 1984 - 85 at national level. The programme was later renamed as National Air Quality Monitoring Programme (NAMP).

## 2.1 Ambient Air Quality Monitoring

As per the Environmental Monitoring Plan of Deendayal Port Authority, Air monitoring was carried out at six identified locations at Deendayal Port and two locations at Vadinar Port.

**Table: 1. Ambient Air Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude	Remarks
1.	Marine Bhavan	AL-1	23° 0' 26.524"N	70° 13' 22.414"E	<b>DPA-Kandla</b>
2.	Oil Jetty	AL-2	23° 1' 45.613"N	70° 13' 11.052"E	
3.	Estate Office	AL-3	23° 1' 11.273"N	70° 12' 48.657"E	
4.	Gopalpuri Hospital	AL-4	23° 4' 53.551"N	70° 8' 7.047"E	
5.	Coal Storage Area	AL-5	22° 59' 31.812"N	70° 13' 9.979"E	
6.	Tuna Port	AL-6	22° 59' 15.291"N	70° 58' 57.018"E	
7.	Signal Building	AL-7	22° 26' 26.750"N	69° 40' 22.127"E	<b>DPA-Vadinar</b>
8.	Admin Building	AL-8	22° 26' 25.223"N	69° 40' 19.358"E	

### ● Air Quality Monitoring Methodology

Air quality is measured in all the stations, for 24 hour for Total Suspended Particulate Matter (TSPM), PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub> & Benzene and Grab-sampling for CO & CO<sub>2</sub> measurements. The Air samplers are operated for a period of 24 hours and after a continuous operation of 8 hours for gaseous parameters. The absorbing reagents for SO<sub>2</sub>:- Absorbing Reagent TCM (Potassium Tetrachloromercurate 0.04M): Mercuric Chloride, Potassium Chloride and EDTA used. For NO<sub>2</sub>:- Absorbing Reagent Sodium Hydroxide (NAOH): Sodium Hydroxide and Sodium Arsenite used. For NH<sub>3</sub> need Conc. Sulphuric Acid and Distilled water was used. By replacing 3 times the reagents per day for each parameter namely, SO<sub>2</sub>, NO<sub>2</sub>, NH<sub>3</sub>. The GFA filter paper and PTFE Membrane bound filter paper are used for a period of 24 hours to obtain one sample each of TSPM, PM<sub>10</sub> & PM<sub>2.5</sub>. The AAQ samples are collected two consecutive days a week as per CPCB guidelines, from all the eight locations as mentioned in the EMP.

## 2.2 Results

The ambient air quality monitoring data for six stations, viz. Marine Bhavan, Oil Jetty, Port Colony, Gopalpuri Hospital, Tuna Port and Nr. Coal Storage Area for the month of November 2022 are given in Tables 2 to 7. The ambient air quality monitoring data for two stations at Vadinar (Nr. Admin Building & Nr. Signal Building) are given in Tables 8 to 9.

The Movement of heavy transport with uncovered coal transportation, raw road around ambient location may be causes fugitive dust emission from dry conditions. Particulate Matter then enters the atmosphere through the action of wind, vehicular movement, or other activities. The dust produces tends to float in air and spread all around the vicinity. Direction and speed of wind affect the dispersion of the dust particulate matter. Humidity of air also has strong effect on the spreading of particulate matter. With increasing humidity, moisture particles eventually grow in size to a point where 'dry deposition' occurs, reducing PM<sub>10</sub> concentrations in the atmosphere.

**Location 1: Marine Bhavan (AL1)**

**Table 2 : Results of Air Pollutant Concentration at Marine Bhavan**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
NAAQMS Limit			100 µg/m3	60 µg/m3		80 µg/m3		80 µg/m3		400 µg/m3
AL1 - 1	01.11.2022	435	302	121	3.93	3.93	5.19	14.43	2.07	4.11
					6.04		23.66		6.33	
					1.81		14.43		3.91	
AL1 - 2	04.11.2022	344	228	106	3.32	2.52	17.31	12.70	2.42	3.72
					2.72		8.66		5.18	
					1.51		12.12		3.57	
AL1 - 3	08.11.2022	398	281	116	2.31	3.84	25.39	17.31	4.72	3.57
					6.34		17.89		2.42	
					2.88		8.66		3.57	
AL1 - 4	11.11.2022	445	315	124	3.63	6.35	17.89	13.08	4.03	3.61
					9.07		12.70		4.72	
					6.35		8.66		2.07	
AL1 - 5	15.11.2022	364	253	110	4.53	4.53	11.54	13.85	4.60	3.07
					6.35		19.62		2.88	
					2.72		10.39		1.73	
AL1 - 6	18.11.2022	442	315	121	8.46	4.84	23.08	16.54	3.22	4.37
					3.32		8.66		5.87	
					2.72		17.89		4.03	
AL1 - 7	22.11.2022	375	266	106	3.32	4.43	17.89	18.47	4.83	4.45
					7.55		25.97		5.87	
					2.42		11.54		2.65	
AL1 - 8	25.11.2022	483	350	129	4.53	4.63	23.66	21.55	3.22	3.68
					6.95		28.86		5.29	
					2.42		12.12		2.53	
AL1 - 9	29.11.2022	534	383	142	6.35	5.84	17.89	19.04	3.57	3.57
					8.46		25.97		4.95	
					2.72		13.27		2.19	
<b>Monthly Average</b>		424	299	119		4.55		16.33		3.79
<b>Standard Deviation</b>		61	48	12		1.12		3.03		0.44

<b>Table 2 : Results of Air Pollutant Concentration at Marine Bhavan</b>					
	<b>Date</b>	<b>C6H6 [µg/m<sup>3</sup>]</b>	<b>HC</b>	<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
<b>Sampling Period</b>		<b>8 hr</b>		<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>	<b>ppm</b>	<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL1 – 1</b>	01.11.2022	1.09	BQL	1.44	444
<b>AL1 – 2</b>	04.11.2022	1.2	BQL	1.54	374
<b>AL1 – 3</b>	08.11.2022	1.17	BQL	1.08	538
<b>AL1 – 4</b>	11.11.2022	1.1	BQL	1.14	470
<b>AL1 – 5</b>	15.11.2022	1.11	BQL	1.26	481
<b>AL1 - 6</b>	18.11.2022	1.1	BQL	1.64	500
<b>AL1 - 7</b>	22.11.2022	1.12	BQL	1.35	620
<b>AL1 - 8</b>	25.11.2022	1.16	BQL	1.69	511
<b>AL1 - 9</b>	29.11.2022	1.21	BQL	1.16	522
<b>Monthly Average</b>		<b>1.14</b>	<b>-</b>	<b>1.37</b>	<b>495.56</b>
<b>Standard Deviation</b>		<b>0.05</b>	<b>-</b>	<b>0.22</b>	<b>67.59</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

At Marine Bhavan, the overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> is attributed mainly by motor vehicle emission produced from various types of automobiles (both diesel and petrol driven). Moreover, the loading and unloading of Food Grains and Timber at Jetty no. 1 and 2 also contributes to the high levels of TSPM and PM<sub>10</sub>. The mean TSPM value at Marine Bhavan was 424 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 299 µg/m<sup>3</sup>, and PM<sub>2.5</sub> value was 119 µg/m<sup>3</sup> which is above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 4.55 µg/m<sup>3</sup>, 16.33 µg/m<sup>3</sup> & 3.79 µg/m<sup>3</sup> respectively; these values were within the standard limit prescribed by NAAQS.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Marine Bhavan. The mean Benzene concentration was 1.14 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.37 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup> prescribed by NAAQS.

**Location 3: Oil Jetty (AL2)**

**Table 2 : Results of Air Pollutant Concentration at Oil Jetty**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]		
		[µg/m3 ]	[µg/m3]	[µg/m3 ]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>	
<b>AL2 -1</b>	01.11.2022	150	99	50	2.42	3.22	6.35	13.66	2.88	4.53	
					4.53				13.27		6.79
					2.72				21.35		3.91
<b>AL2 -2</b>	04.11.2022	253	180	70	2.72	3.53	5.77	11.73	0.81	3.18	
					3.32				17.89		4.03
					4.53				11.54		4.72
<b>AL2 -3</b>	08.11.2022	235	166	67	2.59	2.50	5.19	14.04	2.19	2.80	
					3.46				13.27		2.65
					1.44				23.66		3.57
<b>AL2 -4</b>	11.11.2022	275	194	76	6.35	4.53	10.39	14.24	2.42	2.42	
					4.53				20.20		3.80
					2.72				12.12		1.04
<b>AL2 -5</b>	15.11.2022	245	169	71	3.02	4.53	8.66	14.04	3.57	2.38	
					6.65				16.16		2.30
					3.93				17.31		1.27
<b>AL2 -6</b>	18.11.2022	185	119	53	5.74	4.94	14.43	13.47	4.95	3.84	
					2.72				17.31		3.57
					6.35				8.66		2.99
<b>AL2 -7</b>	22.11.2022	373	252	109	3.02	4.03	20.20	14.24	3.80	3.80	
					6.35				12.12		5.53
					2.72				10.39		2.07
<b>AL2 -8</b>	25.11.2022	292	199	86	1.81	3.83	14.43	14.43	3.57	4.76	
					6.35				19.62		4.72
					3.32				9.23		5.99
<b>AL1 -9</b>	29.11.2022	299	194	97	3.63	4.63	5.19	13.47	2.88	3.49	
					7.55				23.66		4.95
					2.72				11.54		2.65
<b>Monthly Average</b>		256	175	75		3.97		13.70		3.47	
<b>Standard Deviation</b>		65	45	19		0.79		0.81		0.85	

<b>Table 3 : Results of Air Pollutant Concentration at Oil Jetty</b>					
	<b>Date</b>	<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>	<b>*NMHC</b>	<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
<b>Sampling Period</b>		<b>8 hr</b>		<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL2-1</b>	01.11.2022	1.17	BQL	1.22	467
<b>AL2-2</b>	04.11.2022	1.01	BQL	1.53	451
<b>AL2-3</b>	08.11.2022	1.1	BQL	1.65	502
<b>AL2-4</b>	11.11.2022	1.19	BQL	1.04	447
<b>AL2 -5</b>	15.11.2022	1.24	BQL	1.27	634
<b>AL2 -6</b>	18.11.2022	1.16	BQL	1.22	531
<b>AL2-7</b>	22.11.2022	1.2	BQL	1.28	800
<b>AL2-8</b>	25.11.2022	1.06	BQL	1.89	1023
<b>AL2-9</b>	29.11.2022	1.22	BQL	1.46	576
<b>Monthly Average</b>		<b>1.15</b>	<b>-</b>	<b>1.40</b>	<b>603.44</b>
<b>Standard Deviation</b>		<b>0.08</b>	<b>-</b>	<b>0.26</b>	<b>193.07</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

Oil Jetty Area, the overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> was mainly by motor vehicle emission produced from various types of vehicles at Oil Jetty Area. The mean TSPM value at Oil Jetty was 256 µg/m<sup>3</sup>. The mean PM<sub>10</sub> value was 175 µg/m<sup>3</sup> and mean PM<sub>2.5</sub> value was 75 µg/m<sup>3</sup> which was above the permissible limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were within the permissible limit prescribed by NAAQS. The mean concentration of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 3.97 µg/m<sup>3</sup>, 13.70 µg/m<sup>3</sup> and 3.47 µg/m<sup>3</sup> respectively.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Oil Jetty. The mean Benzene concentration was 1.15 µg/m<sup>3</sup> which was well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.40 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 3: Kandla Colony – Estate Office (AL-3)**

**Table 4 : Results of Air Pollutant Concentration at Estate Office**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>
<b>AL3 – 1</b>	01.11.2022	245	172	69	1.51	2.32	10.39	9.62	3.68	5.10
					3.32		13.27		7.02	
					2.12		5.19		4.60	
<b>AL3 – 2</b>	04.11.2022	577	445	130	4.53	2.32	5.19	10.39	3.57	2.49
					1.51		17.31		2.88	
					0.91		8.66		1.04	
<b>AL3 – 3</b>	08.11.2022	440	321	109	6.05	3.94	19.04	12.31	4.72	3.64
					2.59		12.12		2.42	
					3.17		5.77		3.80	
<b>AL3 – 4</b>	11.11.2022	518	403	111	3.32	4.23	18.47	10.58	1.38	2.42
					2.72		8.66		3.57	
					6.65		4.62		2.30	
<b>AL3 – 5</b>	15.11.2022	451	340	107	1.81	3.73	23.08	15.97	3.22	2.42
					6.04		14.43		2.30	
					3.32		10.39		1.73	
<b>AL3 – 6</b>	18.11.2022	459	346	112	4.53	4.43	16.16	15.97	5.76	4.14
					2.72		8.66		4.72	
					6.04		23.08		1.96	
<b>AL3 – 7</b>	22.11.2022	453	325	116	2.42	4.33	19.62	17.31	3.91	3.84
					4.23		23.66		5.18	
					6.35		8.66		2.42	
<b>AL3 – 8</b>	25.11.2022	337	252	83	6.04	3.93	15.00	15.58	3.80	3.91
					3.32		23.08		5.76	
					2.42		8.66		2.19	
<b>AL1 – 9</b>	29.11.2022	491	359	129	4.84	4.63	17.89	16.16	3.57	3.57
					6.95		24.24		5.18	
					2.12		6.35		1.96	
<b>Monthly Average</b>		441	329	107		3.76		13.77		3.50
<b>Standard Deviation</b>		98	80	20		0.87		3.00		0.91

**Table 4 : Results of Air Pollutant Concentration at Estate Office**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [ $\mu\text{g}/\text{m}^3$ ]	*NMHC	CO [ $\text{mg}/\text{m}^3$ ]	CO <sub>2</sub> [ppm]
		8 hr		Grab Sampling	Grab Sampling
		5.0 $\mu\text{g}/\text{m}^3$		4.0 $\text{mg}/\text{m}^3$	-
<b>AL3 -1</b>	01.11.2022	1.06	BQL	1.27	508
<b>AL3 -2</b>	04.11.2022	1.1	BQL	1.19	508
<b>AL3 -3</b>	08.11.2022	1.1	BQL	1.65	502
<b>AL3 -4</b>	11.11.2022	1.09	BQL	1.83	429
<b>AL3 - 5</b>	15.11.2022	1.09	BQL	1.76	813
<b>AL3 - 6</b>	18.11.2022	1.2	BQL	1.14	559
<b>AL3 - 7</b>	22.11.2022	1.19	BQL	2.18	1022
<b>AL3 - 8</b>	25.11.2022	1.11	BQL	2	1026
	29.11.2022	1.06	BQL	1.22	537
<b>Monthly Average</b>		<b>1.11</b>	<b>-</b>	<b>1.58</b>	<b>656.00</b>
<b>Standard Deviation</b>		<b>0.05</b>	<b>-</b>	<b>0.39</b>	<b>234.02</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Kandla Port Colony (Estate Office) was attributed by vehicle emission produced from trucks and heavy duty vehicles that pass through the road outside Kandla Port Colony. The mean TSPM values at Estate Office were 441  $\mu\text{g}/\text{m}^3$ , the mean PM<sub>10</sub> value was 329  $\mu\text{g}/\text{m}^3$ , and PM<sub>2.5</sub> value was 107  $\mu\text{g}/\text{m}^3$  which was above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 3.76  $\mu\text{g}/\text{m}^3$ , 13.77  $\mu\text{g}/\text{m}^3$  and 3.50  $\mu\text{g}/\text{m}^3$  respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Kandla Port Colony. The mean Benzene concentration was 1.11  $\mu\text{g}/\text{m}^3$ , well below the permissible limit of 5.0  $\mu\text{g}/\text{m}^3$ . NMHC's were below the detectable limit and Carbon Monoxide was 1.58  $\text{mg}/\text{m}^3$ , well below the permissible limit of 4.0  $\text{mg}/\text{m}^3$ .

**Location 4: Gopalpuri Hospital (AL-4)**

**Table 5 : Results of Air Pollutant Concentration at Gopalpuri Hospital**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>
<b>AL4 -1</b>	01.11.2022	107	67	34	1.21	2.22	5.77	6.93	2.42	2.53
					3.02		10.39		4.14	
					2.42		4.62		1.04	
<b>AL4 -2</b>	04.11.2022	177	117	54	0.91	2.22	5.19	10.00	1.61	2.49
					4.53		8.66		2.42	
					1.21		16.16		3.45	
<b>AL4 -3</b>	08.11.2022	148	101	44	1.15	2.21	6.93	9.81	1.73	1.69
					2.88		17.31		2.42	
					2.59		5.19		0.92	
<b>AL4 -4</b>	11.11.2022	184	111	68	1.51	2.62	6.93	12.89	1.04	2.30
					3.63		14.43		2.42	
					2.72		17.31		3.45	
<b>AL4 -5</b>	15.11.2022	202	125	72	2.12	2.42	12.12	12.70	2.42	2.49
					3.63		8.66		3.45	
					1.51		17.31		1.61	
<b>AL4 -6</b>	18.11.2022	233	153	78	1.21	2.92	8.66	12.89	2.42	2.49
					4.84		17.89		1.61	
					2.72		12.12		3.45	
<b>AL4 -7</b>	22.11.2022	268	168	94	0.60	2.22	5.77	12.70	1.73	2.88
					3.32		14.43		3.68	
					2.72		17.89		3.22	
<b>AL4 -8</b>	25.11.2022	202	142	56	2.12	3.42	14.43	12.50	2.07	2.99
					5.14		17.89		4.03	
					3.02		5.19		2.88	
<b>AL1 -9</b>	29.11.2022	249	157	91	3.02	4.03	8.66	11.54	1.38	2.49
					6.35		20.20		3.80	
					2.72		5.77		2.30	
<b>Monthly Average</b>		197	127	66		2.70		11.33		2.49
<b>Standard Deviation</b>		50	32	20		0.65		2.05		0.37

<b>Table 5 : Results of Air Pollutant Concentration at Gopalpuri Hospital</b>					
<b>Sampling Period</b>	<b>Date</b>	<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>	<b>*NMHC</b>	<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
		<b>8 hr</b>		<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL4 -1</b>	01.11.2022	1.14	BQL	1.26	503
<b>AL4 -2</b>	04.11.2022	1.15	BQL	1.26	450
<b>AL4 -3</b>	08.11.2022	1.03	BQL	1.73	506
<b>AL4 -4</b>	11.11.2022	1.02	BQL	1.82	462
<b>AL4 - 5</b>	15.11.2022	1.09	BQL	1.04	1048
<b>AL4 - 6</b>	18.11.2022	1.14	BQL	1.32	543
<b>AL4 - 7</b>	22.11.2022	1.16	BQL	1.83	758
<b>AL4 - 8</b>	25.11.2022	1.22	BQL	1.8	816
<b>AL4 - 9</b>	29.11.2022	1.16	BQL	1.36	665
<b>Monthly Average</b>		<b>1.12</b>	<b>-</b>	<b>1.49</b>	<b>639.00</b>
<b>Standard Deviation</b>		<b>0.07</b>	<b>-</b>	<b>0.30</b>	<b>201.83</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Gopalpuri Hospital was attributed by vehicle emission produced from light motor vehicles of the colony residents. The mean TSPM values at Gopalpuri Hospital were 197 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 127 µg/m<sup>3</sup> and PM<sub>2.5</sub> was 66 µg/m<sup>3</sup> which was exceed the standard limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 2.70 µg/m<sup>3</sup>, 11.33 µg/m<sup>3</sup> and 2.49 µg/m<sup>3</sup> respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Gopalpuri Hospital. The mean Benzene concentration was 1.12 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon monoxide concentration was 1.49 mg/m<sup>3</sup> which is well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 5: Coal Storage Area (AL-5)**

**Table 6 : Results of Air Pollutant Concentration at Coal Storage Area**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>
AL6 – 1	01.11.2022	779	598	175	2.72	4.33	6.35	16.54	3.68	5.06
					6.65		25.97		8.17	
					3.63		17.31		3.34	
AL6 – 2	04.11.2022	635	492	137	2.12	3.53	23.08	17.70	6.79	6.60
					5.44		12.12		8.17	
					3.02		17.89		4.83	
AL6 – 3	08.11.2022	538	412	125	8.94	5.00	23.66	21.74	2.53	3.88
					3.46		12.12		2.07	
					2.59		29.43		7.02	
AL6 – 4	11.11.2022	815	635	178	4.53	4.73	18.47	17.70	5.87	4.41
					2.72		8.66		2.65	
					6.95		25.97		4.72	
AL6 – 5	15.11.2022	792	614	176	6.35	6.65	18.47	13.66	4.72	3.88
					9.07		10.39		3.68	
					4.53		12.12		3.22	
AL6 – 6	18.11.2022	771	595	171	9.37	7.15	20.20	17.12	4.83	4.37
					5.74		8.08		2.53	
					6.35		23.08		5.76	
AL6 – 7	22.11.2022	706	543	156	4.84	4.53	10.39	18.47	4.83	5.03
					6.04		23.66		5.99	
					2.72		21.35		4.26	
AL6 – 8	25.11.2022	846	654	187	3.32	5.24	17.31	19.81	3.91	4.95
					7.86		25.97		6.91	
					4.53		16.16		4.03	
AL1 – 9	29.11.2022	801	621	172	5.14	5.64	16.16	18.28	3.57	4.30
					9.07		28.86		6.22	
					2.72		9.81		3.11	
<b>Monthly Average</b>		743	574	164		5.20		17.89		4.72
<b>Standard Deviation</b>		99	78	21		1.14		2.22		0.84

**Table 6 : Results of Air Pollutant Concentration at Coal Storage Area**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [ $\mu\text{g}/\text{m}^3$ ]	*NMHC	CO [ $\text{mg}/\text{m}^3$ ]	CO <sub>2</sub> [ppm]
		8 hr		Grab Sampling	Grab Sampling
NAAQMS limit		5.0 $\mu\text{g}/\text{m}^3$		4.0 $\text{mg}/\text{m}^3$	-
AL5 – 1	01.11.2022	1.1	BQL	1.12	483
AL5 – 2	04.11.2022	1.06	BQL	1.48	475
AL5 – 3	08.11.2022	1.08	BQL	1.66	421
AL5 – 4	11.11.2022	1.06	BQL	1.69	492
AL5 – 5	15.11.2022	1.06	BQL	1.06	702
AL5 – 6	18.11.2022	1.22	BQL	1.18	483
AL5 – 7	22.11.2022	1.11	BQL	1.86	564
AL5 – 8	25.11.2022	1.2	BQL	1.54	777
AL5 – 9	29.11.2022	1.22	BQL	1.89	895
<b>Monthly Average</b>		<b>1.12</b>	<b>-</b>	<b>1.50</b>	<b>588.00</b>
<b>Standard Deviation</b>		<b>0.07</b>	<b>-</b>	<b>0.31</b>	<b>164.11</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The overall values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> at Coal Storage Area was comparatively highest among all the locations of Air Quality monitoring in Kandla Port. High values of TSPM, PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>2</sub> at this location was due to lifting of coal with grab and other coal handling processes near Berth no. 6 & 7. Moreover, the traffic was also heavy around this place for transport of coal thus emissions produced from heavy vehicles. The mean TSPM values at Coal storage were 743  $\mu\text{g}/\text{m}^3$ , the mean PM<sub>10</sub> value was 574  $\mu\text{g}/\text{m}^3$ , and the PM<sub>2.5</sub> value was 164  $\mu\text{g}/\text{m}^3$  which was above the permissible limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 5.20  $\mu\text{g}/\text{m}^3$ , 17.89  $\mu\text{g}/\text{m}^3$  and 4.72  $\mu\text{g}/\text{m}^3$  respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Coal Storage Area. The mean Benzene concentration was 1.12  $\mu\text{g}/\text{m}^3$ , well below the permissible limit of 5.0  $\mu\text{g}/\text{m}^3$ . NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.50  $\text{mg}/\text{m}^3$ , well below the permissible limit of 4.0  $\text{mg}/\text{m}^3$ .

**Location 6: Tuna Port (AL-6)**

**Table 7 : Results of Air Pollutant Concentration at Tuna Port**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>
<b>AL5 -1</b>	01.11.2022	141	88	47	0.91 2.72 1.21	1.61	2.89 12.12 3.46	6.16	2.07 4.03 2.42	2.84
<b>AL5 - 2</b>	04.11.2022	232	166	64	1.51 3.02 2.12	2.22	6.35 5.19 12.12	7.89	1.38 4.49 2.42	2.76
<b>AL5 - 3</b>	08.11.2022	184	120	55	1.44 3.46 2.31	2.40	10.39 11.54 17.31	13.08	1.73 2.65 3.45	2.61
<b>AL5 - 4</b>	11.11.2022	233	153	78	2.12 3.93 0.91	2.32	11.54 17.89 5.19	11.54	1.27 1.04 2.42	1.57
<b>AL5 - 5</b>	15.11.2022	221	145	74	1.21 3.32 2.42	2.32	6.35 12.12 17.89	12.12	3.57 2.30 1.61	2.49
<b>AL5 - 6</b>	18.11.2022	248	162	83	1.81 1.21 3.02	2.01	17.31 23.66 10.39	17.12	2.30 15.57 12.76	10.21
<b>AL5 - 7</b>	22.11.2022	214	139	74	1.51 2.72 3.32	2.52	8.66 12.70 4.04	8.46	3.57 2.88 2.07	2.84
<b>AL5 - 8</b>	25.11.2022	255	175	77	2.72 4.84 1.51	3.02	8.66 11.54 4.04	8.08	3.45 4.72 1.73	3.30
<b>AL1 - 9</b>	29.11.2022	245	155	87	1.51 6.04 3.32	3.63	12.70 17.31 5.19	11.73	1.04 5.18 2.42	2.88
<b>Monthly Average</b>		219	145	71		2.45		10.69		3.50
<b>Standard Deviation</b>		36	27	13		0.58		3.37		2.56

**Table 7 : Results of Air Pollutant Concentration at Tuna Port**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [µg/m <sup>3</sup> ]	*NMHC	CO [mg/m <sup>3</sup> ]	CO <sub>2</sub> [ppm ]
		8 hr		Grab Sampling	Grab Sampling
		5.0 µg/m <sup>3</sup>		4.0 mg/m <sup>3</sup>	-
AL6 -1	01.11.2022	1.12	BQL	1.43	543
AL6 - 2	04.11.2022	1.17	BQL	1.41	463
AL6 - 3	08.11.2022	1.13	BQL	1.39	410
AL6 - 4	11.11.2022	1.13	BQL	1.74	509
AL6 - 5	15.11.2022	1.17	BQL	1.08	911
AL6 - 6	18.11.2022	1.17	BQL	1.1	528
AL6 - 7	22.11.2022	1.06	BQL	1.88	565
AL6 - 8	25.11.2022	1.1	BQL	1.89	999
	29.11.2022	1.22	BQL	1.89	895
<b>Monthly Average</b>		<b>1.14</b>	<b>-</b>	<b>1.53</b>	<b>647.00</b>
<b>Standard Deviation</b>		<b>0.05</b>	<b>-</b>	<b>0.33</b>	<b>222.45</b>

\* NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

The mean TSPM values at Tuna Port was 219 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 145 µg/m<sup>3</sup> and the mean PM<sub>2.5</sub> value was 71 µg/m<sup>3</sup> which was exceed the standard limit prescribed by NAAQS. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> were 2.45 µg/m<sup>3</sup>, 10.69 µg/m<sup>3</sup> and 3.50 µg/m<sup>3</sup> respectively and were all within the standard limit prescribed by NAAQS.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Tuna Port. The mean Benzene concentration was 1.14 µg/m<sup>3</sup>, well below the permissible limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.53 mg/m<sup>3</sup>, well below the permissible limit of 4.0 mg/m<sup>3</sup>.

**Location 7: Admin Building (Vadinar) (AL-7)**

**Table 8 : Results of Air Pollutant Concentration at Admin Building**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]	
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>
<b>AL7 -1</b>	01.11.2022	150	98	51	2.20 4.84 3.52	3.52	9.53 16.51 5.72	10.59	5.36 2.81 7.66	5.28
<b>AL7 -2</b>	04.11.2022	177	115	61	3.08 7.03 3.96	4.69	17.78 21.60 26.04	21.81	2.81 8.93 6.64	6.13
<b>AL7 -3</b>	08.11.2022	193	113	73	6.15 8.79 3.96	6.30	6.99 20.96 6.35	11.43	3.83 10.47 8.17	7.49
<b>AL7 -4</b>	11.11.2022	200	121	78	3.96 5.28 8.79	6.01	17.78 22.23 5.72	15.24	10.47 5.87 4.08	6.81
<b>AL7 -5</b>	15.11.2022	179	108	69	1.76 5.71 8.35	5.28	7.62 26.04 20.33	18.00	3.06 5.87 7.91	5.62
<b>AL7 -6</b>	18.11.2022	223	121	96	2.64 4.40 6.59	4.54	8.89 16.51 19.69	15.03	5.62 8.17 3.32	5.70
<b>AL1 -7</b>	22.11.2022	162	104	57	4.84 7.03 3.96	5.28	14.61 5.72 23.50	14.61	13.02 8.68 5.62	9.10
<b>AL1-8</b>	25.11.2022	237	138	97	6.59 3.96 2.64	4.40	9.53 14.61 21.60	15.24	7.91 5.62 10.47	8.00
<b>AL1-9</b>	28.11.2022	203	112	87	3.96 2.20 4.84	3.66	6.99 14.61 19.69	13.76	5.62 7.91 4.60	6.04
<b>Monthly Average</b>		191	114	74		4.85		15.08		6.68
<b>Standard Deviation</b>		28	12	17		0.96		3.34		1.28

**Table 8 : Results of Air Pollutant Concentration at Admin Building Vadinar**

Sampling Period	Date	C <sub>6</sub> H <sub>6</sub> [ $\mu\text{g}/\text{m}^3$ ]	*NMHC	CO [ $\text{mg}/\text{m}^3$ ]	CO <sub>2</sub> [ppm ]
		8 hr		Grab Sampling	Grab Sampling
NAAQMS limit		5.0 $\mu\text{g}/\text{m}^3$		4.0 $\text{mg}/\text{m}^3$	-
AL7 -1	01.11.2022	1.08	BQL	1.43	225
AL7 -2	04.11.2022	1.13	BQL	1.54	236
AL7 -3	08.11.2022	1.17	1.81	1.53	455
AL7 -4	11.10.2022	1.14	BQL	1.61	443
AL7 -5	15.10.2022	1.03	BQL	1.1	347
AL7 -6	18.10.2022	1.06	BQL	1.57	416
AL7 -7	22.10.2022	1.10	BQL	1.05	372
AL7 -8	25.10.2022	1.20	BQL	1.79	464
AL7 -9	28.10.2022	1.13	BQL	1.42	487
<b>Monthly Average</b>		<b>1.12</b>	<b>-</b>	<b>1.46</b>	<b>388</b>
<b>Standard Deviation</b>		<b>0.06</b>	<b>-</b>	<b>0.25</b>	<b>75</b>

\*NMHC- Non- Methane Hydrocarbons

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

At Admin Building, Vadinar the mean TSPM value was  $191 \mu\text{g}/\text{m}^3$ , the mean PM<sub>10</sub> value was  $114 \mu\text{g}/\text{m}^3$  and the mean PM<sub>2.5</sub> value was  $74 \mu\text{g}/\text{m}^3$  which was slightly exceed the standard limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> concentrations were  $4.85 \mu\text{g}/\text{m}^3$ ,  $15.08 \mu\text{g}/\text{m}^3$  and  $6.68 \mu\text{g}/\text{m}^3$  respectively and were all within the permissible limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Vadinar Port. The mean Benzene concentration was  $1.12 \mu\text{g}/\text{m}^3$ , well below the permissible limit of  $5.0 \mu\text{g}/\text{m}^3$ . NMHC's were below the detectable limit and Carbon Monoxide concentration was  $1.46 \text{mg}/\text{m}^3$ , well below the permissible limit of  $4.0 \text{mg}/\text{m}^3$ .

**Location 8: Signal Building (Vadinar) (AL-8)**

**Table 9 : Results of Air Pollutant Concentration at Signal Building, Vadinar**

Sampling Period	Date	TSPM	PM10	PM2.5	SO2 [µg/m3]		NOx [µg/m3]		NH3 [µg/m3]		
		[µg/m3]	[µg/m3]	[µg/m3]	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	8 hr	24hr (Avg.)	
<b>NAAQMS Limit</b>			<b>100 µg/m3</b>	<b>60 µg/m3</b>		<b>80 µg/m3</b>		<b>80 µg/m3</b>		<b>400 µg/m3</b>	
<b>AL8 -1</b>	01.11.2022	113	74	38	3.96	4.40	6.99	13.34	2.30	7.15	
					6.59				19.05		8.68
					2.64				13.97		10.47
<b>AL8 -2</b>	04.11.2022	146	93	49	2.64	4.40	14.61	15.88	5.36	6.13	
					4.84				22.23		8.42
					5.71				10.80		4.60
<b>AL8 -3</b>	08.11.2022	124	82	42	3.08	3.52	14.61	16.73	5.62	5.62	
					5.28				26.04		7.91
					2.20				9.53		3.32
<b>AL8 -4</b>	11.11.2022	175	105	67	2.20	4.40	8.26	13.76	8.93	9.02	
					7.03				19.05		12.76
					3.96				13.97		5.36
<b>AL8 -5</b>	15.11.2022	152	97	52	3.52	4.98	5.72	13.13	6.89	7.57	
					4.84				13.34		10.98
					6.59				20.33		4.85
<b>AL8 -6</b>	18.11.2022	176	111	61	3.08	3.81	15.24	17.57	7.15	8.42	
					3.96				26.04		7.91
					4.40				11.43		10.21
<b>AL8 -7</b>	22.11.2022	214	118	93	3.52	5.71	5.72	12.91	7.91	8.25	
					5.28				13.34		6.38
					8.35				19.69		10.47
<b>AL8-8</b>	25.11.2022	219	125	92	3.08	4.54	9.53	11.01	5.36	6.04	
					4.84				17.78		8.17
					5.71				5.72		4.60
<b>AL8-9</b>	28.11.2022	154	97	57	5.71	3.81	10.80	16.94	7.15	8.76	
					3.96				22.23		8.93
					1.76				17.78		10.21
<b>Monthly Average</b>		164	100	61		4.40		14.59		7.44	
<b>Standard Deviation</b>		36	16	20		0.67		2.25		1.27	

**Table 9 : Results of Air Pollutant Concentration at Signal Building Vadinar**



		<b>C<sub>6</sub>H<sub>6</sub> [µg/m<sup>3</sup>]</b>		<b>CO [mg/m<sup>3</sup>]</b>	<b>CO<sub>2</sub> [ppm ]</b>
<b>Sampling Period</b>	<b>Date</b>	<b>8 hr</b>	<b>*NMHC</b>	<b>Grab Sampling</b>	<b>Grab Sampling</b>
<b>NAAQMS limit</b>		<b>5.0 µg/m<sup>3</sup></b>		<b>4.0 mg/m<sup>3</sup></b>	<b>-</b>
<b>AL8 -1</b>	01.11.2022	1.06	BQL	1.5	467
<b>AL8 -2</b>	04.11.2022	1.05	BQL	1.46	501
<b>AL8 -3</b>	08.11.2022	1.14	1.81	1.31	489
<b>AL8 -4</b>	11.11.2022	1.16	BQL	1.38	439
<b>AL8 -5</b>	15.11.2022	1.17	BQL	1.29	231
<b>AL8 -6</b>	18.11.2022	1.10	BQL	1.31	244
<b>AL8 -7</b>	22.11.2022	1.00	BQL	1.34	227
<b>AL8 -8</b>	25.11.2022	1.05	BQL	1.37	261
<b>AL8 -9</b>	28.11.2022	1.02	BQL	1.29	234
<b>Monthly Average</b>		<b>1.16</b>	<b>-</b>	<b>1.46</b>	<b>442</b>
<b>Standard Deviation</b>		<b>0.05</b>	<b>-</b>	<b>0.27</b>	<b>63</b>



\* NMHC- Non- Methane Hydrocarbon

BQL- Below Quantification Limit (Quantification Limit – NMHC: 0.5 ppm)

At Signal Building, Vadinar the mean TSPM value was 164 µg/m<sup>3</sup>, the mean PM<sub>10</sub> value was 100 µg/m<sup>3</sup> which was boundary line of the permissible limit, the mean PM<sub>2.5</sub> value was 61 µg/m<sup>3</sup> which was within the permissible limit. The average values of SO<sub>2</sub>, NO<sub>2</sub> and NH<sub>3</sub> concentrations were 4.40 µg/m<sup>3</sup>, 14.59 µg/m<sup>3</sup> and 7.44 µg/m<sup>3</sup> respectively and were all within the standard limit.

The levels of Benzene, Hydrocarbons (HC) and CO were within the permissible limit at Vadinar Port. The mean Benzene concentration was 1.16 µg/m<sup>3</sup>, well below the standard limit of 5.0 µg/m<sup>3</sup>. NMHC's were below the detectable limit and Carbon Monoxide concentration was 1.46 mg/m<sup>3</sup>, well below the standard limit of 4.0 mg/m<sup>3</sup>.





### 2.3 Observations and Conclusion

During the monitoring period, the overall Ambient Air Quality of the port area was found within permissible levels for various gaseous pollutants. However, Total Suspended Particulate matter as TSPM, Particulate matter as PM<sub>10</sub> and PM<sub>2.5</sub> was found to exceed the limits at locations at all ambient air sampling location.

The concentration of PM<sub>10</sub> and PM<sub>2.5</sub> were slightly exceeded at Gopalpuri and Tuna Port.

The mean concentration of PM<sub>10</sub> and PM<sub>2.5</sub> were slightly exceeded at Admin building Vadinar & at Signal building Vadinar was very close to the standard limit.

## CHAPTER-3

### METEOROLOGICAL OBSERVATIONS

#### **4.1 Meteorological Data**

Automatic Weather station (ID KAZPHOEN424) have been installed in Seva Sadan-3 at the Deendayal Port which records the data on Temperature (°C), Relative Humidity (%), Wind speed (m/s), Wind Direction (°), Solar radiation ( $w/m^2$ ) and Rainfall mm.

Meteorological factors play an important role in environmental pollution studies particularly in pollutant transport irrespective of their entry into the environment. The wind speed and direction play a major role in dispersion of environment pollutants. Effects of pollution on receptors animate and inanimate depends on atmospheric condition.

##### **Temperature**

At Deendayal Port, the day time temperature was found range 21.1-32.9°C. The average day time temperature was 27.92°C. The night time temperature was range from 20.0-29.7°C. The mean night time temperature recorded was 25.47 °C.

##### **Solar Radiation**

The mean Solar Radiation in November month was 167.27  $w/m^2$ . The maximum solar radiation was recorded 759.0  $w/m^2$  in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80  $w/m^2$  in 30<sup>th</sup> November, 2022.

##### **Rainfall**


Rain fall of November month was recorded 0.00 mm.

##### **Relative Humidity**

The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %.

##### **Wind Velocity and Wind Direction**

Velocity and direction of wind have a significant role in the dispersion of air borne materials and therefore determines the air quality of the area. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly North-East.



WRPLOT View - Lakes Environmental Software

## CHAPTER-4

### DRINKING WATER QUALITY MONITORING

#### 4.0 Drinking Water Quality Monitoring

Drinking Water Quality Monitoring was carried out at twenty stations at Kandla, Vadinar & Township Area of Deendayal Port.

**Table No:-10. Drinking Water Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude
1.	Nirman Building	DL-1	23° 0' 27"N	70° 13' 21"E
2.	P & C Building	DL-2	23° 0' 33"N	70° 13' 20"E
3.	North Gate	DL-3	23° 0' 26.97"N	70° 13' 21.87"E
4.	KPT-Canteen	DL-4	23° 2' 17.2674"N	70° 13'18.2814"E
5.	West Gate	DL-5	23° 59' 40.48"N	70° 12' 50.96"E
6.	Wharf Area	DL-6	22° 59' 52.2"N	70° 13' 22.95"E
7.	Sevasadan-3	DL-7	23° 0' 22.55"N	70° 13' 15.34"E
8.	Workshop	DL-8	23° 0' 33.74"N	70° 13' 20.05"E
9.	Custom Building	DL-9	23° 1' 8.70"N	70° 12' 52.0"E
10.	Kandla Colony	DL-10	23° 11' 14.9"N	70° 12' 48.4"E
11.	KPT Hospital	DL-11	23° 1' 5.02"N	70° 12' 44.38"E
12.	A.O. Building	DL-12	23° 3' 42.89"N	70° 8' 41.5"E
13.	Gopalpuri School	DL-13	23° 5' 1.03"N	70° 7' 55.42"E
14.	Gopalpuri Guest House	DL-14	23° 4' 43.14"N	70° 7' 51.92"E
15.	E-Type Quarters	DL-15	23° 4' 59.90"N	70° 7' 56.72"E
16.	F-Type Quarters	DL-16	23° 4' 38.45"N	70° 8' 8.63"E
17.	Gopalpuri Hospital	DL-17	23° 4' 54.09"N	70° 8' 7.5"E
18.	Tuna Port	DL-18	23° 58' 23.06"N	70° 5' 35.6"E
19.	Vadinar Jetty	DL-19	22° 25' 51.73"N	69° 41' 36.62"E
20.	Vadinar Colony	DL-20	22° 30' 26.25"N	69° 39' 45.03"E

#### **4.1 Drinking Water Monitoring Methodology**

Samples for physico-chemical analysis were collected in 2 Carboys and samples for microbiological parameters were collected in sterilized bottles. These samples were then analyzed in laboratory for various drinking water parameters at Kandla Lab/Surat.

The Sampling was done as per IS: 3025 Part-1, analysis was done as per IS: 3025/APHA standard methods and, the analysis results compare with IS 10500:2012. The water samples were analyzed for various parameters, viz. Color , Odor, Turbidity , Conductivity , pH , Chlorides , TDS, Total Hardness, Iron , Sulphate, Salinity , DO, BOD, Na, K, Ca, Mg, F, NO<sub>3</sub>, NO<sub>2</sub>, Mn, Cr-6, Cu, Cd, As, Hg, Pb, Zn, Bacterial Count (CFU) .

#### **4.2 Results**

The Drinking Water Quality monitoring data for 20 stations are given in below from table No. 11 to Table No. 17

**Table 11: Drinking Water Quality Monitoring Parameters for Nirman Building, P & C Building and Main Gate (North) at Kandla.**

Sr. No.	Parameter	Unit	Nirman Building 1	P & C Building	Main Gate North	Acceptable Limits as per IS 10500 :2012 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.35	7.33	7.41	7.35	6.5 to 8.5
2	Total Dissolved Solids	mg/l	690	670	670	690	2000
3	Turbidity	NTU	0	1	1	0	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1229	1194	1211	NS*	NS*
7	Biochemical Oxygen	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	576.28	355.79	340.76	250	1000
9	Ca as Ca	mg/l	43.29	41.68	39.28	75	200
10	Mg as Mg	mg/l	58.8060	57.3480	56.3760	30	100
11	Total Hardness	mg/l	350	340	330	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.35	0.37	0.31	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	35.80	30.20	28.30	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	12.70	16.70	15.50	45	No Relaxation
17	Salinity	‰	1.04	0.64	0.62	NS*	NS*
18	Sodium as Na	mg/l	204.00	180.00	192.00	NS*	NS*
19	Potassium as K	mg/l	3.22	3.15	3.18	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/10 Oml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified

BQL- Below Quantification Limit, (BOD-2.0 mg/l, Fe- 0.009 mg/l, Mn- 0.01 mg/l, Cr<sup>+6</sup>- 0.03 mg/l, Cu- 0.004 mg/l, Cd- 0.003 mg/l, As- 0.003mg/l, Hg- 0.001 mg/l, Pb- 0.006mg/l, Zinc- 0.021 mg/l).

**Table 12: Drinking Water Quality Monitoring Parameters for Canteen, West Gate – I & Wharf Area at Kandla**

Sr. No.	Parameter	Unit	Canteen	West Gate – I	Wharf Area	Acceptable Limits as per IS 10500 :	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.48	7.52	7.36	7.48	6.5 to 8.5
2	Total Dissolved Solids	mg/l	640	650	680	640	2000
3	Turbidity	NTU	0	1	0	0	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1166	1152	1196	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	335.75	360.80	350.78	250	1000
9	Ca as Ca	mg/l	40.88	38.48	40.08	75	200
10	Mg as Mg	mg/l	62.6940	66.5820	53.4600	30	100
11	Total Hardness	mg/l	360	370	320	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.32	0.30	0.35	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	31.20	28.30	26.00	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	6.60	11.40	5.80	45	No Relaxation
17	Salinity	‰	0.61	0.65	0.63	NS*	NS*
18	Sodium as Na	mg/l	202.00	200.00	-	NS*	NS*
19	Potassium as K	mg/l	3.38	3.48	3.16	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**DCPL/DPA/21-22/31– November-2022**

**Table 13: Drinking Water Quality Monitoring Parameters for Sewa sadan-3, Workshop I and Custom Building at Kandla**

Sr. No.	Parameter	Unit	Sewa Sadan – 3	Workshop	Custom Building	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.45	7.38	7.29	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	700	670	910	500	2000
3	Turbidity	NTU	0	1	1	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1213	1164	1564	NS*	NS*
7	Biochemical	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	365.81	370.82	340.76	250	1000
9	Ca as Ca	mg/l	42.48	37.68	39.28	75	200
10	Mg as Mg	mg/l	59.2920	59.7780	53.9460	30	100
11	Total Hardness	mg/l	350	340	320	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.41	0.30	0.35	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	24.90	34.20	27.2	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	6.90	3.90	11.00	45	No Relaxation
17	Salinity	‰	0.66	0.67	0.62	NS*	NS*
18	Sodium as Na	mg/l	-	-	-	NS*	NS*
19	Potassium as K	mg/l	3.26	4.03	3.29	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**DCPL/DPA/21-22/31– November-2022**

**Table 14: Drinking Water Quality Monitoring Parameters for Port Colony Kandla, Hospital Kandla and A.O. Building at Gandhidham.**

Sr. No.	Parameter	Unit	Port Colony Kandla	Hospital Kandla	A.O. Building	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 :
1	pH	-	7.39	7.31	7.24	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	760	710	1060	500	2000
3	Turbidity	NTU	1	0	0	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1328	1251	1821	NS*	NS*
7	Biochemical	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	335.75	345.77	365.81	250	1000
9	Ca as Ca	mg/l	41.68	42.48	40.88	75	200
10	Mg as Mg	mg/l	50.0580	54.4320	62.6940	30	100
11	Total Hardness	mg/l	310	330	360	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.35	0.32	0.46	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	28.10	24.50	24.50	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	20.20	7.40	15.60	45	No Relaxation
17	Salinity	‰	0.61	0.62	0.66	NS*	NS*
18	Sodium as Na	mg/l	192.80	193.60	194.50	NS*	NS*
19	Potassium as K	mg/l	4.13	4.18	3.26	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 15: Drinking Water Quality Monitoring Parameters for School Gopalpuri, Guest House) and E - Type Quarter at Gopalpuri, Gandhidham**

Sr. No.	Parameter	Unit	Gopalpuri School	Guest House	E - Type Quarter	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.3	7.24	7.26	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	830	950	1030	500	2000
3	Turbidity	NTU	1	1	0	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1435	1638	1769	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	355.79	350.78	340.76	250	1000
9	Ca as Ca	mg/l	39.28	43.29	39.28	75	200
10	Mg as Mg	mg/l	61.2360	61.2360	51.5160	30	100
11	Total Hardness	mg/l	350	360	310	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.45	0.42	0.47	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	24.90	26.00	30.20	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	7.10	8.30	12.60	45	No Relaxation
17	Salinity	‰	0.64	0.63	0.62	NS*	NS*
18	Sodium as Na	mg/l	199.00	193.80	193.00	NS*	NS*
19	Potassium as K	mg/l	3.90	3.26	3.18	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100 ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 16: Drinking Water Quality Monitoring Parameters for F-Type Quarter, Hospital Gopalpuri and Tuna Port.**

Sr. No.	Parameter	Unit	F - Type Quarter	Hospital Gopalpuri	Tuna Port	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.28	7.42	7.51	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	1050	990	600	500	2000
3	Turbidity	NTU	1	1	-	1	5
4	Odor	-	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	1796	1700	1044	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	345.77	360.80	380.85	250	1000
9	Ca as Ca	mg/l	38.48	40.88	32.87	75	200
10	Mg as Mg	mg/l	61.7220	62.6940	72.41	30	100
11	Total Hardness	mg/l	350	360	380	200	600
12	Iron as Fe	mg/l	BQL	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.42	0.45	0.43	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	26.00	26.10	24.50	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	10.30	6.80	3.00	45	No Relaxation
17	Salinity	‰	0.62	0.65	0.69	NS*	NS*
18	Sodium as Na	mg/l	201.00	201.00	193.60	NS*	NS*
19	Potassium as K	mg/l	3.15	3.16	3.21	NS*	NS*
20	Manganese	mg/l	BQL	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent	Absent

\*NS: Not Specified, BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

**Table 17: Drinking Water Quality Monitoring Parameters for Vadinar Jetty and Port Colony at Vadinar.**

Sr. No.	Parameter	Unit	Vadinar Jetty	Port Colony Vadinar	Acceptable Limits as per IS 10500 : 2012	Permissible Limits in the absence of Alternate Source as per IS 10500 : 2012
1	pH	-	7.4	7.43	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/l	320	300	500	2000
3	Turbidity	NTU	0.00	1.00	1	5
4	Odor	-	Odorless	Odorless	Agreeable	Agreeable
5	Color	-	Colorless	Colorless	5	15
6	Conductivity	µs/cm	570	300	NS*	NS*
7	Biochemical Oxygen Demand	mg/l	BQL	BQL	NS*	NS*
8	Chloride as Cl	mg/l	160.36	140.31	250	1000
9	Ca as Ca	mg/l	36.87	34.47	75	200
10	Mg as Mg	mg/l	43.25	52.00	30	100
11	Total Hardness	mg/l	270	300	200	600
12	Iron as Fe	mg/l	BQL	BQL	0.3	No Relaxation
13	Fluorides as F	mg/l	0.25	0.22	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/l	0.75	0.24	200	400
15	Nitrite as NO <sub>2</sub>	mg/l	BQL	BQL	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/l	15.60	12.70	45	No Relaxation
17	Salinity	‰	0.29	0.25	NS*	NS*
18	Sodium as Na	mg/l	191.6	192.0	NS*	NS*
19	Potassium as K	mg/l	BQL	BQL	NS*	NS*
20	Manganese	mg/l	BQL	BQL	0.1	0.3
21	Hexavalent Chromium	mg/l	BQL	BQL	NS*	NS*
22	Copper	mg/l	BQL	BQL	0.05	1.5
23	Cadmium	mg/l	BQL	BQL	0.003	NS*
24	Arsenic	mg/l	BQL	BQL	0.01	0.05
25	Mercury	mg/l	BQL	BQL	0.001	NS*
26	Lead	mg/l	BQL	BQL	0.01	NS*
27	Zinc	mg/l	BQL	BQL	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent	Absent	Absent

\*NS: Not Specified,

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Fe-0.009 mg/l, Mn- 0.01 mg/l, Cr+6- 0.03 mg/l, Cu-0.004 mg/l, Cd-0.003 mg/l, As-0.003mg/l, Hg-0.001 mg/l, Pb-0.006mg/l, Zinc-0.021 mg/l).

### **4.3 Results & Discussion**

The colour of all drinking water samples was found Colourless and odour of the samples also agreeable. All parameters were found within the specified limit as per the Drinking water Standard.

#### **pH**

The pH is measure of the intensity of acidity or alkalinity and the concentration of hydrogen ion in water. At DPA Site the pH values for drinking water samples ranged from 7.24-7.52 and mean value was 7.36 while at Vadinar pH ranged from 7.40-7.43 and mean value was 7.42. All the sampling points showed pH values within the prescribed limit by Indian Standards.

#### **Turbidity**

The selected drinking water sample location turbidity range from 0-1NTU at all location of DPA and Vadinar in month of November. The Turbidity values were within the permissible limit at all sampling location prescribed limit by Indian standards.

#### **Total Dissolved Solids (TDS)**

Water has the ability to dissolve a wide range of inorganic and some organic minerals or salts such as potassium, calcium, sodium, bicarbonates, chlorides, magnesium, sulfates etc.

TDS values at DPA varied between 600-1060 mg/l. The average TDS value was found 792 mg/l. The minimum value for TDS was 600 mg/l at Hospital Gopalpuri and maximum was 980 mg/l at Tuna Port while at Vadinar TDS ranged from 280-300 mg/l and mean was 290.0 mg/l. The TDS values were within the permissible limit at all sampling location prescribed limit by Indian standards.

#### **Conductivity**

Electrical Conductivity is the ability of a solution to transfer (conduct) electric current. Conductivity is used to measure the concentration of dissolved solids which have been ionized in a polar solution such as water. The conductivity in the samples collected during the month of November DPA ranged from 1044.0  $\mu\text{s}/\text{cm}$  at Tuna Port to 1821.0  $\mu\text{s}/\text{cm}$  at A.O. Building and mean value was 1381.72  $\mu\text{s}/\text{cm}$  while at Vadinar ranged from 300-570  $\mu\text{s}/\text{cm}$  and mean was 435  $\mu\text{s}/\text{cm}$ .

### **BOD**

BOD value in the studied area of DPA and Vadinar was found Below Quantification Limit (<2.0 mg/l). IS 10500:2012 does not show any standard values for BOD in drinking water.

### **Chlorides**

Excessive chloride concentration increase rates of corrosion of metals in the distribution system. This can lead to increased concentration of metals in the supply. The Chloride value in the studied area of DPA ranged from 335.75-576.28 mg/l. The mean value was 365.53 mg/l. The minimum chloride was 335.75 mg/l at Port colony and maximum was 576.28 mg/l at Nirmal Building while at Vadinar location chloride ranged from 140.31-160.36 mg/l and mean was 150.33 mg/l. The Chloride was found within the Permissible limit of the Drinking Water Standard.

### **Calcium**

Calcium is most abundant element on the earth crust and is very important for human cell physiology and bones. About 95% calcium in human body stored in bones and teeth. The high deficiency of calcium in humans may caused rickets, poor blood clotting, bones fracture etc. and the exceeding limit of calcium produced cardiovascular diseases.

The Calcium value in the studied area of DPA ranged from 32.87-43.29 mg/l. The mean value was 40.12 mg/l. The minimum calcium was 32.87 mg/l at Tuna Port and maximum was 43.29 mg/l at Gopalpuri Hospital while at Vadinar location Calcium ranged from 34.47-36.87 and mean was 35.67 mg/l. All the locations had calcium within the prescribed limits of 75-200 mg/L.

### **Magnesium**

The magnesium value in the studied area of DPA ranged from 50.06-72.41 mg/l. The mean value was 59.24 mg/l. The minimum magnesium was 50.06 mg/l at Port Colony and maximum was 74.41 mg/l at Tuna Port while at Vadinar location magnesium ranged from 43.25-52.00 and mean was 47.61 mg/l. All the locations had magnesium within the prescribed limits of 30-100 mg/L.

### **Total Hardness**

Total Hardness value in the studied area of DPA ranged from 310.0 mg/l at Port Colony to 380.0 mg/l at Tuna Port and mean value was 343.89 mg/l while at Vadinar location total hardness ranged from 270.0-300.00 mg/l and mean was 285.0 mg/l. The values of total

hardness were found within the Permissible limit of the Drinking Water Standard (200-600 mg/L). These results clear, that hardness of water is according to the IS standards and it is not harmful for local inhabitants.

### **Iron**

Iron values in the studied area of DPA & Vadinar were Below Quantification Limit (0.009 mg/l) and hence well below the permissible limit as per Indian Standards are 0.3 mg/L.

### **Fluoride**

Fluoride value in the studied area of DPA varied between 0.3-0.47 mg/l and mean was 0.38 mg/l. The minimum value was 0.3 mg/ at West gate workshop and maximum was 0.47 mg/l at E-Type and mean was 0.38 mg/l while at Vadinar location fluoride ranged from 0.22-0.25 mg/l and mean was 0.24 mg/l. The Fluoride values were well below the permissible limit as per Indian Standards is 1.0-1.5 mg/L. Moderate amounts lead to dental effects, but long-term ingestion of large amounts can lead to potentially severe skeletal problems.

### **Sulphate**

Sulphate value in the studied area of DPA varied between 24.5–35.8 mg/l and mean was 27.83 mg/l. The minimum value was 24.5 mg/ at A.O. Building, Hospital Kandla and Tuna Port and maximum was 35.8 mg/l at Nirmal Building while at Vadinar location Sulphate ranged from 0.24-0.75 mg/l and mean was 0.50 mg/l. All the sampling points showed Sulphate values within the prescribed limits by Indian Standards (200-400 mg/L). Sulphate content in drinking water exceeding the 400 mg/L imparts bitter taste.

### **Nitrites (NO<sub>2</sub>) and Nitrates (NO<sub>3</sub>)**

The all values of Nitrite were found BQL (<0.05 mg/l) and Nitrate were well within the permissible limit of the Drinking water Standard.

### **Salinity**

Salinity in drinking water in the present samples collected at DPA ranged from 0.61 ‰ at Canteen to 1.04 ‰ at Nirmal Building and average salinity was 0.66 ‰ while at Vadinar sampling location salinity ranged from 0.25-0.29 ‰. There are no prescribed Indian standards for salinity in Drinking water.

### **Sodium and Potassium Salts**

Sodium values in the samples collected at DPA ranged from 180 - 204 mg/l and average was 195.74 mg/l while at Vadinar sodium ranged from 191.6- 192.0 mg/l and average was 191.8 mg/l . Potassium salts ranged at DPA ranged from 3.15 to 4.18 mg/l while average was 3.42 mg/l while at Vadinar sampling locations potassium were BQL (<2.0 mg/l). There are no prescribed limits of Sodium and Potassium in Indian standards for Drinking water.

### **Heavy Metals in Drinking Water**

In the present study period drinking water samples were analyzed for Mn, Cr, Cu, Cd, As, Hg, Pb and Zn. All these heavy metals were well Below the Quantification limits prescribed by the Indian Standards.

### **Bacteriological Study**

Analysis of the bacteriological parameter (E-coli and total coliform) at all location shows that Bacteria were not detectable. This shows that drinking water samples were safe for human consumption as per tested parameters.

### **4.4 Conclusions**

These results were compared with permissible limits as prescribed in IS 10500:2012 – Drinking Water Specification. It was seen from the analysis data that during the study period at selected sampling location the water was safe for human consumption as per analyzed parameters at all drinking water monitoring stations.

## CHAPTER-5

### NOISE MONITORING

## 5.0 Noise Level Monitoring

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. Noise Monitoring was done at 13 stations at Kandla, Vadinar and Township area.

### 5.1 Method of Monitoring

Sampling was done at all stations for 24 hour period. Data was recorded using automated sound level meter. The intensity of sound was measured in sound pressure level (SPL) and common unit of measurement is decibel (dB).

### 5.2 Results

**Table 18: Noise Monitoring data for ten locations of Deendayal Port and three locations of Vadinar Port**

Sr. No.	Location	Day Time Average Noise Level (SPL) in dB(A)	Night Time Average Noise Level (SPL) in dB(A)
	Sampling Time	6:00 am to 10:00 PM	10:00PM to 6:00 AM
1	Marine Bhavan	60.8	51.9
2	Nirman Building 1	69.9	52.0
3	Tuna Port	53.2	45.4
4	Main Gate North	63.3	51.9
5	West Gate I	67.7	58.1
6	Canteen Area	68.2	51.2
7	Main Road	66.3	52.2
8	ATM Building	69.1	51.1
9	Wharf Area /Jetty Area	70.4	61.7
10	Port & Custom Office	54.7	50.2
<b>Vadinar Port</b>			
11	Entrance Gate of Vadinar Port	55.0	53.5
12	Nr. Port Colony, Vadinar	60.6	57.6
13	Nr. Vadinar Jetty	52.5	51.0

### 5.3 Conclusions

Transportation systems are the main source of noise pollution in urban areas. Construction of buildings, highways, and roads cause a lot of noise, due to the usage of air compressors, bulldozers, loaders, dump trucks, and pavement breakers. Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships.

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading containers and ships. The Day Time Noise Level (SPL) in all 10 locations at Deendayal Port Authority ranged from 53.2 dB(A) to 70.4 dB(A) while at Vadinar port 3 location ranged from 52.5 dB(A) to 60.6 dB(A) which was within the permissible limits of 75 dB(A) for the industrial area for the daytime. The Night Time Average Noise Level (SPL) in all locations of Deendayal Port Authority ranged from 45.4 dB to 61.7 dB(A) while at Vadinar port ranged from 52.5 dB (A) to 60.6 dB(A) which was within the permissible limits of 70 dB(A) for the industrial area for the night time.

## CHAPTER-6

### SOIL MONITORING

## 6.0 Soil Monitoring

Sampling and analysis of soil samples were undertaken at six locations within the study area (Deendayal Port and Vadinar Port) as a part of EMP. The soil sampling locations are initially decided based on the locations as provided in the tender document of the Deendayal Port.

**Table No.:-19. Soil Sampling Location**

Sr. No.	Name of Location	Location Code	Latitude	Longitude	Remarks
1.	Tuna Port	SL-1	22° 58' 10.18"N	70° 6' 3.7"E	Near main gate of Port
2.	IFFCO Plant	SL-2	23° 26' 8.37"N	70° 13' 4.4"E	10 m away from main gate
3.	Khori creek	SL-3	22° 58' 10.18"N	70° 6' 3.7"E	Sand from creek after tide
4.	Nakti Creek	SL-4	23° 2' 1.10"N	70° 9' 33.6"E	
5.	DPA admin site	SL-5	22° 26' 30.9"N	69° 40' 37.03"E	Vadinar
6.	DPA colony	SL-6	22° 23' 57.09"N	69° 42' 49.42"E	

## 6.1 Methodology

The soil samples were collected in the month of November 2022. The samples collected from the all locations are homogeneous representative of each location. At random locations were identified at each location and soil was dug from 30 cm below the surface. It was uniformly mixed before homogenizing the soil samples. The samples were filled in polythene bags, labeled in the field with number and site name and sent to laboratory for analysis.

## 6.2 Results

**Table-20: Chemical Characteristics of Soil in the Study Area for Tuna port, IFFCO, Khori Creek, Nakti Creek, DPA admin site, DPA colony.**

Sr. No.	Parameter	Unit	Station Name					
			SL1	SL2	SL3	SL4	SL5	SL6
			Tuna Port	IFFCO Plant	Khori Creek	Nakti Creek	DPA Admin Site	DPA Colony
			Near main gate of Port	10 m away from main	Sand from creek after tide		Vadinar	
1	Texture		Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam	Sandy Loam
2	pH	-	7.79	7.80	7.54	7.58	8.14	7.54
3	Electrical Conductivity	µs/cm	35000.0	36100.0	26,820.00	12,700.0	155.0	594.0
4	Phosphorus	mg/kg	10.3	10.5	9.19	8.49	6.00	4.80
5	Moisture	%	15.9	20.3	20.90	3.50	7.20	10.10
6	Total Organic	%	4.04	1.7	3.64	7.80	2.30	2.00
7	Alkalinity	mg/kg	900.0	1000.0	800.0	500.0	800.0	600.0
8	Total Nitrogen	%	BQL	BQL	BQL	BQL	BQL	BQL
9	Sulphate	mg/kg	820.00	982.00	1,080.00	810.00	30.0	70.0
10	Chloride	mg/kg	15598.0	14275.0	12,600.00	2,950.00	140.00	525.00
11	Calcium	mg/kg	2,605.00	2,505.00	31,600.00	3,086.00	1,729.00	1,849.00
12	Sodium	mg/kg	5657	7136.0	7,649.00	4,675.00	33.02	116.90
13	Potassium	mg/kg	552	694	708.00	437.00	44.60	44.52
14	Copper as Cu	mg/kg	27.4	15.5	30.50	14.50	54.10	31.60
15	Lead as Pb	mg/kg	7.4	7.4	9.50	6.30	74.10	75.30
16	Nickel as Ni	mg/kg	39.40	32.70	44.40	27.20	30.30	32.00
17	Zinc as Zn	mg/kg	62.4	77.40	79.20	56.50	50.60	86.00
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, ( TN: 0.001%, Cd: 1.0mg/kg)

### 6.3 Discussion

- DPA Kandla soil sampling data shows that value of pH ranges from 7.54 at Khori Creek to 7.80 at IFFCO Plant while the average value was 7.68. At Vadinar sampling location pH were 7.54 at DPA colony and 8.14 at DPA Admin Site.
- The Electrical Conductivity of DPA Kandla soil sample ranged from 12700.0  $\mu\text{s}/\text{cm}$  at Nakti Creek (Sand from creek after tide) to 36100  $\mu\text{s}/\text{cm}$  at IFFCO Plant and mean was 27655  $\mu\text{s}/\text{cm}$  while Vadinar soil sampling location conductivity were 155  $\mu\text{s}/\text{cm}$  at DPA Admin Site and 594  $\mu\text{s}/\text{cm}$  at DPA Colony site.
- Total organic Carbon of DPA Kandla soil sample ranged from 1.7 % at IFFCO Plant to 7.80 % at Nakti Creek (Sand from creek after tide) and mean was 4.30 % while Vadinar soil sample were 2.0 % at DPA Colony and 2.30 % at DPA admin Site.
- The concentration of Phosphorus in the soil samples of DPA Kandla varies from 8.49 mg/kg at Nakti Creek (Sand from creek after tide) and 10.5 mg/kg at IFFCO Plant and mean was 9.62 mg/kg while the Vadinar soil sample for Phosphorus were 4.80 mg/kg at DPA Colony and 6.00 mg/kg at DPA Admin Site.
- Chloride in soil sample of DPA ranged from 2950.00 mg/kg at Nakti Creek (Sand from creek after tide) to 15598 mg/kg at Tuna Port and mean was 11356 mg/kg while Vadinar soil sample were 140 mg/kg at DPA admin and 525 mg/kg at DPA Colony.
- The Concentration of Potassium in the soil samples of DPA Kandla ranged from 437 mg/kg at Nakti creek and 708 mg/kg at Khori Creek and mean was 597.75 mg/kg while the Vadinar soil sample for Potassium were 44.52 mg/kg at DPA Colony Site and 44.60 mg/kg at DPA Admin Site.
- The concentration of Sodium in the soil samples of DPA Kandla ranged from 4675.0 mg/kg at Nakti creek and 7649.0 mg/kg at Khori Creek and mean was 6279 mg/kg while the Vadinar soil sample for Sodium were 33.00 mg/kg at DPA Admin Site and 117 mg/kg at DPA Colony.

These differences in NPK in soil at different locations are due to the dissimilar nature of soil at each of the locations. Samples SL3 & SL4 (Khori Creek & Nakti Creek) were coastal soil; where as other locations are inland locations and have different chemical properties.

### Heavy Metals in the Soil

Traces of Copper, Lead, Nickel and Zinc were observed in the soil samples collected from all the four locations of Deendayal Port Authority Kandla and two locations of Vadinar Port. Cadmium metal was below detection limit in the Soil.

### 6.4 Conclusion

The soils of Deendayal Port Authority Kandla and Vadinar Port appears to be neutral to basic with varying levels of Chloride, Sulphate, NPK and Calcium. As the nature of soil at different locations are different with respect to its proximity to the sea, the samples showed high degree of variations in their chemical properties.

## CHAPTER-7

### SEWAGE TREATMENT PLANT MONITORING

## 7.0 Sewage Treatment Plant Monitoring

This involves safe collection of waste water (spent/used water) from wash areas, bathroom, industrial units, etc., waste from toilets of various buildings and its conveyance to the treatment plant and final disposal in conformity with the requirement and guidelines of State Pollution Control Board and other statutory bodies.

### 7.1 Methodology for STP Monitoring

To monitor the working efficiency of Sewage Treatment Plant (STP), STP Inlet and Outlet Samples were collected once a week. Locations selected are namely Gopalpuri Township, Deendayal Port and Vadinar. Samples were collected in 1 lit. Carboys and were analyzed in laboratory for various parameters.

A new STP with an improved capacity of 1 MLD is being constructed at Gopalpuri Colony.

**Table No. 21. Sewage Treatment Plant**

Sr. No.	Location of STP	Types of Treatment	STP Capacity	Treated water Utilization
1.	Gopalpuri Township	MBBR	450 KLD	Plantation and Gardening
2.	Deendayal Port, Kandla	MBBR	600 KLD	Discharge to marine through pipeline, Plantation, Gardening
3.	Vadinar Port Colony	MBBR	1.5 MLD	Plantation and Gardening

## 7.2 Results

**Table 22: Sewage Water Monitoring at Kandla STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.55	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	100.6	46.8	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	80.8	30.3	100
5	BOD @ 27 °C	mg/l	22	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	14.0		
7	MLVSS	%	99.73		

**Table 23: Sewage Water Monitoring at Kandla STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.41	7.36	6.5 - 8.5
2	Total Suspended Solids	mg/l	127	52.6	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	90.9	40.4	100
5	BOD @ 27 °C	mg/l	23	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	18.0		
7	MLVSS	%	85.00		

**Table 24: Sewage Water Monitoring at Kandla STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		CPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.48	7.29	6.5 - 8.5
2	Total Suspended Solids	mg/l	86.4	22.9	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	101	50.5	100
5	BOD @ 27 °C	mg/l	26	14	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	20.0		
7	MLVSS	%	98.0		

**Table 25: Sewage Water Monitoring at Kandla STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.10.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.41	7.29	6.5 - 8.5
2	Total Suspended Solids	mg/l	164.2	58.7	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	171.7	30.3	100
5	BOD @ 27 °C	mg/l	43	10	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	20.0		
7	MLVSS	%	89.0		

**Table 26: Sewage Water Monitoring at Gopalpuri STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.47	7.31	6.5 - 8.5
2	Total Suspended Solids	mg/l	121.2	61	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	111.1	60.6	100
5	BOD @ 27 °C	mg/l	32	13	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	22.0		
7	MLVSS	%	97.16		

**Table 27: Sewage Water Monitoring at Gopalpuri STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			DPA STP I/L	DPA STP O/L	
1	pH	-	7.35	7.27	6.5 - 8.5
2	Total Suspended Solids	mg/l	189	67.9	100
3	Residual Chlorine	mg/l			-
4	COD	mg/l	141.4	60.6	100
5	BOD @ 27 °C	mg/l	37	15	30
<b>Aeration Tank</b>					
6	MLSS	mg/l	16.0		
7	MLVSS	%	89.6		

**Table 28: Sewage Water Monitoring at Gopalpuri STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Gopalpuri STP I/L	Gopalpuri STP O/L	
1	pH	-	7.41	7.36	6.5 - 8.5
2	Total Suspended Solids	mg/l	127	52.6	100
3	Residual Chlorine	mg/l			-
4	COD	mg/l	90.9	40.4	100
5	BOD @ 27 °C	mg/l	23	11	30
<b>Aeration Tank</b>					
6	MLSS	mg/l		08.0	
7	MLVSS	%		98.0	

**Table 29: Sewage Water Monitoring at Gopalpuri STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Gopalpuri STP I/L	Gopalpuri STP O/L	
1	pH	-	7.48	7.28	6.5 - 8.5
2	Total Suspended Solids	mg/l	110.2	42.1	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	78	40	100
5	BOD @ 27 °C	mg/l	24.0	12.0	30
<b>Aeration Tank</b>					
6	MLSS	mg/l		18.0	
7	MLVSS	%		90.0	

**Table 30: Sewage Water Monitoring at Vadinar STP (1<sup>st</sup> Week)**

<b>Date of Sampling</b>	03.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.35	7.25	6.5 - 8.5
2	Total Suspended Solids	mg/l	74.9	39.5	100
3	Residual Chlorine	mg/	-	<0.5	-
4	COD	mg/l	101	40.4	100
5	BOD @ 27 °C	mg/l	26.0	10.0	30

**Table 31: Sewage Water Monitoring at Vadinar STP (2<sup>nd</sup> Week)**

<b>Date of Sampling</b>	10.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.38	7.21	6.5 - 8.5
2	Total Suspended Solids	mg/l	69.6	40.3	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	131.3	50.5	100
5	BOD @ 27 °C	mg/l	32.0	7.0	30

**Table 32: Sewage Water Monitoring at Vadinar STP (3<sup>rd</sup> Week)**

<b>Date of Sampling</b>	17.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar O/L	
1	pH	-	7.51	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	38.6	16.9	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	80.8	20.2	100
5	BOD @ 27 °C	mg/l	24.0	12.0	30

**Table 33: Sewage Water Monitoring at Vadinar STP (4<sup>th</sup> Week)**

<b>Date of Sampling</b>	24.11.2022
-------------------------	------------

Sr. No.	Parameters	Unit	Results		GPCB Prescribed Limit
			Vadinar STP I/L	Vadinar STP O/L	
1	pH	-	7.61	7.42	6.5 - 8.5
2	Total Suspended Solids	mg/l	76.9	33.3	100
3	Residual Chlorine	mg/l	-	<0.5	-
4	COD	mg/l	131.3	20.2	100
5	BOD @ 27 °C	mg/l	20.0	8.0	30

**Table No. 34. General Standards for discharge of Environmental Pollutant Part-A**

Sr. No.	Parameter	Inland Surface Water	Land Irrigation	Marine Coastal Areas
1.	pH	5.5-9.0	5.5-9.0	5.5-9.0
2.	Total Suspended Solids (mg/l)	100	200	100
3.	Residual Chlorine (mg/l)	1.0	-	1.0
4.	BOD (mg/l)	30	100	100
5.	COD (mg/l)	250	-	250

**Sources:-CPCB**

### 7.3 Results & Discussion

The STP Sample carried out to evaluate the efficiency and performance of the wastewater treatment plant at Gopalpuri, Kandla and Vadinar STP. The performance of these plants is an essential parameter to monitor because the treated sewage water is discharged for irrigation purposes and discharge into marine. Wastewater samples were collected from different unit operations of the plant i.e, the inlet, aeration tank and the final treated outlet. These samples were analyzed for various physico-chemical characteristics such as pH, TSS, Residual Chlorine, COD, BOD, MLSS and MLVS.

The final treated outlet observed pH values were within the allowed range at STP Gopalpuri, STP Kandla & STP Vadinar ranged from 7.22 -7.35, 7.29-7.42 & 7.21-7.42 respectively. The wastewater treatment makes it suitable for irrigation. These values are below the allowed limit of the GPCB.

- The final treated outlet observed Total suspended solid values at Gopalpuri, DPA Kandla & Vadinar ranged from 27.10-67.90 mg/l, 22.90-58.70 mg/l & 16.60-40.30 mg/l respectively. These values are below the allowed limit of the GPCB.
- The final treated outlet observed Residual Chlorine values were <0.5 at Gopalpuri, DPA Kandla & Vadinar. These values are below the allowed limit of the CPCB.
- The final treated outlet observed COD values were at Gopalpuri, DPA Kandla & Vadinar ranged from 40.40-60.60 mg/l, 30.30-50.50 mg/l & 20.20-50.50 mg/l respectively. These values are below the allowed limit of the CPCB.

- The main focus of wastewater treatment plants is supposed to reduce the BOD in the effluent discharged to natural waters. Wastewater treatment plants are designed to function as bacteria farms, where bacteria are fed oxygen and organic waste. The final treated outlet observed BOD values were at Gopalpuri, DPA Kandla & Vadinar ranged from 12.0-16.0 mg/l, 10.0-14.0 mg/l & 7.0-12.0 mg/l respectively. These values are below the allowed limit of the GPCB.

#### **7.4 Conclusions:**

All parameters for STP outlet are within limit prescribed by CPCB. After the final treatment, it is found that the treated water is satisfactory.

## CHAPTER-8

### MARINE WATER MONITORING

## **8.0 Marine Water Monitoring**

### **Marine Water Quality**

The Forty Second Amendment to the Constitution in 1976 underscored the importance of ‘green thinking’. Article 48A enjoins the state to protect and improve the environment and safeguard the forests and wildlife in the country. Further, Article 51A (g) states that the “fundamental duty of every citizen is to protect and improve the natural environment including forests, lakes, rivers and wildlife and to have compassion for living creatures”.

Policy Statement for Abatement of Pollution (1992) has suggested developing relevant legislation and regulation, fiscal incentives, voluntary agreements and educational programs and information campaigns. It emphasizes the need for integration by incorporating environmental considerations into decision making at all levels by adopting frameworks namely, pollution prevention at source, application of best practicable solution, ensure polluter pays for control of pollution, focus on heavily polluted areas and river stretches and involve public in decision-making. The National Conservation Strategy and Policy Statement on Environment and Development, (1992) aimed at “integrating environmental concerns with developmental imperatives to meet the challenges by redirecting the thrust of our developmental process so that the basic needs of our people could be fulfilled by making judicious and sustainable use of natural resources.” The priorities mentioned in this policy document include the sustainable use of land and water resources, prevention and control of pollution and preservation of biodiversity.

The National Water Policy, (2002) contains provisions for developing, conserving, sustainable utilizing and managing this important water resources and need to be governed by national perspectives.

### **Sampling Stations**

The monitoring of marine environment for the study of biological and ecological parameters was carried out on 01<sup>st</sup> & 02<sup>nd</sup> November-2022 in harbor regions of DPA & Vadinar during Neap tide period of New moon phase of Lunar Cycle. The monitoring of marine environment for the study of biological and ecological parameters was repeated again on 8<sup>th</sup> & 9<sup>th</sup> November-2022 in harbor regions of DPA & Vadinar during Spring tide period first quarter of Lunar Cycle.

Plankton samples from sub surface layer was collected both during high tide period and low tide period from 3 water quality monitoring stations of DPA harbor area and two stations in Nakti creek and one station in Khori creek. The same sampling schedule was repeated during consecutive spring tide and neap tide in same month. Plankton samples from sub surface layer was collected both during high tide period and low tide period from 1 water quality monitoring stations near Vadinar jetty area during spring tide and neap tide in this month. Collected water samples were processed for estimation

of Chlorophyll- a, Pheophytin- a, qualitative & quantitative evaluation of phytoplankton, qualitative & quantitative evaluation zooplanktons (density and their population).

### Sampling Locations

Offshore monitoring requirement	Number of locations
Offshore Installations	3 in Kandla creek 2 in Nakti creek 1 in Khori creek 1 near Vadinar Jetty 1 near 1 <sup>st</sup> SBM
<b>Total Number of locations</b>	<b>8</b>

### 8.1 Marine Water Quality and Results

Marine water quality of marine waters of Deendayal Port Harbor waters, Khori & Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The results of marine water quality from table no 35 to 42. During low tide DPA-6 Nakti-II location monitoring was not possible due to non-availability of marine water.

**Table 35: Marine Water Quality Monitoring Parameters for Location Near DPA Colony**

Sr. No.	Parameters	Unit	Kandla Creek Near DPA Colony (1)			
			23°0'58"N 70°13'22."E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.61	7.58	7.55	7.46
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	19.9	20.4	19.0
5	Turbidity	NTU	38	35	42	35
6	Total Dissolved Solids	mg/l	34152.0	30868.0	30941.0	31974.0
7	Total Suspended Solids	mg/l	639.6	600.6	646.4	595.6
8	Total Solids	mg/l	34791.6	31468.6	31587.4	32569.6
9	DO	mg/l	5.8	5.6	5.7	5.5
10	COD	mg/l	88.0	79.0	82.0	86.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.06	0.82	0.99	0.91
13	Phosphate	mg/l	0.48	0.31	0.09	0.04
14	Sulphate	mg/l	3580	3407	3708.0	3658
15	Nitrate	mg/l	4.70	0.50	0.75	0.42
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	521.04	440.88	561.12	480.96
18	Magnesium	mg/l	1773.9	1749.6	1701	1773.9
19	Sodium	mg/l	8011.0	8399.0	8396.0	8699.0
20	Potassium	mg/l	299.0	385.0	391.0	395.0
21	Iron	mg/l	BQL	BQL	0.88	0.57
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 36: Marine Water Quality Monitoring Parameters for Location Near Passenger Jetty One at Kandla**

Sr. No.	Parameters	Unit	Near passenger Jetty One (2)			
			23° 0'18 "N 70°13'31"E			
			Spring Tide		Neap Tide	
			High Tide	Low Tide	High Tide	Low Tide
1	pH	-	7.43	7.28	7.33	7.41
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.8	20.4	19.9	18.6
5	Turbidity	NTU	43	48	36	41
6	Total Dissolved Solids	mg/l	35468.0	37102.0	34662.0	33398.0
7	Total Suspended Solids	mg/l	679.7	665.5	703.7	663.8
8	Total Solids	mg/l	36147.7	37767.5	35365.7	34061.8
9	DO	mg/l	5.9	6.2	5.6	5.2
10	COD	mg/l	86.0	94.0	90.0	92.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.26	0.86	1.33	0.85
13	Phosphate	mg/l	0.29	0.13	0.33	0.19
14	Sulphate	mg/l	3571	3470	4072	3407
15	Nitrate	mg/l	3.40	2.70	1.17	4.36
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	601.20	601.2	521.04
18	Magnesium	mg/l	1701	1603.8	1749.6	1701
19	Sodium	mg/l	9142.0	9345.0	9247.0	9219.0
20	Potassium	mg/l	370.0	385.0	370.0	380.0
21	Iron	mg/l	0.47	BQL	1.76	0.30
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Nitrite: 0.05mg/l Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 37: Marine Water Quality Monitoring Parameters for location Near Coal Berth**

Sr. No.	Parameters	Unit	Near Coal Berth			
			22°59'12"N 70°13'40"E			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.37	7.51	7.53	7.25
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	18.6	18.1	19.5	20.8
5	Turbidity	NTU	33	42	38	45
6	Total Dissolved Solids	mg/l	39222.0	37586.0	37123.0	36668.0
7	Total Suspended Solids	mg/l	540.2	638.4	620.6	580.2
8	Total Solids	mg/l	39762.2	38224.4	37743.6	37248.2
9	DO	mg/l	7.3	6.4	7.1	6.5
10	COD	mg/l	81.0	874.0	88.0	84.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.56	0.98	0.69	1.76
13	Phosphate	mg/l	0.06	0.56	0.12	0.61
14	Sulphate	mg/l	4222	3458	2981	3758
15	Nitrate	mg/l	2.20	4.60	2.68	4.70
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	480.96	641.28	641.28	721.44
18	Magnesium	mg/l	1628.1	1628.1	1676.7	1603.8
19	Sodium	mg/l	8346.0	9380.0	9245.0	9814.0
20	Potassium	mg/l	391.0	300.0	392.0	384.0
21	Iron	mg/l	BQL	BQL	BQL	1.34
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 38: Marine Water Quality Monitoring Parameters for location Khori creek at Kandla**

Sr. No.	Parameters	Unit	Khori creek			
			Near 15/16 Berth			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.48	7.27	7.34	7.21
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.4	19.5	18.6	17.7
5	Turbidity	NTU	35	31	43	39
6	Total Dissolved Solids	mg/l	32557.0	34294.0	30473.0	33329.0
7	Total Suspended Solids	mg/l	641.2	616.3	594.7	731.2
8	Total Solids	mg/l	33198.2	34910.3	31067.7	34060.2
9	DO	mg/l	7.6	6.3	7.3	6.8
10	COD	mg/l	85.0	96.0	92.0	96.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.78	1.04	1.39	1.18
13	Phosphate	mg/l	0.44	0.67	0.35	0.42
14	Sulphate	mg/l	4047	3646	3157	3170
15	Nitrate	mg/l	3.70	1.10	1.34	5.20
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	480.96	480.96	561.12
18	Magnesium	mg/l	1725.3	1676.7	1701	1628.1
19	Sodium	mg/l	9112.0	8436.0	7966.0	8696.0
20	Potassium	mg/l	299.0	385.0	382.0	377.0
21	Iron	mg/l	0.44	BQL	0.17	0.31
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	0.02
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 39: Marine Water Quality Monitoring Parameters for location Nakti Creek near Tuna Port**

Sr. No.	Parameters	Unit	Nakti Creek Near Tuna Port			
			22°57'49."N 70° 7'0.67"E			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.41	7.36	7.48	7.23
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	18.6	19.0	19.5
5	Turbidity	NTU	45	36	40	42
6	Total Dissolved Solids	mg/l	30214.0	28996.0	31047.0	31957.0
7	Total Suspended Solids	mg/l	642.7	526.2	682.5	606.8
8	Total Solids	mg/l	30856.7	29522.2	31729.5	32563.8
9	DO	mg/l	8.1	7.5	6.4	7.2
10	COD	mg/l	94.0	112.0	98.0	100.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	1.12	1.20	1.42	1.22
13	Phosphate	mg/l	0.71	0.37	0.46	0.12
14	Sulphate	mg/l	4172	3846	3445	3433
15	Nitrate	mg/l	1.50	1.70	5.12	1.69
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	440.88	641.28	601.2	521.04
18	Magnesium	mg/l	1725.3	1555.2	1701	1773.9
19	Sodium	mg/l	8639.0	9143.0	8655.0	7939.0
20	Potassium	mg/l	395.0	386.0	384.0	386.0
21	Iron	mg/l	BQL	0.33	0.34	0.18
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	BQL	BQL	BQL	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l,BOD-2.0 mg/l,Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l,Zinc-0.1 mg/l).

**Table 40: Marine Water Quality Monitoring Parameters for location Nakti Creek Near NH-8A at Kandla**

Sr. No.	Parameters	Unit	Nakti Creek Near NH-8A			
			23° 02'01"N 70° 09'31"E			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.45		7.45	
2	Color	-	Agreeable		Agreeable	
3	Odor	-	Agreeable		Agreeable	
4	Salinity	‰	19.9		20.8	
5	Turbidity	NTU	45		44	
6	Total Dissolved Solids	mg/l	30288.0		32796.0	
7	Total Suspended Solids	mg/l	529.6		595.7	
8	Total Solids	mg/l	30817.6		33391.7	
9	DO	mg/l	7.4		6.9	
10	COD	mg/l	118.0		110.0	
11	BOD	mg/l	BQL		BQL	
12	Silica	mg/l	1.02		0.16	
13	Phosphate	mg/l	0.75		0.46	
14	Sulphate	mg/l	4109	Sampling not possible during Low Tide	4961	Sampling not possible during Low Tide
15	Nitrate	mg/l	2.70		3.52	
16	Nitrite	mg/l	<0.05		BQL	
17	Calcium	mg/l	681.36		641.28	
18	Magnesium	mg/l	1506.6		1628.1	
19	Sodium	mg/l	9280.0		8528.0	
20	Potassium	mg/l	427.0		427.0	
21	Iron	mg/l	BQL		0.54	
22	Chromium	mg/l	BQL		BQL	
23	Copper	mg/l	BQL		BQL	
24	Arsenic	mg/l	BQL	BQL		
25	Cadmium	mg/l	BQL	0.01		
26	Mercury	mg/l	BQL	BQL		
27	Lead	mg/l	BQL	BQL		
28	Zinc	mg/l	BQL	BQL		

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 41: Marine Water Quality Monitoring Parameters for locations Nr. Vadinar Jetty**

Sr. No.	Parameters	Unit	Nr.Vadinar Jetty			
			22°26'25.26"N 69°40'20.41"E			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.43	7.26	7.36	7.29
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	20.4	20.8	19.0	19.9
5	Turbidity	NTU	39	42	38	42
6	Total Dissolved Solids	mg/l	35265.0	37685.0	36325.0	36681.0
7	Total Suspended Solids	mg/l	585.3	590.8	681.4	657.6
8	Total Solids	mg/l	35850.3	38275.8	37006.4	37338.6
9	DO	mg/l	5.7	5.4	6.3	5.8
10	COD	mg/l	87.0	89.0	96.0	92.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.55	0.45	0.36	0.28
13	Phosphate	mg/l	0.18	0.42	0.33	0.19
14	Sulphate	mg/l	3608	3558	3683	3645
15	Nitrate	mg/l	2.35	1.09	1.00	2.43
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	480.96	601.20	521.04	480.96
18	Magnesium	mg/l	1603.8	1652.4	1676.7	1749.6
19	Sodium	mg/l	9448.0	7368.0	7810.0	8912.0
20	Potassium	mg/l	371.0	354.0	452.0	456.0
21	Iron	mg/l	BQL	BQL	0.31	BQL
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	0.29	BQL	0.77	0.35

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l).

**Table 42: Marine Water Quality Monitoring Parameters for locations Nr. Vadinar SPM**

Sr. No.	Parameters	Unit	Nr. Vadinar SPM			
			22°30'56.15"N 69°42'12.07"E			
			Spring Tide		Neap Tide	
			Tide	High Tide	Low Tide	High Tide
1	pH	-	7.37	7.22	7.41	7.35
2	Color	-	Agreeable	Agreeable	Agreeable	Agreeable
3	Odor	-	Agreeable	Agreeable	Agreeable	Agreeable
4	Salinity	‰	19.0	17.7	19.5	18.6
5	Turbidity	NTU	37	40	37	39
6	Total Dissolved Solids	mg/l	39961.0	39198.0	42642.0	40730.0
7	Total Suspended Solids	mg/l	545.5	493.6	714.3	657.9
8	Total Solids	mg/l	40506.5	39691.6	43356.3	41387.9
9	DO	mg/l	6.1	5.5	5.6	6.1
10	COD	mg/l	95.0	98.0	96.0	94.0
11	BOD	mg/l	BQL	BQL	BQL	BQL
12	Silica	mg/l	0.47	0.37	0.34	0.30
13	Phosphate	mg/l	1.08	0.19	0.46	0.28
14	Sulphate	mg/l	3495	3796	3745	4008
15	Nitrate	mg/l	3.86	2.18	4.95	2.10
16	Nitrite	mg/l	<0.05	<0.05	BQL	BQL
17	Calcium	mg/l	561.12	400.80	681.36	641.28
18	Magnesium	mg/l	1628.1	1676.7	1555.2	1628.1
19	Sodium	mg/l	8473.0	10386.0	9131.0	8526.0
20	Potassium	mg/l	452.0	406.0	413.0	441.0
21	Iron	mg/l	BQL	BQL	0.24	BQL
22	Chromium	mg/l	BQL	BQL	BQL	BQL
23	Copper	mg/l	BQL	BQL	BQL	BQL
24	Arsenic	mg/l	BQL	BQL	BQL	BQL
25	Cadmium	mg/l	BQL	BQL	BQL	BQL
26	Mercury	mg/l	BQL	BQL	BQL	BQL
27	Lead	mg/l	BQL	BQL	BQL	BQL
28	Zinc	mg/l	0.28	BQL	0.40	BQL

BQL- Below Quantification Limit, (Nitrite - 0.05 mg/l, BOD-2.0 mg/l, Cu-0.1 mg/l, As-0.1mg/l, Hg-0.01 mg/l, Zinc-0.1 mg/l)

## **8.2 Results & Discussion for Marine water samples**

Marine water quality of Deendayal Port Harbor waters, Khori and Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The Heavy metal analyzed and mostly found below quantification limit.

### **pH**

During spring tide the pH values was ranged from 7.27-7.61 at DPA Kandla and 7.22-7.43 at Vadinar while during Neap Tide pH values was ranged from 7.21-7.55 at DPA Kandla and 7.29-7.41 at Vadinar.

### **Color and Odor**

All marine samples for Odor and Color were found agreeable at all sampling locations.

### **Turbidity**

During spring tide the Turbidity values was ranged from 31-48 NTU at DPA Kandla and 37-42 NTU at Vadinar while during Neap Tide Turbidity values was ranged from 35-45 NTU at DPA Kandla and 37-42 NTU at Vadinar. Turbidity is the amount of particulate matter that is suspended in water. Turbidity measures the scattering effect that suspended solids have on light: the higher the intensity of scattered light, the higher the turbidity (Yap et al, 2011). Materials that cause water to be turbid include clay, silt, finely divided organic and inorganic matter, soluble colored organic compounds, plankton and microscopic organisms (Lawler, 2004). The turbidity affects the amount of light penetrating to the plants for photosynthesis.

### **Total Dissolved Solids (TDS)**

TDS values in the studied area during Spring Tide varied between 28966- 39222 mg/l at DPA Kandla and 35265-39961 mg/l at Vadinar while during Neap Tide TDS values was varied 30473-37123 mg/l at DPA Kandla and 36325-42642 mg/l at Near Vadinar.

### **Calcium**

Calcium value in the studied area during Spring Tide varied between 440.9-681.4 mg/l at DPA Kandla and 400.8-601.2 mg/l at Vadinar while during Neap Tide calcium values between 481.0-721.4 mg/l at DPA Kandla and 481.0-681.4 mg/l at Vadinar.

### **Magnesium**

Magnesium value in the studied area during Spring Tide varied between 1506.6-1773.9 mg/l at DPA Kandla and 1603.8-1676.7 mg/l at Vadinar while during Neap Tide magnesium values between 1603.80-173.9 mg/l at DPA Kandla and 1555.2 -1749.60 at Vadinar. Calcium and magnesium both play an important role in antagonizing the toxic effects of various ions and neutralizing the excess acid produced (Narayan R. et. al., 2007)

### **Nitrate**

Nitrate value in the studied area during Spring Tide varied between 0.5-4.7 mg/l at DPA Kandla and 1.09-3.86 mg/l at Vadinar while during Neap Tide Nitrate values between 0.42-5.2 mg/l at DPA Kandla and 1.0-4.95 at Vadinar.

The variations were observed due to variation in phytoplankton excretion, oxidation of ammonia, reduction of nitrate and by recycling of nitrogen and bacterial decomposition of planktonic detritus (Asha and Diwakar, 2007).

### **Iron**

Iron values in the studied area during Spring Tide ranged from 0.33-0.47 mg/l at DPA Kandla and at Vadinar were BQL (<0.10 ) while during Neap Tide Iron values ranged from 0.17-1.76 mg/l at DPA Kandla and 0.24-0.31 mg/l at Vadinar.

### **Sulphates**

Sulphate values in the studied area during Spring Tide ranged from 3407-4222 mg/l at DPA Kandla and 3495-3796 mg/l at Vadinar while during Neap Tide the Sulphate values was varied 2981-4961 mg/l at DPA Kandla and 3645-4008mg/l at Vadinar.

### **Salinity**

Salinity values in the studied area during Spring Tide varied ranged 18.11 to 20.82 ‰ at DPA Kandla and 17.65 to 20.82 ‰ at Vadinar while during Neap Tide the Salinity values was varied 17.65 to 20.82 ‰ at DPA Kandla and 18.55 to 19.92 ‰ at Vadinar.

### **Sodium and Potassium Salts**

During Spring Tide the Sodium values ranged from 8011-9380 mg/l at DPA Kandla & 7368-10386 mg/l at Vadinar and Potassium salts ranged from 299-427 mg/l at DPA Kandla & 354-452 mg/l at Vadinar while during Neap Tide the Sodium values was ranges from 7939-

9814 mg/l at DPA Kandla & 7810-9131 mg/l at Vadinar and Potassium salts ranged from 370-427 mg/l at DPA Kandla & 413-456 mg/l at Vadinar.

## **DO**

The DO refers to the amount of oxygen dissolved in the water and it is particularly important in limnology {(aquatic ecology) (Weiss 1970)}. The fate and behavior of DO is of critical importance to marine organisms in determining the severity of adverse impacts (Best et al. 2007). The major factor controlling dissolved oxygen concentration is biological activity: photosynthesis producing oxygen while respiration and nitrification consume oxygen (Best et al. 2007). From the studied samples, DO in marine water during Spring Tide was found in ranges from 5.6-8.1 mg/l at DPA Kandla and 5.4-6.1 mg/l at Vadinar while during Neap Tide 5.2-7.3 mg/l at DPA Kandla and 5.6-6.3 mg/l at Vadinar.

## **BOD**

BOD in marine water at all sampling location in the studied samples were found BQL (<2.0 mg/l).

## **Heavy Metals in Marine Water**

In the present study period marine water samples were analyzed for Cr, Cu, Cd, As, Hg, Pb and Zn. Maximum heavy metals parameters were well Below the Quantification limits.

## **9.3 Conclusion**

In the present study period marine water samples were analyzed and found inline as per Primary Water Quality criteria for class-IV WATERS (For Harbour Waters).

## CHAPTER-9

### MARINE SEDIMENT MONITORING

## 9.0 Marine Sediments

The deep-sea ocean floor is made up of sediment. This sediment is composed of tiny particles such as fine sand, silt, clay, or animal skeletons that have settled on the ocean bottom. Over long periods of time, some of these particles become compressed and form stratified layers. Scientists that study these layers look at particle size, particle composition, and origin to help them create historical records of the deep ocean floor. This process is called weathering. Weathering can be either mechanical or chemical. Mechanical weathering can occur as ice, wind, or water wears away the rock's surface. Chemical weathering can occur as rocks are dissolved by a chemical such as acid rain. The particles created as a result of weathering are called terrigenous sediments. These particles are transported to the ocean by wind and by rivers and streams. Once the particles enter the ocean, they are dispersed by waves, currents, and tides. The heaviest and largest particles that reach the oceans, such as sand, settle very quickly to the bottom as a result of gravity. Sand is deposited near the coast whereas the smaller silt and clay particles are transported farther distances offshore before they settle to the bottom. Sediments are an important component of aquatic ecosystems because they provide nutrients and habitat for aquatic organisms (Benhamed et al. 2016). However, human activities result in accumulation of toxic substances such as heavy metals in marine sediments. Heavy metals are well-known environmental pollutants due to their toxicity, persistence in the environment, and bioaccumulation. Metals affect the ecosystem because they are not removed from water by self-purification, but accumulate in sediments and enter the food chain (Astakhov et al. 2015).

Sediment samples were collected with Van Veen Grab from the six locations in Kandla Port Waters and two locations in Vadinar Port. Benthic surface grab samplers look like giant metal jaws. They dig into the bottom and take a bite of the sediment. These samplers are good for collecting softer, sandy or silty sediments that do not contain rocks. A box corer is a cross between a surface sampler and a sediment corer. It is a special device that is used to collect an undisturbed sample of the very top surface layers and the sediment underneath. Samples were collected and preserved in silver foil in ice box to prevent the contamination/decaying of the samples.

### 10.1 Results

The Sediment Quality results are given in below from table no. 43 & 44.

**Table 43: Results of Analysis of Sediment of Kandla & Vadinar Port (Neap Tide)**

Sr. No.	Parameters	Unit	DPA – 1	DPA - 2	DPA - 3	DPA - 4	DPA - 5	Jetty	SPM
1	Texture	-	Sandy Loam						
2	Organic Matter	mg/kg	1.32	0.6	0.1	0.1	0.16	1.14	1.59
3	Organic Carbon	mg/kg	0.76	0.35	0.07	0.06	0.09	0.66	0.91
4	Inorganic Phosphate	mg/kg	89.00	90.00	101.00	92.00	100.00	90.00	100.00
5	Moisture	%	3.90	2.37	4.12	3.00	4.10	3.40	4.00
6	Aluminum	mg/kg	ND						
7	Silica	mg/kg	7.30	7.68	8.90	9.30	9.10	8.90	9.60
8	Phosphate	mg/kg	5.20	4.99	4.09	5.25	9.00	3.28	10.40
9	Sulphate	mg/kg	759.00	849.00	555.00	496.00	768.00	732.00	496.00
10	Nitrite	mg/kg	0.11	0.11	0.10	0.10	0.12	0.10	0.11
11	Nitrate	mg/kg	BQL						
12	Calcium	mg/kg	2765.00	1523.00	861.00	961.00	981.00	1162.00	2485.00
13	Magnesium	mg/kg	1372.00	1300.00	1020.00	1263.00	1032.00	1089.00	2065.00
14	Sodium	mg/kg	2410.0	2760.0	2644.0	2940.0	2722.0	1394.00	1082.00
15	Potassium	mg/kg	404.00	459.00	390.00	510.00	447.00	811.0	560.0
16	Chromium	mg/kg	61.30	71.90	66.00	53.30	56.40	42.80	49.70
17	Nickel	mg/kg	26.80	31.70	29.00	23.00	24.10	13.80	29.20
18	Copper	mg/kg	17.40	19.40	17.80	15.50	15.80	13.80	47.10
19	Zinc	mg/kg	43.40	55.80	49.80	41.80	46.00	32.00	64.30
20	Cadmium	mg/kg	BQL						
21	Lead	mg/kg	5.20	6.20	5.70	9.80	8.40	12.00	BQL
22	Mercury	mg/kg	BQL						
23	Arsenic	mg/kg	BQL						

\*ND - Not Detected, BQL: Below Quantification Limit (NO3:10.0mg/kg, Cd: 1.0mg/kg, Hg: 1.0mg/kg, As: 1.0mg/kg).

**Table 44 : Results of Analysis of Sediment of Kandla & Vadinar Port (Spring Tide)**

Sr. No.	Parameters	Unit	DPA – 1	DPA - 2	DPA - 3	DPA - 4	DPA - 5	Jetty	SPM
1	Texture	-	Sandy Loam						
2	Organic Matter	mg/kg	0.91	0.50	1.52	0.37	0.27	1.45	1.68
3	Organic Carbon	mg/kg	0.52	0.29	0.87	0.21	0.15	0.83	0.97
4	Inorganic Phosphate	mg/kg	98.00	90.00	80.00	78.00	100.00	88.00	90.00
5	Moisture	%	17.00	8.70	15.00	6.60	4.80	14.24	13.14
6	Aluminum	mg/kg	ND						
7	Silica	mg/kg	7.20	8.26	9.02	5.50	7.80	9.20	10.02
8	Phosphate	mg/kg	7.87	9.29	6.16	5.75	9.49	11.61	10.80
9	Sulphate	mg/kg	745.00	862.00	585.00	490.00	510.00	590.00	396.00
10	Nitrite	mg/kg	0.11	0.12	0.12	0.11	0.10	0.10	0.11
11	Nitrate	mg/kg	BQL	BQL	12.00	16.6	26.2	BQL	BQL
12	Calcium	mg/kg	1723.00	1057.00	1320.00	1220.00	1390.00	1907.00	1643.00
13	Magnesium	mg/kg	1044.00	716.00	1090.00	690.00	896.00	1563.00	2320.00
14	Sodium	mg/kg	2733.00	2720.00	2578.00	2107.00	1558.00	1042.00	952.00
15	Potassium	mg/kg	302.00	332.00	378.0	357.0	87.8	384.00	325.00
16	Chromium	mg/kg	38.00	24.40	51.70	16.10	60.00	48.90	69.20
17	Nickel	mg/kg	15.60	9.50	21.70	6.00	24.70	19.70	28.30
18	Copper	mg/kg	7.80	BQL	11.30	31.40	16.40	12.10	19.90
19	Zinc	mg/kg	30.10	21.90	35.70	13.70	44.90	31.50	51.90
20	Cadmium	mg/kg	BQL						
21	Lead	mg/kg	BQL						
22	Mercury	mg/kg	BQL						
23	Arsenic	mg/kg	BQL						

\*ND - Not Detected, BQL: Below Quantification Limit (NO3:10.0 mg/kg, Cd: 1.0 mg/kg, Hg: 1.0mg/kg, As: 1.0mg/kg)

## **9.2 Discussion of Marine Sediment samples**

Marine Sediments of Deendayal Port Harbor waters, Khori and Nakti Creeks and two locations of Vadinar are monitored for various physico-chemical parameters during spring and neap tide of each month. The Heavy metal analyzed and found below quantification limit.

## **9.3 Conclusion**

The sediment types are majority Sandy loamy. Also maximum heavy metals parameters found below Quantification limit wise, Pb, Cd, Hg , As, Al was not Detected and Nitrate for some locations.

## CHAPTER-11

### MARINE ECOLOGICAL MONITORING

## 10.0 INTRODUCTION:

### 10.1 Sampling Stations:

The monitoring of marine environment for the study of biological and ecological Parameters was carried out on 01<sup>st</sup> November 2022 in harbour region of DPA at Kandla Creek, and on 02<sup>nd</sup> November 2022 in creeks near by the port during Neap tide. The monitoring of marine environment for the study of biological and ecological parameters was repeated again on 08<sup>th</sup> November, 2022 in harbour region of DPA at Kandla Creek and on 09<sup>th</sup> November, 2022 in creeks near by the port during spring tidal condition.

Plankton samples from sub surface layer was collected both during high tide period and low tide period from 3 water quality monitoring stations of DPA harbour area and two stations in Nakti creek and one station in Khori creek. Sampling at second sampling station of Nakti creek was possible only during high tide period.

Plankton samples from sub surface layer were collected during high tide period and low tide period from monitoring station near Vadinar Jetty at Path Finder Creek during Neap tide on 01/11/2022 and Spring tide period on 08/11/2022. Collected water samples were processed for estimation of Chlorophyll- a, Pheophytin- a, qualitative and quantitative evaluation of phytoplankton, qualitative and quantitative evaluation of zoo plankton density and their population.

**TABLE 43. SAMPLING LOCATIONS**

<b>monitoring requirement</b>	<b>Number of locations</b>
Kandla creek	3 in Kandla creek
Nakti creek	2 in Nakti creek
Khori Creek	1 in Khori creek
Vadinar jetty	1 near Vadinar Jetty
SPM	1 near I <sup>st</sup> SPM
<b>Total Number of locations</b>	<b>8</b>

### Sampling methodology adopted:

A marine sampling is an estimation of the body of information in the population. The theory of the sampling design is depending upon the underlying frequency distribution of the population of interest. The requirement for useful water sampling is to collect a representative sample of suitable volume from the specified depth and retain it free from contamination during retrieval.

50 litres of the water sample were collected from Sub surface by using bucket. From the collected water sample 1 litres of water sample was taken in an opaque plastic bottle for chlorophyll estimation, thereafter plankton samples were collected by using filtration assembly with Nylobolt cloth of 20µm mesh size. . During low tide DPA-6 Nakti-II location monitoring was not possible due to non-availability of marine water.

#### **Samples Processing for chlorophyll estimation:**

Samples for chlorophyll estimation were preserved in ice box on board in darkness to avoid degradation in opaque container covered with aluminium foil. Immediately after reaching the shore after sampling, 1 litre of collected water sample was filtered through GF/F filters (pore size 0.45 µm) by using vacuum filtration assembly. After vacuum filtration the glass micro fiber filter paper was grunted in tissue grinder, macerating of glass fiber filter paper along with the filtrate was done in 90% aqueous Acetone in the glass tissue grinder with glass grinding tube. Glass fiber filter paper will assist breaking the cell during grinding and chlorophyll content was extracted with 10 ml of 90% Acetone, under cold dark conditions along with saturated magnesium carbonate solution in glass screw cap tubes. After an extraction period of 24 hours, the samples were transferred to calibrated centrifuge tubes and adjusted the volume to original volume with 90% aqueous acetone solution to make up the evaporation loss. The extract was clarified by using centrifuge in closed tubes. The clarified extracts were then decanted in clean cuvette and optical density was observed at wavelength 664, 665 nm. By using corrected optical density, Chlorophyll-a value was calculated as given in (APHA, 2017).

#### **PLANKTON:**

The entire area open water in the sea is the pelagic realm. Pelagic organisms live in the open sea. In contrast to the pelagic realm, the benthic realm comprises organisms and zone of the bottom of the sea. Vertically the pelagic realm can be dividing into two zones based on light penetration; upper photic or euphotic zone and lower dark water mass, aphotic zone below the photic zone.

The term plankton is a general term for organisms which have such limited powers of locomotion that they are at the mercy of the prevailing water movement. Plankton is subdivided to phytoplankton and zooplankton. Phytoplanktons are free floating organisms that are capable of photosynthesis and zooplankton is the various free-floating animals.

Pelagic zone, represents the entire ocean water column from the surface to the deepest depths, is home to a diverse community of organisms. Differences in their locomotive ability categorize the organisms in the pelagic realm into two, *plankton* and *nekton* (Lalli and Parsons, 1997). *Plankton* consists of all organisms drifting in the water and is unable to swim against water currents, whereas *Nekton* includes organisms having strong locomotive power. Ecological studies on the plankton community, which form the base of the aquatic food chain, help in the better understanding of the dynamics and

functioning of the marine ecosystem. The term 'Plankton' first coined by Victor Hensen (1887), Plankton, (Greek word: *planktos* meaning "passively drifting or wandering") is defined as drifting or free-floating organisms that inhabit the pelagic zone of water. Based on their mode of nutrition planktonic organisms are categorised into phytoplankton (organisms having an autotrophic mode of nutrition) and zooplankton (organisms having a heterotrophic mode of nutrition).

**Phytoplankton in the marine environment:**

Phytoplanktons are free floating unicellular, filamentous and colonial eutrophic organisms that grow in aquatic environments whose movement is more or less dependent upon water currents. These micro flora acts as primary producers as well as the basis of food chain, source of protein, bio-purifier and bio-indicators of the aquatic ecosystems of which diverse array of the life depends .They are considered as an important component of aquatic flora, play a key role in maintaining equilibrium between abiotic and biotic components of aquatic ecosystem.

The phytoplankton includes a wide range of photosynthetic and phototrophic organisms. Marine phytoplankton is mostly microscopic and unicellular floating flora, which are the primary producers that support the pelagic food-chain. The two most prominent groups of phytoplankton are Diatoms (Bacillariophyceae) and Dinoflagellates (Dinophyceae).The phytoplankton those normally captured in the net from the Gulf of Kutch is normally dominated by these two major groups; Diatoms and Dinoflagellates. Phytoplankton also include numerous and diverse collection of extremely small, motile algae which are termed micro flagellates (naked flagellates) as well as and Cyanophytes (Blue-green algae).

Algae are an ecologically important group in most aquatic ecosystems and have been an important component of biological monitoring programs. Algae are ideally suited for water quality assessment because they have rapid reproduction rates and very short life cycles, making them valuable indicators of short-term impacts.

Aquatic populations are impacted by anthropogenic stress, resulting in a variety of alterations in the biological integrity of aquatic systems. Algae can serve as an indicator of the degree of deterioration of water quality, and many algal indicators have been used to assess environmental status.

**Zooplankton in the marine environment:**

Zooplankton includes a taxonomically and morphologically diverse community of heterotrophic organisms that drift in the waters of the world's oceans. Qualitative and quantitative studies on zooplankton community are a prerequisite to delineate the ecological processes active in the marine ecosystem. Zooplankton community plays a pivotal role in the pelagic food web as the primary consumers of phytoplankton and act as the food source for organisms in the higher trophic levels, particularly the economically essential groups such as fish larvae and fishes. They also function in the cycling of elements in the marine ecosystem. The dynamics of the zooplankton community, their reproduction, and growth and survival rate are all significant factors determining the recruitment and

abundance of fish stocks as they form an essential food for larval, juvenile and adult fishes (Beaugrand et al., 2004). Zooplankton grazing in the marine environment controls the primary Production and helps in determining the pelagic ecosystem (Banse, 1995). Through grazing in surface waters and following the production of sinking faecal matters and also by the active transportation of dissolved and particulate matter to deeper waters via vertical migration, they help in the transport of organic carbon to deep ocean layers and thus act as key drivers of 'biological pump' in the marine ecosystem. Zooplankton grazing and metabolism also, transform particulate organic matter into dissolved forms, promoting primary producer community, microbial demineralization, and particle export to the ocean's interior.

The categorisation of zooplankton into various ecological groups is based on several factors such as duration of planktonic life, size, food preferences and habitat. As they vary significantly in size from microscopic to metazoic forms, the classification of zooplankton based on size has paramount importance in the field of quantitative plankton research.

Based on the duration of planktonic life, zooplankton are categorised into Holoplankton (organisms which complete their entire lifecycle as plankton) and Meroplankton (organisms which are planktonic during the early part of their lives such as the larval stages of benthic and nektonic organisms). Tychoplankton are organisms which live a brief planktonic life, such as the benthic crustaceans (Cumaceans, mysids, isopods) which ascend to the water column at night for feeding and certain ectoparasitic copepods, they leave the host and spend their life as plankton during their breeding cycle.


Zooplankton can be subdivided into holoplankton, i.e., permanent members of the plankton (e.g., Calanoid copepods), and meroplankton, i.e., temporary members in the plankton e.g., larvae of fish, shrimp, and crab). The meroplankton group consists of larval and young stages of animals that will adopt a different lifestyle once they mature. In contrast to phytoplankton which consist of a relatively smaller variety of organisms, Zooplankton are extremely diverse, consist of a host of larval and adult forms representing many animal phylum.

Among the zooplankton one group always dominate than others; members of sub class copepods (Phylum Athropoda) and Tintinids (Phylum Protozoa) among the net planktons. These small animals are of vital importance in marine ecosystem as one of the primary herbivores animals in the sea, and it is they provide vital link between primary producer (autotrophs) and numerous small and large marine consumers.

As their community structure and function are highly susceptible to changes in the environmental conditions regular monitoring of their distribution as well as their interactions with various physicochemical parameters is inevitable for the sustainable management of the ecosystem (Kusum et al., 2014). Of all the marine zooplankton groups, copepods mainly Calanoid copepods are the

dominant groups in marine subtropical and tropical waters and exhibit considerable diversity in morphology and habitats they occupy (Madhupratap, 1991 ;)

It has been well established that potential of pelagic fishes viz. finfishes, crustaceans, molluscs and marine mammals either directly or indirectly depend on zooplankton. The herbivorous zooplanktons are efficient grazers of the phytoplankton and are referred to as living machines transforming plant material into animal tissue. Hence they play an essential role as the intermediaries for nutrients/energy transfer between primary and tertiary trophic levels. Due to their large density, shorter lifespan, drifting nature, high group/species diversity and different tolerance to the stress, they used as the indicator organisms for the physical, chemical and biological processes in the aquatic ecosystem (Ghajbhiye, 2002).



### Spatial distribution of Plankton:

A characteristic of plankton population is that they tend to occur in patches, which are varying spatially on a scale of few meters to far as few kilo metres in distance. They also vary in time scale, season as well as vertically in the water column. It is this patchiness and its constant changes in time and spot, that has made it so difficult for plankton biologist to learn about the ecology of plankton. The biological factors that causes this patchiness is due to the ability of zooplankton to migrate vertically and graze out the phytoplankton at a rapid rate that can create patchiness. Similarly the active swimming ability by certain zooplankton organisms can cause to aggregate in dense group.

At its most extreme, because the water in which plankton is suspended is constantly moving, each sample taken by the plankton biologists remain a different volume of water, so each sample is unique and replicate does not exist.

Plankton in the month of November also exhibit vertical patchiness. Physical factors contribute to this type of patchiness include light intensity, nutrients and density gradients in the water column.

Phytoplankton in particular tends to be unequally distributed vertically, which leads to the existence of different concentration of a chlorophyll value between photic zone and below the photic zone.

**Methodology adopted for Plankton sampling:**

**Preservation and storage:**

Both filtered plankton and those collected from the plankton net were preserved with 5% buffered formalin and stored in 1L plastic container for further processing in the laboratory.

**Sample concentration:**

The collected plankton samples were concentrated by using centrifuge and made up to 50 ml with 5% formalin -Glycerine mixture.

**Taxonomic evaluation:**

Before processing, the sample was mixed carefully and a subsample was taken with a calibrated Stempel-pipette. 1 ml of the concentrated plankton samples were transferred on a glass slide with automatic pipette. The plankton sample on the glass slides were stained by using Lugol's iodine and added glycerin to avoid drying while observation. The plankton samples were identified by using Labex triangular Research microscope with photographic attachment. Microphotographs of the plankton samples were taken for record as well as for confirming the identification. The bigger sized zooplankton was observed through dissecting stereomicroscope with magnification of 20-30 x. Plankton organisms in the whole slide were identified to the lowest taxon possible. A thorough literature search was conducted for the identification of the different groups of phytoplankton and zooplankton that were encountered

**Cell counts by drop count method:**

The common glass slide mounted with a 1ml of concentrated phytoplankton/zooplankton sample in glycerol and covered with cover slip 22 mm x 60 mm was placed under the compound microscope provided with a mechanical stage. The plankton was then counted from the microscopic field of the left top corner of the slide. Then slide is moved horizontally along the right side and plankton in each microscopic field was thus counted. When first microscopic field row was finished the next consecutive row was adjusted using the mechanical device of the stage. In this way all the plankton present in entire microscopic field are counted. From this total number in 1ml of the concentrated plankton, total amount of phytoplankton in the original volume of sample filtered was calculated as units/L and Zooplankton as  $N/m^3$ .

### **BENTHIC ORGANISMS:**

Benthos is those organisms that are associated with the sea bed or benthic habitats. Epi- benthic organisms live attached to a hard substratum or rooted to a shallow depth below the surface. In fauna organisms live below the sediment–water interface. Interstitial organisms live and move in pore water among sedimentary grains.

Because the benthic organisms are often collected and separated on sieves, a classification based on the overall size is used. Macro benthos include organisms whose shortest dimension is greater than or equal to 0.5 mm. Meio benthos are smaller than 0.5mm but larger than 42 $\mu$  in size.

The terms such as macro fauna and Meio fauna generally have little relevance with taxonomic classification. The terms Meio fauna and macro fauna depend on the size. Meio fauna were considered as good bioassay of community health and rather sensitive indicators of environmental changes

### **SAMPLING METHODOLOGY ADOPTED FOR SUB TIDAL REGION:**

Van veen sampler (0.09m<sup>2</sup>) was used for sampling bottom sediments. Two sets of sediments were sampled from each location, one for macro fauna and other for Meio fauna. The macro fauna in the sediments were sieved on board to separate out the organisms. The fixation of Meio fauna is normally done by bulk fixation of the sediment sample. The bulk fixation is done by using 10% formalin (Buffered with borate). The organisms were preserved with seawater as diluting agent.

#### **Sample sieving:**

Sediments samples were sieved to extract the organisms. Sieving was performed carefully as possible to avoid any damage to the animals. The large portion of the sediment was split in to smaller portions and mixed with sea water in a bucket. The cohesive lumps were broken down by continuous stirring. The disaggregated sediments were then passed through the sieves.

#### **Sample staining:**

Sorting of the Meio fauna from the sieve is difficult task especially in the preserved material, because organisms are not easily detectable. To facilitate the animal detection the entire sample retained on the sieve after sieving operation were stained by immersing the sieve in a flat bottom tub with 1% Rose Bengal stain; a protein stain. A staining period of 10-30 minutes is sufficient for sample detection.

### **DIVERSITY INDICES:**

On the whole, diversity indices provide more information about community composition than simply species richness (number of species present); they also, take the relative abundances of different species into account. Based on this fact, diversity indices therefore depend not only on species richness but on the evenness, or equitability, with which individuals are distributed among the different species (Magurram, A. E. (1988))

A diversity index is a measure of species diversity within a community that consists of co-occurring populations of several (two or more) different species. It includes two components: richness and evenness. Richness is the measure of the number of different species within a sample showing that more the types of species in a community, the higher is the diversity or greater is the richness. Evenness is the measure of relative abundance of the different species with in a community.

The basic idea of diversity index is to obtain a quantitative estimate of biological variability that can be used to compare biological entities composed of discrete components in space and time (Carol H. R. *etal.* 1998). Biodiversity is commonly expressed through indices based on species richness and species abundances (Whittaker 1972, Lande 1996, Purvis and Hector 2000). Biodiversity indices are a non-parametric tool used to describe the relationship between species number and abundance. The most widely used bio diversity indices are Shannon Weiner index and Simpson's index.

A diversity Index is a single statistic that incorporates information on richness and evenness. Any study intended to interpret causes and effect of adverse impact on Biodiversity of communities require suitable measures to evaluate specie richness and Diversity. The former is number of species in community, while latter is a function of relative frequency of different species. Species richness is the iconic measure of biological diversity (Magurran, 2004). Several indices have been created to measure the diversity of species; however, the most widely used in the last decades are the Shannon (1948) and Simpson (1949) (Buzas and Hayek 1996; Gorelick 2006), with the components of diversity: richness ( $S$ ) and evenness ( $J$ )

### **Simpson's diversity index**

Simpson's index ( $D$ ) is a measure of diversity, which takes into account both species richness, and evenness of abundance among the species present. The Simpson index is one of the meaningful and robust biodiversity measures available. (Magurran , 2004).

The formula for calculating  $D$  is presented as:

$$D = \frac{\sum n_i(n_i - 1)}{N(N - 1)}$$

Where  $n_i$  = the total number of organisms of each individual species

$N$  = the total number of organisms of all species

The value of  $D$  ranges from 0 to 1. With this index, 0 represents infinite diversity and, 1, no diversity. When  $D$  increases diversity decreases. Simpson's index is therefore usually expressed as  $1-D$  or  $1/D$ . (Magurran, 2004)

Low species diversity suggests:

- relatively few successful species in the habitat
- the environment is quite stressful with relatively few ecological niches and only a few organisms are really well adapted to that environment

- food webs which are relatively simple
- change in the environment would probably have quite serious effects

High species diversity suggests:

- a greater number of successful species and a more stable ecosystem
- more ecological niches are available and the environment is less likely to be hostile complex food webs
- environmental change is less likely to be damaging to the ecosystem as a whole

### **Species richness indices**

The species richness ( $S$ ) is simply the number of species present in an ecosystem. Species richness Indices of species richness are widely used to quantify or monitor the effects of anthropogenic disturbance. A decline in species richness in may be concomitant with severe or chronic human-induced perturbation (Fair Fair weather 1990) Species richness measures have traditionally been the mainstay in assessing the effects of environmental degradation on the biodiversity of natural assemblages of organisms (Clarke & Warwick, 2001)

Species richness is the iconic measure of biological diversity (Magurran, 2004). The species richness ( $S$ ) is simply the number of species present in an ecosystem. This index makes no use of relative abundances. The term species richness was coined by Mc Intosh (1967) and oldest and most intuitive measure of biological diversity (Magurran, 2004).

Margalef's diversity index is a species richness index. Margalef's Species richness index ( $d$ ), or indices that describe the evenness of the distribution of the numbers of individuals among species, were derived.

The value of a diversity index increases both when the number of types increases and when evenness increases. For a given number of types, the value of diversity index is maximised when all types are equally abundant [Rosenzweig, M. L. (1995)]

### **Shannon-Wiener's index:**

An index of diversity commonly used in plankton community analyses is the Shannon-Wiener's index ( $H$ ), which emphasizes not only the number of species (richness or variety), but also the apportionment of the numbers of individuals among the species (Odum 1971 and Reish 1984). Shannon-Wiener's index ( $H$ ) reproduces community parameters to a single number by using an equation.

Shannon and Wiener index represents entropy. It is a diversity index taking into account the number of individuals as well as the number of taxon. It varies from 0 for communities with only single taxa to high values for community with many taxon each with few individuals. This index can also determine the pollution status of a water body. Normal values range from 0 to 4. This index is a combination of species present and the evenness of the species. Examining the diversity in the range

of polluted and unpolluted ecosystems, Wilham and Dorris (1968) concluded that the values of the index greater than

3 indicate clean water, values in the range of 1 to 3 are characterized by moderate pollution and values less than 1 are characterized as heavily polluted

**10.2:- RESULTS:**

**CHLOROPHYLL-a:**

$$H' = - \sum_{j=1}^s \frac{n_j}{N} \ln \left( \frac{n_j}{N} \right)$$

In the sub surface water chlorophyll-a was varying from 0.472-0.969 mg/m<sup>3</sup> with an average value 0.645 mg/m<sup>3</sup> in harbour region of DPA in Kandla Creek during sampling done in spring tide period of November 2022. In the nearby creeks chlorophyll-a was varying from 0.359-0.717 mg/m<sup>3</sup> with an average value 0.552 mg/m<sup>3</sup> Pheophytin –a level was below detectable limit- the all the sampling stations during springtide. Even though the plankton diversity and abundance were more during the spring tide sampling,the chlorophyll-content was detected lesser than expected because, the phytoplankton communities were mainly represented by diatoms *Skeletonema* sp. *Coscinodiscus* sp. and *Chaetoceros* sp.

In the sub surface water chlorophyll-a was varying from 0.338-0.547 mg/m<sup>3</sup> with an average value 0.437 mg/m<sup>3</sup> in harbour region of DPA in Kandla Creek during sampling done in Neap tide period of November2022. In the nearby creeks chlorophyll-a was varying from 0.205- 0.440mg/m<sup>3</sup> with an average value 0.370 mg/m<sup>3</sup>. Pheophytin–a level was below detectable limit- the all the sampling stations. During neap tide sampling phytoplankton communities were mainly represented by *Coscinodiscus* sp. and *Ditylum* sp.

In the sub surface water chlorophyll-a was varying from 0.598-0.968 mg/m<sup>3</sup> in harbour region of DPA OOT in path finder Creek during sampling done in spring tide period of November 2022. In the sub surface water chlorophyll-a was varying from 0.709 - 0.987mg/m<sup>3</sup> in harbour region of DPA OOT in path finder Creek during sampling done in Neap Tide period of November 2022

**TABLE:-45 VARIATIONS IN CHLOROPHYLL-a PHEOPHYTIN-a AND ALGAL BIOMASS FROM SAMPLING STATIONS IN DPA HARBOUR AREA IN KANDLA CREEK ,NEAR BY CREEKS AND DPA OOT JETTY IN PATH FINDER CREEK AND SPM NEAR VADINAR DURING SPRING TIDE IN NOVEMBER 2022**

Sr. No.	Station	Tide	Chlorophyll-a (mg/m <sup>3</sup> )	Pheophytin- a (mg/m <sup>3</sup> )	Algal Biomass (Chlorophyll method) mg/m <sup>3</sup>
DPA HARBOUR AREA KANDLA CREEK					
1	KPT1	High tide	0.969	BDL	64.92
		Low tide	0.647	BDL	43.35
2	KPT 2	High tide	0.511	BDL	34.24
		Low tide	0.521	BDL	34.91
3	KPT 3	High tide	0.749	BDL	50.18
		Low tide	0.472	BDL	31.62
CREEKS					
4	KPT-4 Khori-I	High tide	0.638	BDL	42.75
		Low tide	0.359	BDL	24.05
5	KPT-5 Nakti-I	High tide	0.717	BDL	48.04
		Low tide	0.493	BDL	33.03
6	KPT-6 Nakti-II	High tide	ND	ND	ND
PATHFINDER CREEK VADINAR					
7	VADINAR-I jetty	High tide	0.968	BDL	64.86
8		Low tide	0.732	BDL	49.04
9	SPM	High tide	0.953	BDL	63.85
10		Low tide	0.598	BDL	

BDL: Below Detectable Limit., ND: Not detected

**TABLE:-46. VARIATIONS IN CHLOROPHYLL-a PHEOPHYTIN-a AND ALGAL BIOMASS FROM SAMPLING STATIONS IN DPA HARBOUR AREA, NEAR BY CREEKS AND DPA OOT JETTY IN PATH FINDER CREEK AND SPM NEAR VADINARDURING NEAP TIDE IN NOVEMBER 2022**

Sr.No.	Station	Tide	Chlorophyll-a (mg/m <sup>3</sup> )	Pheophytin- a (mg/m <sup>3</sup> )	Algal Biomass (Chlorophyll method) mg/m <sup>3</sup>
DPA HARBOUR AREA KANDLA CREEK					
1	KPT1	High tide	0.547	BDL	
		Low tide	0.450	BDL	
2	KPT 2	High tide	0.338	BDL	
		Low tide	0.409	BDL	
3	KPT 3	High tide	0.354	BDL	
		Low tide	0.523	BDL	
CREEKS					
4	KPT-4 Khori-I	High tide	0.440	BDL	
		Low tide	0.408	BDL	
5	KPT-5 Nakti-I	High tide	0.205	BDL	
		Low tide	0.426	BDL	
6	KPT-6 Nakti-II	High tide	ND	ND	ND
PATHFINDER CREEK VADINAR					
7	VADINAR-I jetty	High tide	0.799	BDL	
8		Low tide	0.709	BDL	
9	SPM	High tide	0.857	BDL	
10		Low tide	0.987	BDL	

BDL: Below Detectable Limit.ND: Not detected

### **PHYTOPLANKTON POPULATION:**

For the evaluation of the Phytoplankton population in DPA harbour area and within the immediate surroundings of the port, sampling was conducted from 5 sampling locations (3 in harbour area and two in Nakti creek) during high tide period and low tide period of spring tide and neap tide.

The phytoplankton community of the sub surface water in the harbour and nearby creeks was represented by, Diatoms, blue green algae and Dinoflagellates during spring tide period. Diatoms were represented by 26 genera, Blue green algae were represented by 2 genera and Dinoflagellates were represented by 6 genera during the sampling conducted in spring tide in November, 2022. Phytoplankton of the sampling stations at sub surface layer in the harbour area and nearby creeks was varying from 39-243units/ L during high tide period and 115-199 units/L during low tide of Spring Tide. During spring tide sampling phytoplankton communities were dominated by *Skeletonema* sp almost forming a bloom in the Kandla creek and other nearby creek area and abundant population of *Coscinodiscus* sp. and *Chaetoceros* sp.

The phytoplankton community of the sub surface water in the harbour and nearby creeks was represented by Diatoms, Blue green algae and Dinoflagellates during Neap tide period. Diatoms were represented by 24 genera, Blue green algae were represented 2 genera and Dinoflagellates with 5 genera during the sampling conducted in Neap tide in November, 2022. Phytoplankton of the sampling stations at sub surface layer in the harbour area and nearby creeks was varying from 43-299 units/ L during high tide period and 143-193 units/L during low tide of Neap Tide. During Neap tide sampling phytoplankton communities were dominated by, *Ditylum* sp and *Coscinodiscus* sp.

For the evaluation of the Phytoplankton population in DPA OOT jetty area in Path Finder creek sampling was conducted from two sampling locations; Jetty area and SPM area during high tide period and low tide of spring tide and Neap tide period.

The phytoplankton community of the sub surface water in the path finder creeks was represented by Diatoms, Blue green algae and Dinoflagellates during spring tide period. Diatoms were represented by 25 genera, Blue Green algae by 5 genera and Dinoflagellates by 6 genera during the sampling conducted in spring tide in November, 2022. Phytoplankton of the sampling stations at sub surface path finder creek near OOT Jetty area was 209 units/L during high tide period and 177 units/L during low tide of Spring Tide. Phytoplankton of the sampling stations at sub surface layer in the SPM area was varying from 206 units/ L during high tide period and 131 units/ L during low tide of Spring Tide.

The phytoplankton community of the sub surface water in the path finder creeks was represented by Diatoms, Blue green and Dinoflagellates during Neap tide period. Diatoms were represented by 32 genera and Blue green algae by 4 genera and Dinoflagellates by 6 genera during the sampling conducted in Neap tide in November, 2022. Phytoplankton of the sampling stations at sub surface path finder creek near OOT Jetty was varying from 244units/ L during high tide period and 200

units/L during low tide of Neap Tide. Phytoplankton of the sampling stations at sub surface path finder creek near SPM area was varying from 259 units/L during high tide period and 294 units/L during low tide of Neap Tide.

**Species Richness Indices and Diversity Indices:**

**Margalef's diversity index (Species Richness)**

Margalef's diversity index (Species Richness) of phytoplankton communities in the Kandla creek and nearby creeks sampling stations was varying from 2.184- 4.688 with an average of 3.346 during the sampling conducted in High tide period of spring tide. While Margalef's diversity index (Species Richness) S of phytoplankton communities in the Kandla creek region and nearby creeks was varying from 1.963- 3.589 with an average of 2.835 during the consecutive low tide period.

Margalef's diversity index (Species Richness) of phytoplankton communities in the stations in Kandla creek and nearby creeks was varying from 2.393-4.279 with an average of 3.586 during the sampling conducted in High tide period of Neap tide. While Margalef's diversity index (Species Richness) of phytoplankton communities in the Kandla creek region and nearby creeks was varying from 2.821- 3.86 with an average of 3.357 during consecutive low tide.

Margalef's diversity index (Species Richness) S of phytoplankton communities in the stations was 4.867 at OOT jetty area and 4.129 at SPM area during the sampling conducted in High tide period of spring tide. While Margalef's diversity index (Species Richness) S of phytoplankton communities in the path finder creek near OOT jetty was 4.443 and 3.692 at SPM during the consecutive low tide period.

Margalef's diversity index (Species Richness) of phytoplankton communities in the stations was 4.73 at OOT jetty area and 4.139 at SPM area during the sampling conducted in High tide period of Neap tide. While Margalef's diversity index (Species Richness) of phytoplankton communities in the path finder creek near OOT jetty was 4.152 and SPM area was 5.454 during the consecutive low tide period.

**Shannon-Wiener's index:**

Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.786- 1.034 between selected sampling stations with an average value of 0.925 during high tide period of spring tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.790-0.915 between selected sampling stations with an average value of 0.855 during consecutive low tide at Kandla creek and nearby creeks.

Shannon-Wiener's Index (H) of phytoplankton communities in the sampling stations was in the range of 0.867-1.022 between selected sampling stations with an average value of 0.932 during high tide period of neap tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton

communities in the sampling stations was in the range of 0.926- 1.001 between selected sampling stations with an average value of 0.951 during consecutive low tide at Kandla creek and nearby creeks. Shannon-Wiener's Index (H) of phytoplankton communities in the stations was 1.037 at OOT jetty area and 0.946 at SPM area during the sampling conducted in High tide period of spring tide. While Shannon-Wiener's Index (H) of phytoplankton communities in the path finder creek near OOT jetty was 1.043 and 0.982 at SPM during the consecutive low tide period of spring tide.

Shannon-Wiener's Index (H) of phytoplankton communities in the stations was 0.998 at OOT jetty area and 1.035 at SPM area during the sampling conducted in High tide period of Neap tide. While Shannon-Wiener's Index (H) of phytoplankton communities in the path finder creek near OOT jetty was 0.942 and at SPM area was 1.036 during the consecutive low tide period.

Typical values are generally between 1.5 and 3.5 in most ecological studies, and the index is rarely greater than 4. The Shannon-Wiener's index increases as both the richness and the evenness of the community increase. This result indicates that diversity of phytoplankton of Kandla Harbour region and nearby creeks is less but with abundant population of few, with relatively few ecological niches and only very few opportunist organisms are really well adapted to this environment and thrive better than other species.

**Simpson's diversity index:**

Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks, which was varying from 0.778-0.851 between selected sampling stations with an average of 0.823 during high tide period of spring tide. Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks except few, which was varying from 0.787-0.842 between selected sampling stations with an average of 0.814 during consecutive low tide.

Simpson diversity index (1-D) of phytoplankton communities was below 0.9 at all sampling stations except few in Kandla Harbour region and nearby creeks, during high tide period and low tide period during Neap tide also, which was varying from 0.813-0.874 with an average value of 0.847 between selected sampling stations during high tide period and 0.840-0.871 varying from with an average value of 0.858 between selected sampling stations during consecutive low tide period. Low species diversity suggests a relatively few successful species in this habitat.

Simpson diversity index (1-D) of phytoplankton communities in the stations was 0.863 at OOT jetty area and 0.820 at SPM area during the sampling conducted in High tide period of spring tide at Path finder creek. While Simpson diversity index (1-D) of phytoplankton communities in the path finder creek near OOT jetty was 0.876 and 0.867 at SPM during the consecutive low tide period in the path finder creek.

Simpson diversity index (1-D) of phytoplankton communities in the stations was 0.838 at OOT jetty area and 0.881 at SPM area during the sampling conducted in High tide period of Neap tide at Path

finder Creek. While Simpson diversity index (1-D) of phytoplankton communities in the path finder creek near OOT jetty was 0.832 and at SPM area was 0.867 during the consecutive low tide period.

**Table:-47 4PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND , NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% Of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	207	26/34	76.47	4.688	1.034	0.8511
	2	183	22/34	64.71	4.031	1.005	0.8437
	3	193	13/34	38.24	2.28	0.811	0.7778
	4	243	18/34	52.94	3.095	0.9391	0.8192
	5	193	21/34	61.76	3.8	0.9777	0.8281
	6	39	9/34	26.47	2.184	0.786	0.8178
LOW TIDE	1	178	14/34	41.18	2.509	0.8042	0.787
	2	199	20/34	58.82	3.589	0.8982	0.8075
	3	115	14/34	41.18	2.74	0.8696	0.8365
	4	154	18/34	52.94	3.375	0.915	0.8416
	5	163	11/34	32.35	1.963	0.7895	0.7957

**Table:-48 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	216	24/31	77.42	4.279	0.98	0.8568
	2	229	22/31	70.97	3.865	0.958	0.853
	3	228	22/31	70.97	3.868	1.022	0.8743
	4	299	23/31	74.19	3.859	0.8667	0.8127
	5	254	19/31	61.29	3.251	0.8929	0.8307
	6	43	10/31	32.26	2.393	0.8712	0.8571
LOW TIDE	1	183	18/31	58.06	3.263	0.9504	0.8636
	2	143	15/31	48.39	2.821	0.946	0.8666
	3	178	21/31	67.74	3.86	1.001	0.8708
	4	193	19/31	61.29	3.42	0.931	0.84
	5	193	19/31	61.29	3.42	0.9259	0.8469

**Table:-49 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND, NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	6	BLUE GREEN ALGAE	0-8	2/34	5.88
			DIATOMS	38-238	26/34	76.47
			DINOFLAGELLATES	0-11	6/34	17.65
			TOTAL PHYTO PLANKTON	<b>39-243</b>	<b>34</b>	
LOW TIDE	Sub surface	5	BLUE GREEN ALGAE	1-6	2/34	5.88
			DIATOMS	110-190	26/34	76.47
			DINOFLAGELLATES	1-7	6/34	17.65
			TOTAL PHYTO PLANKTON	<b>115-199</b>	<b>34</b>	

**TABLE:-50 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND, NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	6	BLUE GREEN ALGAE	0-6	2/31	6.45
			DIATOMS	43-293	24/31	77.42
			DINOFLAGELLATES	0-9	5/31	16.13
			TOTAL PHYTO PLANKTON	<b>43-299</b>	<b>31</b>	
LOW TIDE	Sub surface	5	BLUE GREEN ALGAE	2-6	2/31	6.45
			DIATOMS	133-186	24/31	77.42
			DINOFLAGELLATES	3-8	5/31	16.13
			TOTAL PHYTO PLANKTON	<b>143-193</b>	<b>31</b>	

**TABLE:-51 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	209	27/36	75.00	4.867	1.037	0.863
	SPM	206	23/36	63.89	4.129	0.946	0.820
LOW TIDE	Jetty	177	24/36	66.67	4.443	1.043	0.876
	SPM	131	19/36	52.78	3.692	0.982	0.867

**TABLE:-52 PHYTOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In units/L	No of Species observed /total species	% of diversity	Margalef's diversity index (Species Richness)	Shannon Weiner index H (log <sub>10</sub> )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	244	27/42	64.29	4.73	0.998	0.838
	SPM	259	24/42	57.14	4.139	1.035	0.881
LOW TIDE	Jetty	200	23/42	54.76	4.152	0.942	0.832
	SPM	294	32/42	76.19	5.454	1.036	0.867


**TABLE:-53 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPAOOT AT PATH FINDER CREEK, VADINAR & NEAR BY SPM, DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	BLUE GREEN ALGAE	14-20	5/36	13.89
			DIATOMS	180-192	25/36	69.44
			DINOFLAGELLATES	3-6	6/36	16.67
			TOTAL PHYTO PLANKTON	<b>206-209</b>	<b>36</b>	
LOW TIDE	Sub surface	2	BLUE GREEN ALGAE	12-19	5/36	13.89
			DIATOMS	118-156	25/36	69.44
			DINOFLAGELLATES	1-2	6/36	16.67
			TOTAL PHYTO PLANKTON	<b>131-177</b>	<b>36</b>	


**Table:- 54 ABUNDANCE OF PHYTOPLANKTON SUBSURFACE SAMPLING STATIONS IN DPA OOT AT PATH FINDER CREEK , VADINAR & NEAR BY SPM, DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling location	Group of phytoplankton	Phytoplankton Group range Units/L	Genera or species /total Phyto plankton	Species Composition % (Group level)
HIGH TIDE	Sub surface	2	BLUE GREEN ALGAE	5-7	4/42	9.52
			DIATOMS	238-248	32/42	76.19
			DINOFLAGELLATES	1-4	6/42	14.29
			TOTAL PHYTO PLANKTON	<b>244-259</b>		
LOW TIDE	Sub surface	2	BLUE GREEN ALGAE	4-8	4/42	9.52
			DIATOMS	194-282	32/42	76.19
			DINOFLAGELLATES	2-4	6/42	14.29
			TOTAL PHYTO PLANKTON	<b>200-294</b>		


**Species Composition % of Phytoplankton during High tide and Low tide period during spring tide in Kandla creek and nearby creeks**




**Species Composition % of Phytoplankton during High tide and Low tide period during Neap tide in Kandla creek and nearby creeks**



**Species Composition % of Phytoplankton during High tide and Low tide period during spring tide in Path Finder Creek, Vadinar**



**Species Composition % of Phytoplankton during High tide and Low tide period during Neap tide in Path Finder Creek, Vadinar**



### **ZOOPLANKTON POPULATION:**

For the evaluation of the Zooplankton population in DPA harbour area and within the immediate surroundings of the port sampling was conducted from 6 sampling locations (3 in harbour area and two in Nakti creek and one in Khoricreek) during high tide period and low tide period of spring tide and Neap tide in November, 2022. The Zooplankton community of the sub surface water in the harbour and nearby creeks during spring tide was represented by mainly six groups; Tintinnids, Copepods, Arrow worms, Mysids, Urochordata, Ciliates and 8 larval forms. The Zooplankton community of the sub surface water in the harbour and nearby creeks during neap tide was represented by mainly six groups; Tintinnids, Copepods, Arrow worms, Mysids, Urochordata, Ciliates and 6 larval forms.

Zooplankton of the sampling stations at sub surface layer in the DPA harbour area and nearby creek was varying from  $25-128 \times 10^3 \text{ N/m}^3$  during high tide and  $103-144 \times 10^3 \text{ N/m}^3$  during low tide of Spring Tide period. Zooplankton of the sampling stations at sub surface layer in the DPA harbour area and nearby creek was varying from  $19-114 \times 10^3 \text{ N/m}^3$  during high tide and  $76-106 \times 10^3 \text{ N/m}^3$  during low tide of Neap Tide period.

For the evaluation of the Zooplankton population in DPA OOT jetty area in Path Finder creek and SPM in Vadinar selected 2 sampling locations (1 in jetty area and one near SPM).

During spring tide sampling plankton sample were collected at Jetty area and near SPM during consecutive high tide period and low tide period. During Neap tide sampling Plankton samples were collected from jetty area and SPM during consecutive high tide period and low tide period.

The Zooplankton community of the sub surface water in the path finder creek during spring tide was represented by mainly four groups Tintinnids, Copepods, Urochordata, Ciliates and 4 larval forms. While the Zooplankton community of the sub surface water in the path Finder creeks at Jetty region and SPM during neap tide was represented by four groups, Tintinnids, Copepods, Arrow worms, Urochordata and 5 larval forms.

Zooplankton of the sampling stations at sub surface layer in the DPA OOT Jetty area of path finder creek was  $91 \times 10^3 \text{ N/m}^3$  during high tide and  $86 \times 10^3 \text{ N/m}^3$  during low tide of Spring Tide period. Zooplankton of the sampling stations at sub surface layer in the DPA SPM area of path finder creek was  $101 \times 10^3 \text{ N/m}^3$  during high tide and  $70 \times 10^3 \text{ N/m}^3$  during low tide of spring Tide period.

Zooplankton of the sampling stations at sub surface layer in the DPA OOT jetty area in path finder creek was recorded  $87 \times 10^3 \text{ N/m}^3$  during high tide and  $65 \times 10^3 \text{ N/m}^3$  during consecutive low tide period of Neap tide. Zooplankton of the sampling stations at sub surface layer in the DPASPM area in path finder creek was recorded  $64 \times 10^3 \text{ N/m}^3$  during high tide and  $87 \times 10^3 \text{ N/m}^3$  during consecutive low tide period of Neap Tide.

**Species Richness Indices and Diversity Indices:**

**Margalef's diversity index (Species Richness)**

Margalef's diversity index (Species Richness) of Zooplankton communities in the stations Kandla creek region and nearby creeks was varying from 2.175- 5.186 with an average of 3.450 during the sampling conducted in High tide period. Margalef's diversity index (Species Richness) of Zooplankton communities varying from 2.373-3.823 with an average of 3.261 during the sampling conducted in low tide period during Spring tide.

Margalef's diversity index (Species Richness) of Zooplankton communities in the Kandla creek region and nearby creeks sampling stations were varying from 1.358-3.858 with an average of 2.930 during the sampling conducted in high tide and varying from 2.289- 4.618 with an average of 3.513 during the sampling conducted in low tide during Neap tide period.

Margalef's diversity index (Species Richness) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive high tide period and low tide of spring tide was recorded as 1.995 and 1.796 respectively. Margalef's diversity index (Species Richness) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive high tide period and low tide of spring tide was recorded as 2.600 and 2.118 respectively.

Margalef's diversity index (Species Richness) of Zooplankton communities near Jetty at Path finder creek were varying from 3.807 and 2.396 respectively during the sampling conducted in consecutive high tide period and Low tide period of Neap tide. While Margalef's diversity index (Species Richness) of Zooplankton communities near SPM at Path finder creek were varying from 2.645-3.135 respectively during the consecutive high tide and low tide period.

**Shannon-Wiener's index:**

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.778-1.164 between selected sampling stations with an average value of 0.939 during high tide period of spring tide. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.795-1.015 between selected sampling stations with an average value of 0.938 during consecutive low tide period.

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range of 0.490-0.914 between selected sampling stations with an average value of 0.805 during high tide period of Neap tide. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling stations in Kandla Harbour region and nearby creeks was in the range 0.797-1.041 of between selected sampling stations with an average value of 0.928 during consecutive low tide period.

Shannon-Wiener's Index (H) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.816-0.793 respectively. Shannon-Wiener's Index (H) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.834-0.808 respectively.

Shannon-Wiener's Index (H) of Zooplankton communities near jetty at Path finder creek was varying from 0.956-0.755 respectively during the sampling conducted consecutive high tide period and low tide period of Neap tide. While Shannon-Wiener's Index (H) of Zooplankton communities near SPM at Path finder creek was varying from 0.775-0.751 during the consecutive high tide and low tide period.

Typical values are generally between 1.5 and 3.5 in most ecological studies, and the index is rarely greater than 4. The Shannon-Wiener's index increases as both the richness and the evenness of the community increase. This result indicates that diversity of Zooplankton of Kandla Harbour region and nearby creeks stations is slightly high with very minimum diverse population but very few opportunist organisms are really well adapted to this environment and thrive better than other species.

**Simpson's diversity index:**

Simpson diversity index (1-D) of Zooplankton communities was below 0.9 most of sampling stations in the Kandla Harbour region and nearby creeks during high tide and low tide of spring tide period except few stations, which was varying from 0.780-0.909 between selected sampling stations with an average of 0.837 during high tide period and was varying from 0.785- 0.864 with an average value of 0.837 between selected sampling stations during low tide.

Simpson diversity index (1-D) of Zooplankton communities was below 0.9 at all sampling stations in the Kandla Harbour region and nearby creeks during high tide and low tide period of Neap tide except few, which was varying from 0.591-0.827 between selected sampling stations with an average of 0.753 during high tide period and was varying from 0.793-0.852 with an average value of 0.820 between selected sampling stations during consecutive low tide. This species diversity suggests a relatively few successful species in this habitat during November, 2022 sampling.

Simpson diversity index (1-D) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.821 and 0.815 respectively. Simpson diversity index (1-D) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.812 and 0.828 respectively.

Simpson diversity index (1-D) of Zooplankton communities in the sampling station near jetty at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of Neap tide was recorded as 0.836- 0.766 respectively. Simpson diversity index (1-D) of Zooplankton communities in the sampling station near SPM at Path Finder Creek, Vadinar during the sampling conducted in consecutive High tide period and low tide of spring tide was recorded as 0.768 and 0.719 respectively.

**TABLE:-55 ZOOPLANKTON VARIATION IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $N \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H ( $\log_{10}$ )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	124	26/33	78.79	5.186	1.164	0.9089
	2	114	18/33	54.55	3.589	0.8655	0.7802
	3	102	16/33	48.48	3.243	0.9207	0.8189
	4	128	17/33	51.52	3.298	0.9062	0.8124
	5	107	16/33	48.48	3.21	0.997	0.8686
	6	25	8/33	24.24	2.175	0.7777	0.83
LOW TIDE	1	117	16/33	48.48	3.15	0.9709	0.8609
	2	144	20/33	60.61	3.823	0.9468	0.8238
	3	121	19/33	57.58	3.753	1.015	0.8639
	4	108	16/33	48.48	3.204	0.9609	0.8505
	5	103	12/33	36.36	2.373	0.7949	0.7853

**TABLE:-56 ZOOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA HARBOUR AREA AT KANDLA CREEK AND NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $No \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index H ( $\log_{10}$ )	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	1	82	18/32	56.25	3.858	0.9017	0.7814
	2	99	16/32	50.00	3.264	0.9138	0.8273
	3	89	13/32	40.63	2.673	0.8264	0.7763
	4	114	18/32	56.25	3.589	0.8478	0.7645
	5	98	14/32	43.75	2.835	0.8503	0.7766
	6	19	5/32	15.63	1.358	0.4901	0.5906
LOW TIDE	1	79	11/32	34.38	2.289	0.797	0.7932
	2	76	21/32	65.63	4.618	1.041	0.8516
	3	106	21/32	65.63	4.289	1.026	0.8446
	4	90	15/32	46.88	3.111	0.9087	0.8177
	5	100	16/32	50.00	3.257	0.865	0.7939

**Table:-57 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS  
IN DPA HARBOUR AREAATKANDLA CREEK AND NEAR BY CREEKS DURING  
SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	6	tintinnids	9-26	11/33	33.33
			Copepods	11-51	9/33	27.27
			Arrow worms	0-1	1/33	3.03
			Mysids	0-2	1/33	3.03
			Urochordata	1-6	2/33	6.06
			Ciliates	0-2	1/33	3.03
			Larval forms	4-50	8/33	24.25
			TOTAL ZOOPLANKTON N/ M <sup>3</sup>	<b>25-128</b>	<b>33</b>	
LOW TIDE	Sub surface	5	Tintinnids	18-33	11/33	33.33
			Copepods	37-49	9/33	27.27
			Arrow worms	0-4	1/33	3.03
			Mysids	0-2	1/33	3.03
			Urochordata	0-2	2/33	6.06
			Ciliates	0-2	1/33	3.03
			Larval forms	41-65	8/33	24.25
			TOTAL ZOOPLANKTON N/M <sup>3</sup>	<b>103-144</b>	<b>33</b>	

**TABLE:-58 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA HARBOUR AREA IN KANDLA CREEK AND, NEAR BY CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	6	Tintinnids	0-14	10/32	31.25
			Copepods	6-49	10/32	31.25
			Arrow worms	0	1/32	3.13
			Mysids	0-6	2/32	6.25
			Urochordata	0-4	2/32	6.25
			Ciliates	0-2	1/32	3.13
			Larval forms	13-50	6/32	18.74
			TOTAL ZOOPLANKTON $N/M^3$	<b>19-114</b>	<b>32</b>	
LOW TIDE	Sub surface	5	tintinnids	4-17	10/32	31.25
			Copepods	25-45	10/32	31.25
			Arrow worms	0-2	1/32	3.13
			Mysids	0-6	2/32	6.25
			Urochordata	0-5	2/32	6.25
			Ciliates	0-1	1/32	3.13
			Larval forms	27-47	6/32	18.74
			TOTAL ZOOPLANKTON $N/M^3$	<b>76-106</b>	<b>32</b>	

**Table:-59 ZOOPLANKTON VARIATIONS IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance $In \times 10^3 N / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index $H (\log_{10})$	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	91	10/20	50.00	1.995	0.816	0.821
	SPM	101	13/20	65.00	2.6	0.834	0.812
LOW TIDE	Jetty	86	9/20	45.00	1.796	0.793	0.815
	SPM	70	10/20	50.00	2.118	0.808	0.828

**TABLE:-60 ZOOPLANKTON VARIATION IN ABUNDANCE AND DIVERSITY IN SUB SURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Sampling Station	Abundance In $N \times 10^3 / m^3$	No of Species/groups observed /total species/group	% of diversity	Margalef's diversity index (Species Richness S)	Shannon Weiner index $H (\log_{10})$	Diversity Index (Simpson's Index) 1-D
HIGH TIDE	Jetty	87	18/21	85.71	3.807	0.956	0.836
	SPM	64	12/21	57.14	2.645	0.775	0.768
LOW TIDE	Jetty	65	11/21	52.38	2.396	0.755	0.766
	SPM	87	15/21	71.43	3.135	0.751	0.719


**Table:-61 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA OOT AREA AND PATH FINDER CREEK AND NEAR BY SPM DURING SPRING TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton $\times 10^3 / m^3$ Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	Tintinnids	24-32	5/20	25.00
			Copepods	28-38	8/20	40.00
			Urochordata	1-2	2/20	10.00
			Ciliates	0-1	1/20	5.00
			Larval forms	30-36	4/20	20.00
			<b>TOTAL ZOOPLANKTON</b>	<b>91-101</b>	<b>20</b>	
LOW TIDE	Sub surface	2	Tintinnids	17-21	5/20	25.00
			Copepods	30-37	8/20	40.00
			Urochordata	0	2/20	10.00
			Ciliates	0	1/20	5.00
			Larval forms	19-32	4/20	20.00
			<b>TOTAL ZOOPLANKTON</b>	<b>70-86</b>	<b>20</b>	


**TABLE:-62 ABUNDANCE OF ZOOPLANKTON IN SUBSURFACE SAMPLING STATIONS IN DPA OOT AREA AT PATH FINDER CREEK AND NEAR BY SPM DURING NEAP TIDE IN NOVEMBER 2022**

Tide	Surface	No of Sampling locations	Group of Zooplankton	Abundance of Zooplankton x10 <sup>3</sup> / m <sup>3</sup> Group Range	Genera or species /total Zooplankton	Taxon Diversity % (Group level)
HIGH TIDE	Sub surface	2	tintinnids	9-16	7/21	33.33
			Copepods	23-34	6/21	28.57
			Arrow worms	0	1/21	4.76
			Urochordata	0-2	2/21	9.52
			Larval forms	32-35	5/21	23.82
			<b>TOTAL ZOOPLANKTON</b>	<b>64-87</b>	<b>21</b>	
LOW TIDE	Sub surface	2	tintinnids	6-9	7/21	33.33
			Copepods	29	6/21	28.57
			Arrow worms	0-1	1/21	4.76
			Urochordata	0-3	2/21	9.52
			Larval forms	27-48	5/21	23.82
			<b>TOTAL ZOOPLANKTON</b>	<b>65-87</b>	<b>21</b>	


**Species Composition % of Zooplankton during High tide and Low tide period of spring tide In Kandla Creek and nearby Creeks**




**Species Composition % of Zooplankton during High tide and Low tide period of Neap tide In Kandla Creek and nearby Creeks**



**Species Composition % of Zooplankton during High tide and Low tide period of Spring tide In Path Finder Creek and near Jetty**



**Species Composition % of Zooplankton during High tide and Low tide period of Neap tide In Path Finder Creek near jetty and nearby SPM**



**TABLE:-63 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING NEAP TIDE OF NOVEMBER 2022**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Oscillatoria sp.</i>	B1	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B2	Very sparse
Coccinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphiasp</i>	D1	Abundant
	Chaetocerotales	Chaetocerotaceae	<i>Bacteriastrum sp</i>	D2	Very sparse
			<i>Chaetoceros sp.</i>	D3	Scattered
	Corethrales	Corethraceae	<i>Corethron sp</i>	D4	Very sparse
	Coccinodiscales	Coccinodiscaceae	<i>Coccinodiscus sp.</i>	D5	Dominant
	Hemiaulales	Bellerocheaceae	<i>Bellerochea sp</i>	D6	Very sparse
		Streptothecaceae	<i>Helicotheca sp</i>	D7	Very sparse
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D8	Sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp</i>	D9	Dominant
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniellasp</i>	D10	Very sparse
		Skeletonemataceae	<i>Skeletonemasp</i>	D11	Abundant
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D12	Very sparse
<i>Triceratium sp.</i>			D13	Very sparse	
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D14	Very sparse
			<i>Nitzschia sp</i>	D15	Sparse
			<i>Pseudo-nitzschia sp.</i>	D16	Very sparse
	Naviculales	<u>Pleurosigma</u> aceae	<i>Pleurosigma sp.</i>	D17	Very sparse
Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D18	Very sparse	
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp</i>	D19	Scattered
			<i>Fragilariasp</i>	D20	Very sparse
			<i>Synedrasp</i>	D21	Very sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

	Striatellales	Striatellaceae	<i>Grammatophora sp</i>	D22	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D23	Sparse
			<i>Thalassiothrix sp.</i>	D24	Very sparse
Noctiluca / Noctiluciphyceae (Dinokaryota)	Noctilucales	Noctilucaceae	<i>Noctiluca sp.</i>	DF1	Sparse
Dinophyceae	Peridinales	Protopteridiniaceae	<i>Protopteridinium sp.</i>	DF2	Very sparse
	Gonyaulacales	Pyrophacaceae	<i>Pyrophacus sp.</i>	DF3	Very sparse
		Ceratiaceae	<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium tripos</i>	DF5	Very sparse

**TABLE:-64 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Oscillatoria sp.</i>	B1	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B2	Very sparse
Coccinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphiasp</i>	D1	Sparse
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros sp.</i>	D2	Abundant
	Corethrales	Corethraceae	<i>Corethron sp</i>	D3	Very sparse
	Coccinodiscales	Coccinodiscaceae	<i>Coccinodiscus sp.</i>	D4	Abundant
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D5	Sparse
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp</i>	D6	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp</i>	D7	Scattered
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniellasp</i>	D8	Very sparse
		Lauderiaceae	<i>Lauderia sp</i>	D9	Very sparse
		Skeletonemataceae	<i>Skeletonemasp</i>	D10	Dominant
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D11	Very sparse
<i>Triceratium sp.</i>			D12	Very sparse	
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D13	Very sparse
			<i>Nitzschia sp</i>	D14	Very sparse
			<i>Pseudo-nitzschia sp.</i>	D15	Very sparse
	Naviculales	Naviculaceae	<i>Navicula sp.</i>	D16	Very sparse
		Plagiotropidaceae	<i>Plagiotropis sp</i>	D17	Very sparse
		<u>Pleurosigmataceae</u>	<i>Pleurosigma sp.</i>	D18	Sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D19	Very sparse
Surirellaceae		<i>Surirella sp.</i>	D20	Very sparse	
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp</i>	D21	Sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

			<i>Fragilariasp</i>	D22	Very sparse
			<i>Synedrasp</i>	D23	Sparse
	Striatellales	Striatellaceae	<i>Grammatophora sp</i>	D24	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D25	Scattered
<i>Thalassiothrix sp.</i>			D26	Sparse	
Noctiluca / Noctiluciphyceae (Dinokaryota)	Noctilucales	Noctilucaceae	<i>Noctiluca sp.</i>	DF1	Sparse
Dinophyceae	Peridiniales	Protopteridiniaceae	<i>Protopteridinium sp.</i>	DF2	Very sparse
	Gonyaulacales	Ceratiaceae	<i>Ceratium breve</i>	DF3	Very sparse
			<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium fusus</i>	DF5	Very sparse
			<i>Ceratium tripos</i>	DF6	Very sparse

**TABLE:-65 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINARDURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Nostocales	Oscillatoriaceae	<i>Lyngbya sp.</i>	B1	Very sparse
			<i>Oscillatoria sp.</i>	B2	Very sparse
			<i>Spirulina sp.</i>	B3	Very sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B4	Very sparse
Coscinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphi</i> sp	D1	Scattered
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros</i> sp	D2	Scattered
	Corethrales	Corethraceae	<i>Corethron sp</i>	D3	Very sparse
	Coscinodiscales	Coscinodiscaceae	<i>Coscinodiscus sp.</i>	D4	Dominant
	Hemiaulales	Bellerocheaceae	<i>Belleroche</i> sp	D5	Very sparse
		Hemiaulaceae	<i>Cerataulina sp.</i>	D6	Very sparse
			<i>Eucampia sp</i>	D7	Very sparse
		Streptothecaceae	<i>Helicotheca sp</i>	D8	Very sparse
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp</i>	D9	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum</i> sp	D10	Abundant
	Rhizosoleniales	Rhizosoleniaceae	<i>Dactyliosolen sp.</i>	D11	Very sparse
			<i>Rhizosolenia sp.</i>	D12	Sparse
	Thalassiosirales	Skeletonemataceae	<i>Skeletonema sp.</i>	D13	Abundant
		Lauderiaceae	<i>Lauderia sp</i>	D14	Very sparse
		Thalassiosiraceae	<i>Planktoniella</i> sp	D15	Very sparse
Triceratiales	Triceratiaceae	<i>Odontella</i> sp	D16	Very sparse	
		<i>Triceratium</i> sp	D17	Very sparse	
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria</i> sp.	D18	Abundant
			<i>Nitzschia sp</i>	D19	Very sparse

			<i>Pseudo-nitzschiasp</i>	D20	Scattered
	Naviculales	Naviculaceae	<i>Meuniera sp.</i>	D21	Very sparse
			<i>Navicula sp</i>	D22	Very sparse
		Pinnulariaceae	<i>Pinnulariasp</i>	D23	Very sparse
		<u>Pleurosigmataceae</u>	<i>Pleurosigma sp</i>	D24	Very sparse
	Surirellales	Entomoneidaceae	<i>Entomoneis sp.</i>	D25	Very sparse
Surirellaceae		<i>Surirellasp</i>	D26	Very sparse	
Fragilariophyceae	Climacospheniales	Climacospheniaceae	<i>Climacosphenia sp.</i>	D27	Very sparse
	Fragilariales	Fragilariaceae	<i>Asterionellopsis sp.</i>	D28	Very sparse
			<i>Synedra sp.</i>	D29	Very sparse
	Striatellales	Striatellaceae	<i>Striatellasp</i>	D30	Very sparse
	Thalassionematales	Thalassionemataceae	<i>Thalassionema sp.</i>	D31	Sparse
<i>Thalassiothrix sp.</i>			D32	Sparse	
Dinophyceae	Peridinales	Protoperidiniaceae	<i>Protoperidinium sp.</i>	DF1	Very sparse
	Dinophysales	Dinophysaceae	<i>Dinophysis sp.</i>	DF2	Very sparse
	Gonyaulacales	Pyrophacaceae	<i>Pyrophacus sp.</i>	DF3	Very sparse
		Ceratiaceae	<i>Ceratium furca</i>	DF4	Very sparse
			<i>Ceratium fusus</i>	DF5	Very sparse
			<i>Ceratium tripos</i>	DF6	Very sparse

**TABLE:-66 SYSTEMATIC ACCOUNT OF PHYTOPLANKTON IN THE SAMPLING LOCATIONS IN OF DPAOOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINAR DURING AND SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	Relative Abundance
Cyanophyceae	Chroococcales	Chroococcaceae	<i>Merismopedia sp.</i>	B1	Very sparse
	Nostocales	Oscillatoriaceae	<i>Lyngbya sp.</i>	B2	Very sparse
			<i>Oscillatoria sp.</i>	B3	Sparse
	Oscillatoriales	Phormidiaceae	<i>Planktothrix sp.</i>	B4	Very sparse
	Stigonematales	Stigonemataceae	<i>Stigonema sp.</i>	B5	Very sparse
Coccinodiscophyceae	Biddulphiales	Biddulphiaceae	<i>Biddulphia</i> sp	D1	Sparse
	Chaetocerotales	Chaetocerotaceae	<i>Chaetoceros sp.</i>	D2	Dominant
	Corethrales	Corethraceae	<i>Corethron sp</i>	D3	Very sparse
	Coccinodiscales	Coccinodiscaceae	<i>Coccinodiscus sp.</i>	D4	Abundant
	Hemiaulales	Bellerucheaceae	<i>Belleruche sp</i>	D5	Very sparse
		Hemiaulaceae	<i>Cerataulina sp.</i>	D6	Very sparse
		Streptothecaceae	<i>Helicotheca sp</i>	D7	Very sparse
	Rhizosoleniales	Rhizosoleniaceae	<i>Rhizosolenia sp.</i>	D8	Scattered
	Leptocylindrales	Leptocylindraceae	<i>Leptocylindrus sp</i>	D9	Very sparse
	Lithodesmiales	Lithodesmiaceae	<i>Ditylum sp</i>	D10	Abundant
	Thalassiosirales	Thalassiosiraceae	<i>Planktoniella</i> sp	D11	Very sparse
		Lauderiaceae	<i>Lauderia sp</i>	D12	Very sparse
	Triceratiales	Triceratiaceae	<i>Odontella sp.</i>	D13	Sparse
<i>Triceratium sp.</i>			D14	Very sparse	
Bacillariophyceae	Bacillariales	Bacillariaceae	<i>Bacillaria sp.</i>	D15	Scattered
			<i>Nitzschia sp</i>	D16	Very sparse
			<i>Pseudo-nitzschia sp.</i>	D17	Sparse
	Naviculales	Pinnulariaceae	<i>Pinnulariasp</i>	D18	Very sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

		<u>Pleurosigmataceae</u>	<i>Pleurosigma</i> sp.	D19	Very sparse	
	Surirellales	Entomoneidaceae	<i>Entomoneis</i> sp.	D20	Very sparse	
		Surirellaceae	<i>Surirella</i> sp.	D21	Very sparse	
Fragilariophyceae	Fragilariales	Fragilariaceae	<i>Asterionellopsis</i> sp	D22	Sparse	
			<u><i>Synedrasp</i></u>	D23	Very sparse	
	Thalassionematales	Thalassionemataceae	<i>Thalassionema</i> sp.	D24	Sparse	
			<i>Thalassiothrix</i> sp.	D25	Very sparse	
Dinophyceae	Peridinales	Protopteridiniaceae	<i>Protopteridinium</i> sp.	DF1	Very sparse	
	Dinophysales	Dinophysaceae	<i>Dinophysis</i> sp.	DF2	Very sparse	
	Gonyaulacales	Ceratiaceae	Pyrophacaceae	<i>Pyrophacus</i> sp.	DF3	Very sparse
			<i>Ceratium furca</i>	DF4	Very sparse	
			<i>Ceratium fusus</i>	DF5	Very sparse	
			<i>Ceratium tripos</i>	DF6	Very sparse	

**TABLE:-67 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnus</i> sp.	T1	Very sparse
		Codonellidae	<i>Tintinnopsis dadayi</i>	T2	Very sparse
			<i>Tintinnopsis failakkaensis</i>	T3	Very sparse
			<i>Tintinnopsis gracilis</i>	T4	Very sparse
			<i>Tintinnopsis mortensenii</i>	T5	Very sparse
			<i>Tintinnopsis radix</i>	T6	Very sparse
			<i>Tintinnopsis tocaninensis</i>	T7	Very sparse
		Tintinnidae	<i>Amphorellopsis</i> sp.	T8	Very sparse
			<i>Eutintinnus</i> sp.	T9	Very sparse
		Xystonellidae	<i>Favella</i> sp.	T10	Very sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus</i> sp.	C1	Sparse
			<i>Parvocalanus</i> sp.	C2	Very sparse
		Acartiidae	<i>Acartia</i> sp.	C3	Very sparse
		Clausocalanidae	<i>Clausocalanus</i> sp.	C4	Very sparse
		Centropagidae	<i>Centropages</i> sp.	C5	Very sparse
		Temoridae	<i>Temora</i> sp.	C6	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona</i> sp.	C7	Abundant
	Harpacticoida	Ectinosomatidae	<i>Microsetella</i> sp.	C8	Scattered
		Euterpinae	<i>Euterpina</i> sp.	C9	Sparse
	Poecilostomatoida	Oncaeidae	<i>Oncaea</i> sp.	C10	Very sparse
Sagittoidea	Aphragmophora	Sagittidae	<i>Sagitta</i> sp.	A1	Very sparse
Malacostraca	Mysida, Decapoda	Penaeidae	<i>Metapenaeus</i> sp.	M1	Very sparse
		Solenoceridae	<i>Solenocera</i> sp.	M2	Very sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium sp.</i>	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca Decapoda			Brachyuran zoea	L2	Very sparse
Maxillopoda Thecostraca			Cirripede larvae	L3	Very sparse
			Cyphonautes larvae	L4	Very sparse
			Ophiopluteus larvae	L5	Very sparse
Polychaeta			Trochophore larvae	L6	Very sparse

**TABLE:-68 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING OF DPA HARBOUR AREA AT KANDLA CREEK AND NEARBY CREEKS DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnus</i> sp.	T1	Scattered
		Codonellidae	<i>Tintinnopsis dadayi</i>	T2	Very sparse
			<i>Tintinnopsis failakkaensis</i>	T3	Very sparse
			<i>Tintinnopsis gracilis</i>	T4	Very sparse
			<i>Tintinnopsis mortensenii</i>	T5	Very sparse
			<i>Tintinnopsis radix</i>	T6	Sparse
			<i>Tintinnopsis tocaninensis</i>	T7	Very sparse
		Metacyclidiidae	<i>Metacyclis</i> sp.	T8	Very sparse
		Tintinnidae	<i>Amphorellopsis</i> sp.	T9	Very sparse
			<i>Eutintinnus</i> sp.	T10	Very sparse
		Xystonellidae	<i>Favella</i> sp.	T11	Sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus</i> sp.	C1	Scattered
			<i>Parvocalanus</i> sp.	C2	Very sparse
		Acartiidae	<i>Acartia</i> sp.	C3	Very sparse
		Clausocalanidae	<i>Clausocalanus</i> sp.	C4	Very sparse
		Centropagidae	<i>Centropages</i> sp.	C5	Very sparse
		Eucalanidae	<i>Subeucalanus</i> sp.	C6	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona</i> sp.	C7	Abundant
	Harpacticoida	Ectinosomatidae	<i>Microsetella</i> sp.	C8	Sparse
		Euterpinae	<i>Euterpina</i> sp.	C9	Sparse
Sagittoidea	Aphragmophora	Sagittidae	<i>Sagitta</i> sp.	A1	Very sparse
Malacostraca	Mysida, Decapoda	Solenoceridae	<i>Solenocera</i> sp.	M1	Very sparse

Environmental Monitoring Report of Deendayal Port Authority, November - 2022

Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium sp.</i>	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca			Brachyuran zoea	L2	Sparse
Decapoda					
Maxillopoda			Cirripede larvae	L3	Very sparse
Thecostraca					
			Cyphonautes larvae	L4	Very sparse
			Ophiopluteus larvae	L5	Very sparse
Gastropoda			Opisthobranchia larvae	L6	Very sparse
Streptoneura					
Polychaeta			Trochophore larvae	L7	Sparse
Pelecypoda			Veliger larvae of bivalves	L8	Very sparse

**TABLE:-69 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINARDURING NEAP TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnussp.</i>	T1	Sparse
		Codonellidae	<i>Tintinnopsisfailakkaensis</i>	T2	Very sparse
			<i>Tintinnopsis gracilis</i>	T3	Very sparse
			<i>Tintinnopsis radix</i>	T4	Very sparse
			<i>Tintinnopsis tocantinensis</i>	T5	Very sparse
		Tintinnidae	<i>Amphorellopsis sp.</i>	T6	Very sparse
		Xystonellidae	<i>Favella sp.</i>	T7	Very sparse
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus sp.</i>	C1	Scattered
			<i>Parvocalanus sp.</i>	C2	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona sp.</i>	C3	Abundant
	Harpacticoida	Euterpinae	<i>Euterpina sp.</i>	C4	Very sparse
		Ectinosomatidae	<i>Microsetellasp.</i>	C5	Very sparse
	Poecilostomatatoida	Oncaeidae	<i>Oncaea sp.</i>	C6	Very sparse
Sagittoidea	Aphragmophora	Sagittidae	<i>Sagitta sp.</i>	A1	Very sparse
Appendicularia		Fritillariidae	<i>Fritillaria sp.</i>	U1	Very sparse
		Oikopleuridae	<i>Oikopleura sp.</i>	U2	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Maxillopoda Thecostraca			Cirripede larvae	L2	Very sparse
Gastropoda Streptoneura			Opisthobranchia larvae	L3	Very sparse
Polychaeta			Trochophore larvae	L4	Very sparse
Pelecypoda			Veliger larvae of bivalves	L5	Very sparse

**TABLE:-70 SYSTEMATIC ACCOUNT OF ZOOPLANKTON FROM THE SAMPLING LOCATIONS OF DPA OOT AREA AT PATH FINDER CREEK AND NEARBY SPM AT VADINAR DURING SPRING TIDE OF NOVEMBER 2022:**

CLASS	ORDER	FAMILY	GENUS/SPECIES	#	RELATIVE ABUNDANCE
Spirotrichea	Tintinnida	Tintinnidiidae	<i>Leprotintinnus</i> sp.	T1	Abundant
		Codonellidae	<i>Tintinnopsis gracilis</i>	T2	Very sparse
			<i>Tintinnopsis mortensenii</i>	T3	Very sparse
			<i>Tintinnopsis radix</i>	T4	Very sparse
		Xystonellidae	<i>Favella</i> sp.	T5	Scattered
Crustacea Subclass: Copepoda	Calanoida	Paracalanidae	<i>Acrocalanus</i> sp.	C1	Sparse
			<i>Parvocalanus</i> sp.	C2	Very sparse
		Centropagidae	<i>Centropages</i> sp.	C3	Very sparse
		Tortanidae	<i>Tortanus</i> sp.	C4	Very sparse
	Cyclopoida	Oithonidae	<i>Oithona</i> sp.	C5	Abundant
		Euterpinae	<i>Euterpina</i> sp.	C6	Very sparse
	Harpacticoida	Ectinosomatidae	<i>Microsetella</i> sp.	C7	Scattered
	Poecilostomatoida	Corycaeidae	<i>Corycaeus</i> sp.	C8	Very sparse
Appendicularia		Fritillariidae	<i>Fritillaria</i> sp.	U1	Very sparse
		Oikopleuridae	<i>Oikopleura</i> sp.	U2	Very sparse
Oligohymenophorea	Sessilida	Zoothamniidae	<i>Zoothamnium</i> sp.	CI1	Very sparse
Copepoda			Nauplius larvae of copepods	L1	Dominant
Malacostraca Decapoda			Brachyuran zoea	L2	Very sparse
Gastropoda Streptoneura			Opisthobranchia larvae	L3	Very sparse
Pelecypoda			Veliger larvae of bivalves	L4	Very sparse

**BENTHIC ORGANISMS:**

Few Benthic organisms were observed in the collected sediments by using the Van-Veen grabs during the sampling conducted during spring tide period and Neap tide period from DPA harbour region and nearby creek. The Meio-benthic organisms during spring tide were represented by Polychaetes *Tharyx spand Nereis sp.*, during Neap tide by *Neries sp.* and few Amphipods. Population of benthic fauna was varying from 10-60- N/m<sup>2</sup> during spring tide and 0-80 N/m<sup>2</sup> during Neap tide. The benthic communities at path finder Creek were represented by Polychaetes *Glycera sp. Cirratulus sp. Nereis sp.* and few Amphipods. Their population was varying as 60 N/m<sup>2</sup> at OOT jetty premises and 80 N/m<sup>2</sup> near the SPM area during spring tide and 50 N/m<sup>2</sup> at OOT jetty premises and 50 N/m<sup>2</sup> near the SPM area during Neap tide period.

**Table:-71 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA HARBOUR AREA CREEKS DURING SPRING TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS						
REPRESENTATION BY GROUP	DPA HARBOUR			CREEKS		
<b>Benthic fauna</b>						
<b>POLYCHAETES</b>	DPA-1	DPA-2	DPA-3	DPA-4	DPA-5	DPA-6
Family : CIRRATULIDAE <i>Tharyxsp.</i>	20	10	10	0	0	NS
Family :NEREIDAE <i>Nereis sp.</i>	0	0	0	20	40	NS
<b>AMPHIPODA</b>	0	0	0		20	NS
<b>TOTAL Benthic Fauna NUMBER/ M<sup>2</sup></b>	20	10	10	20	60	NS

NS: No sample

**Table:-72 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA HARBOUR AREA CREEKS DURING NEAP TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS						
REPRESENTATION BY GROUP	DPA HARBOUR			CREEKS		
<b>Benthic fauna</b>						
<b>POLYCHAETES</b>	DPA-1	DPA-2	DPA-3	DPA-4	DPA-5	DPA-6
Family :NEREIDAE <i>Nereis sp.</i>	0	0	0	40	60	NS
<i>Amphipoda</i>	0	20	10	10	20	NS
<b>TOTAL Benthic Fauna NUMBER/M<sup>2</sup></b>	0	20	10	50	80	NS

DCPL/DPA/21-22/31–November-2022

**Table:-73 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA OOT JETTY AREA, VADINAR DURING SPRING TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS		
REPRESENTATION BY GROUP	OOT Jetty Area	SPM area
<b>POLYCHAETES</b>		
Family : Glyceride <i>Glycerasp.</i>	20	40
Family : CIRRATULIDAE <i>Cirratulussp.</i>	0	20
Family: <i>NEREIDAE</i> <i>Nereis sp.</i>	30	10
<i>Amphipoda</i>	10	20
TOTAL Benthic Fauna NUMBER/ M <sup>2</sup>	60	80

**Table:-74 BENTHIC FAUNA IN THE SAMPLING LOCATIONS IN DPA OOT JETTY AREA, VADINAR DURING NEAP TIDE IN NOVEMBER 2022**

ABUNDANCE IN NO/M <sup>2</sup> DIFFERENT SAMPLING STATIONS		
REPRESENTATION BY GROUP	OOT Jetty Area	SPM area
<b>POLYCHAETES</b>		
Family : Glyceridase <i>Glycera sp.</i>	20	40
Family: <i>NEREIDAE</i> <i>Nereis sp.</i>	30	10
TOTAL Benthic Fauna NUMBER/ M <sup>2</sup>	50	50

## CHAPTER-11

### CONCLUSIVE SUMMARY & REMEDIAL MEASURES

## 11.0 Conclusive Summary and Remedial measures Suggested

- The AAQ monitoring of six locations at Deendayal Port Authority indicates that the mean  $PM_{10}$  and  $PM_{2.5}$  values for four locations viz. Marine Bhavan, Oil Jetty, Estate Office and Coal storage area were found higher than the permissible limit (standards  $100 \mu\text{g}/\text{m}^3$ ,  $60 \mu\text{g}/\text{m}^3$ ). The higher concentration of Particulate matter at Marine Bhavan may be due to vehicles emissions during loading-unloading of food grains and timbers; at Estate office due to construction work, vehicles emission produced from trucks, heavy duty vehicles that pass through the road outside Kandla port and Oil jetty area; while at Coal Storage area lifting of coal from grab yard and other coal handling processes. Moreover, the transportation of coal produces pollution from heavy vehicles. At Tuna Port location, concentration of  $PM_{10}$  varied from  $88-175 \mu\text{g}/\text{m}^3$  and mean value was observed  $145 \mu\text{g}/\text{m}^3$  which was exceed the prescribed standard limit ( $100 \mu\text{g}/\text{m}^3$ ), concentration of  $PM_{2.5}$  was ranged from  $47-87 \mu\text{g}/\text{m}^3$  and mean was found  $71 \mu\text{g}/\text{m}^3$  which was exceed the standard limit ( $60 \mu\text{g}/\text{m}^3$ ). At Gopalpuri  $PM_{10}$  concentration ranged from  $67-168 \mu\text{g}/\text{m}^3$  and mean was  $127 \mu\text{g}/\text{m}^3$  while  $PM_{2.5}$  concentration ranged from  $34-94 \mu\text{g}/\text{m}^3$  and mean was  $66 \mu\text{g}/\text{m}^3$  were found exceed standard limit prescribed by NAAQS.
- At Vadinar, the average concentration of  $PM_{10}$  was  $114 \mu\text{g}/\text{m}^3$  and  $PM_{2.5}$  was  $74 \mu\text{g}/\text{m}^3$  at Admin Colony which was slightly exceed the standard limit while at Signal building the mean concentration  $PM_{10}$  was  $100 \mu\text{g}/\text{m}^3$  and  $PM_{2.5}$  was  $61 \mu\text{g}/\text{m}^3$  which were very close to standard limit.
- During winter, the concentration of  $PM_{10}$  and  $PM_{2.5}$  has been slowly augmented and reached a peak in the evening due to surface inversion of temperature after sunset. Thus, the pollutants are subsequently trapped in the lower layer of the atmosphere due to high atmospheric air pressure.
- Further, precautionary measures and management strategies to minimize the effect of particulate as well as gaseous pollutants have also been suggested for achieving its ambient levels in and around Kandla Port and Vadinar Port, Gujarat, India.
- Drinking water at all the twenty locations was found potable and it was found within in line of BIS standards (IS: 10500-2012).
- Transportation systems are the main source of noise pollution in project areas. Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading

containers and ships. All sampling location were within the permissible limit day time 75 dB (A) and night time 70 dB (A) for the industrial area.

- The treated sewage water of Kandla STP, Deendayal Port Colony (Gopalpuri) STP and Vadinar were in line with the standards set by the Central Pollution Control Board.
- It was suggested to monitor the STP performance on regular basis to avoid flow of contamination / Polluted water into the sea.
- Good species diversity suggests a relatively successful species in this habitat. A greater number of successful species and a more stable ecosystem. More ecological niches are available and the environment is less likely to be hostile complex food webs environmental change is less likely to be damaging to the ecosystem as a whole.
- The results obtained from the study for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.
- The mean day time temperature at Deendayal Port was 27.92 °C. The day-time maximum temperature was 32.9°C and minimum was 21.1 °C. The mean night time temperature recorded was 25.47 °C. The night-time maximum temperature was 29.7°C and minimum was 20.0 °C. The mean Solar Radiation in November month was 167.27 w/m<sup>2</sup>. The maximum solar radiation was recorded 759 w/m<sup>2</sup> in 4<sup>th</sup> November, 2022 and the minimum solar radiation was recorded 1.80 w/m<sup>2</sup> in 30<sup>th</sup> November, 2022. The mean Relative humidity was 69.00 % for the month of November. Maximum Relative humidity was recorded 99.0 % and minimum Relative humidity was recorded 34.0 %. The average wind velocity for the entire month of November was 1.21 m/s. Maximum wind velocity was recorded 10.19 m/s. The wind direction was mostly North-East.
- The results obtained from the study for the month of November 2022 for biological and ecological parameters in marine water for Arabian Sea at surrounding area of Deendayal Port Authority (DPA) Kandla and Vadinar were not affected by Port activities.

#### **Reasons for higher Values of PM<sub>10</sub>**

- The unloading of coal directly in the truck, using grabs cause coal to spread in air as well as coal dust to fall on ground. This settled coal dust again mixes with the air while trucks travel through it.

- Also, the coal loaded trucks were not always covered with tarpaulin sheets and these results in spillage of coal from trucks/dumpers during its transit from vessel to yard or storage site. This also increased PM values around marine Bhavan & Coal storage area.

### **Remedial Measures**

The values of PM<sub>10</sub> & PM<sub>2.5</sub> during the month of November, 2022 were beyond the standard limit at all locations (Coal Storage, Marine Bhavan, Oil Jetty and Estate office, Tuna Port) except Gopalpuri the concentration of particulate matter was slightly exceed. Given below are the remedial measures suggest to minimize the Air pollution.

- During November, 2022 overall ambient air quality of the DPA was within CPCB permissible limits except TSPM, PM<sub>10</sub>, PM<sub>2.5</sub> at Coal storage area, Marine Bhavan, Oil Jetty and Estate Office. To improve air quality the port was using number of precautionary measures, such as maintained a wide expanse of Green zone, initiated Inter-Terminal Transfer (ITT) of tractor-trailers, Centralized Parking Plaza, providing shore power supply to tugs and port crafts, the use of LED lights at DPA area helps in lower energy consumption and decreases the carbon foot prints in the environment, time to time cleaning of paved and un paved roads, use of tarpaulin sheets to cover dumpers at project sites etc. are helping to achieve the cleaner and green future at port.

### **Solution towards the Green port:**

Today, it is increasingly recognized that air pollution hurts human health. Consequently, efficient mitigation strategies need to be implementation for substantial environmental and health co-benefits.

The guidelines can be considered a basis for governments for the implementation of a strategic plan focused on the reduction of multi pollutant emission, as well as of the overall air pollution related risk.

- The plantation should be all along the periphery of the port and inside and outside the port along with the road. Trees having high dust trapping efficiency (*Azadirachta indica*, *Cassia fistula*, *Delonix regia*, *Ficus religiosa*, *Pterocarpus marsupium*) are to be grown alongside the roads.
- The water sprinkling should be use at each and every stage of transporting coal up the loading of truck to avoid generation of coal dust.

- The vehicles should be covered during transportation and the vehicle carrying the coal should not be overloaded by raising the height of carriage.
- The water sprinklers should be use during transportation of loaded heavy vehicles on raw road.
- It should be ensure that regular sweeping of coal internal, main road and space a free circulation.
- Practice should be initiated for using mask as preventative measure, to avoid Inhalation of dust particle- Mask advised in sensitive areas.
- Department for use maintenance should have a routine checkup noise level by replacing bearings, tights of all loose parts that can vibrate.
- Speed control is also an effective way to mitigate noise pollution, the lowest sound emission arise from vehicles moving smoothly.
- Use of renewable energy like solar energy should be optimal and ensure to work continuously.
- Keep neat and clean public transport and all basic items at public interaction places as much as possible.
- Technology like Electric cart, Inter-Terminal Transfer (ITT) are worthy selection to reduce Port operation efficiency and fuel cost.
- Conventional RTGCs should be altered as E-RTGCs counting inside the port completely.
- Initiate Natural Gas (CNG) as fuel by all buses and trucks.

### **Green Ports Initiative**

- Deendayal Port is committed to sustainable development and adequate measures are being taken to maintain the Environmental well-being of the Port and its surrounding environs. Weighing in the environmental perspective for sustained growth, the Ministry of Shipping had started “Project Green Ports” which will help in making the Major Ports across India cleaner and greener. “Project Green Ports” will have two verticals - one is “Green Ports Initiatives” related to environmental issues and second is “Swachh Bharat Abhiyaan”.
- The Green Port Initiatives include twelve initiatives such as preparation and monitoring plan, acquiring equipments required for monitoring environmental pollution, acquiring dust suppression system, setting up of waste water treatment plants/ garbage disposal plant, setting up Green Cover area, projects for energy generation from renewable

energy sources, completion of shortfalls of Oil Spill Response (OSR) facilities (Tier-I), prohibition of disposal of almost all kind of garbage at sea, improving the quality of harbour wastes etc.

- Deendayal port has also appointed GEMI as an Advisor for “Making Deendayal Port a Green Port - Intended Sustainable Development under the Green Port Initiatives.
- Deendayal Port has also signed MOU with Gujarat Forest Department in August 2019 for Green Belt Development in an area of 31.942 Ha of land owned by Deendayal Port Trust. The plantation is being carried out by the Social Forestry division of Kachchh.

## CHAPTER-12

### REFERENCES

## 12.0 SOURCE OF LITERATURE AND ADDITIONAL REFERENCE

- 1) ALBERT WEST PHAL (1976) Protozoa Blackwell , London
- 2) Arunachalam S, Brantley H, Barzyk TM, Hagler G, Isakov V, Kimbrough E, Naess B, Rice N, Snyder MG, Talgo K, Venkatram A (2015) Assessment of port-related air quality impacts: geographic analysis of population. *Int J Environ Pollut* 58(4):231–250
- 3) Asha, P. S. and Diwakar (2007). Hydrobiology of the inshore waters off Tuticorin in the Gulf. *J. Mar. Biol. Ass. India*, 49: 7-11.
- 4) Astakhov AS, Kalugin IA, Aksentov KI, Daryin AV (2015) Geochemical indicators of paleo typhoons in shelf sediments. *Geochemistry* 4:387–392.
- 5) Bailey D, Solomon G (2004) Pollution prevention at ports: clearing the air. *Environ Impact Assess Rev* 24(7):749–774.
- 6) BANERJEE R.K. (1989) Heavy metals and Benthic foraminiferal distribution along Bombay coast India. *Studies in benthic foraminifera. Tokyo University Press Tokyo* pp 151-157
- 7) Banse K (1995) Zooplankton: Pivotal role in the control of ocean production: I. Biomass and production. *ICES J Mar Sci* 52: 265–277.
- 8) Beaugrand G, and Ibanez F (2004) Monitoring marine plankton ecosystems. II: long-term changes in North Sea calanoid copepods in relation to hydroclimatic variability. *Inter Res Mar Ecol Prog Ser* 284:35-47.
- 9) Benhamed S, Guardiola FA, Martinez S, Sanchez MJM, Sirvent CP, Mars M, Esteban MA (2016) Exposure of the gilthead seabream (*Sparus aurata*) to sediments contaminated with heavy metals down-regulates the gene expression of stress biomarkers. *Toxicol Rep* 3:364–372.
- 10) Best, M. A., Wither, A.W. and Coates, S. (2007). Dissolved oxygen as a physicochemical supporting element in the Water Framework Directive. *Marine Pollution Bulletin* 55(1-6): 53-64.
- 11) Buccolieri R, Cesari R, Dinoi A, Maurizi A, Tampieri F, Di Sabatino S (2016) Impact of ship emissions on local air quality in a Mediterranean City's harbour after the European sulphur directive. *Int J Environ Pollut* 59(1):30–42.
- 12) Chaurasia, S, Singh, S. and Gupta, A.D., 2013. Study on air quality of SKS Ispat and Power Ltd. Raipur (CG), India. *Asian Journal of Science and Technologies*, 4 (4), 48-50.

- 13) Conti ME, Ciasullo R, Tudino MB, Matta EJ (2015) “The industrial emissions trend and the problem of the implementation of the industrial emissions directive (IED)” Air Quality. *Atmosph Health* 8(2): 151–161.
- 14) CPCB (2013): Guidelines for Manual Sampling & Analyses. (Guidelines for the Measurement of Ambient Air Pollutants, Vol. I), Central Pollution Control Board, National Ambient Air Quality Series: NAAQMS/36/2012-13.
- 15) DAY F. (1889) The fauna of British India Ceylon and Burma- Fishes Vol-1- Vol-2 *Taylor and Francis* London
- 16) DESIKACHARYT.V. (1989) Atlas of diatoms, Madras Science Foundation
- 17) DESIKACHARYT.V.(1959) CyanophytaICAP Monographs on Algae *Indian Council of Agricultural research* New Delhi
- 18) FAIZAYOUSIF AL-YAMANI& MARIA A. SABUROVA(2010) illustrative guide on the flagellates of Intertidal soft sediment *Kuwait Institute for scientific Research* Kuwait
- 19) FAIZAYOUSIF AL-YAMANI, VALERIYSKRYABIN, ALEKSANDRA GUBANOVA, SERGEY KHVOROV AND IRINA PRUSOVA (2011), Marine zooplankton Practical guide from North western Arabian gulf Vol-1 and vol-2 *Kuwait Institute for scientific Research* Kuwait
- 20) FAUVEL P. (1953), The fauna of India Annelida - Polychaeta *Indian Press* Allahabad
- 21) GajbhiyeSN, Nair VR, and Desai BN (1984). Diurnal variation of zooplankton in Malad creek, Bombay. *Indian Journal of Marine Science*. 13:75-79.
- 22) Guidelines for the Measurement of Ambient Air Pollutants: National Ambient Air Quality Series/NAAQMS/36/2012-13, Volume-I.
- 23) Gujrat Pollution Control Board Inward No. 143215 dated 06.09.2018.
- 24) HAYWARD P.J AND RYLAND J.S. (1995) Handbook of Marine fauna of north –West Europe oxford University Press London
- 25) Hefmi R., Tanjung1 R., Hamuna B., and Alianto(2019).Assessment of Water Quality and Pollution Index in Coastal Waters of Mimika, Indonesia. *Journal of Ecological Engineering*, 20(2);87-94
- 26) HIGGINS R.P. HAJAMARTHIEL Eds. (1998) Introduction to the study of Meio Fauna
- 27) HORACE G. BARBER AND ELIZABETH Y. HAWORTH (1981) A guide to the Morphology of DIATOMS FRUSTULES.


- 28) Horaginamani, S.M. and Ravichandran, M., 2010. Ambient air quality an urban area and its effects on plants and human beings: A case study of Tiruchirappalli, India. Kathmandu University Journal of Science, Engineering and Technology, 6 (2), 13-19.
- 29) INGRAM HENDEY (1964) An introductory account of smaller Algae of British coastal waters part-V. Bacillariophyceae
- 30) IS1050:2012 Drinking Water-Specification: (second Revision).
- 31) JOHN H. WICKSTEAD(1965) an Introduction to the study of Tropical Plankton .Hutchinson Tropical Monographs
- 32) JOYOTHIBABU,R. MADHU, N.V. MAHESHWARAN, P.A.,NAIRK.K.C., VENUGOPL,P. BALASUBRAMANIAN T.2005) Dominance of Dinoflagellates in micro zooplankton communities in the oceanic region Bay of Bengal and Andaman sea Current science vol.84. 10<sup>th</sup>NOVEMBER2003
- 33) KASTURIRANGANL.R. (1963) A key for the identification of the Common Planktonic Copepoda of Indian Coastal water
- 34) KusumKK, Vineetha G, Raveendran TV, Nair VR, Muraleedharan KR, Achuthankutty CT and Joseph T (2014) Chaetognath community and their responses to varying environmental factors in the northern Indian ocean. J Plankton Res 36(4): 1146- 1152.
- 35) Lack DA, Cappa CD, Langridge J, Bahreini R, Buffaloe G, Brock C, Cerully K, Coffman D, Hayden K, Holloway J, Lerner B, Massoli P, Li SM, McLaren R, Middlebrook AM, Moore R, Nenes A, Nuaaman I, Onasch TB, Peischl J, Perring A, Quinn PK, Ryerson T, Schwartz JP, Spackman R, Wofsy SC, Worsnop D, Xiang B, Williams E (2011) Impact of fuel quality regulation and speed reductions on shipping emissions: implications for climate and air quality. Environ Sci Technol 45(20):9052–9060.
- 36) Lai KH, Lun VYH, Wong CWY, Cheng TCE (2011) Green shipping practices in the shipping industry: conceptualization, adoption, and implications. Resour Conserv Recycl 55(6):631–638.
- 37) Lalli CM and Parsons TR (1997) Biological Oceanography: An Introduction. DOI<https://doi.org/10.1016/B978-0-7506-3384-0.X5056-7>.
- 38) Lawler, D.M. 2004. Turbidimetry and nephelometry. In:Townshend, A. (Ed.) Encyclopedia of Analytical Science, 2nd edition. London: Academic Press (pp. 343-351).

- 39) Madhu D. Nathani, Mrugesh H. Trivedi (2015). Pre Monsoon Study of Water Quality with reference to Rapid Industrial Development in and around Gandhidham, Kachchh, Gujarat, *International Journal of Scientific & Engineering Research*, 6(9):1851-1862.
- 40) Madhuratap M (1978) Studies on ecology of zooplankton of Cochin backwaters. *Mahasagar Bull Nat Inst Oceanogr* 11: 45-56.
- 41) Madhuratap M (1979) Distribution, community structure and species succession of copepods from Cochin Backwaters. *Indian J Ma Sci* 8: 1-8.
- 42) Madhuratap M (1987) Status and strategy of zooplankton of tropical Indian estuaries: A review. *Bull Plank Soc Jpn* 34: 65-81.
- 43) Madhuratap M (1999). Free living copepods of the Arabian Sea, Distribution and Research Perspectives. *I J Mar Sci* 146-149.
- 44) Madhuratap M and Haridas P (1986) Epipelagic calanoid copepods of the northern Indian Ocean. *Oceanologica Acta* 9(2):105-117.
- 45) MANAL AL-KANDARI, FAIZA Y. AL-YAMANI , KHOLOOD AL-RIFAIE ( 2009) Marine phytoplankton Atlas of Kuwait's water *Kuwait Institute for scientific Research*
- 46) Meiaraj C. & Jeyapriya S.P. (2019). Marine water quality studies at Tuticorin harbour coastal area. *Indian Journal of Geo Marine Sciences* 48 (06): 943-946.
- 47) MPEDA (1998) Commercial Fishes and shell fishes of India
- 48) Murtini J.T., Ariyani F., Wahyuni I.S., Hak N., Suherman M., Dolaria N., Nurwiyanto. 2001. Inventory research and identification of heavy metal pollution in waters and fish. Technical Report. Pusat Riset Pengolahan Produk dan Bioteknologi Kelautan dan Perikanan. Jakarta. (in Indonesian).
- 49) Narayan R, Saxena K.K. and Chauhan S. (2007). Limnological investigations of Texi Temple pond in district Etawah (U.P.), *Journal of Environmental Biology*, January 28(1):155-157.
- 50) NEWEL G.E. & NEWELL R.C. (1963) *Marine plankton a Practical Guide* Hutchinson Educational
- 51) NIGAM R.C. AND CHATURVEDIS.K. (2000) Foraminiferal Study from KharoCreek , Kachchh ( Gujarat) North west coast of *India. Indian Journal of marine science* Vol.29 133-189
- 52) OLAV GIERE (1993) *Meiobenthology , Microscopic Fauna in Aquatic Sediments* m Springer London

- 53) PERRAGALLO (1965) *Diatomees marines de France* A. Asher & Co. Amsterdam
- 54) Robert P. Higgins (Eds.), (1985) *An introduction to the study of Meiofauna* Smithsonian Institution press Washington DC
- 55) Salmin (2005). Dissolved oxygen (DO) and biological oxygen demand (BOD) as indicator to determine water quality. *Oseana*, 30(3):21–26.
- 56) Salvi H., Patel R., Thakur B., Shah K. and Parmar D. (2014). Assessment of Coastal Water Quality Parameters of Selected Areas of Marine National Park & Sanctuary (Okha, Sikka & Khijadiya), *SSRN Electronic Journal*, (pg 1-16)
- 57) STERRER W. STERRER C.S Eds. *Marine fauna and flora of Bermuda A systematic Guide to the identification of Marine Organisms.* John Wiley and Sons New York
- 58) Suresh Gandhi. M. (2009) Distribution of certain ecological parameters and Foraminiferal distribution in the depositional environment of Pak Strait east coast of India. *Indian J. of Marine Science* Vol.33 pp 287-295
- 59) USEPA, 2008. *Air Quality Index: A Guide to Air Quality and Your Health.* Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, USA. 12 pp.
- 60) Vallero (2014): *Fundamentals of Air Pollution* 5<sup>th</sup> Edition 2014.
- 61) Venkataraman (1993) A systematic account of some south Indian diatoms. *Proceeding of Indian Academy of Science* Vol. X No.6 Sec.B.
- 62) Weiss, R.F., (1970): The solubility of nitrogen, oxygen and argon in water and seawater. *Deep Sea Research and Oceanographic Abstracts* 17(4): 721-735.
- 63) Yap C.K., Chee M.W., Shamarina S., Edward F.B., Chew W. and Tan S.G. (2011). Assessment of Surface Water Quality in the Malaysian Coastal Waters by Using Multivariate Analyses, *Sains Malaysiana* 40 (10)1053–1062



# **Annexure -D**



दीनदयाल पत्तन प्राधिकरण  
DEENDAYAL PORT AUTHORITY

# DEENDAYAL PORT AUTHORITY (Erstwhile: DEENDAYAL PORT TRUST)

Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch),  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

EG/WK/EMC/CCA/ Part(III)/ 131

Date: 06/07/2022

To,  
The Member Secretary  
Gujarat Pollution Control Board  
Paryavaran Bhavan,  
Sector 10A, Gandhinagar - 382010

**Sub:** Submission of Annual Return of Hazardous waste in format form IV for the financial year 2021-22 reg.

- Ref.:**
- 1) KPT letter no. EG/WK/4660(EC)/549 dated 20/6/2012
  - 2) KPT letter no. MR/GN/1527(Part I)/2012 dated 20/5/2013
  - 3) KPT letter no. MR/GN/1527(Part I)/336 dated 17/05/2014
  - 4) KPT letter no. MR/GN/1527/ (Part I)/dated 27/04/2015
  - 5) KPT letter no. EG/WK/EMC/CCA (Part II)/217 dated 27/6/2016
  - 6) KPT letter no. EG/WK/EMC/CCA (Part II)/213 dated 19/6/2017
  - 7) DPT letter no. EG/WK/EMC/CCA (Part II)/294 dated 13/6/2018
  - 8) DPT letter no. EG/WK/EMC/CCA (Part II) dated 27/5/2019
  - 9) DPT letter no. EG/WK/4751 (CCA Renewal) dated 22/5/2020
  - 10) DPT letter no. EG/WK/4751 (CCA Renewal)/13 dated 30(4)/4(5)/2021

Sir,

It is requested to kindly refer above cited references for the said subject.

In this connection, it is to state that, the Deendayal Port Authority had obtained renewal of consent order from the GPCB Vide order no. AWH - 110594 dated 22/01/2021 valid up to 21/07/2025 for Deendayal Port Authority area.

In this regard, as per statutory requirement, the DPA has regularly submitted Annual Returns (as mentioned in reference above) in format Form IV to the GPCB.

Now please find the enclosed herewith Annual Return of Hazardous Waste in Form IV for the year 2021-22

This is for kind information and record please.

Encl: As above

Yours faithfully

Manager (Environment)  
Deendayal Port Authority

**Enclosure – A**

Annual Return of Hazardous waste Return (Form IV)  
For Deendayal Port Trust, Kandla  
For the FY @ 2021-2022

**"FORM-IV"**

[(See rule 6(%), 13(8), 16(6) and 20(21)  
(To be submitted to State Pollution Control Board by 30<sup>th</sup> day of June of every year for the preceding period April 21 to March 22)

<b>Sr. No.</b>	<b>Particulars</b>	<b>Details</b>
1.	Name and Address of the Facility	<b>Deendayal Port Authority</b> Administrative Office Building Post Box No. 50 Gandhidham Dist.: Kutch- 370201 Gujarat State Tel. No.: 02836-233192 Fax No.: 02836-220050
2.	Authorization No. and Date of issue	Consent order no. AWH – 110594 granted by the GPCB dated 22/01/2021 and correction to consent order done dated 09/04/2021
3.	Name of Authorized Person and full address with telephone, Fax number and E-Mail	<b>Mr. Raveendra Reddy</b> <b>Chief Engineer</b> <b>Deendayal Port Authority</b> Administrative Office Building Post Box No. 50 Gandhidham Dist.: Kutch- 370201 Gujarat State Tel. No.: 02836-233192 Fax No.: 02836-220050
4.	Production during the year (product wise) wherever applicable	NA Deendayal Port Authority has only loading & unloading activities for dry cargo and liquid cargo.  During FY 2021-22 Total Cargo Handled is <b>127.10</b> MMTPA

**PART A. To be filled by Hazardous Waste Generator**

1.	Total quantity of waste generated category wise	Used oil/Waste residue containing oil <b>9585.85 MT/A</b>
2.	Quantity Dispatched a. To disposal Facility b. To recycler or co-processor or pre-processor c. Others	Used Oil/Waste residue containing oil has been disposed of through CPCB/GPCB authorized vendor (Annexure-1)
3.	Quantity utilized inhouse -if any	NA
4.	Quantity in storage at the end of the year	NA

**PART B To be filled Treatment, Storage and Disposal Facility Operator**

1.	Total Quantity Received 1. Direct Landfill 2. Incineration 3. Land fill after treatment	} NA
2.	Quantity at stock at the beginning of the year 1. Direct Landfill 2. Incineration 3. Land fill after treatment	
3.	Quantity treated (Landfill) Land fill after Treatment	
4.	Quantity disposed in landfill as such and after treatment 1. Direct Landfill 2. Land fill after treatment 3. Incineration Ash 4. Salts from Spray Dryer 5. Total	
5.	Quantity incinerated (if applicable)	
6.	Quantity processed other than specified above	
7.	Quantity in storage at the end of the year 1. Incineration 2. Landfill after treatment	

**PART C To be filled by recyclers or co-processor or other users**

1.	Quantity of the waste received during the year 1. Domestic sources 2. Imported (if applicable)	} NA
2.	Quantity in stock at the beginning of the year	
3.	Quantity recycled or co processed or used	
4.	Quantity of products dispatched (wherever applicable)	
5.	Quantity of waste generated	
6.	Quantity of waste disposed	
7.	Quantity re-exported (wherever Applicable)	
8.	Quantity in storage at the end of the year	

Date: 06/07/2022  
Place: Gandhidham

Manager (Environment)  
Deendayal Port Authority

# **ANNEXURE - 1**

Annexure - I

**DEENDAYAL PORT AUTHORITY  
MARINE DEPARTMENT**

**Statement of Hazardous & Non Hazardous Waste  
disposal from the vessels at Kandla & Vadinar Port  
YEAR 2021-22**

Sr. No.	MONTH	YEAR	Hazardous (Sludge)	Non Hazardous (Garbage)
1	APRIL	2021	3006.02	95.13
2	MAY	2021	1014.18	118.78
3	JUNE	2021	830.21	148.35
4	JULY	2021	863.36	105.89
5	AUGUST	2021	762.38	133.90
6	SEPTEMBER	2021	898.80	208.42
7	OCTOBER	2021	193.08	175.53
8	NOVEMBER	2021	210.06	194.18
9	DECEMBER	2021	381.77	167.02
10	JANUARY	2022	261.94	109.80
11	FEBRUARY	2022	254.66	96.03
12	MARCH	2022	909.39	171.05
	<b>TOTAL</b>		<b>9585.85 MT</b>	<b>1724.08 MT</b>

**Deputy Conservator  
Deedayal Port Authority**

03/2/64  
30/6/22

# Marine Department

Statement showing the Collection and disposal of Hazardous and Non-Hazardous Wastes carried out by various parties from April - 2021 to Mar - 2022

Sr. No.	Name of Party	Validity of License	Type of Licence	Apr-21	May-21	Jun-21	Jul-21	Aug-21	Sep-21
1	Alicid Organic Industries Limited	27-Oct-22	Hazardous	-	70.45	-	-	19.81	-
2	Amar Hydrocarbon Pvt. Ltd	22-Feb-23	Hazardous	-	-	-	-	-	-
3	Atlas Organics Pvt. Ltd	17-Oct-22	Hazardous	20.17	-	-	18.78	19.81	50.85
4	Aviation Corporation	14-Jun-22	Hazardous	-	-	-	151.18	71.53	133.63
5	Fine Refiners Pvt. Ltd	22-Jun-22	Hazardous	48.59	31.88	115.80	-	-	14.88
6	Priyans Corporation	16-Dec-22	Hazardous	-	-	33.83	9.62	-	-
7	Revolution Petrochem LLP	01-Apr-22	Hazardous	2,658.01	531.52	442.73	546.48	524.09	456.01
8	Shana Oil Process	12-Feb-22	Hazardous	-	-	-	-	-	-
9	United Shipping Company	13-Sep-22	Hazardous	279.25	380.33	237.85	137.30	127.14	243.43
10	<b>Vaccant</b>	-	-	-	-	-	-	-	-
11	Chitrakut Trading & Industries	17-Nov-22	Non-Hazardous	-	0.98	-	0.65	0.39	-
12	Golden Shipping Services	30-May-23	Non-Hazardous	25.76	19.01	72.77	28.84	36.86	49.81
13	Green Earth Marine Solutions	23-Mar-23	Non-Hazardous	-	-	-	-	-	-
14	Harish A. Pandya	03-Feb-23	Non-Hazardous	4.86	0.68	3.95	0.90	1.23	8.00
15	K M Enterprise	04-May-23	Non-Hazardous	-	57.04	43.81	53.40	29.93	28.26
16	Naaz Shipping Services Ent	05-Jun-22	Non-Hazardous	6.40	-	2.80	-	0.60	12.30
17	New India Marine Works	22-Feb-23	Non-Hazardous	-	-	-	-	-	-
18	Omega Marine Services	28-Jun-22	Non-Hazardous	46.01	30.99	18.29	-	27.59	61.62
19	Vishwa Trade-link Inc.	25-Jun-22	Non-Hazardous	-	-	-	10.80	17.28	15.12
20	V K Enterprise	16-Nov-22	Non-Hazardous	12.10	10.08	6.73	11.30	20.02	33.31
<b>Hazardous - Total</b>				<b>3,006.02</b>	<b>1,014.18</b>	<b>830.21</b>	<b>863.36</b>	<b>762.38</b>	<b>898.80</b>
<b>Non-Hazardous - Total</b>				<b>95.13</b>	<b>118.78</b>	<b>148.35</b>	<b>105.89</b>	<b>133.90</b>	<b>208.42</b>

Copy to : GPCB, Gandhidham / Harbour Master

# Marine Department

Statement showing the Collection and disposal of Hazardous and Non-Hazardous Wastes carried out by various parties from April - 2021 to Mar - 2022

Sr. No.	Name of Party	Validity of License	Type of Licence	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22	Total
1	Alicid Organic Industries Limited	27-Oct-22	Hazardous	-	-	-	-	-	-	90.26
2	Amar Hydrocarbon Pvt. Ltd	22-Feb-23	Hazardous	-	-	-	-	-	-	-
3	Atlas Organics Pvt. Ltd	17-Oct-22	Hazardous	30.82	140.02	-	-	-	92.47	372.92
4	Aviation Corporation	14-Jun-22	Hazardous	-	-	-	-	-	-	356.34
5	Fine Refiners Pvt. Ltd	22-Jun-22	Hazardous	-	-	-	6.20	-	-	217.35
6	Priyansi Corporation	16-Dec-22	Hazardous	-	-	-	-	-	-	43.45
7	Revolution Petrochem LLP	01-Apr-22	Hazardous	-	-	-	-	-	507.63	5,666.47
8	Shana Oil Process	12-Feb-22	Hazardous	-	-	-	-	-	-	-
9	United Shipping Company	13-Sep-22	Hazardous	162.26	70.04	381.77	255.74	254.66	309.29	2,839.06
10	<b>Vaccant</b>	-	-	-	-	-	-	-	-	-
11	Chitrakut Trading & Industries	17-Nov-22	Non-Hazardous	0.27	0.10	-	-	-	0.10	2.49
12	Golden Shipping Services	30-May-23	Non-Hazardous	43.90	41.41	66.73	51.67	42.02	95.34	574.12
13	Green Earth Marine Solutions	23-Mar-23	Non-Hazardous	-	-	-	-	-	-	-
14	Harish A. Pandya	03-Feb-23	Non-Hazardous	0.27	0.27	-	-	-	2.82	22.98
15	K M Enterprise	04-May-23	Non-Hazardous	78.13	106.72	100.29	58.13	23.80	27.75	607.26
16	Naaz Shipping Services Ent	05-Jun-22	Non-Hazardous	-	-	-	-	-	-	22.10
17	New India Marine Works	22-Feb-23	Non-Hazardous	-	-	-	-	-	10.80	10.80
18	Omega Marine Services	28-Jun-22	Non-Hazardous	24.34	40.28	-	-	16.20	25.56	290.88
19	Vishwa Trade-link Inc.	25-Jun-22	Non-Hazardous	-	-	-	-	-	-	43.20
20	V K Enterprise	16-Nov-22	Non-Hazardous	28.62	5.40	-	-	14.01	8.68	150.25
			<b>Hazardous - Total</b>	<b>193.08</b>	<b>210.06</b>	<b>381.77</b>	<b>261.94</b>	<b>254.66</b>	<b>909.39</b>	<b>9,585.85</b>
			<b>Non-Hazardous - Total</b>	<b>175.53</b>	<b>194.18</b>	<b>167.02</b>	<b>109.80</b>	<b>96.03</b>	<b>171.05</b>	<b>1,724.08</b>

Copy to : GPCB, Gandhidham / Harbour Master

# **LIST OF AUTHORIZED RECYCLERS**

# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	License of Removal	Last Validity of License	Remarks
1	<b>M/s. Alicid Organic Industries Ltd</b> Office No. 35, First Floor, Grain Marchan Association Building, Plot No. 297, Ward 12/B, Near Old Court, Gandhidham Email: naazshipping service@yahoo.com Phone: 02836- 237 106	Hazardous	27-Oct-22	
2	<b>M/s. Atlas Organics Pvt. Ltd</b> Office No. 204-206, Elisbridge Shopping Center, Opp. Town Hall, Ashram Road, Ahmedabad - 380006 Email : atlasorganics@yahoo.com Mobile : 9825063459 / 9909723532	Hazardous	17-Oct-22	
3	<b>M/s. Fine Refiners Pvt. Ltd</b> Plot No. 40, GIDC, Chitra Vartej, Bhavanagar - <a href="mailto:info@finerefiners.com">info@finerefiners.com</a> Mobile : 9825209314 / 9979898686	Hazardous	21-Jun-22	
4	<b>M/s. Amar Hydrocarbon Pvt. Ltd.</b> FF-12, Sahara Complex, B/h Navajivan Hotel, S. G. Highway, Sarkhej, Ahmedabad - 382210. <a href="mailto:amarhydrocarbon@gmail.com">amarhydrocarbon@gmail.com</a>	Hazardous	22-Feb-22	
5	<b>M/s. Aviation Corporation</b> 62/2/1, Shikarpur Taluka Bhachau - Kutch - Gujarat <a href="mailto:aviationcorporation1983@gmail.com">aviationcorporation1983@gmail.com</a>	Hazardous	14-Jun-22	
6	<b>M/s. Priyansi Corporation</b> C-1, 804 - 806, GIDC, Bamanbore, Ta. Chotila, Dist - Surendranagar Email: operation.priyansicorporation@gmail.com Mob: 09825226095	Hazardous	16-Dec-22	

# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	License of Removal	Last Validity of License	Remarks
7	<b>M/s. SHANA OIL PROCESS</b> New Good Luck Market, Nr. Aksha Masjid Chandola Lake, Narol Raod, Ahmedabad Email: kandla_sludgeremoval35@gmail.com Mob : 09824286952	Hazardous	11-Feb-22	
8	<b>M/s. United Shipping Company</b> Rising House -I, Ground Floor, Plot No. 82, Sector No. 1/A, Gandhidham - Kutch 370201 Email: sunil@risinggroup.co Phone : 02836 - 233060	Hazardous	13-Sep-22	
9	<b>M/s. Revolution Petrochem LLP</b> Office No. C-214, 2nd Floor, Shop No. 234-235, Kutch Arcade Platinum, Mithirohar <b>Gandhidham - 370201</b>	Hazardous	31-Mar-23	
12	<b>M/s. Chitrakut Trading &amp; Industries</b> 15, Brahm Samaj Building, Plot No. 106, Sector No. 8, Behind OSLO Cinema, Gandhidham - Kutch 370201. Email: info@harishpandya.com Mob: 09426218125	Non-Hazardous	17-Nov-22	
13	<b>M/s. Golden Shipping Services</b> Kidana Nirmal Nagar, Survey No. 133, Plot No. 83 Gandhidham - Kutch	Non-Hazardous	30-May-23	
14	<b>M/s. Harish A. Pandya</b> 15, Brahm Samaj Building, Plot No. 106, Sector No. 8, Behind OSLO Cinema, Gandhidham - Kutch 370201. Email: info@harishpandya.com Mob: 09426218125	Non-Hazardous	03-Feb-23	


# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	Licence of Removal	Last Validity of License	Remarks
15	<b>M/s. Naaz Shipping Services Enterprise</b> Office No. 35, First Floor, Grain Marchan Association Building, Plot No. 297, Ward 12/B, Near Old Court, Gandhidham Email: naazshipping service@yahoo.com Phone: 02836- 237106	Non-Hazardous	05-Jun-22	
16	<b>M/s. Omega Marine Services</b> Reg. Office No. 2, Plot NO. 106, Sector - 8, Braham Samaj Building Gandhidham - Kutch Email: operations@omegamarineservices.com Mob: 9537329203 - 9727589185	Non-Hazardous	28-Jun-22	
17	<b>M/s. VISHWA TRADE-LINK INC.</b> 214, 2nd Floor, "Kutch Arcade" - Platinum Building Mithi Rohar Road, NH 8/A, GANDHIDHAM Email : vishwatradelink@gmail.com Mob: 09879595087 - 02836-283261	Non-Hazardous	16-Nov-22	
18	<b>Green Earth Marine Solutions</b> Office No. 202, Plot No. 578, Ward 12-C, Shakti Avenue, Gandhidham - Kutch <a href="mailto:operation@greenearthmarine.com">operation@greenearthmarine.com</a>	Non-Hazardous	23-Mar-23	
19	<b>M/s. V. K. Enterprise</b> 2, Plot No. 16, Sector 1/A, Shakti Nagar Road, Gandhidham - Kutch <a href="mailto:vkenterprise2001@gmail.com">Email: vkenterprise2001@gmail.com</a> Mob : 9825246142	Non-Hazardous	25-Jun-23	
20	<b>M/s. K. M. Enterprise</b> Plot No. 13, Sector - 8, Near BM Petrol Pump, Opp. Sharma Motors, Gandhidham - Kutch. Email: kmenterpriseekandla@gmail.com Mob: 9427792986 - 9879986952	Non-Hazardous	04-May-23	

# **Annexure -E**

# DEENDAYAL PORT AUTHORITY



Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch).  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

NO.EG/WK/4751/Part (Greenbelt-GUIDE) 196

Dated : 31/5/2022

✓ M/S Gujarat Institute of Desert Ecology,  
P.O.Box No. 83,  
Opp. Changleshwar Temple, Mundra Road,  
Bhuj (Kachchh)- 370 001, Gujarat (India).  
Tel.: 02832-329408, 235025.  
Tele/Fax: 02832-235027

**Email: [desert\\_ecology@yahoo.com](mailto:desert_ecology@yahoo.com)**

Kind Attn.: Dr.V.Vijay Kumar, Director, M/s GUIDE, Bhuj.

**Sub:** Greenbelt Development in Deendayal Port Authority and its Surrounding Areas Charcoal site (Phase-I).

**Ref.:** M/s GUIDE, Bhuj offer vide letter no. M/s GUIDE, Bhuj vide communication no. GUIDE/DPA/GRN/080/2022-23 dated 24/5/2022.

Sir,

Your offer for the subject work submitted vide above referred letter dated 24/5/2022 amounting to Rs. 38,22,900.00 + applicable GST (Rupees Thirty-Eight Lakhs Twenty-Two Thousand and Nine Hundred Only Plus Eighteen Percent GST), with all terms & conditions mentioned in the offer letter, has been accepted (**Copy of offer letter M/s GUIDE attached**).

## **2. Scope of work:**

Development of Greenbelt in Charcoal site – Kandla, DPA and its surrounding areas. The activities under the Greenbelt Development include; inventory of suitable sites for greenbelt development in DPA, soil & Moisture conservation and management at Plantation sites, selection of suitable species of Plants for plantation, Procurement and plantation of plant saplings and seeds (5000 plants), along with management and monitoring of plantation, including drip/tanker water supply for a period 1 year.

.....Cont.....

**3. Obligation of Deendayal Port Authority :**

- Assistance regarding the statutory clearance from authorities concerned to be rendered by DPA for field visits/plantation activities.

**4. The Terms of Payment:**

1. 50% of the project budget to be paid to GUIDE within 15 days from the date of acceptance of Work order by GUIDE.
2. 20% of the project budget to be paid to GUIDE within 15 days from the date of completion of plantation works.
3. 20% of the project budget to be paid to GUIDE within 15 days from the date of submission Progress Report (December 2022).
4. 10% of the project budget to be paid to GUIDE within 15 days from the date of submission of Final Completion Report (May 2023).

**5. Time Period :** One year (from 5/6/2022 to 4/6/2023).

**6.** Kindly send the acceptance of this work order & start the work w.e.f. 5/6/2022 .

Thanking you.

Yours faithfully,



Superintending Engineer (PL) & EMC (I/c)  
Deendayal Port Authority

**Copy To** :1) A.O.(W/A) - The proposal has been approved by the Board in its meeting held on 27/5/2022.

The expenditure shall be charged to the scheme Environmental Services & Clearance thereof (Allocation: 841/587/9744 WC - 5-13001).

- 2) TPA to CE for kind information of the Chief Engineer, please.
- 3) DA (PL) for further necessary action.
- 4) M/s Precitech Laboratorie ,Vapi, Environmental Management Cell to coordinate with M/s GUIDE,Bhuj.
- 5) RAO, DPA

# **Annexure -F**



दीनदयाल पत्तन प्राधिकरण  
DEENDAYAL PORT AUTHORITY

# DEENDAYAL PORT AUTHORITY (Erstwhile: DEENDAYAL PORT TRUST)

Administrative Office Building  
Post Box NO. 50  
GANDHIDHAM (Kutch).  
Gujarat: 370 201.  
Fax: (02836) 220050  
Ph.: (02836) 220038

[www.deendayalport.gov.in](http://www.deendayalport.gov.in)

EG/WK/4751 (CCA Renewal)/ 132

Date: 08/07/2022

To,  
The Member Secretary  
Gujarat Pollution Control Board  
Paryavaran Bhavan,  
Sector 10A, Gandhinagar - 382010

**Sub:** Submission of Environmental statement in format form V for the financial year 2021-22 reg.

- Ref.:**
- 1) KPT letter no. MR/GN/1527(Part I)/535 dated 16/6/2012
  - 2) KPT letter no. MR/GN/1527(Part I)/2011 dated 20/5/2013
  - 3) KPT letter no. MR/GN/1527(Part I)/337 dated 17/05/2014
  - 4) KPT letter no. MR/GN/1527/ (Part I)/dated 27/04/2015
  - 5) KPT letter no. EG/WK/EMC/CCA (Part II)/218 dated 27/6/2016
  - 6) KPT letter no. EG/WK/EMC/CCA (Part II)/214 dated 19/6/2017
  - 7) DPT letter no. EG/WK/EMC/CCA (Part II)/294 dated 13/6/2018
  - 8) DPT letter no. EG/WK/EMC/CCA (Part II) dated 27/5/2019
  - 9) DPT letter no. EG/WK/4751 (CCA Renewal) dated 22/5/2020
  - 10) DPT letter no. EG/WK/4751 (CCA Renewal)/14 dated (30)04/(4)5/2021

Sir,

It is requested to kindly refer above cited references for the said subject.

In this connection, it is to state that, the GPCB has renewed the consolidated consent & Authorization granted to Deendayal Port Authority (Erstwhile Deendayal Port Trust) and issued CCA order no. AWH-110594 vide PC/CA-KUTCH-812 (5)/GPCB ID 28494/581914 dated 21/01/2021 valid upto 21/07/2025

In this regard, as per statutory requirement, the DPA has regularly submitted Annual Returns (as mentioned in reference above) in format Form V to the GPCB.

Now please find the enclosed herewith Environmental Statement in Form V for the year 2021-22

This is for kind information and record please.

Encl : As above

Yours faithfully

Manager (Environment)  
Deendayal Port Authority

**Enclosure – A**

Environmental Statement (Form V)  
For Deendayal Port Authority, Kandla  
For the FY @ 2021-2022

**"FORM-V"**  
(See rule -14)

From:  
**Deendayal Port Authority,**  
Administrative Office Building,  
Post Box No.: 50, Gandhidham,  
Dist.: Kutch – 370 207. Gujarat State.  
Tel No.: O: 02836-220038  
Fax No.: 02836-220050

To,  
The Member Secretary,  
**Gujarat Pollution Control Board,**  
Paryavaran Bhavan, Sector - 10A,  
Gandhinagar – 382043

**Environmental statement for the financial year ending the 31<sup>st</sup> March, 2022**

**"PART-A"**

1) Name and Address of the owner/occupier of the industry or process		
➤ NAME	:	Mr. Raveendra Reddy Chief Engineer
➤ ADDRESS	:	<b>Deendayal Port Authority</b> Administrative Office Building, Post Box No.: 50, Gandhidham, Dist.: Kutch – 370 207. Gujarat State. Tel No.: O: 02836-220038 Fax No.: 02836-220050
➤ Industry Category Primary – (STC code) Secondary – (STC code)	:	Major port Authority under the administrative control of Ministry of Ministry of Ports, Shipping and waterways, GOI
➤ Year of Establishment	:	8th April 1955
➤ Date of the last Environment audit report submitted	:	27 <sup>th</sup> June, 2016

**"PART-B"**

**WATER AND RAW MATERIAL CONSUMPTION**

<b>Sr.No.</b>	<b>WATER CONSUMPTION</b>	<b>(M<sup>3</sup>/Day)</b>
1.	Process	2030.7
2.	Cooling	
3.	Domestic Purpose	
Total water consumption for the period from April 2021 to March 2022 was <b>741205.47 KL</b> hence, average water consumption for per day – <b>2030.7 M<sup>3</sup>/day</b>		

**I. Water Consumption**

<b>Sr. No.</b>	<b>Name of Products</b>	<b>Process Water Consumption per unit of products output</b>	
		<b>During the current financial year 2020-21</b>	<b>During the current financial year 2021-22</b>
01.	Dry Cargo Handling	<b>117.558 MT</b>	<b>127.10 MT</b>
02.	Liquid Cargo Handling		
Deendayal Port Authority has only loading & unloading activities for dry cargo and liquid cargo. Hence consumption of process water consumption per unit of output with respective to production is not applicable.  During FY 2021-22 Total Cargo Handled is <b>127.10</b> MTPA  However, Details of the Domestic water consumption for the financial year 2021-22 please refer <b>Annexure-1</b>			

**II. Raw material Consumption**

<b>Sr.No.</b>	<b>Name of Raw Material</b>	<b>Name of Products</b>	<b>Consumption of Raw material per unit of output</b>	
			<b>During the current financial year 2020-21</b>	<b>During the current financial year 2021-22</b>
1.	Deendayal Port Authority has only loading & unloading activities for dry cargo and liquid cargo. Hence consumption of raw material per unit of output with respective to production is not applicable			

**"PART-C"**

**POLLUTION DISCHARGED TO ENVIRONMENT/UNIT OF OUTPUT  
(PARAMETERS AS SPECIFIED IN THE CONSENT)**

<b>Pollutant</b>	<b>Quantity of Pollutant Discharged (mass/day)</b>	<b>Concentration of Pollution in Discharge (mass/volume)</b>	<b>% of Variation from prescribed standard with reasons</b>
Please Refer Annexure -II for Environmental Monitoring Reports of			
<ul style="list-style-type: none"><li>• Ambient Air Quality Monitoring</li><li>• Drinking Water Quality Monitoring</li><li>• Marine Water Monitoring</li><li>• Noise Level Monitoring</li></ul>			

**"PART-D"**

**HAZARDOUS WASTE  
[AS SPECIFIED UNDER HAZARDOUS WASTE (MANAGEMENT AND HANDLING) RULES -1989 & AMENDMENT RULES -2008]**

<b>Sr.No.</b>	<b>Hazardous Waste</b>	<b>Total Quantity in MT/Year</b>	
		<b>During the current financial year 2020-21</b>	<b>During the current financial year 2021-22</b>
1.	5.1- Waste Residue containing Oil	9874.84	9585.85
2.	5.2- Used Spent Oil		
<ul style="list-style-type: none"><li>• Details of Hazardous Waste generated during the financial year 2021-22 please refer Annexure-III</li></ul>			
a. From Process: NA			
b. From Pollution Control facility: NA			

**"PART-E"**  
**SOLID WASTE**

<b>Sr.No.</b>	<b>Solid Waste</b>	<b>Total Quantity in MT/year</b>	
		<b>During the current financial year 2020-21</b>	<b>During the current financial year 2021-22</b>
1.	From Process	Nil	Nil
2.	From pollution Control Facility	Nil	Nil
a.	Quantity Recycled or Reutilized within the unit	Nil	Nil
b.	Sold	Nil	Nil
c.	Disposed Off	<b>817.94 MT</b>	<b>1724.08 MT</b>
<p align="center">Details of Solid Waste (Non-Hazardous Waste) generated during the financial year 2021-22 please refer Annexure-IV</p>			

## **"PART-F"**

**PLEASE SPECIFY THE CHARACTERISTICS (IN TERMS OF CONCENTRATION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.**

### **Hazardous Waste:**

Companies authorized by Central Pollution Control Board (CPCB) and State Pollution Control Board (SPCB) have been awarded the work of collection, transporting and disposal of hazardous Waste by the Deendayal Port Authority. The same will be hand over to authorize parties for further Treatment & disposal.

### **Solid Waste:**

Garbage facility is provided as per MARPOL Act 73/78 to the vessel berthed at Deendayal Port Authority. Companies authorized by Central Pollution Control Board (CPCB) and State Pollution Control Board (SPCB) have been awarded the work of collection, transporting and disposal of solid waste by the Deendayal Port Authority. The same will be hand over to authorize parties for further treatment and disposal.

## **"PART-G"**

### **IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.**

DPA has awarded Environmental Monitoring Contract to Detox Corporation Pvt. Ltd., Surat for regularly monitoring of ambient air quality monitoring, Noise level monitoring, waste water and Marine water and sediment. Detox is a private laboratory and approved by NABL.

Further for Pollution Abatement measures taken for Conservation of Natural Resources DPA appointed renowned agency i.e M/s. GUIDE, Bhuj for the following work.

1. Regular Monitoring of Mangrove Plantation.
2. Preparation of detailed marine Biodiversity management plan for the impact of the project activities as per the requirement of EC & CRZ Clearance accorded by the MoEF&CC, GOI for the project "Creation of water front facilities (Oil jetties 8,9,10,11) and development of land of area 554 acres for associated facilities for storage at old Kandla, Gandhidham, kutch, Gujarat by M/s Deendayal Port Authority"
3. Regular monitoring of marine ecology in and around the Deendayal Port Authority area and continuous monitoring programme covering all season on various aspects of the coastal environ covering physico-chemical parameters of marine sediments samples coupled with biological indices, as per the requirement of EC & CRZ clearance accorded by the MoEF&CC,GOI to the various projects of the Deendayal port Authority.
4. Study on dredged material for presence of contaminant as per EC and CRZ clearance accorded by the MoEF&CC, GOI dated 19/12/2016 – specific condition vii

## **"PART-H"**

### **ADDITIONAL MEASURES / INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION, PREVENTION OF POLLUTION**

The allocation made under the scheme of "Environmental Services & Clearance there of other related Expenditure" during BE 2022-2023 is Rs. 345 Lakhs

## **"PART-I"**

### **ANY OTHER PARTICULAR FOR IMPROVING THE QUALITY OF THE ENVIRONMENT**

1. DPA is ISO 14001:2015 certified port for "Providing port facility and related maritime services for vessel and Cargo handling including storage
2. DPT has appointed M/s GEMI, Gandhinagar for the work "Making Deendayal Port a Green Port- Intended Sustainable Development under the Green Port Initiatives". M/s GEMI, Gandhinagar had submitted the Final Report on 10/03/2021
3. DPA has accorded the work of Afforestation project in Deendayal Port Area to Forest Department, GoG which includes plantation and maintenance work of 1100 plants per ha.
4. DPA has accorded the work of green belt development in Deendayal port Authority and its Surrounding areas charcoal site to GUIDE vide its work order dated 31/05/2022
5. DPA has planted 7500 trees in Deendayal port trust area during the year 2014-15 6000 trees during financial year 2016-17 and the same has been regularly maintained.
6. DPA has planted 4000 trees at A.O building, Gopalpuri residential colony and along the road side at Kandla. Further, approximately 885 no. of trees have been planted since September 2015 onwards.
7. Continuous water sprinkling has been carried out on the top of the heap of coal, at regular intervals to prevent dusting, fire and smoke. DPA already installed sprinkling system inside Cargo Jetty area for coal dust suppression in coal yard (40 Ha. Area) at the cost of Rs. 14.44 crores.
8. DPA has installed Mist Canon at the Port area to minimize the coal dust.
9. Deendayal port Authority (traffic department) issued a Circular (SOP) to the trade with regard to control of dust pollution arising out of coal handling and ensuring safety in coal handling. In case of any violations of SOP, provision of impose of penalty of Rs. 10000/- has been made and if violation is repeated thrice, the same will lead to ban of concerned party into port area. The DPA is taking all the measures to reduce coal dust by implementing the coal handling guidelines through port users.
10. All trucks before leaving the storage yard have been covered with tarpaulin and also trucks are also not over loaded as well as there is no spillage during

transportation and there is adequate space for movement of vehicles at the surrounding area.

- 11.DPA has constantly improving the house keeping in the dry cargo storage yard and nearby approved areas leading to roads. Adequate steps under the provisions of air prevention and control of pollution Act 1981, Environmental Protection Act 1986 are taken.
- 12.DPA appointed M/s. Detox Corporation, Surat for continuous monitoring of Environmental parameters (Air, Water, Noise etc)
- 13.DPA commissioned STP of capacity 1.5 MLD for treatment of domestic waste water for entire DPA area.
- 14.Deendayal Port Authority had carried out mangrove plantation in an area of 1500 ha. through various government agencies like Gujarat Ecology Commission, State Forest Department.
- 15.It is also relevant to mention here that, DPA entrusted work to Forest Department, GoG (Social Forestry Division, Bhuj) during August, 2019 for green belt development in and around port area 31.942 hectares (approx. 35200 plants at various locations) at a cost of Rs. 352.32 lakhs.
- 16.DPA is involved in various CER activities like providing the proper sanitation and development of better roads for connectivity
- 17.DPA is managing its plastic waste as per Plastic Waste Management Rules – 2016 and amendments made therein. In order to strictly implement the said rules, DPT had issued a circular regarding plastic waste minimization, source segregation, recycling etc. vide its Circular no. EG/WK/4751/Part 243(A) dated 03/09/2021

**ANNEXURE - 1**  
**WATER CONSUMPTION**  
**DETAILS**

**Statement Showing the quantity of water consumed from GWSSB from April 2021 to March 2022**

<b>Sr. No.</b>	<b>Month</b>	<b>Total Quantity Consumed In KL</b>
1.	April 2021	47342.46
2.	May 2021	48920.55
3.	June 2021	47342.46
4.	July 2021	57490
5.	August 2021	67265.75
		2634.25
6.	September 2021	65095.89
		4694.11
7.	October 2021	67265.75
		4794.24
8.	November 2021	65095.89
		4644.11
9.	December 2021	64130
10.	January 2022	58490
11.	February 2022	60756.17
		11343.84
12.	March 2022	63900
<b>Total</b>		<b>741205.47</b>

  
 SE (PL) and EMC (I/C)

**ANNEXURE – 2**  
**ENVIRONMENTAL**  
**MONITORING REPORT**

**ENVIRONMENT MONITORING REPORT OF DEENDAYAL PORT AUTHORITY**

**(Annual Report)**

**(March 2021 to February 2022)**

**(Report No-DCPL/DPA (19-22)/AMR/21-22/02)**



Submitted to



Deendayal Port Authority



Prepared by

Detox Corporation Pvt. Ltd.  
Detox House, Udhna Darwaja, RingRoad  
Surat - 395002

## TABLE OF CONTENTS

Sr. No.	Particulars	Page No
<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Deendayal Port Authority</b>	<b>5</b>
2.1	Environment Management Policy of DPA	6
2.2	QHSE Policy of Deendayal Port	6
2.3	The Physical Environment	7
2.4	Biophysical Environment	7
<b>3</b>	<b>Environment Management Plan</b>	<b>9</b>
3.1	Yearly Monitoring schedule	11
<b>4</b>	<b>Environment Monitoring Plan</b>	<b>12</b>
4.1	Selection of Sampling Locations	13
4.1.1	Air Quality Monitoring	13
4.1.2	Monitoring of Drinking Water Quality Method of Monitoring	14
4.1.3	Monitoring of Marine Water Quality and Biological Parameters Methodology for Physico-chemical Monitoring	14
4.1.4	Noise Monitoring	16
4.1.5	Soil Quality Monitoring	16
4.1.6	Monitoring of performance of the Sewage Treatment Plant (STP) at Gopalpuri Township, Deendayal Port & Vadinar	17
<b>5</b>	<b>Monitoring Results</b>	<b>18</b>
5.1	Ambient Air	18
5.2	Drinking Water Quality Monitoring	29
5.3	Marine Water Monitoring	33
5.4	Productivity Study	36
5.5	Phytoplankton and Zooplankton	43
5.6	Noise Monitoring	44
5.7	Soil Monitoring	45
5.8	Sewage Treatment Monitoring	52
5.9	Weather Monitoring	55
<b>6</b>	<b>Conclusion</b>	<b>56</b>
<b>7</b>	<b>Suggestions</b>	<b>59</b>
<b>8</b>	<b>Annexure I-A to I-C</b>	<b>62</b>

## **1. Introduction**

The environmental Monitoring plan is the key document in the environmental management system and sets out the detailed targets, objectives and procedures that will be adopted in order to achieve the goals set out in the environmental policy. EMP document is a collation of background information relevant to the Kandla Port Environmental Management and Monitoring Plan (EMMP).

### **1.1 The Environment (Protection) Act, 1986**

The EPA 1986 came into force in all of India in November of 1986, under an official notification. The Act contains 26 sections divided into 4 chapters. The Act has its genesis in Indian Constitution's Article 48(A) and Article 51 (A)g. The Act is a part of Article 253 of the Indian Constitution.

The rules of Environment protection came into force on 19th November 1986 and these rules provide for the following:

- The standards of quality of air, soil and water for various areas and purposes of environment.
- The standard set up to know about the limits of the environmental pollutants.
- Rules include the procedure and safeguards needed to handle the hazardous substance.
- Restrictions and some prohibitions on handling the hazardous substances in different areas and premise
- The procedures and safeguards required for the prevention of accidents which may cause environmental pollution and also the remedies for it.
- The prohibition and restrictions possessed on the location of industries in different areas.

### **1.2 EIA and CRZ Notification**

The Ministry of Environment, Forests & Climate Change (MoEF & CC), Government of India, exercising the powers conferred upon it under the provisions of the Environment (Protection) Act, 1986, issued the Environment Impact Assessment Notification, 2006 and its subsequent amendments.

#### **1.2.1 EIA Notification**

The basic objective of the Environment Impact Assessment is to identify, predict, mitigate and communicate the possible impacts due to the proposed project to the Government authority and people likely to be affected and incorporate the conditions for construction, operation, maintenance and waste disposal phases of the project to mitigate the negative (adverse) impacts and enhance the positive impacts for the sustainable development of the region.

Environmental Impact Notification S.O.1533 (E), dtd.14th September 2006 as amended 2009, issued under Environment (Protection) Act 1986, has made it mandatory to obtain prior environmental clearance (EC) for scheduled development projects. The notification has classified projects under two categories A & B. Category A projects (including expansion and modernization of existing projects) require clearance from The Ministry of Environment, Forests & Climate Change (MoEF & CC), Govt. of India (Gol) and for category B from State Environmental Impact Assessment Authority (SEIAA), constituted by Govt. of India.

Some important features of the said Notification are:

- I. Prior Environmental Clearance (EC) is required by all new projects or activities listed in the Schedule of the EIA Notification 2006 and subsequent amendments thereafter. EC are required before Commencement of any construction work or preparation of land by the project management.
- II. Prior EC is also required by the existing projects or activities if its capacity is likely to exceed the threshold limit mentioned in the said Schedule.
- III. All category B projects where general condition does not apply, the project proponents are required to apply to the SEAC who will hear the case according to the procedure laid down in the EIA notification and

based on whose recommendation, EC may be granted or rejected by the SEIAA.

IV. For all category A projects and also category B projects where general condition applies, the project proponents are required to apply directly to The Ministry of Environment, Forests & Climate Change (MoEF & CC), Government of India, who would consider the project for grant or rejection of the EC based on the recommendation of the Expert Appraisal Committee at the central level.

V. If projects attract CRZ clearance, then clearance under CRZ rules is also required.

### **1.2.2. Coastal Regulation Zone (CRZ)**

The Union Cabinet approved the Coastal Regulation Zone (CRZ) Notification, 2018 which were last reviewed and issued in 2011. The notification was released after a series of representations received by the Ministry of Environment, Forest & Climate Change (MoEF&CC) from various Coastal States/UTs for a comprehensive review of the provisions of the CRZ Notification, 2011.

#### **1.2.2.1. Classification of CRZ**

For the purpose of conserving and protecting the coastal areas and marine waters, the CRZ area shall be classified as follows, namely:-

##### **CRZ-I A**

CRZ-I A shall constitute the ecologically sensitive areas (ESAs) and the geomorphologic features which play a role in maintaining the integrity of the coast viz.: Mangroves, corals, biologically active mudflats, Marine national parks, turtle nesting grounds etc.

##### **CRZ-I B**

The intertidal zone i.e. the area between Low Tide Line and High Tide Line shall constitute the CRZ-IB.

##### **CRZ-II**

CRZ-II shall constitute the developed land areas up to or close to the shoreline, within the existing municipal limits or in other existing legally designated urban areas, which are substantially built-up with a ratio of built-up plots to that of total plots being more than 50 per cent and have been provided with drainage and approach roads and other infrastructural facilities, such as water supply, sewerage mains, etc.

##### **CRZ-III**

Land areas that are relatively undisturbed (viz. rural areas, etc.) and those which do not fall under CRZ-II, shall constitute CRZ-III, and CRZ-III shall be further classified into following categories:-

##### **CRZ-III A**

Such densely populated CRZ-III areas, where the population density is more than 2161 per square kilometer as per 2011 census base, shall be designated as CRZ-III A and in CRZ-III A, area up to 50 meters from the HTL on the landward side shall be earmarked as the "No Development Zone (NDZ)", provided the CZMP as per this notification, framed with due consultative process, have been approved, failing which, a NDZ of 200 meters shall continue to apply.

##### **CRZ-III B**

All other CRZ-III areas with population density of less than 2161 per square kilometer, as per 2011 census base, shall be designated as CRZ-III B and in CRZ-III B, the area up to 200 meters from the HTL on the landward side shall be earmarked as the "No Development Zone(NDZ)".

Land area up to 50 meters from the HTL, or width of the creek whichever is less, along the tidal influenced water bodies in the CRZ III, shall also be earmarked as the NDZ in CRZ III.

##### **CRZ-IV**

The CRZ-IV shall constitute the water area and shall be further classified as under:

**CRZ-IV A**

The water area and the sea bed area between the Low Tide Line up to twelve nautical miles on the seaward side shall constitute CRZ-IV A.

**CRZ-IV B**

CRZ-IV B areas shall include the water area and the bed area between LTL at the bank of the tidal influenced water body to the LTL on the opposite side of the bank, extending from the mouth of the water body at the sea up to the influence of tide, i.e., salinity of five parts per thousand (ppt) during the driest season of the year.

**1.2.3. EMMP Plan**

As per the guidelines of Ministry of Environment Forests and Climate Change and also as per the environment management plans submitted by various agencies during their EIA studies, DPA has appointed M/s. Detox Corporation Pvt. Ltd. For the work of “Preparing and Monitoring of Environmental Management Plan for Deendayal Port Authority at Kandla vide Work Order No.EG/WK/EMC/11023/2011/IV/213Dated-07/12/2019.

As part of this assignment, M/s. Detox Corporation Pvt. Ltd. prepared an Environmental Management and Monitoring Plan (EMMP) and submitted this EMMP prior to commencement of the Environment Monitoring of Deendayal Port in February2020.The EMMP summarized the background information as are source to develop Environment Monitoring Plan, based on the results of the EIA studies carried out at Deendayal Port by several agencies.

This environmental Management and Monitoring Plan (EMMP) plan submitted in February2020 was the key document in the environmental management system and set out the detailed targets, objectives and procedures that are adopted in order to achieve the goals to efficiently manage the environmental policy of Deendayal Port Authority.

**2. DEENDAYAL PORT Authority**

Deendayal Port is one of the most important ports of India. This port is situated at Latitude23°01’N and Longitude70°13’E on the shores of the Kandla Creek. The Deendayal Port came into existence in the year 1931 with a single Pier construction. Later on with the loss of Karachi port to Pakistan during partition, after independence the Government of India chose Kandla as an ideal sea outlet. Thus the Deendayal Port was developed and since then Deendayal Port has played a pivotal role in enhancing country`’s maritime trade.

The Port of Kandla was declared a major port in 1955. The Deendayal Port Authority was created by law in 1963 to manage the new port. In 1978, The Deendayal Port had commissioned the off-shore Oil Terminal facilities at Vadinar jointly with Indian Oil Corporation, by providing Single Buoy Mooring (SBM) system, having a capacity of 54 MMTPA, which was first of its kind in India. Further, significant quantum of infrastructure up-gradation has been effected, excellent maritime infrastructure has been created having capacity of 32 MMTPA by M/s Essar Oil Refinery in Jamnagar district.

The port governed by Deendayal Port Authority (DPA) is a gateway port to the hinterland in western and northern states of Jammu & Kashmir, Delhi, Punjab, Himachal Pradesh, Haryana, Rajasthan, Gujarat and parts of Madhya Pradesh, Uttaranchal and Uttar Pradesh. It is in the district of Kutch and is located on the west bank of Kandla creek which runs into the Gulf of Kutch at a distance of 90 nautical miles from the Arabian Sea. The Port is well connected by the network of rail and road and is a gateway port for export and import of goods for northern states (Map1). The width of the channel varies from 200 meters to 1,000 meters. The contour depth along the shipping channel is around 10 meters. The total length of the Deendayal Port approach Channel is around 23kms. Presently, the Port has sixteen cargo berths for handling dry cargo traffic,

## **Environmental Monitoring of Deendayal Port Authority – Annual Report (March 2021-22 Feb 2022)**

---

six oil jetties for handling Petroleum Oil products and other liquid cargo traffic at Kandla Creek and 3 Single Buoy Mooring (SBM) at Vadinar for handling crude oil and two product jetties for handling petroleum products.

### **2.1. Environment Management Policy of Deendayal Port Authority**

In 2013, the DPA achieved certification of its Environmental Management System to ISO 14001. In 2019, DPA obtained ISO 14001:2015 certifications. One of the key requirements of the ISO 14001 series is that the systems, plans and controls are under the operational control of the entity committed to managing the activity. The DPA also manages environmental risk to land and marine areas under its control arising from third party industrial activities. While these parties and the associated risks are covered in the risk register, the controls are managed by standalone EMP,s of the third party in accordance with the DPA development Approval Process and /or through direct state or central Government requirements as part of an:

- Environmental Clearance, CRZ Clearance, in the case of a new project; and
- Consent to Establish /NOC for an establishment, and Consent to Operate/NOC for operation of the projects.

#### **2.1.1 The Key Objectives of Deendayal Port Authority**

- To provide our Clientele, efficient and economical Port services. To render value for money and value added services to our Customers to their utmost satisfaction.
- To create facilities of international standards, and facilitate quicker turnaround of vessels.To maintain peaceful industrial relations by recognizing our work force as an asset and develop them to adopt to the changing Port scenario.
- To participate in social development by contributing our mite to the society at large.
- To be Environment friendly.

### **2.2. QHSE Policy of Deendayal Port**

Quality, Occupational health, Safety and Environmental Policy (QHSE) of Deendayal Port Authority is the statement of its intentions, principles & commitment in relation to its overall QHSE performance, which provides a frame work for the action and for the setting of QHSE objectives & targets. QHSE policy has been developed through initial status review of quality, Occupational health, Safety and Environment Management comprising of following key areas namely;

- Legislative, regulatory and other requirements
- Identification of equipment and services supporting quality of final services.
- Identification of significant OH&S risks and Environmental aspects.
- Examination of all existing environmental & Occupational health and safety management practices and procedures.
- Evaluation and feedback from the investigation of previous incidents and accidents.

The QHSE policy of Deendayal Port Authority has been communicated at all levels through display in all the relevant places. The policy has also been communicated to external parties by way of displaying it at the main gate of Deendayal Port Authority in Hindi/English/local (vernacular) language.

Management representative of Deendayal Port Authority has established, implemented and maintaining the QHSE management system and continually improves its effectiveness by regular monitoring in accordance with the requirements of this international standard. MR has identified the various processes needed for the QHSE management system and their application throughout the organization.

The sequence and interrelation of these processes are determined to control the effectiveness of these processes & operations. The criteria & methods are determined necessary resources & information/details are made available at the point of use so that operations & processes can be monitored. (Ref: Department Operational Manual and their Process Flow Chart).

Measurement of these processes are timely analyzed and the relevant actions are implemented to achieve planned results & for continual improvement.

### **2.3. The Physical Environment**

Deendayal Port (23°02'29.92"N, 70°13'08.99"E) is located at the tail end of Gulf of Kachchh (GoK), an east west oriented Gulf system in the western part of Gujarat. It is about 90 nautical miles from the open waters of Arabian Sea. Kandla creek harboring the Deendayal Port is one of the major creeks of the inner Gulf of Kachchh. Gulf of Kachchh (GoK) is 75 km wide at its mouth and after running about 170 km away from the Arabian sea towards east, narrows down into a constriction at 70° 20" E at *Sat Saida* Bet and then bifurcates into many creek systems (Map1). The Little Ran at the tail end of GoK has a network of many small and large creeks, intermingling with marshy tidal flats rich in fine clays. Kandla creek is one of the major tributaries of this creek system, which empties into the inner GoK. All these creeks bring water from the Little Ran into Kandla creek, which has a fairly good depth and stable banks.

Coastal and inland environmental setting of Kandla, similar to other parts of Kachchh, has marked climatological peculiarities like aridity, geomorphology and coastal and terrestrial ecosystems. Annual rainfall in Kachchh district was 458 mm during 2001- 10 whereas it was 443 mm at Gandhidham taluka during the same period which is often irregular. Rain during monsoon is confined to only 15-20 days and occurs as an instant downpour. The mean rainfall in year 2019 was 194mm.

On the terrestrial side there are no major rivers or rivulets or fresh water streams. Winter and summer temperatures range from 7°- 47°C with a yearly average humidity of 60% which increases to 80% during southwest monsoon and decreases to 50% during November-December. Average wind speed is 4.65 m/s with a maximum of 10.61 m/s during June. Drought is a common phenomenon in Kachchh with 2 drought year in a cycle of 5years. Annual temperature fluctuation in the district is extreme, ranging from 4°C to 47.5°C.

### **2.4. Biophysical Environment**

#### **a. Creek system**

The creek system consists of 3 main creeks the Nakti, the Kandla and the Hansthal, and the Little Gulf of Kutch interconnecting through many other big and small creeks, all along the coast. Very few rivers drain into the Gulf and they carry only a small quantity of freshwater, except during the brief monsoon. They are broad-valleyed and their river bed is mostly composed of coarse sand and gravel. The Gulf is uniquely characterized by numerous hydrographic features like pinnacles, as much as 10 m high. The southern shore has numerous islands and inlets covered with mangroves and surrounded by coral reefs. The northern shore is predominantly sandy or muddy confronted by numerous shoals.

The Marine water of Gulf of Kutch and its creeks like Kandla creek, Nakti creek and Khori creek are providing the suitable habitat for marine vegetation. The Gulf abounds in marine wealth and is considered as one of the biologically rich marine habitat along the west coast of India. The marine vegetation is highly varied, which includes sand dune vegetation, mangroves, sea grasses, macrophytes and phytoplankton. The dominant species of sand dune flora are *Euphorbia caudicifolia*, *E. nerifolia*, *Aloeverasp*, *Ephedrafoliata*, *Urochodrasetus*, *Sporobolus maderaspatenus*, *Eragrostis uniolooides*, *Calotropis procera*, *Fimbristylis* sp, *Indigofera* sp and *Ipomoea pescaprae*. The common sea grasses found growing on the mud flats are *Halophila*

*ovate* and *H.beccarii*.

## **b. Mangroves**

Deendayal Port Authority (DPA) is one of the largest ports of India in terms of volume of cargo handled. Among Indian ports, this port also has the largest coastal habitats such as mangroves (193.1km<sup>2</sup>) and mudflats (312.9 km<sup>2</sup>). DPA has implemented mangrove plantation in 1500 Ha during 2005 - 2017 through various implementing agencies at Sat Saida Bet, Nakti creek and Kantiyajal. The Deendayal Port Authority has entrusted the task of evaluating 1500 ha of mangrove plantation in these three locations to Gujarat Institute of Desert Ecology (GUIDE), Bhuj.

Coastal belt in and around Kandla region is characterized by a network of creek systems and mudflats which are covered by sparse halophytic vegetation like scrubby to dense mangroves, creek water and salt encrusted land mass which forms the major land component. The surrounding environment in a radius of 10 km from the Port is mostly built up areas consisting salt works, human habitations and Port related structures on west and north, creek system, mangrove formations and mudflats in the east and south. Deendayal Port and its surroundings have mangroves, mud flats and creek systems as major ecological entities.

Mangrove plantation activity by DPA was initiated in 2005 as mandated by the Ministry of Environment, Forests & Climate Change (MoEF&CC). Subsequently, 1300 ha of mangrove plantation has been completed till the end of 2017 in different years in order to meet the legal mandate of Ministry of Environment, Forests and Climate Change (MoEF & CC). The mangrove plantation activities were carried out at Sat Saida Bet, Nakti creek and Kantiyajal of Bharuch district in South Gujarat. At Sat Saida Bet, Plantation activities were carried out in phased out manner i.e. 20 ha during 2005-2006, 200 ha during 2011-2012, 300 ha during 2012-2013, and 330 ha during 2013-2014 (Plate 1). At Nakti creek plantation was carried out during 2008-2009 and 2010-2011 in 50 ha and 100 ha, respectively (GUIDE, 2018). In 2015-17 300 ha by GEC at Kantiyajal, Bharuch District and 2018- 20 by GEC (At Satsaida bet : 50 Ha. And 300 ha at Kantiyajal 50 Ha Taluka : Hansot, District : Bharuch ). In 2020-2021 -100 ha GEC, Gandhinagar.

*A. marina* was the preferred species for plantation activities in all the three locations due to prevailing high salinity and high success rate of this species. At Nakti creek *Rhizophora mucronata* and *Ceriops tagal* were also planted in small numbers along with *A. marina*. Likewise, at Kantiyajal attempts were made for planting *R.mucronata* along with *A.marina*.

## **c. Marine Fauna**

In the marine environment of Deendayal Port, there are eleven species of mollusca, seven species of shrimps (Prawn) and seven species of annelids. Besides these, there are twelve groups of phytoplankton, 7 groups of zooplanktons. The density of meio-fauna ranged from 382 to 670 nos/10cm<sup>2</sup>. The density of benthic macro fauna ranged from 952 to 1092 no/m<sup>2</sup>. The dominant macro-faunal group was porifera (Mantec, 2014).

## **d. Terrestrial Biodiversity**

Sensitive ecological habitats like forest, grassland, agricultural land, wetlands are absent within and in the proximity of the Deendayal Port due to its highly built-up nature. The species richness and abundance of aquatic birds and terrestrial fauna (reptiles, mammals) in the port environ and its surrounding was low with least conservation significance.

There are 11 species of herpetofauna (reptiles and amphibians), 53 species of terrestrial birds, 49 species of aquatic birds in the Port Environs. Due to absence of forest habitat in the immediate vicinity of Deendayal Port, only nine species of mammals were recorded with very low abundance.

### **3.0 Environment Management Plan**

Port activities can often affect the quality of air, noise and marine water in the surrounding areas due to the wide range of port operation activities. For the determination of environment quality, need for identification of sources, control and disposal of waste from various point and non-point sources and for prediction of various parameters of sound environmental quality, regular monitoring and assessment are required.

The Environment management plan is the key document in the environmental management system and sets out the detailed targets, objectives and procedures that will be adopted in order to achieve the goals set out in the environmental policy.

It is extremely essential that port and harbour projects should have an environmental management plan (EMP), which also incorporates monitoring of air, noise, soil and marine water quality along with the collection of meteorological data.

Deendayal Port Authority targets the achievement of high environmental standards and strives to ensure that activities within the Port are environmentally and ecologically sustainable and have minimal impact on the natural environment.

Several developmental projects have been initiated and EIAs have been carried out for the said projects. These EIA studies have also submitted the suggestions on the environmental management of the project area and Deendayal Port in general. These suggestions and mitigation measures have also been considered in framing the current environment management plan.

The present Environment Management Plan summarizes the suggestions of the ECs received from the Ministry of Environment, Forests & Climate Change (MoEF & CC), and consents granted by Gujarat Pollution Control Board(GPCB).

The projects for which ECs were granted and which formed the frame work of the present EMP are as below;

- EC and CRZ Clearance for Construction of 13th to 16th Cargo berth at Kandla in year 2008
- EC & CRZ clearance for development of plots for construction of liquid storage tank farms at Kandla, district Kutch in year 2009
- Environmental and CRZ Clearance to DPA for development of plots for construction of warehouses/Godowns (stage II) in year 2012.
- Environmental and CRZ clearance for Single Point Mooring (SPM) and Allied facilities off Veera in the Gulf of Kachchh for handling Crude Oil on BOT basis in year 2013.
- Developing seven integrated facilities within the Existing Kandla port at Kandla, Gujarat–December 2016
- Proposed Smart Industrial Port City (SIPC) at green Field Site 1 (Adipur side– Northeast of Antarjaal, South of Tagore Road, 580 Acres), Gandhidham, Kutch-Gujarat”-October 2017
- Proposed Smart Industrial Port City (SIPC) at Green Field Site 2 (DPA Complex, 849.96 Acres), Gandhidham, Kutch –Gujarat.–October 2017.
- Construction of Interchange cum road over bridged (SIA/GJ/NCP/19832/2017)
- Creation of water front facilities of oil jetties of 8,9,10 & 11 & development of land (1432 areas) (IA/GI/MIS/61679/2017)
- Development of plots for constructing of warehouse/ godowns ad measuring 11,50,000 m2 area at outside west gate no 1 on national highway no 8A at Kandla (SIA/GJ/MIS/122861/2019)

- Up gradation of Barge handling facility at Sunder Basin at Kandla
- Multipurpose Cargo Terminal at Tekra off Tuna on BOT basis
- Construction of Rail Over Bridge at NH-8A near Nakti Bridge (crossing of NH 8A)
- Strengthening of oil jetty no. 1
- Modification and strengthening of Cargo Berth no. 6 at Kandla Port Trust
- Container terminal Tuna Tekra (Capacity 2.19 Million TEUs)
- Railway line (NH 8A to Tuna 11 km)
- Construction of port craft jetty & SNA section
- Development of integrated facility stage II (IA/GJ/MIS/27227/2015)
- Setting up 7th oil jetty at old Kandla
- Setting up Barge jetty at Veera
- Setting up Barge jetty at JafraWadi
- One administrative building at Tuna Tekra
- Construction of 15.5 km long road from Veera Barge Jetty to Tuna Gate
- Single point Mooring and allied facilities off Veera in Gulf of Kutch for handling crude oil on BOT basis in the state of Gujarat (IA/GJ/MIS/178779/2020)

**Table: 1 Yearly Monitoring schedule**

<b>Yearly Monitoring schedule</b>				
Sr. No	Sampling Activity Description	Locations	Monthly Monitoring	Yearly Monitoring
1	Ambient Air	6 locations (Kandla)	8	96
		2 locations (Vadinar)	8	96
2	Drinking Water	18 locations (Kandla)	1	12
		2 locations (Vadinar)	1	12
3	Waste water	2 locations (Gopalpuri Township & Kandla)	4	48
		1 location (Vadinar)	4	48
4	Soil	4 locations (Kandla)	1	12
		2 locations (Vadinar)	1	12
5	Noise	10 locations (Kandla)	1	12
		2 locations (Vadinar)	1	12
6	Marine Water sampling for Physico - Chemical Parameters, Biological parameters and sediments (Twice a month)	8 Locations (6- Kandla & 2- Vadinar)	2	24

#### **4. Environment Monitoring Plan**

Environment Monitoring Plan is very important for monitoring the environmental status of the port for sustainable development. The EMP mainly consists of monitoring of the Air quality, Marine water quality, Ecological and Biological quality and Noise quality of the Deendayal Port area. The monitoring program is also required to suggest suitable mitigation measures for the deviation found in the results of the monitoring, so as to keep the pollution level with in control.

The list of main elements for which Environmental monitoring is carried out is mentioned below.

- Air Quality Monitoring
- Drinking Water Monitoring
- Noise Monitoring
- Marine Water Monitoring
- Soil Monitoring
- Sewage Treatment Plant Monitoring
- Meteorological Monitoring

M/s Detox Corporation Pvt. Ltd. appointed by Deendayal Port Authority will carry out monitoring of the various environmental aspects of the port with following objectives;

- To review the locations of ambient air and marine water quality monitoring stations within the impacted region in and around DPA establishment, in view of the developmental projects.
- To assess the ambient air quality and marine water quality at selected stations in terms of gases and particulate matter, physical, chemical and biological parameters for the assignment period.
- To assess the marine water quality in terms of aquatic flora and fauna and sediment quality in terms of benthic flora and fauna.
- To assess the trends of air and water quality by comparing the data collected over a specified time period.
- To assess the trends of water quality in terms of marine ecology by comparing the data collected over a specified time period.
- To review the results and to check compliance with environmental quality standards.
- To suggest mitigation measures, if necessary, based on the findings of this study.
- To recommend future action plans on air and marine water quality monitoring programmed based on the findings of this study.
- Drinking Water samples at twenty stations will also be monitored for various physical, chemical and biological parameters viz., color, odor, turbidity, conductivity, pH, EC, total dissolved solids, chlorides, total hardness, iron, sulfate, NH<sub>3</sub>N, PO<sub>4</sub>, Turbidity, salinity, BOD, Hardness, Calcium, Magnesium, Sodium, Potassium, metals and bacterial count on a monthly basis.
- Every week a sample (inlet and outlet) of the Sewage Treatment Plant (STP) shall be analyzed to see the water quality being discharged by DPA. However, the results will be submitted every month. If in a particular month any deviation is observed, the same shall be submitted immediately to the Employer.
- Noise monitoring will be carried out twice a day at the representative stations for a period of 24 hours. A report of the same will be submitted to DPA.
- Meteorological parameters are very important from air pollution point of view and precise and continuous

data collection is of utmost importance. The data collected is analyzed as per the standards. Meteorological data on wind speed, wind direction, temperature, relative humidity, solar radiation and rainfall will be collected from one permanent station at DPA and one permanent station at Vadinar.

- All Locations & Monitoring parameters are tentative and subject to change as per GPCB/CPCB/MoEF &CC Guideline.

#### **4.1 Selection of Sampling Locations**

Sampling locations have been selected by Deendayal Port Authority considering various activities of Deendayal Port Authority and its environs and various Environment Impact Assessment Studies carried out in Deendayal Port. The sampling locations of various air, water and marine water surveys will be reviewed periodically and may be altered if required as per the suggestions/discussions with the Deendayal Port Authority and Environmental consultants engaged by the Deendayal Port Authority.

**The major components of the monitoring are:**

##### **4.1.1. Air Quality Monitoring**

Air Monitoring is done at eight fixed locations in port area. The description of stations is depicted in Table1. The monitoring cycle at all eight monitoring stations is twice in a week.

##### **Method of Monitoring**

Sampling and analysis will be carried out as per CPCB guidelines for Ambient Air Quality monitoring. The monitoring is carried-out for air quality parameters mentioned in the National Ambient Air Quality Standards (NAAQS), CPCB Notification published in 2019. Sampling for Particulate Matter PM<sub>10</sub>, PM<sub>2.5</sub> and Total Suspended Particulate Matter (TSPM) is done for a twenty four hour period.

##### **Frequency of AAQ Monitoring**

The monitoring cycle at all eight monitoring Stations is twice in a week. Sampling for Particulate matter (PM<sub>10</sub>, PM<sub>2.5</sub>) and total suspended particulate matter is done for a twenty four hour period. Sampling for gaseous samples like SO<sub>x</sub>, NO<sub>x</sub> will be done for a twenty four hour period with sample collection at every eight hour. Table 2 gives description of Ambient Air Monitoring Stations.

**Table 2: Ambient Air Monitoring Stations**

Sr. No.	Location	Station Description	Location Codes
1	6 Stations at Kandla	Marine Bhavan	AL-1
2		Oil Jetty	AL-2
3		Kandla Port Colony	AL-3
4		Gopalpuri Hospital	AL-4
5		Coal Storage Area	AL-5
6		Tuna Port	AL-6
7	2 Stations at Vadinar	Signal Building	AL-7
8		Vadinar Colony	AL-8

**4.1.2. Monitoring of Drinking Water Quality Method of monitoring**

The sampling and analysis will be done as per standard methods IS 10500:2012. The water samples will be analyzed for various parameters via; Color, Odor, Turbidity, Conductivity, pH, Chlorides, TDS, Total hardness, Iron, Sulphate, Salinity, Biological Oxygen Demand (BOD), Chlorides, Sodium(Na), Potassium(asK+), Calcium(asCa), Magnesium(Mg), Fluorides (F), Nitrate (NO<sub>3</sub>), Nitrite (NO<sub>2</sub>), Manganese (Mn), Iron (Fe), Chromium(Cr<sub>6+</sub>), Copper(asCu), Cadmium(Cd), Arsenic(As), Mercury(Hg), Lead (Pb), Zinc (Zn), CFU, & bacterial count. The method will be manual at all monitoring stations.

- Frequency of Drinking Water Monitoring:**

The monitoring at all twenty drinking water stations will be done monthly once.

- Drinking Water Monitoring Stations**

A list of locations for collecting the drinking water samples is depicted in Table 3.

**Table 3: Monitoring locations for Drinking Water**

Sr. No	Monitoring Locations	Location Code	Sr. No	Monitoring Locations	Location Code
<b>Location at Kandla</b>			11	Hospital Kandla	DW-11
1	Nirman Building1	DW-1	12	A.O. Building	DW-12
2	P& C Building	DW-2	13	School Gopalpuri	DW-13
3	Main Gate(North)	DW-3	14	Guest House	DW-14
4	Canteen	DW-4	15	E-Type quarter	DW-15
5	West gatel	DW-5	16	F-type quarter	DW-16
6	Wharf area	DW-6	17	Hospital Gopalpuri	DW-17
7	Sewasadan-3	DW-7	18	Tuna Port	DW-18
8	Workshop	DW-8	<b>Locations at Vadinar</b>		
9	Custom building	DW-9	19	Nr. Vadinar Jetty	DW-19
10	Port Colony Kandla	DW-10	20	Port colony	DW-20

**4.1.3. Monitoring of Marine Water Quality and Biological Parameters Methodology for Physico-chemical Monitoring**

Water samples will be collected for analyzing physico-chemical and biochemical parameters viz. pH, Temperature, Colour, Odour, Salinity, Turbidity, SS, TDS, TS, DO, COD, BOD, Silicate, PO<sub>4</sub>, SO<sub>4</sub>, NO<sub>3</sub>, NO<sub>2</sub>, Ca, Mg, Na, K, Iron (as Fe), Chromium (as Cr), Copper (As Cu), Arsenic (as As), Cadmium (as Cd), Mercury (Hg), Lead (as Pb), Zinc (as Zn), petroleum hydro carbons, trace metals total coliform & fecal coliform.

**Methodology for Biological Monitoring**

Sampling will be conducted from sub surface layer in high tide period and low tide period of the tide from all sampling stations during consecutive spring tide and neap tide.

Net sampling for qualitative evaluation of mixed plankton will be conducted only once during between maximum high water and slack water and maximum low water and Slack water.

Sediment sampling for qualitative and quantitative evaluation of benthic organisms will be conducted only once during one tidal cycle during maximum low water and slack water.

The collected samples will be first collected in a clean bucket to reduce the heterogeneity. From the collected water sample 1 liter of water sample will be taken in an opaque plastic bottle for chlorophyll estimation. Quantitative plankton samples will be collected by filtering rest of the water sample using plankton net of 20µm mesh size.

#### **Methodology adopted for Plankton sampling**

Mixed plankton sample for qualitative evaluation will be obtained from the sub surface layer, at each sampling locations by towing the net horizontally with the weight during highest high tide and slack period and lowest low tide and slack period. After the tow of about 15-20 minutes at speed of 1- 1.5 m/s. For quantitative evaluation 50 L sample will be collected from the sub surface during high tide and low tide period will be filtered through 20 µm mesh size net assembly.

#### **Methodology adopted for benthic fauna sampling**

Van veen sampler (0.1 m<sup>2</sup>) will be used for sampling bottom sediments during lowest low tide. The fixation of benthic fauna will be normally done by bulk fixation of the sediment sample. The bulk fixation will be done by using 10% formalin (buffered with borate) with Rose Bengal as stain. The organisms will be preserved with sea water as diluting agent.

#### **Frequency**

Phytoplankton (Qualitative & Quantitative) Zooplankton (Qualitative & Quantitative) & Benthos (Qualitative & Quantitative) samples will be collected during high tide and low tide during each spring and neap tides of the month.

#### **Sampling Stations**

The monitoring of marine environment for the study of biological and ecological parameters will be carried out in harbour regions of DPA (Table3) during Spring tide period of full moon phase of Lunar Cycle.

**Table 4: Sampling Locations for Marine Monitoring**

<b>Sr.No</b>	<b>Monitoring locations</b>	<b>Location Code</b>
<b>Locations at Kandla</b>		
1	Near passenger Jetty One	ML-1
2	Near Berth No.8&9	ML-2
3	Kandla Creek Near KPT colony	ML-3
4	Near13 <sup>th</sup> &14 <sup>th</sup> Berth	ML-4
5	Nakti Creek Near Tuna Port	ML-5
6	Nakti Creek Near NH-8A Bridge	ML-6
<b>Locations at Vadinar</b>		
7	Nr.SBM 2	ML-7
8	Nr. Vadinar Jetty	ML-8

#### 4.1.4. Noise Monitoring

Noise sources in port operations include cargo handling, vehicular traffic, and loading / unloading of cargo to/from ships. Noise Monitoring will be done at 10-stationsat Kandla, and three locations in Vadinar.

#### Method and Frequency of monitoring

Sampling will be done at all stations for 24 hour period once in month. Data will be recorded using automated sound level meter. The intensity of sound will be measured in sound pressure level (SPL) and common unit of measurement is decibel (dB).

#### Sampling Stations

The sampling locations for noise monitoring as listed in table 5.

**Table 5: Locations for Noise Monitoring**

Sr. No	Name of locations	Location Code	Sr. No	Name of locations	Location Code
<b>Locations at Kandla</b>			8	Nirman Building 1	NL-8
1	West Gate no 1	NL-1	9	Tuna Port	NL-9
2	Main gate(North)	NL-2	10	Port & customs office	NL-10
3	Wharf area/Jetty Area	NL-3	<b>Location at Vadinar</b>		
4	Main road/Central Road	NL-4	11	Nr. Port Gate-Vadinar	NL-11
5	Canteen Area	NL-5	12	Nr. Vadinar Jetty	NL-12
6	ATM building	NL-6	13	Port colony Vadinar	NL-13
7	Marine Bhavan	NL-7			

#### 4.1.5. Soil Quality Monitoring

Soil quality monitoring is important for evaluating the effects of environment management practices of a region/area.

#### Method of Monitoring

The soil samples will be collected from four locations in Kandla and two locations in Vadinar Port. The soil samples will be filled in polythene bags, labeled in the field with number and site name and taken to the laboratory for analysis (as per IS 2720). Physical and chemical properties of soil at selected locations will be studied.

#### Frequency of monitoring

Sampling will be done at all stations in Kandla and Vadinar once in a month.

#### Soil Quality Monitoring Stations

List of the locations for collecting the soil samples are as per Table 6.

**Table 6: List of sampling locations for Soil Quality Monitoring**

Sr. No	Name of locations	Location Code
<b>Locations at Kandla</b>		
1	Tuna Port	SL-1
2	IFFCO Plant	SL-2
3	Khori Creek	SL-3
4	Nakti creek bridge at NH-8A	SL-4
<b>Location at Vadinar</b>		
5	Nr. Vadinar Port Office	SL-5
6	Nr. Vadinar Colony	SL-6

**4.1.6. Monitoring of performance of the Sewage Treatment Plant (STP) at Gopalpuri Township, Deendayal Port & Vadinar**

The principal objective of waste water treatment is generally to allow human and industrial effluents to be disposed off without danger to human health or unacceptable damage to the natural environment.

**Method of Monitoring**

The parameters monitored will be pH, BOD, COD, residual chlorine, MLSS, MLVSS and TSS. The data collected will be analyzed as per the standards. The performance of the Sewage Treatment plant will be studied by collecting samples of the aeration tank and effluent tank.

**Frequency of monitoring**

Sampling will be done at all stations from inlet, aeration tank and outlet of an STP once in week.

**Monitoring Stations:**

Lists of the location for collecting the STP samples are as per table 7.

**Table 7: List of sampling locations for STP**

Sr. No	Sampling location
1	STP at Kandla
2	STP at Gopalpuri
3	STP at Vadinar

**5. Monitoring Results**

Based on the EMMP submitted, M/s Detox Corporation Pvt. Ltd. carried out monitoring of the following environmental aspects of the port for the period of March 2021 to February 2022.

**5.1 Ambient Air**

The monitoring was carried out twice a week. The results obtained from the sampling and analysis is submitted to Deendayal Port authority on monthly basis. The monthly averaged and annual results for the ambient air monitoring are given in the sections followed.

**I. Total Suspended Particulate Matter (TSPM)**

The frequency of sampling was twice a week for every sampling station.


**Table 8. TSPM (in  $\mu\text{g}/\text{m}^3$ ) values at monitoring locations in Kandla and Vadinar Port**

Months	Marine Bhavan	Oil Jetty	Kandla Estate Office	Gopalpuri Hospital	Coal Storage Area	Tuna Port	Signal Building	Vadinar colony
Mar-21	530	447	328	266	435	165	147	157
Apr-21	642	617	449	198	779	385	152	171
May-21	966	752	570	352	1341	273	134	161
Jun-21	374	312	267	173	596	125	59	60
Jul-21	467	578	463	307	354	372	105	146
Aug-21	495	520	488	229	548	347	155	138
Sep-21	449	554	341	194	324	238	164	169
Oct-21	364	465	402	274	527	362	157	211
Nov-21	460	489	487	357	598	387	219	205
Dec-21	442	480	427	251	518	362	176	183
Jan-22	417	480	417	251	484	348	164	164
Feb-22	412	393	371	243	523	284	171	186
<b>Annual Mean</b>	<b>502</b>	<b>507</b>	<b>418</b>	<b>258</b>	<b>586</b>	<b>304</b>	<b>150</b>	<b>163</b>

The mean TSPM values were highest at Coal Storage location and Marine Bhavan, followed by Oil Jetty. TSPM values were least at both the locations of Vadinar Port. The major cause of TSPM values at Coal Storage and Marine Bhavan is large amount of coal is handled at Berth No. 6, 7, 8 and use of grabs for unloading of coal directly in the truck cause coal to spread in air as well as coal dust to fall on ground. This settled coal dust again mixes with the air during trucks movement through hit.

Also, the coal laden trucks are not always covered with tarpaulin sheets and these results in spillage of coal from trucks/dumpers during its transit from vessel to yard or storage site.

**Fig 1. Observed values (annual mean) of TSPM at all eight monitoring stations**



**Interpretation of Results**

- Maximum TSPM of 1341.0  $\mu\text{g}/\text{m}^3$  was recorded in the month of May '21 at Coal storage site and the minimum value was recorded in the month of June, '21 at Tuna Port 125.0  $\mu\text{g}/\text{m}^3$ .
- At Vadinar, maximum TSPM of 219  $\mu\text{g}/\text{m}^3$  was recorded in the month of November at Vadinar Signal Building site and the minimum value was recorded in the month of June '21 at Vadinar Signal Building (59  $\mu\text{g}/\text{m}^3$ ).

**II. Particulate Matter (PM<sub>10</sub>)**

PM<sub>10</sub> is particulate matters which are 10 micrometers or less in diameter. The frequency of sampling was twice a week for every sampling station.


**Table 9. PM<sub>10</sub> (in µg/m<sup>3</sup>) values at monitoring locations in Kandla and Vadinar Port**

Months	Marine Bhavan	Oil Jetty	Kandla Estate Office	Gopalpuri Hospital	Coal Storage Area	Tuna Port	Signal Building	Vadinar colony
Mar-21	130	103	90	98	163	68	73	79
Apr-21	239	225	99	89	327	76	53	66
May-21	607	611	559	176	1149	160	73	99
Jun-21	130	82	69	52	140	59	33	33
Jul-21	373	496	366	230	206	250	75	81
Aug-21	262	322	276	133	327	217	98	77
Sep-21	333	442	211	123	200	126	97	95
Oct-21	190	246	219	140	203	163	82	116
Nov-21	193	190	217	187	292	195	115	108
Dec-21	245	263	243	142	295	194	88	98
Jan-22	227	437	217	142	264	184	93	97
Feb-22	237	213	215	139	300	161	98	104
<b>Annual Mean</b>	<b>264</b>	<b>303</b>	<b>232</b>	<b>138</b>	<b>322</b>	<b>154</b>	<b>82</b>	<b>88</b>

The mean PM<sub>10</sub> Values were highest at Coal Storage location and Marine Bhavan, followed by Oil Jetty. PM<sub>10</sub> values were least at both the locations of Vadinar Port. Higher PM<sub>10</sub> values at Coal Storage and Marine Bhavan is a result of large amount of coal handling and its inappropriate transportation methods.

Coal laden trucks are seldom covered with tarpaulin sheets and these results in spillage of coal from trucks/dumpers resulting into higher PM<sub>10</sub> values.

**Fig 2. Observed values (annual mean) of PM<sub>10</sub>at all eight monitoring stations**



**Interpretation of Results**

- Maximum value of PM<sub>10</sub> of 1149 µg/m<sup>3</sup> was recorded in the month of May<sup>21</sup> at Coal storage site and the minimum value was recorded in the month of June 2021 at Tuna Port 59.0µg/m<sup>3</sup>.
- In Vadinar, maximum value of PM<sub>10</sub> of 116 µg/m<sup>3</sup> was recorded in the month of October 2021 at Vadinar Colony and the minimum value was recorded in the month of June- 2021atVadinarColony & Signal Building (33.0 µg/m<sup>3</sup>).

**III. Particulate Matter (PM<sub>2.5</sub>)**

PM<sub>2.5</sub> particles are air pollutants with a diameter of 2.5 micrometers or less, small enough to invade even the smallest airways. PM<sub>2.5</sub> was also monitored twice a week for every sampling station.


**Table 10. PM<sub>2.5</sub> (in µg/m<sup>3</sup>) values at monitoring locations in Kandla and Vadinar Port**

Months	Marine Bhavan	Oil Jetty	Kandla Estate Office	Gopalpuri Hospital	Coal Storage Area	Tuna Port	Signal Building	Vadinar colony
Mar-21	56	50	34	29	67	24	21	41
Apr-21	73	52	44	15	101	18	35	17
May-21	41	37	40	27	102	23	33	36
Jun-21	108	113	61	33	138	33	38	22
Jul-21	89	47	56	63	40	58	40	44
Aug-21	71	73	71	51	80	63	39	45
Sep-21	81	83	60	46	80	55	44	42
Oct-21	82	89	90	79	105	96	49	70
Nov-21	90	97	97	87	104	98	84	82
Dec-21	104	102	98	87	101	93	71	75
Jan-22	95	232	99	87	111	79	66	60
Feb-22	92	90	102	82	112	114	69	76
<b>Annual Mean</b>	<b>82</b>	<b>89</b>	<b>71</b>	<b>57</b>	<b>95</b>	<b>63</b>	<b>49</b>	<b>51</b>

Average PM<sub>2.5</sub> values were highest at Oil Jetty location (mean=232.0 µg/m<sup>3</sup>) followed by Coal Storage Area

(mean =138.0  $\mu\text{g}/\text{m}^3$ ) and Gopalpuri Hospital (mean=57.0  $\mu\text{g}/\text{m}^3$ ).  $\text{PM}_{2.5}$  values At Vadinar Port the  $\text{PM}_{2.5}$  values were significantly lower.

**Fig 3. Observed values (annual mean) of  $\text{PM}_{2.5}$  at all eight monitoring stations**











**Interpretation of Results**

- Maximum value of  $\text{PM}_{2.5}$  (232.0  $\mu\text{g}/\text{m}^3$ ) was recorded in the month of January 2022 at Oil Jetty site and the minimum value was recorded in the month of May 2021 at Gopalpuri Hospital (27.0 $\mu\text{g}/\text{m}^3$ ).
- Annual mean values of  $\text{PM}_{2.5}$  were highest at Coal Storage Area (95.0 $\mu\text{g}/\text{m}^3$ ).
- In Vadinar, maximum value of  $\text{PM}_{2.5}$  of 84.0  $\mu\text{g}/\text{m}^3$  was recorded in the month of November 21 at Signal building site and the minimum value was recorded in the month of April at Vadinar Port colony (17.0 $\mu\text{g}/\text{m}^3$ ).





Location wise graphs depicting trends in TSPM,  $\text{PM}_{10}$  and  $\text{PM}_{2.5}$  in all locations of Kandla and Vadinar Port are depicted in 1 to 3.





**Fig 4. Trend in TSPM values of various AAQ Monitoring Locations**













**Fig 5. Trend in PM10 values of various AAQ Monitoring Locations**





**Fig 6. Trend in PM2.5 values of various AAQ Monitoring Locations**





## **5.2 Drinking Water Quality Monitoring**

Drinking Water Quality Monitoring was carried out at twenty stations at Kandla, Vadinar & Town ship Area of Deendayal Port.

Drinking water samples are collected from 20 locations (18 locations in Kandla and 2 locations in Vadinar). Samples for physico-chemical analysis are collected and analysed in laboratory for various parameters, viz. Color, Odor, Turbidity, Conductivity, pH, Chlorides, TDS, Total Hardness, Iron, Sulphate, Salinity, DO, BOD, Na, K, Ca, Mg, F, NO<sub>3</sub>, NO<sub>2</sub>, Mn, Cu, Cd, As, Hg, Pb, Zn, Bacterial Count (CFU).

### **Monitoring Results**

Mean values of drinking water of Deendayal Port Locations are given in table 6.4. The values shown are the annual average of all the locations of Deendayal Port Colony, Port and Harbor area as well as Deendayal Port Authority office buildings.

**Table 11 : Annual average values of Drinking water at Deendayal Port Authority**

Sr. No	Parameter	Unit	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	4 <sup>th</sup>	Value	Acceptable Limits	Permissible Limits
			Quarter Mean	Quarter Mean	Quarter Mean	Quarter Mean	(Annual Avg.)		
1	pH	pH Unit	7.38	7.41	7.46	7.38	7.41	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/L	1114.30	1083.67	1265.93	1155.75	1154.91	500	2000
3	Turbidity	NTU	0.53	0.48	0.47	0.45	0.48	1	5
4	Odor	-	Odorless	Odorless	Odorless	Odorless	Odorless	Agreeable	Agreeable
5	Color	Hazen Units	Colorless	Colorless	Colorless	Colorless	Colorless	5	15
6	Conductivity	µs/cm	2253.97	2064.35	2448.83	2108.38	2218.88	NS*	NS*
7	Bio.Oxygen Demand	mg/L	<2	<2	<2	<2	<2	NS*	NS*
8	Chloride as Cl	mg/L	651.10	579.99	484.50	539.53	563.78	250	1000
9	Ca as Ca	mg/L	74.21	59.34	62.83	61.72	64.53	75	200
10	Mg as Mg	mg/L	62.90	68.23	71.90	65.22	67.07	30	100
11	Total Hardness	mg/L	443.03	415.20	403.03	436.67	424.48	200	600
12	Iron as Fe	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	0.3	1
13	Fluorides as F	mg/L	0.45	0.69	0.55	0.64	0.58	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/L	211.96	193.41	229.75	220.67	213.95	200	400
15	Nitrite as NO <sub>2</sub>	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/L	5.29	10.23	9.92	10.04	8.87	45	100
17	Salinity	%	1.26	1.05	0.88	0.97	1.04	NS*	NS*
18	Sodium as Na	mg/L	329.18	228.77	219.20	268.63	261.45	NS*	NS*
19	Potassium as K	mg/L	4.13	2.94	3.80	4.43	3.82	NS*	NS*
20	Manganese	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.1	0.3
21	Hexavalent Chromium	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	NS*	NS*
22	Copper	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.05	1.5
23	Cadmium	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.003	0.003
24	Arsenic	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.01	0.05
25	Mercury	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.001	0.001
26	Lead	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	0.01	0.01
27	Zinc	mg/L	<0.04	<0.04	<0.04	<0.04	<0.04	5	15
28	Bacterial Count	CFU/100 ml	Absent	Absent	Absent	Absent	Absent	Absent	Absent

NS= Not specified, ND=Not detected

### **Discussion**

The colour of all drinking water samples was colourless unit and odour of the samples was also agreeable. The values of turbidity, Iron as Fe and Ammonia as NH<sub>3</sub>-N were observed to be below detection limits of measurement i.e. <0.1NT, <0.03mg/L and <0.1mg/L respectively. Apparently these parameters were not at alarming levels. Some important parameters for drinking water are discussed below in detail;

### **pH**

pH value in the studied area varied from 7.37 to 7.47 pH unit during the first year of monitoring. The limit of pH value for drinking water is specified as 6.5 to 8.5. All the sampling points showed pH values within the prescribed limit by Indian Standards.

### **Total Dissolved Solids (TDS)**

TDS values in the studied area varied between 1073.73-1201.26 mg/L. The mean TDS value was 1154.9 mg/L. None of the sampling points showed higher TDS values than the prescribed limit by Indian standards which are 500-2000mg/L.

### **Conductivity**

Conductivity is used to measure the concentration of dissolved solids which have been ionized in a polar solution such as water. The conductivity in the samples collected during the month of June ranged from 2149.36-2320.63 µs/cm. Electrical conductivity standards do not appear in BIS standards for drinking water.

### **Chlorides**

Chloride values in drinking water for the present year varied between 507.6 -647.63 mg/L. Excessive chloride concentration increase rates of corrosion of metals in the distribution system. This can lead to increased concentration of metals in the supply.

### **Calcium**

Calcium value in drinking water for the present year the studied area varied between 62.32 – 68.91 mg/L. The mean Ca was observed to be 64.52 mg/L. If calcium is present beyond the maximum acceptable limit, it causes incrustation of pipes.

### **Magnesium**

Magnesium value in the studied area for the present year varied from 65.80mg/L to 68.26 mg/L. All the locations had Magnesium within the prescribed limits of 30-100mg/L.

### **Total Hardness**

Total Hardness value in the studied area for the present year varied between 389.03-447.43 mg/L. The prescribed limit by Indian Standards is 200-600mg/L.

### **Fluoride**

Fluoride value in the studied area varied between 0.48 – 0.65 mg/L. The permissible limit as per Indian Standards is 1.0-1.5mg/L. Moderate amount of fluoride in water lead to dental effects, but long-term ingestion of large amounts can lead to potentially severe skeletal problems.

### **Sulphates**

Sulphate value in the studied area varied between 195.75–225.46 mg/L. All the sampling points showed Sulphates values within the prescribed limits by Indian Standards (200-400 mg/L). Sulphate occurs naturally in water as are sult of leaching from gypsum and other common minerals. Sulphate content in drinking water exceeding the 400 mg/L imparts bitter taste.

### **Nitrites (NO<sub>2</sub>)**

Nitrite values in all the water samples were observed to be <0.01 mg/L. There are no specified standard values for Nitrites in drinking water. Ground water contains nitrate due to leaching of nitrate with the percolating water and by sewage and other wastes rich in nitrates.

### **Salinity**

Salinity in drinking water in the present samples collected ranged from 0.92to 1.23 %. There are no prescribed Indian standards for salinity in Drinking water.

### **Heavy Metals in Drinking Water**

In the present study period drinking water samples were analyzed for Mn, Cr, Cu, Cd, As, Hg, Pb and Zn. All these heavy metals were well below/ the permissible limits of the Indian Standards for drinking water.

### **Bacteriological Study**

Analysis of the bacteriological parameter at all location shows that total Coliform values is observed to be 0.1 to cfu/100 ml. total Coliform and E-Coli values showed that all the drinking water samples were safe from any bacteriological contamination.

### **Conclusion**

The results are compared with acceptable limits as well as Permissible Limits as prescribed in IS10500:2012 – Drinking Water Specification. It was observed from the data analysis that during the Third year (March 2021 to February 2022) the drinking water was safe for human consumption as per tested parameters only at all drinking water monitoring stations.

### **5.3 Marine Water Monitoring**

Marine Water Monitoring was carried out at six stations at Deendayal Port and two locations at Vadinar Port.

Water samples were analyzed for physico-chemical and Biochemical parameters. Besides these, Phytoplankton (Qualitative & Quantitative) Zooplankton (Qualitative & Quantitative) & Benthos (Qualitative & Quantitative) samples were collected during spring tide and neap tide from all the eight fixed monitoring stations.

#### **Results**

The annual average values of monitored parameters for marine waters of DPA are given as per table 12.

**Table 12. Annual average values of various physico-chemical parameters at Deendayal Port during neap tide. (Marine Sampling Station at Gulf of Kutch ).**

Sr. No.	Parameters	Unit	1st	2nd	3rd	4th
			Quarter Mean	Quarter Mean	Quarter Mean	Quarter Mean
1	pH	-	7.30	7.35	7.36	7.39
2	Color	-	Colorless	Colorless	Colorless	Colorless
3	Odor	-	Odourless	Odourless	Odourless	Odourless
4	Salinity	ppt	32.51	32.24	31.82	31.80
5	Turbidity	NTU	26.56	35.05	36.78	35.71
6	Total Dissolved Solids	mg/L	40307.26	39446.10	39151.25	34126.11
7	Total Suspended Solids	mg/L	468.54	393.35	503.95	630.73
8	Total Solids	mg/L	43192.33	41383.94	39672.71	34818.14
9	DO	mg/L	5.11	4.57	4.82	4.45
10	COD	mg/L	79.05	83.13	84.56	85.60
11	BOD	mg/L	0.00	0.00	0.00	0.00
12	Silica	mg/L	0.57	0.56	0.67	0.78
13	Phosphate	mg/L	0.29	0.25	0.19	0.20
14	Sulphate	mg/L	3499.62	2586.77	2451.53	2493.91
15	Nitrate	mg/L	4.15	3.23	3.80	3.97
16	Nitrite	mg/L	0.01	0.00	0.00	0.00
17	Calcium	mg/L	518.97	557.01	522.61	578.93
18	Magnesium	mg/L	1588.81	1739.01	1150.32	1680.46
19	Sodium	mg/L	9976.72	10571.44	10635.22	10265.40
20	Potassium	mg/L	314.39	367.85	324.11	343.54
21	Iron	mg/L	1.81	1.67	1.61	0.81
22	Chromium	mg/L	0.14	0.15	0.13	0.04
23	Copper	mg/L	0.07	0.10	0.04	0.00
24	Arsenic	mg/L	0.00	0.00	0.00	0.00
25	Cadmium	mg/L	0.06	0.07	0.06	0.02
26	Mercury	mg/L	0.00	0.00	0.00	0.00
27	Lead	mg/L	0.16	0.17	0.12	0.02
28	Zinc	mg/L	0.06	0.06	0.04	0.11

## **Discussion**

Coastal ecosystems are characterized by daily fluctuations, driven by tidal amplitude, wind direction and also on the anthropogenic activities carried out on the coasts. Marine water parameters at Kandla Harbor and creek waters also showed an high array of fluctuations in several of its parameters such as TDS, TSS, salinity and salts. Some of the important parameters are explained below;

### **pH**

The pH of all marine water samples collected from Deendayal Port varied from 7.3 to 7.39. The mean pH of all samples was 7.64 pH unit.

### **Salinity**

Salinity in the DPA marine water ranged from 31.8 ppt to 32.51 ppt. The mean salinity at was recorded to be 32.09 ppt.

### **Turbidity**

Turbidity in the DPA marine water ranged from 26.56 – 36.78 NTU. The mean turbidity of all the locations of Deendayal Port was 33.52 NTU. Turbidity at Vadinar port was <1.0 NTU.

### **Total Dissolved Solids (TDS)**

TDS values varied from 34126.11 to 40307.26 mg/L at all locations of Deendayal Port. Mean TDS values at Deendayal Port was 38257.68 mg/L.

### **Dissolved Oxygen (DO)**

DO value in the studied area varied between 4.45-5.11 mg/L. The mean DO values of Kandla Marine waters were 4.7 mg/L.

### **Nitrates (NO<sub>3</sub>)**

The mean Nitrate values in all the marine water samples were of Deendayal Port was 3.78 mg/L at DPA waters. Nitrite was rarely detected from marine waters of Vadinar.

### **Sodium (Na)**

Sodium value in the Deendayal Port marine waters varied between 9976.72-10635.22 mg/L. The mean Na recorded at DPA waters was 11448.78 mg/L.

### **Trace Metals**

In the present study period water samples were analyzed for Mn, Cr, Cu, Cd, As, Hg, Pb and Zn. All these heavy metals reported below trace levels.

### **Bacteriological Study**

Analysis of the bacteriological parameter at all location shows that total Coli form values is observed to be 0.1 to cfu/100ml.

#### **5.4 Productivity Study**

##### **Chlorophyll-A**

Water Samples for the chlorophyll estimation collected from sub surface layer during high tide and low tide period of the tidal cycle for each sampling locations and analysed for Chlorophyll -a and after acidification for Pheophytin –a.

In the sub surface water chlorophyll-a was varying from 0.204 to 1.923 mg/m<sup>3</sup> in harbour region of DPA during sampling done in from March 2021 to February 2022. In the nearby creeks chlorophyll-a was varying from 0.153.93 to 1.923mg/m<sup>3</sup>.

In the sub surface water chlorophyll-a was varying from 0.392 – 1.356mg/m<sup>3</sup> at Vadinar jetty and 0.392 mg/m<sup>3</sup> to 1.365 mg/m<sup>3</sup> near SPM during sampling done spring tide period and during Neap tide.





##### **Algal Biomass**





Chlorophyll-a value was used as algal biomass indicator (APHA 23<sup>rd</sup> Edition). Algal biomass was estimated by converting Chlorophyll value.

In the sub surface water algal biomass was varying from 13.66 to 128.84mg/m<sup>3</sup> in harbour region of DPA during sampling done in from March 2021 to February 2022. In the nearby creeks Algal Biomass was varying from 10.24 to 128.84mg/m<sup>3</sup>.

In the sub surface water algal biomass was varying from 26.26 – 90.85mg/m<sup>3</sup> at Vadinar jetty and SPM during sampling done spring tide period and during Neap tide.





Fig 7. Monthly values of Algal Biomass in harbor waters of DPA











**Fig 8. Annual average values of Chlorophyll-a in harbor waters of DPA**







**5.5 Phytoplankton and Zooplankton**

The phytoplankton community of the sub surface water in the harbour and nearby creeks was represented by Blue green algae and diatoms during spring tide period and neap tide period. Diatoms were represented by 13 genera belonging to 3 classes, 9 orders and 12 families.

The Zooplankton community of the sub surface water in the harbour and nearby creeks is comparatively low and represented by mainly four groups Tintinids, Copepods, Foramiferans, and larval forms of Crustaceans.

However, Vadinar waters were observed to be rich in terms of diversity and abundance of phytoplankton and zooplanktons.

**5.6 Noise Monitoring**

Noise monitoring is carried out as per “Noise Pollution” (Regulation and Control) Rules, 2000. The results of noise monitoring results are annual mean of each location of Kandla and Vadinar Port (Table 13).

**Table 13. Annual avg. of noise level at locations of Kandla (10 locations) and Vadinar (3locations) Port**

Sr. No.	Locations	Day Time Average Noise Level(SPL) in dB(A)	Night Time Average Noise Level(SPL) in dB(A)
		6 A.M.. And 10 P.M.	10 P.M. To 6 A.M.
1	Marine Bhavan	62.35	55.14
2	Nirman Building 1	58.41	53.72
3	Tuna Port	55.51	48.87
4	Main Gate North	62.58	57.54
5	West Gate I	66.68	60.97
6	Canteen Area	59.64	51.94
7	Main Road	65.06	56.39
8	ATM Building	67.37	58.00
9	Wharf /Jetty Area	69.50	64.12
10	Port & Custom Office	58.51	48.77
<b>Vadinar Port</b>			
11	Nr. Vadinar Port Gate	59.25	52.99
12	Port Colony Vadinar	57.42	54.11
13	Nr. Vadinar Jetty	63.58	59.08

**Observations:**

- The Day Time Average Noise Level in all ten locations at Deendayal Port ranged from 55.51dB to 69.50dB
- The noise levels were within the day time limits (75 dB (A)) of industrial area.
- The Night Time Average Noise Level in all ten locations of Deendayal Port ranged from 48.77 dB to 64.12 dB and it was within the permissible limits of 70 dB A for the industrial area for the night time.
- The mean day time noise levels at Vadinar were 60.08dB and the mean noise levels at night hours was 55.39dB.

### **5.7 Soil Monitoring**

Sampling and analysis of soil samples was under taken at six locations with in the study area (Deendayal Port and Vadinar Port). The soil monitoring locations are coastal soils and exhibits saline soil characteristics, typical of a muddy shore.

The texture of soil of all locations was Sandy Loam. The soil at all the locations is saline in nature. The mean pH of the soil at all the locations of Kandla was 8.08 pH unit suggesting it to be slightly to medium alkaline.

Electrical conductivity of the soil was high with low moisture and organic carbon indicating less productivity of the soil and its unsuitability for any agriculture activities.

Other metals like copper, nickel and lead were detected in traces or within permissible limits. The overall surrounding soils were found to be less in essential nutrients, hence less suitable for plant growth.

**Table 14. Tuna port Soil Analysis Result**

Sr.No	Month		March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter	Unit	Result											
1	Texture		Sandy Loam											
2	pH	-	8.71	9.02	8.38	7.3	8.56	8.6	8.58	8.62	8.42	8.2	8.2	8.59
3	Electrical conductivity	µs/cm	10600	8650	29500	33400	26800	23400	18400	16200	14070	10805	10805	2839
4	Moisture	%	21.72	22.9	14	21.45	23.66	20.42	21	17	18.17	6.06	6.06	22
5	Total Organic Carbon	%	1.62	2.25	0.94	0.31	0.16	0.18	0.48	0.52	0.2	0.49	0.49	0.96
6	Alkalinity	mg/kg	40.04	80.08	80.08	100.1	140.14	60.06	72.07	60.06	80.08	70.07	70.07	40.04
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	1244	2605.8	7896.2	6228.7	3908.6	4010	1506.6	1620	1956.8	709	709	3545
9	Sulphate	mg/kg	102	107.82	2502.08	2056.4	203	188	202	230	212	778.5	778.5	3891.18
10	Phosphorus	mg/kg	31.44	39.86	0.76	0.97	0.97	0.9	0.89	0.9	2.2	9.21	9.21	50.87
11	Potassium	mg/kg	1178	1028	1128	1161	779.4	786	386	396	539	143	143	192.3
12	Calcium	mg/kg	4843	228.4	320.64	641.3	2241	2341	1585	1620	5752	1315.7	1315.7	2466.12
13	Sodium	mg/kg	501	12092.4	11092.4	10821.6	144.29	160	228.46	230.32	200.4	152.3	152.3	284.57
14	Copper as Cu	mg/kg	52.2	62.2	10.2	11.21	42.6	32.2	52.2	17.4	14.9	35.9	35.9	26.2
15	Lead as Pb	mg/kg	5	4.8	5.4	3.1	4.2	3.8	4.9	6.4	5.8	13.4	13.4	7.5
16	Nickel as Ni	mg/kg	33.3	32.86	16.7	20.71	36.2	37.2	46.2	33.5	35.3	54.5	54.5	39.1
17	Zinc as Zn	mg/kg	56.2	58.26	22.6	32.26	58.6	59.36	66.2	55.9	40.6	89.7	89.7	58.2
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

**Table15. IFFCO Plant Soil Analysis Result**

Sr.No	Month		March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter	Unit	Result											
1	Texture		Sandy Loam											
2	pH	-	7.98	8.78	8.25	8.16	8.11	8.1	8.16	8.1	7.92	7.77	7.77	8.6
3	Electrical conductivity	µs/cm	28900	36200	44400	48500	23800	20420	25620	26820	16210	22960	22960	1442
4	Moisture	%	23.97	22.1	20.91	13.94	22.09	21.16	22.2	18.2	9.01	6.4	6.4	28.37
5	Total Organic Carbon	%	6.29	1.4	1.52	0.19	0.24	0.18	1.24	1.02	0.49	0.69	0.69	0.71
6	Alkalinity	mg/kg	40.04	60.06	60.06	140.14	140.14	140.04	36.04	80.44	120.12	26.03	26.03	40.04
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	2487	4510	6866.3	6032.5	4309.5	4324	6381	5380	4112.2	4325.9	4325.9	2481.5
9	Sulphate	mg/kg	204	311.7	804.5	75.86	177.9	179.2	196	198	279	3359.5	3359.5	1650.89
10	Phosphorus	mg/kg	21.25	52.7	2.45	1.41	0.8	0.86	0.92	0.82	1.89	10.56	10.56	5.33
11	Potassium	mg/kg	1715	747	762	592.2	644.4	656	820	810	327.4	199.8	199.8	155.01
12	Calcium	mg/kg	4710	468.9	661.32	561.12	3556.8	3618	3386	3400	4061.6	1116.4	1116.4	1500.32
13	Sodium	mg/kg	601	4840.2	5832.2	2992.8	128.22	130	741.5	722.2	488.98	360.72	360.72	432.86
14	Copper as Cu	mg/kg	60.8	52.5	26.2	27.22	61.2	58.2	78.2	38.8	29.5	29.9	29.9	35.6
15	Lead as Pb	mg/kg	1	1.52	8.5	6.2	3.2	3.8	5.6	7.9	6.4	9.3	9.3	10.8
16	Nickel as Ni	mg/kg	27.52	22.62	2020	1823	31.6	32.4	28	13.9	16.6	30.8	30.8	42.9
17	Zinc as Zn	mg/kg	43.2	59.2	89.1	72.62	39.25	38.32	41.6	91.9	104.8	153.2	153.2	102.7
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

**Table 16. Khori Creek Soil Analysis Result**

Sr.No	Month	Unit	March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter		Result											
1	Texture		Sandy Loam											
2	pH	-	8.75	8.82	8.13	8.36	8.38	8.42	8.46	8.75	8.44	8.53	8.53	8.68
3	Electrical conductivity	µs/cm	8500	16380	39900	21800	23700	23700	17880	16252	13680	22260	22260	1950
4	Moisture	%	19.04	21.2	28.1	18.82	24.41	23.22	24.1	19.1	21.39	9.02	9.02	21
5	Total Organic Carbon	%	1.46	2.2	1.7	0.26	0.32	0.25	0.48	0.62	0.2	0.61	0.61	0.98
6	Alkalinity	mg/kg	60.06	60.06	70.05	80.08	100.1	140.04	190.19	140.2	60.06	52.05	52.05	40.04
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	1144	3658.1	7160.6	2550.3	6114	5982	1701	1820	1800.9	3970.4	3970.4	2836
9	Sulphate	mg/kg	120	129.05	356.6	292	113.8	110	112	120	93.3	315.3	315.3	1292.27
10	Phosphorus	mg/kg	17.74	34.55	7.79	0.79	1.24	1.04	1.05	0.96	1.41	6.92	6.92	8.87
11	Potassium	mg/kg	903	698.4	578.4	700.2	1135.8	1162	345	366	409.2	139	139	160.36
12	Calcium	mg/kg	4235	284.6	460.92	701.4	3981.6	4220	2303	2122	3954	1234.8	1234.8	1839.79
13	Sodium	mg/kg	200	7437.6	6336.6	3164.4	168.3	170	248.5	252	252	144.29	144.29	232.46
14	Copper as Cu	mg/kg	40.6	38.6	29.4	28.2	38.2	42.2	46.2	21.2	9.8	30.8	30.8	31.8
15	Lead as Pb	mg/kg	4.2	3.62	31	23	3.6	3.6	3.2	29.1	3.5	11.1	11.1	5.4
16	Nickel as Ni	mg/kg	31.62	29.62	9	7.8	39.4	41.2	33.2	34.5	23.5	44.1	44.1	42
17	Zinc as Zn	mg/kg	46	42.62	95.8	65.9	52.4	53.4	68	77.9	25.4	76.8	76.8	76.7
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

**Table 17. Nakti Creek Soil Analysis Result**

Sr.No	Month		March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter	Unit	Result											
1	Texture		Sandy Loam											
2	pH	-	8.39	8.68	7.91	8.26	8.33	8.3	8.26	8.33	8.23	8.02	8.02	8.47
3	Electrical conductivity	µs/cm	13340	4790	38200	37200	16260	17200	16520	17520	9240	14090	14090	2848
4	Moisture	%	22.65	4.13	26.2	14.26	23.65	20.12	18.8	20.22	21.08	23.84	23.84	24.88
5	Total Organic Carbon	%	1.61	0.7	1.58	0.24	0.1	0.11	3.93	3.1	0.72	0.87	0.87	0.84
6	Alkalinity	mg/kg	40.04	80.08	70.05	140.14	80.08	60.06	90.09	80.44	100.1	44.04	44.04	40.04
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	1386	4359.7	9416.7	7160.6	3959	4001	1878.9	2078	514.7	3048.7	3048.7	3190.5
9	Sulphate	mg/kg	214	299.4	3966.5	87.84	93.8	100	112	118	165.1	574.7	574.7	4950.89
10	Phosphorus	mg/kg	35.87	50.04	1.66	1.59	1.77	1.62	1.1	1.02	2.15	4.76	4.76	8.5
11	Potassium	mg/kg	743	865.8	755.8	765	766.8	780	422	460	667.6	121.9	121.9	178.48
12	Calcium	mg/kg	3453	493	821.64	661.32	3038.4	3122	1990	2012	1477	1426.3	1426.3	2450.29
13	Sodium	mg/kg	501	7165.8	6355.8	3736.8	224.4	220	468.94	470.42	470.42	192.38	192.38	492.9
14	Copper as Cu	mg/kg	21.2	19.2	33.7	31.78	22.6	23.4	33.8	35.1	27.6	25.8	25.8	25
15	Lead as Pb	mg/kg	6.8	2.8	15.3	11.4	3.8	4.1	4.8	7.6	8.2	10.5	10.5	7.6
16	Nickel as Ni	mg/kg	22.02	19.22	25.4	15.1	22.6	24.5	26.1	13.2	37.7	39.6	39.6	31.9
17	Zinc as Zn	mg/kg	62	59.8	87.3	77.21	46.6	48.5	49.55	81.9	55.2	59.1	59.1	48.1
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

**Table 18. Vadinar DPA Admin Site Soil Analysis Result**

Sr.No	Month		March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter	Unit	Result											
1	Texture		Sandy Loam											
2	pH	-	8.46	8.86	8.76	7.27	8.12	8.09	8.02	8.1	7.79	8.07	8.07	7.64
3	Electrical conductivity	µs/cm	585	439	260	511	509	510	523	560	387	1994	1994	1417
4	Moisture	%	7.16	4.62	7.26	6.28	9.44	9.04	8.66	7.26	3.46	4.22	4.22	8.49
5	Total Organic Carbon	%	2.53	0.87	1.16	0.15	0.2	0.21	0.18	0.12	0.85	1.16	1.16	0.32
6	Alkalinity	mg/kg	60.06	40.04	60.06	60.06	100.1	100.1	60.06	60.06	60.06	42.04	42.04	60.06
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	280	90.2	29.43	68.66	39.3	42.2	52	62	21.7	567.2	567.2	141.8
9	Sulphate	mg/kg	330	268	23.2	14.37	13.4	14	12	16	44.7	52.7	52.7	250.38
10	Phosphorus	mg/kg	2.83	5.85	8.5	0.97	0.8	0.78	0.78	0.8	BQL	15.06	15.06	1..88
11	Potassium	mg/kg	131	212.8	302.8	626.4	129.6	130	110	120	70.4	73	73	30.01
12	Calcium	mg/kg	56	244.5	1703.4	124.2	1220	1224	990	910	72.8	65.1	65.1	153.5
13	Sodium	mg/kg	1303	236	246	2116.8	104.2	110	118	110	436.87	460.92	460.92	837.67
14	Copper as Cu	mg/kg	16.6	14.5	80.5	82.66	16.2	17.4	18.6	16.6	88.4	54	54	18.3
15	Lead as Pb	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	3.2	4.8	BQL	BQL	BQL	BQL
16	Nickel as Ni	mg/kg	26.42	18.26	35.3	25.46	18.3	19.3	18.2	13.2	33.8	42.1	42.1	60.2
17	Zinc as Zn	mg/kg	40	38.3	33.2	23.46	46.8	49.2	24	28	66	51	51	84.6
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

**Table 19. Vadinar DPA Colony Soil Analysis Result**

Sr.No	Month	Unit	March.21	April.21	May.21	June.21	July.21	Aug.21	Sept.21	Oct.21	Nov.21	Dec.21	Jan.22	Feb.22
	Parameter		Result											
1	Texture		Sandy Loam											
2	pH	-	8.82	8.49	8.85	7.82	8.42	8.32	8.56	8.22	8.43	7.84	7.84	7.11
3	Electrical conductivity	µs/cm	875	634	513	464	419	400	420	480	314	490	490	299.6
4	Moisture	%	9.67	6.51	6.35	4.56	7.59	8.22	9.02	8.22	3.95	2.86	2.86	3.96
5	Total Organic Carbon	%	2.42	1.04	1.71	0.11	0.12	0.16	0.21	0.2	0.43	1.24	1.24	0.67
6	Alkalinity	mg/kg	60.06	60.06	70.05	100.1	60.06	80.04	100.1	80.44	80.08	40.04	40.04	40.04
7	Total Nitrogen	%	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	BQL	BQL	BQL	BQL
8	Chloride	mg/kg	290	120.3	40.09	78.47	68.7	67.8	67.8	77	113.4	283.6	283.6	70.9
9	Sulphate	mg/kg	210	424	4.02	13.58	15.5	16.2	18	20	27.7	14.7	14.7	BQL
10	Phosphorus	mg/kg	3.36	7.79	7.35	0.97	0.97	0.88	0.86	0.72	1.74	7.06	7.06	BQL
11	Potassium	mg/kg	103	140	152	876.4	180	182	172	160	62	17	17	28.87
12	Calcium	mg/kg	94	196.4	1463	172.3	1445.4	1400	810	888	65.9	15.9	15.9	20.32
13	Sodium	mg/kg	501	126	166	2565	56.11	68	72	82	256.51	328.66	328.66	472.94
14	Copper as Cu	mg/kg	17.4	18.2	71.6	72.42	23	23	28	17	48.4	77	77	62.3
15	Lead as Pb	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	1.1	2	4.2	6.7	6.7	BQL
16	Nickel as Ni	mg/kg	22.1	21.22	31.8	27.73	21.2	20.4	16.2	12.2	27.3	36.7	36.7	33.3
17	Zinc as Zn	mg/kg	36	35.36	33.5	43.2	38.2	40.4	38.5	36.22	30.5	98.9	98.9	44
18	Cadmium as Cd	mg/kg	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL	BQL

#### **pH**

The pH was found at tuna port from 7.3 to 9.02, at IFFCO plant from 7.77 to 8.78, at Khori creek from 8.13 to 8.82, at Nakti creek from 7.91 to 6.68, at Vadinar DPA admin site from 7.7 to 8.86 and 7.11 to 8.85 at Vadinar DPA colony.

#### **Moisture**

The moisture was found at tuna port 6.06 to 23.66%, at IFFCO plant 6.4 to 28.37%, at Khori creek 9.02 to 28.1%, at Nakti creek 4.13 to 26.2%, at Vadinar DPA admin site 3.46 to 9.44%, and 2.86 to 9.67% at Vadinar DPA colony.

#### **Electrical conductivity**

The Electrical Conductivity was found at tuna port 2839 to 33400  $\mu\text{s/cm}$ , at IFFCO plant 1442 to 48500  $\mu\text{s/cm}$ , at Khori creek 1950 to 39900  $\mu\text{s/cm}$ , at Nakti creek 2848 to 38200  $\mu\text{s/cm}$ , at Vadinar DPA admin site 260 to 1994  $\mu\text{s/cm}$ , and 299.6 to 875  $\mu\text{s/cm}$  at Vadinar DPA colony.

#### **Total Organic Carbon**

The total organic Carbon was found at tuna port 0.16 to 2.25%, at IFFCO plant 0.18 to 6.29%, at Khori creek 0.2 to 2.2%, at Nakti creek 0.1 to 3.93%, at Vadinar DPA admin site 0.12 to 2.53%, and 0.11 to 2.42% at Vadinar DPA colony.

#### **Texture**

The texture was found sandy loam for all location.

#### **Cadmium as Cd**

The Cadmium was found below quantification limit for all location.

#### **Zinc as Zn**

The zinc as Zn was found at tuna port 22.6 to 89.7 mg/kg, at IFFCO plant 38.32 to 153.2 mg/kg, at Khori creek 25.4 to 95.8 mg/kg, at Nakti creek 46.6 to 87.3 mg/kg, at Vadinar DPA admin site 23.46 to 84.6 mg/kg, and 30.5 to 98.9 mg/kg at Vadinar DPA colony.

### **5.8 Sewage Treatment Monitoring**

This involve safe collection of waste water (spent/used water) from wash areas, bathroom, cargo operational units, etc., waste from toilets of various buildings and its conveyance to the treatment plant and final disposal in conformity with the requirement and guide lines of State Pollution Control Board and other statutory bodies.

The waste water is let into sewer network (network of pipes and manholes) and let by gravity and intermittent pumping stations to the main Sewage Treatment Plant (STP).

The Sewage Treatment Monitoring is carried out at Deendayal Port Colony (Gopalpuri), Vadinar Port and Deendayal Port.

#### **STP at Gopalpuri Port Colony**

Gopalpuri STP is working properly and overall performance of the existing STP was found satisfactory. The removal efficiency of BOD, TSS was in order. The individual units were also performing well and their removal efficiency is satisfactory. Thus with the sample tested in laboratory the plant is working satisfactory and the individual units are also working well.

**STP at Kandla Port**

STP with improved capacity of 1.5 MLD at Deendayal Port is operational. The newly installed sewage treatment plant has 1500 cum/day fluidized media reactor based STP to treat domestic waste water generated from the campus and treated water will be utilized for gardening and plantation purpose.

**Table 20. Gopalpuri STP Outlet Annual Results**

Sr. No.	Parameter	Unit	1st	2nd	3rd	Value	GPCB Prescribed Limit
			Quarter Mean	Quarter Mean	Quarter Mean	(Annual Avg.)	
1	pH	-	7.21	7.36	7.32	7.30	6.5 - 8.5
2	Total Suspended Solids	mg/l	42.94	83.3	105.41	77.22	100
3	Residual Chlorine	mg/l	<0.5	<0.5	<0.5	<0.5	No Limit
4	Chemical Oxygen Demand	mg/l	85.19	96.43	111.01	97.54	100
5	Biochemical Oxygen Demand	mg/l	19.69	25.56	32.87	26.04	30

**Table 21. KPT STP Outlet Annual Results**

Sr. No.	Parameter	Unit	1st	2nd	3rd	Value	GPCB Prescribed Limit
			Quarter Mean	Quarter Mean	Quarter Mean	(Annual Avg.)	
1	pH	-	7.15	7.37	7.40	7.31	6.5 - 8.5
2	Total Suspended Solids	mg/l	50.21	81.04	100.72	77.32	100
3	Residual Chlorine	mg/l	<0.5	<0.5	<0.5	<0.5	No Limit
4	Chemical Oxygen Demand	mg/l	62.58	90.53	110.26	87.79	100
5	Biochemical Oxygen Demand	mg/l	15.87	24.68	27.25	22.60	30

**Table 22. Vadinar STP Outlet Annual Results**

Sr. No.	Parameter	Unit	1st	2nd	3rd	Value	GPCB Prescribed Limit
			Quarter Mean	Quarter Mean	Quarter Mean	(Annual Avg.)	
1	pH	-	STP not Working	7.25	7.34	7.30	6.5 - 8.5
2	Total Suspended Solids	mg/l		46.68	55.44	51.06	100
3	Residual Chlorine	mg/l		<0.5	<0.5	<0.5	No Limit
4	Chemical Oxygen Demand	mg/l		62.56	81.72	72.14	100
5	Biochemical Oxygen Demand	mg/l		16.62	22.37	19.5	30

The GPCB specification for pH, TSS, Residual Chlorine , COD and BOD for STP outlet are 6.5 to 8.5 , 100 mg/l, 0.5 mg/l, 100 mg/l and 30 mg/l respectively. The average values for pH at all locations from 7.30 to 7.31, The average values for Total Suspended Solids at all locations from 51.06 to 77.32 mg/l , The average values for COD at all locations from 72.14 to 97.54 mg/l, The average values for BOD at all locations from 19.5 to 26.04 mg/l, Residual Chlorine were found below detectable limit. All parameters for STP outlet are within limit.

**5.9 Weather**

The data collected from Automatic weather station have been installed and other secondary sources to represent the metrological conditions of the project area has been reviewed and presented below for various attributes such as Temperature, Wind velocity, Relative Humidity, solar radiation, wind direction, Air pressure and Heat index.

**Table 23. Weather Results**

MONTH		Temperature (°C)	Solar Radiation (w/m <sup>2</sup> )	Relative Humidity (%)	Wind Velocity (m/s)	Wind Direction	Air pressure (hpa)	Heat index (°C)
March.21	MIN	28.4	166.7	24.7	1.9	North West	1013.2	29.0
	MAX	36.2	292.3	93.0	10.6		1017.3	43.0
April.21	MIN	31.5	134.4	57.0	1.9	South East	1009.0	24.2
	MAX	42.4	576.6	94.0	9.9		1014.1	48.0
May.21	MIN	32.7	157.7	60.2	2.0	South East	1005.3	38.1
	MAX	37.3	383.3	89.0	8.1		1010.6	47.0
June.21	MIN	29.8	208.3	66.0	2.7	South West	1004.9	35.2
	MAX	34.1	654.8	84.0	13.0		1008.9	44.0
July.21	MIN	28.5	158.4	71.2	2.7	South West	1002.4	36.1
	MAX	32.1	751.7	89.0	13.0		1004.1	43.0
Aug.21	MIN	34.1	232.4	73.0	3.0	South West	1001.2	34.7
	MAX	26.1	682.8	90.0	9.7		1008.3	42.0
Sept.21	MIN	26.7	136.0	83.5	1.9	South West	1002.3	33.5
	MAX	36.2	808.9	98.0	12.0		1010.1	49.0
Oct.21	MIN	26.5	252.2	60.0	1.3	South North	1009.3	33.8
	MAX	38.6	746.6	94.0	8.1		1016.5	55.0
Nov.21	MIN	26.5	252.2	60.0	1.3	South North	1009.3	33.8
	MAX	38.6	746.6	94.0	8.1		1016.5	55.0
Dec.21	MIN	10.5	109.9	39.0	1.7	North West	1018.0	27.0
	MAX	31.8	534.3	93.0	4.4		1021.2	30.0
Jan.22	MIN	12.6	115.3	47.2	1.2	North West	1015.9	27.2
	MAX	30.8	530.7	96.0	5.8		1021.9	32.0
Feb.22	MIN	12.6	119.2	45.6	1.3	North West	1006.3	27.8
	MAX	29.2	530.7	98.0	9.6		1022.0	33.0

**Temperature**

The min temperature for Deendayal Port was 10.5 °C on December. The maximum temperature was recorded 42.4°C on April.

**Solar Radiation**

The min Solar Radiation was recorded 109.9 w/m<sup>2</sup> on December . The maximum solar radiation recorded in the September was 808.9 w/m<sup>2</sup>.

**Relative Humidity**

The min Relative humidity was recorded 24.7 % on March and maximum Relative humidity recorded was 98.0 % on February.

**Wind Velocity and Wind Direction**

The min wind velocity was recorded 1.2 m/s on January. Maximum wind velocity recorded was 13 m/s on June. The wind direction was mostly North West and south west throughout the year.

**Air pressure**

The min Air pressure was recorded 1001.2 hpa in August. Maximum Air pressure recorded was 1022 hpa on February.

**Heat index**

The min heat index was recorded 24.22 °C in April. Maximum heat index recorded was 55 °C on November.

**6.0 Conclusion**

**A. Ambient Air**

Ambient Air Quality monitoring results for the Second year shows TSPM, PM<sub>10</sub> and PM<sub>2.5</sub> concentrations of the ambient air were above the permissible limits as per the National Ambient Air Quality Standards (NAAQS2019). The concentration of PM<sub>10</sub> and PM<sub>2.5</sub> was above the permissible limit at Coal Storage Area, Marine Bhavan and occasionally at Oil Jetty Area and ,Kandla Estate Office, Gopalpuri Hospital Tuna Port area at some occasions.

The concentration of PM<sub>10</sub> was within the permissible limit at Vadinar locations except Signal Building in November and Vadinar Colony in October & November above the permissible limit.

Deendayal Port has handled 117.5 MMT to 127 MMT of dry cargo in 2021-22. This huge volume of dry cargo handled at DPA along with high winds in coastal areas causes slight rise in the Ambient Air Quality near coal berth.

Very high volume of dry cargo is being handled (especially coal) at berth no. 7, 8 and 9. Besides handling of coal, thousands of vehicles laded with coal and other dry cargo criss-cross the port/harbor roads causing the rise in suspended particles in the air.

**B. Drinking Water Quality**

The results of the current year monitoring suggest that, the drinking water parameters of all the locations (18 at Kandla and 2 at Vadinar Port) were found within the permissible limits as per the BIS 10500 (2012) drinking water specification.

**C. Noise Quality**

The day and night time noise quality was found within the permissible limits of the Noise Pollution (regulation and control) rules, 2000. The Day Time and Night Time Average Noise Level (SPL) in all ten locations at Deendayal

Port were within the permissible limits of 75 dB A (for day time) and 70 dB A (for the night time) for an industrial area.

**D. Marine Water Quality**

The marine water samples were collected from the harbour area and the creek area and were monitored for 28 different parameters. The mean DO levels of DPA waters ranged from 4.9 mg/L to 6.0 mg/L (mean = 5.6 mg/L), which is normal for marine waters of ports and harbors.

Evaluation of the Phytoplankton and Zooplankton population in DPA harbour area and within the immediate surroundings of the port suggests that the Kandla waters harbours low to moderate diversity and abundance of phytoplankton and zooplanktons.

**E. Soil**

The soil samples were collected from six locations. The 4 locations of Kandla (Tuna port, Khori Creek, Nakti creek, IFFCO plant) and 2 locations of Vadinar (Vadinar DPA Admin site and Vadinar DPA

colony). Soil samples were collected for monitored 18 different parameter.

The pH was found at tuna port from 7.11 to 9.02 Vadinar DPT colony and Tuna Port. Cadmium was found at all soil sample is BQL. (Below quantification limit).

**F. Sewage Treatment Plant**

Gopalpuri STP is working properly and overall performance of the existing STP was found satisfactory.

A new STP with improved capacity of 1.5 MLD at Deendayal Port is operational which is working as per the standards of CPCB/GPCB.

At Vadinar Port, a new STP was operational which is working as per the standards of CPCB/GPCB.

**6.1. Steps taken by Deendayal Port to improve Environment**

- “Safety Week” is being celebrated in Kandla Port by demonstrating mock drill, fire fighting, emergency preparedness, health checkup program etc.
- Regular Safety training and mock drill are being carried out and awareness is being created by lectures among the workers of the Port.
- Personal Protective Equipments (PPE like ear plugs, helmets, safety suits, etc are being used during Port Operational work.
- Sewage generated at Port Area as well as in Port colonies is being properly treated through Sewage Treatment Plants at outside Port area at Kandla and Port colony at Gopalpuri. However, DPA is planning to construct a new STP with the latest technology as the existing one is very old.
- Deendayal Port Authority have planted about one lakhs trees in road side dividers, colony areas at Kandla and Gopalpuri, in green belt area of Gandhidham & Adipur Township, Sewage Treatment Plants at Gopalpuri & Kandla and some green belt development plans initiated at different locations in Township areas.
- Deendayal Port Authority also carries out Environmental Audit through recognized till 2016 from environmental auditor (Schedule) of Gujarat Pollution Control Board from the year 2010 .Three Audit Reports for the year 2010, 2011 and 2012 were already submitted to GPCB as per the norms.
- DPA planted Mangroves in an area of 1500 hectares from 2005 to 2021: Mangrove Plantation Plan carried out in following phases;

1)	Year2005-06–20 hectares
2)	Year2008-09-50 hectares
3)	Year2010-11–100 hectares
4)	Year2011-12–200 hectares
5)	Year2012-13–300 hectares
6)	Year2013-14-330 hectares
7)	Year2015-17-300 hectares
8)	Year 2018- 20 - 100 hectares
9)	Year2020- 21-100 hectares
<b>Total</b>	<b>1500hectares</b>

- Water sprinkling on coal is regularly done to prevent coal dust pollution in the port area.

- To control the dust from bulk cargo like fertilizer, coal, sulphur, etc, the Port-users are encouraged to use hopper during discharge from vessels.
- Annual maintenance contracts have been awarded for garbage collection, cleaning of buildings and roads.
- Deendayal Port Authority is maintaining the records for collection and disposal of Solid Wastes generated from Port area, Residential area and Office Buildings.
- Deendayal Port Authority is regularly submitting the Hazardous Waste Statement in Form – IV and Form V in environment sheet every financial year to the Gujarat Pollution Control Board, Gandhinagar.
- Are port on collection and disposal of the wastes from ships is submitted it to GPCB recognized body on regular basis.
- All trucks before leaving the storage yards are covered with tarpaulin and not over loaded as well as there is no spillage during transportation.
- Sewage generated at Port area and Port colonies is being properly treated through Sewage Treatment Plants outside Port area at Kandla and Port Colony at Gopalpuri.
- Deendayal Port has engaged CPCB/GPCB authorized agencies for the disposal of Hazardous waste (spent / used oil from ships) as per the Hazardous Wastes (Management and Handling) Rules.
- Pollution under Control (PUC) Certificate is mandatory for vehicles and equipments operating in the Port.
- Deendayal Port has awarded several projects to M/s Gujarat Institute of Desert Ecology(GUIDE) ,Bhuj relating to monitoring of Marine environment viz;
  - Regular Monitoring of Marine Ecology of Kandla Port Area since 2017-18
  - Creek Bathymetry
  - Analysis of dredging contaminants
  - Strategic Regional Impact Assessment Studies
  - Assessment and Monitoring of Mangrove Plantation in 1500 Ha area.
  - Biodiversity Action Plan for DPA and its surrounding areas

#### **6.1.1 ISO 14001:2015 - Environmental Management System of Deendayal Port Authority**

Deendayal port has appointed QMS India Ltd. As for Continual Improvement of ISO 14001:2015 - Environmental Management System with following scope;

- Review of environmental aspect-impacts,
- Review and monitoring of legal requirement
- Review and monitoring of emergency preparedness
- Management review by every six months
- Training of internal auditors and EMC members
- Active participation during external audit.

#### **6.1.2 Green Ports Initiative**

Deendayal Port is committed to sustainable development and adequate measures are being taken to maintain the Environmental well-being of the Port and its surrounding environs. Weighing in the environmental perspective for sustained growth, the Ministry of Shipping had started “Project Green Ports” which will help in making the Major Ports across India cleaner and greener. ‘Project Green Ports’ will have two verticals-one is “Green Ports Initiatives” related to environmental issues and second is “Swachh Bharat Abhiyaan.”

The Green Port Initiatives include twelve initiatives such as preparation and monitoring plan, acquiring equipments required for monitoring environmental pollution, acquiring dust suppression system, setting up of sewage/waste water treatment plants/ garbage disposal plant, setting up Green Cover area, projects for energy generation from renewable energy sources, completion of shortfalls of Oil Spill Response (OSR) facilities (Tier-I), prohibition of disposal of almost all kind of garbage at sea, improving the quality of harbor wastes etc.

Deendayal port has also appointed GEMI as an Advisor for “Making Deendayal Port a Green Port- Intended Sustainable Development under the Green Port Initiatives.

- Deendayal Port has also signed MoU with Gujarat Forest Department in August 2019 for Green Belt Development in an area of 31.942 Ha of land owned by Deendayal Port Authority. The plantation is being carried out by the Social Forestry division of Kachchh.

## **7. Suggestions**

### **7.1 Ambient Air Quality**

PM<sub>10</sub> values at Coal storage area, Marine Bhavan, Oil Jetty and Tuna Port were occasionally found above the permissible standards and PM<sub>2.5</sub> was occasionally found above permissible limits at Coal storage area. (100µg/m<sup>3</sup> for PM<sub>10</sub>& 60 µg/m<sup>3</sup> for PM<sub>2.5</sub>). The principle reason for higher PM<sub>10</sub> values at Coal Storage and Marine Bhavan are bulk handling of coal, other dry cargo and heavy traffic of transport vehicles.

#### **7.1.1 Sprinkling**

- Heavy duty Water sprinklers should be used inside port where large scale dry cargo is handled.
- Mobile air Sprinklers should also be procured, which suppresses the fine dust from blowing during handling of dry cargo.

#### **7.1.2 Enclosed conveyors**

- Port users should be motivated to use enclosed conveyors which prevents secondary dust emissions due to wind in the port area.

#### **7.1.3 Mechanized handling systems**

- This involves using screw type un loaders which results in much less spillage and loss of material as compared to bucket un loaders. Mechanized systems can also use pre-packed containers for ease and pollution free loading unloading. Diligent use of various systems can keep the pollution due to ports at minimum level.
- Besides these prevention measures, Gujarat Pollution Control Board (GPCB) has also issued guidelines for handling of Coal. Guidelines for Coal Transport, Storage and Handling given below should be strictly followed; (<https://gpcb.gujarat.gov.in/uploads/coal-handling-guidelines1.pdf>)

### **7.2 GPCB Guidelines for Coal handling units:**

#### **(A) Location criteria**

- In case of coal handling activities at the ports and jetties or extension thereof, the distance and land use criteria may be relaxed and compensated by advanced/sophisticated pollution control measures and mechanization & thick plantation, however all such ports and jetties, where coal handling is

carried out, shall provide closed conveyor belt and mechanization for handling of coal.

**(B) Storage and handling criteria**

- Coal handling unit/Agency shall store coal in such a way that coal heap should not be higher than 5 meter and clear distance between two adjoining heaps at G.L. should be 5 meters, so that in case of fire, approach is available.
- There should be mechanized loading/unloading system from the loading /unloading area to the stacking yards and in to the vehicles.
- Coal handling unit/Agency shall take all corrective steps to resolve the issue of air pollution at permitted coal storage/handling area where coal is being stored.

**(C) Transport criteria**

- Coal handling unit/Agency shall ensure that all trucks before leaving the storage yard shall be showered with water with adequate system, Shall be covered with tarpaulin or any other effective measure/device completely and also that trucks are not overloaded as well as there is no spillage during transportation.
- The vehicle carrying the coal should not be overloaded by raising the height of carriage. Weigh scale shall be provided within the loading area only and port/coal park authority shall ensure that no over loading is done.
- The top of the vehicle should be covered with fixed cover to avoid spillage or dusting of coal.

**(D) Pollution prevention criteria**

- Coal handling unit/Agency shall provide paved approach with adequate traffic carrying capacity
- Coal handling unit/Agency shall construct compound wall all along periphery of the premises with minimum 9 meters height
- Continuous water sprinkling shall be carried out on the top of the heap at regular intervals to prevent dusting, fire & smoke. To prevent fugitive emission during loading/unloading, fixed pipe network with sufficient water storage and pump shall be installed. Water sprinkling shall be carried out at each and every stage of handling to avoid generation of coal dust or other dust within premises
- Coal handling unit/Agency shall ensure regular sweeping of coal dust from internal and main road and also ensure that there is adequate space for free movement of vehicles.
- The following adequate Air Pollution Control Measures shall be installed and to be operated efficiently.
- Construction of effective wind breaking wall suitable to local condition to prevent the suspension of particles from the heaps.
- Construction of metal road & RCC Pucca flooring in the plot area/godown etc.
- System for regular cleaning and wetting of the floor area within the premises.
- Entire coal storage area/godown should be covered with permanent weather shed roofing and side walls i.e., in closed shed, in case of crushing/sieving/grading activity is carried out (i.e. G. I. Sheet) along with adequate additional APCM should be installed. Coal handling unit/Agency shall carryout three rows plantation with tall growing tress all along the periphery of the coal handling premises, inside & outside of the premises along with road.

- Proper drainage system shall be provided in all coal storage area so that water drained from sprinkling & runoff is collected at a common tank and can be reused after screening through the coal slit or any other effective treatment system.
- All the engineering control measures and state of art technology including covered conveyer belts, mechanized loading and unloading, provision of silo etc. shall be provided in addition to the measures commended in the environmental guidelines for curbing the pollution.

**(E) Safety requirement**

- Coal handling unit/Agency shall provide adequate fire-fighting measure to avoid any fire or related hazards including adequate water storage facility, and the premises shall be exclusively used for storage of the coal.
- An onsite emergency plan shall be prepared and implemented by coal handling unit.

**(F) Legal criteria**

- Necessary permission from all the applicable regulatory authorities and adequate steps under the provisions of applicable environmental acts/rules shall be taken.
- Coal handling unit/Agency shall prepare EMP (Environment Management Plan) and implement the same in true spirit and thus maintain overall environment of that area.
- Coal handling unit/Agency shall not carry out the operation of loading/unloading of coal/coal dust at any place, till adequate air pollution control equipment for dust control/suppression are installed and efficiently operated and the consent under the provisions of Air (Prevention & Control of Pollution) Act, 1981 is obtained by the coal yard owners/Coal handling unit/Agency/coal importers.
- Coal handling unit/Agency shall operate continuous Ambient Air Quality Monitoring Stations as per CPCB guideline.
- In case of port which provides the facility to individual developers an agreement/MoU shall be made between port authority and developer for curtailment of pollution. Port authority shall be responsible for supervising and controlling the pollution control related activities and implementation of the environmental guidelines.

**7.3 Sewage Treatment Plant at Vadinar**

- At Vadinar, the sewage waste water from the colony is connected in to new STP. Is commissioned and fully operational to handle the Sewage Waste Water.

**8.0 ANNEXURE I-A  
Ambient Air Quality Standards (NAAQS)**

Pollutants	Time weighted average	Concentration in Ambient air µg/m <sup>3</sup>		
		Industrial Areas	Residential /Rural & Other areas	Sensitive Areas
Sulphur Dioxide (SO <sub>2</sub> )	Annual	50	50	20
	24hours**	80	80	80
Respirable Particulate Matter(size>10um) (RPM) PM <sub>10</sub>	Annual	60	60	60
	24hours**	100	100	100
Particulate Matter(size>2.5um) PM <sub>2.5</sub>	Annual	40	40	40
	24hours**	60	60	60
Nitrogen Dioxide (NO <sub>2</sub> )	Annual	40	40	30
	24hours**	80	80	80

- Annual arithmetic mean of minimum of 104 measurements in a year taken twice a week. 24 hourly at uniform interval
- 24 hourly / 8 hourly values should be met 98% of the time in a year. However, 2% of the time, it may exceed but not on two consecutive days

**Note:**

- National Ambient Air Quality Standard: The levels of air quality with an adequate margin of safety, to protect the public health, vegetation and property.
- Wherever and whenever two consecutive values exceeds the limit specified above for the respective category, it would be considered adequate reason to institute regular/continuous monitoring and further investigations.
- The State Government/State Board shall notify the sensitive and other areas in the respective states within a period of six months from the date of Notification of National Ambient Air Quality Standards. [S.O.384 (E), Air (Prevention & Cont. of Pollution) Act,1981 dated April 11,1994]

**ANNEXURE I-B**

**Drinking Water Standards (BIS)**

Sr. No.	Parameter	Unit	Acceptable Limits	Permissible Limits
1	pH	-	6.5 to 8.5	6.5 to 8.5
2	Total Dissolved Solids	mg/L	500	2000
3	Turbidity	NTU	1	5
4	Odor	-	Agreeable	Agreeable
5	Color	Hazen Units	5	15
6	Conductivity	µs/cm	NS*	NS*
7	Bio.Oxygen Demand	mg/L	NS*	NS*
8	Chloride as Cl	mg/L	250	1000
9	Ca as Ca	mg/L	75	200
10	Mg as Mg	mg/L	30	100
11	Total Hardness	mg/L	200	600
12	Iron as Fe	mg/L	0.3	NS*
13	Fluorides as F	mg/L	1	1.5
14	Sulphate as SO <sub>4</sub>	mg/L	200	400
15	Nitrite as NO <sub>2</sub>	mg/L	NS*	NS*
16	Nitrate as NO <sub>3</sub>	mg/L	45	NS*
17	Salinity	%	NS*	NS*
18	Sodium as Na	mg/L	NS*	NS*
19	Potassium as K	mg/L	NS*	NS*
20	Manganese	mg/L	0.1	0.3
21	Hexavalent Chromium	mg/L	NS*	NS*
22	Copper	mg/L	0.05	1.5
23	Cadmium	mg/L	0.003	NS*
24	Arsenic	mg/L	0.01	0.05
25	Mercury	mg/L	0.001	NS*
26	Lead	mg/L	0.01	NS*
27	Zinc	mg/L	5	15
28	Bacterial Count	CFU/100ml	Absent	Absent

\*Not specified in IS10500:2012

**Bacteriological Standards (for Drinking water)**

	Organisms	Requirements
<b>All water intended for drinking</b>		
	(a)E.coliorthermo-tolerant Coli form bacteria	Shall not be detectable in any 100 ml sample
<b>Treated water entering the distribution system</b>		
	a)E.coliorthermo-tolerant Coliformbacteria	Shall not be detectable in any 100 ml sample
	b)Total Coli form bacteria	Shall not be detectable in any 100 ml sample
<b>Treated water in the distribution system</b>		
	a)E.coliorthermo-tolerant Coli form bacteria	Shall not be detectable in any 100 ml sample
	b)TotalColiformbacteria	Shall not be detectable in any 100 ml sample

(BIS specifications (IS10500-2012))

**ANNEXURE -I-C**

**Noise Quality Standards**

Area Code	Category of Area	Limits in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Day Time is recorded in between 6.00 A.M. and 10.00 P.M.
- Night time is recorded in between 10.00 P.M. to 6.00 A.M.
- Silence zone is defined as areas up to 100 meters around such premises as hospitals, educational institutions and courts. The silence zones are to be declared by the Competent Authority.
- Use of vehicular horns, loud speakers and bursting of crackers shall be banned in these zones.
- Mixed categories of areas should be declared as one of the four above mentioned categories by the Competent Authority and the corresponding standards shall apply.

[Source: EPA Notification [G.S.R.1063 (E) dt.26.12.1989 published in the Gazette No.643 dt.26.12.1989.]

**ANNEXURE – 3**  
**DETAILS OF HAZARDOUS**  
**WASTE GENERATED**

Annexure - I

**DEENDAYAL PORT AUTHORITY  
MARINE DEPARTMENT**

**Statement of Hazardous & Non Hazardous Waste  
disposal from the vessels at Kandla & Vadinar Port  
YEAR 2021-22**

Sr. No.	MONTH	YEAR	Hazardous (Sludge)	Non Hazardous (Garbage)
1	APRIL	2021	3006.02	95.13
2	MAY	2021	1014.18	118.78
3	JUNE	2021	830.21	148.35
4	JULY	2021	863.36	105.89
5	AUGUST	2021	762.38	133.90
6	SEPTEMBER	2021	898.80	208.42
7	OCTOBER	2021	193.08	175.53
8	NOVEMBER	2021	210.06	194.18
9	DECEMBER	2021	381.77	167.02
10	JANUARY	2022	261.94	109.80
11	FEBRUARY	2022	254.66	96.03
12	MARCH	2022	909.39	171.05
	<b>TOTAL</b>		<b>9585.85 MT</b>	<b>1724.08 MT</b>

**Deputy Conservator  
Deedayal Port Authority**

03/2/64  
30/6/22

# Marine Department

Statement showing the Collection and disposal of Hazardous and Non-Hazardous Wastes carried out by various parties from April - 2021 to Mar - 2022

Sr. No.	Name of Party	Validity of License	Type of Licence	Apr-21	May-21	Jun-21	Jul-21	Aug-21	Sep-21
1	Alicid Organic Industries Limited	27-Oct-22	Hazardous	-	70.45	-	-	19.81	-
2	Amar Hydrocarbon Pvt. Ltd	22-Feb-23	Hazardous	-	-	-	-	-	-
3	Atlas Organics Pvt. Ltd	17-Oct-22	Hazardous	20.17	-	-	18.78	19.81	50.85
4	Aviation Corporation	14-Jun-22	Hazardous	-	-	-	151.18	71.53	133.63
5	Fine Refiners Pvt. Ltd	22-Jun-22	Hazardous	48.59	31.88	115.80	-	-	14.88
6	Priyansi Corporation	16-Dec-22	Hazardous	-	-	33.83	9.62	-	-
7	Revolution Petrochem LLP	01-Apr-22	Hazardous	2,658.01	531.52	442.73	546.48	524.09	456.01
8	Shana Oil Process	12-Feb-22	Hazardous	-	-	-	-	-	-
9	United Shipping Company	13-Sep-22	Hazardous	279.25	380.33	237.85	137.30	127.14	243.43
10	<b>Vaccant</b>	-	-	-	-	-	-	-	-
11	Chitrakut Trading & Industries	17-Nov-22	Non-Hazardous	-	0.98	-	0.65	0.39	-
12	Golden Shipping Services	30-May-23	Non-Hazardous	25.76	19.01	72.77	28.84	36.86	49.81
13	Green Earth Marine Solutions	23-Mar-23	Non-Hazardous	-	-	-	-	-	-
14	Harish A. Pandya	03-Feb-23	Non-Hazardous	4.86	0.68	3.95	0.90	1.23	8.00
15	K M Enterprise	04-May-23	Non-Hazardous	-	57.04	43.81	53.40	29.93	28.26
16	Naaz Shipping Services Ent	05-Jun-22	Non-Hazardous	6.40	-	2.80	-	0.60	12.30
17	New India Marine Works	22-Feb-23	Non-Hazardous	-	-	-	-	-	-
18	Omega Marine Services	28-Jun-22	Non-Hazardous	46.01	30.99	18.29	-	27.59	61.62
19	Vishwa Trade-link Inc.	25-Jun-22	Non-Hazardous	-	-	-	10.80	17.28	15.12
20	V K Enterprise	16-Nov-22	Non-Hazardous	12.10	10.08	6.73	11.30	20.02	33.31
<b>Hazardous - Total</b>				<b>3,006.02</b>	<b>1,014.18</b>	<b>830.21</b>	<b>863.36</b>	<b>762.38</b>	<b>898.80</b>
<b>Non-Hazardous - Total</b>				<b>95.13</b>	<b>118.78</b>	<b>148.35</b>	<b>105.89</b>	<b>133.90</b>	<b>208.42</b>

Copy to : GPCB, Gandhidham / Harbour Master

# Marine Department

Statement showing the Collection and disposal of Hazardous and Non-Hazardous Wastes carried out by various parties from April - 2021 to Mar - 2022

Sr. No.	Name of Party	Validity of License	Type of Licence	Oct-21	Nov-21	Dec-21	Jan-22	Feb-22	Mar-22	Total
1	Alicid Organic Industries Limited	27-Oct-22	Hazardous	-	-	-	-	-	-	90.26
2	Amar Hydrocarbon Pvt. Ltd	22-Feb-23	Hazardous	-	-	-	-	-	-	-
3	Atlas Organics Pvt. Ltd	17-Oct-22	Hazardous	30.82	140.02	-	-	-	92.47	372.92
4	Aviation Corporation	14-Jun-22	Hazardous	-	-	-	-	-	-	356.34
5	Fine Refiners Pvt. Ltd	22-Jun-22	Hazardous	-	-	-	6.20	-	-	217.35
6	Priyansi Corporation	16-Dec-22	Hazardous	-	-	-	-	-	-	43.45
7	Revolution Petrochem LLP	01-Apr-22	Hazardous	-	-	-	-	-	507.63	5,666.47
8	Shana Oil Process	12-Feb-22	Hazardous	-	-	-	-	-	-	-
9	United Shipping Company	13-Sep-22	Hazardous	162.26	70.04	381.77	255.74	254.66	309.29	2,839.06
10	<b>Vaccant</b>	-	-	-	-	-	-	-	-	-
11	Chitrakut Trading & Industries	17-Nov-22	Non-Hazardous	0.27	0.10	-	-	-	0.10	2.49
12	Golden Shipping Services	30-May-23	Non-Hazardous	43.90	41.41	66.73	51.67	42.02	95.34	574.12
13	Green Earth Marine Solutions	23-Mar-23	Non-Hazardous	-	-	-	-	-	-	-
14	Harish A. Pandya	03-Feb-23	Non-Hazardous	0.27	0.27	-	-	-	2.82	22.98
15	K M Enterprise	04-May-23	Non-Hazardous	78.13	106.72	100.29	58.13	23.80	27.75	607.26
16	Naaz Shipping Services Ent	05-Jun-22	Non-Hazardous	-	-	-	-	-	-	22.10
17	New India Marine Works	22-Feb-23	Non-Hazardous	-	-	-	-	-	10.80	10.80
18	Omega Marine Services	28-Jun-22	Non-Hazardous	24.34	40.28	-	-	16.20	25.56	290.88
19	Vishwa Trade-link Inc.	25-Jun-22	Non-Hazardous	-	-	-	-	-	-	43.20
20	V K Enterprise	16-Nov-22	Non-Hazardous	28.62	5.40	-	-	14.01	8.68	150.25
			<b>Hazardous - Total</b>	<b>193.08</b>	<b>210.06</b>	<b>381.77</b>	<b>261.94</b>	<b>254.66</b>	<b>909.39</b>	<b>9,585.85</b>
			<b>Non-Hazardous - Total</b>	<b>175.53</b>	<b>194.18</b>	<b>167.02</b>	<b>109.80</b>	<b>96.03</b>	<b>171.05</b>	<b>1,724.08</b>

Copy to : GPCB, Gandhidham / Harbour Master

# **LIST OF AUTHORIZED RECYCLERS**

# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	License of Removal	Last Validity of License	Remarks
1	<b>M/s. Alicid Organic Industries Ltd</b> Office No. 35, First Floor, Grain Marchan Association Building, Plot No. 297, Ward 12/B, Near Old Court, Gandhidham Email: naazshipping service@yahoo.com Phone: 02836- 237 106	Hazardous	27-Oct-22	
2	<b>M/s. Atlas Organics Pvt. Ltd</b> Office No. 204-206, Elisbridge Shopping Center, Opp. Town Hall, Ashram Road, Ahmedabad - 380006 Email : atlasorganics@yahoo.com Mobile : 9825063459 / 9909723532	Hazardous	17-Oct-22	
3	<b>M/s. Fine Refiners Pvt. Ltd</b> Plot No. 40, GIDC, Chitra Vartej, Bhavanagar - <a href="mailto:info@finerefiners.com">info@finerefiners.com</a> Mobile : 9825209314 / 9979898686	Hazardous	21-Jun-22	
4	<b>M/s. Amar Hydrocarbon Pvt. Ltd.</b> FF-12, Sahara Complex, B/h Navajivan Hotel, S. G. Highway, Sarkhej, Ahmedabad - 382210. <a href="mailto:amarhydrocarbon@gmail.com">amarhydrocarbon@gmail.com</a>	Hazardous	22-Feb-22	
5	<b>M/s. Aviation Corporation</b> 62/2/1, Shikarpur Taluka Bhachau - Kutch - Gujarat <a href="mailto:aviationcorporation1983@gmail.com">aviationcorporation1983@gmail.com</a>	Hazardous	14-Jun-22	
6	<b>M/s. Priyansi Corporation</b> C-1, 804 - 806, GIDC, Bamanbore, Ta. Chotila, Dist - Surendranagar Email: operation.priyansicorporation@gmail.com Mob: 09825226095	Hazardous	16-Dec-22	

# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	License of Removal	Last Validity of License	Remarks
7	<b>M/s. SHANA OIL PROCESS</b> New Good Luck Market, Nr. Aksha Masjid Chandola Lake, Narol Raod, Ahmedabad Email: kandla_sludgeremoval35@gmail.com Mob : 09824286952	Hazardous	11-Feb-22	
8	<b>M/s. United Shipping Company</b> Rising House -I, Ground Floor, Plot No. 82, Sector No. 1/A, Gandhidham - Kutch 370201 Email: sunil@risinggroup.co Phone : 02836 - 233060	Hazardous	13-Sep-22	
9	<b>M/s. Revolution Petrochem LLP</b> Office No. C-214, 2nd Floor, Shop No. 234-235, Kutch Arcade Platinum, Mithirohar <b>Gandhidham - 370201</b>	Hazardous	31-Mar-23	
12	<b>M/s. Chitrakut Trading &amp; Industries</b> 15, Brahm Samaj Building, Plot No. 106, Sector No. 8, Behind OSLO Cinema, Gandhidham - Kutch 370201. Email: info@harishpandya.com Mob: 09426218125	Non-Hazardous	17-Nov-22	
13	<b>M/s. Golden Shipping Services</b> Kidana Nirmal Nagar, Survey No. 133, Plot No. 83 Gandhidham - Kutch	Non-Hazardous	30-May-23	
14	<b>M/s. Harish A. Pandya</b> 15, Brahm Samaj Building, Plot No. 106, Sector No. 8, Behind OSLO Cinema, Gandhidham - Kutch 370201. Email: info@harishpandya.com Mob: 09426218125	Non-Hazardous	03-Feb-23	

# Marine Department

## STATEMENT SHOWING DEENDAYAL PORT REGISTERED PARTIES FOR REMOVAL OF GARBAGE, USED OIL/WASTE OIL ETC.

Sr. No.	Name of Party	Licence of Removal	Last Validity of License	Remarks
15	<b>M/s. Naaz Shipping Services Enterprise</b> Office No. 35, First Floor, Grain Marchan Association Building, Plot No. 297, Ward 12/B, Near Old Court, Gandhidham Email: naazshipping service@yahoo.com Phone: 02836- 237106	Non-Hazardous	05-Jun-22	
16	<b>M/s. Omega Marine Services</b> Reg. Office No. 2, Plot NO. 106, Sector - 8, Braham Samaj Building Gandhidham - Kutch Email: operations@omegamarineservices.com Mob: 9537329203 - 9727589185	Non-Hazardous	28-Jun-22	
17	<b>M/s. VISHWA TRADE-LINK INC.</b> 214, 2nd Floor, "Kutch Arcade" - Platinum Building Mithi Rohar Road, NH 8/A, GANDHIDHAM Email : vishwatradelink@gmail.com Mob: 09879595087 - 02836-283261	Non-Hazardous	16-Nov-22	
18	<b>Green Earth Marine Solutions</b> Office No. 202, Plot No. 578, Ward 12-C, Shakti Avenue, Gandhidham - Kutch <a href="mailto:operation@greenearthmarine.com">operation@greenearthmarine.com</a>	Non-Hazardous	23-Mar-23	
19	<b>M/s. V. K. Enterprise</b> 2, Plot No. 16, Sector 1/A, Shakti Nagar Road, Gandhidham - Kutch Email: vkenterprise2001@gmail.com Mob : 9825246142	Non-Hazardous	25-Jun-23	
20	<b>M/s. K. M. Enterprise</b> Plot No. 13, Sector - 8, Near BM Petrol Pump, Opp. Sharma Motors, Gandhidham - Kutch. Email: kmenterpriseandla@gmail.com Mob: 9427792986 - 9879986952	Non-Hazardous	04-May-23	