

DEENDAYAL PORT AUTHORITY
(Erstwhile: DEENDAYAL PORT TRUST)

Tel(O) : (02836) 220038,
Fax : (02836) 220050
E Mai : kptdesignsection@gmail.com
Website: www.deendayalport.gov.in



Administrative Office Building
Post Box NO. 50
GANDHIDHAM (Kutch).
Gujarat: 370 201.
Fax: (02836) 220050
Ph.: (02836) 220038

www.deendayalport.gov.in

EG/WK/5203/ (D)/VIII/EC Compliance /344

Date **04/08/2023**

To,
The Deputy Director General of Forests (C),
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office, Gandhinagar,
A wing- 407 & 409, Aryan Bhawan,
Near CH-3 Circle,
Sector 10 A, Gandhinagar – 382 010.

Sub: Proposed Smart Industrial Port City (SIPC) at green Field Site 1 (Adipur side-Northeast of Antarjaal, South of Tagore Road, 580 Acres), Gandhidham, Kutch-Gujarat by M/s Deendayal Port Authority — **Submission of Six-monthly Compliance report for the project reg.**

Ref.: 1. Environmental Clearance accorded by the Ministry of Environment, Forests & Climate Change, GoI vide F. No. 21-295/2017-IA III dated 10/10/2017
2. DPA letter no. EG/WK/5203/(D)/11 dated 04/01/2018
3. DPA letter no. EG/WK/5203/ (D)/VIII / EC Compliance /772 dated 07/08/2018
4. DPA letter no. EG/WK/5203/ (D)/VIII /EC Compliance/118 dated 04/04/2019
5. DPA letter no. EG/WK/5203/ (D)/VIII /EC Compliance, dated 21/12/2019
6. DPA letter no. EG/WK/5203/ (D)/VIII /EC Compliance/74 dated 25/08/2021
7. DPA letter no. EG/WK/5203/ (D)/VIII/EC Compliance /138 dated 21/02/2022
8. DPA letter no. EG/WK/5203/ (D)/VIII/EC Compliance /137 dated 09/07/2022
9. DPA letter no. EG/WK/5203/ (D)/VIII/EC Compliance / 233 dated 02/02/2023

Sir,

It is requested to kindly refer above cited reference for the said subject.

In this regard, as directed in above referred EC letter dated 10.10.2017 of MoEF&CC, GoI, please find herewith six-monthly compliance report (**Annexure – A**) i.e. point wise compliance to conditions stipulated in Environmental Clearance granted by MoEF&CC, GoI vide F. No. 21-295/2017-IA III dated 10/10/2017 & monitoring report in Data Sheet (**Annexure - B**), for the period up to May, 2023 for your kind information and record please.

Further, as per the MoEF&CC, Notification S.O.5845 (E) dated 26.11.2018, stated that "**In the said notification, in paragraph 10, in sub-paragraph (ii), for the words "hard and soft copies" the words "soft copy" shall be substituted**". Accordingly, we are submitting herewith soft copy of the same via e-mail ID iro.gandhingr-mefcc@gov.in.

This has the approval of the Chief Engineer, Deendayal Port Authority.

Thanking you,

Encl. As above.

Yours faithfully,

Manager (Env.)
Deendayal Port Authority

Copy along with point wise compliance of stipulated conditions:

- 1 Shri Subrata Bose,
Scientist: F,IA.III Division,
Government of India,
Ministry of Environment
Forests & Climate change,
Indira Paryavaran Bhavan,
Jor Bagh Road, Aliganj,
New Delhi – 110 003.
Email Id. subrata.bose@nic.in
- 2 Shri Prasoon Gargav,
Scientist E & Regional Director,
Central Pollution Control Board,
Parivesh Bhawan,
Opp. VMC Ward Office No.10, Subhanpura,
Vadodara – 390 023.
Email: prasoon.cpcb@nic.in
- 3 Shri T. C. Patel,
Environment Engineer,
Kutch Unit Head,
Gujarat Pollution Control Board,
Paryavaran Bhavan,
Sector 10A, Gandhinagar-
382 010
Email-kut-uh-gpcb@gujarat.gov.in .
- 4 Regional Officer, (Kutch East)
Gujarat Pollution Control Board,
Room No. 215 – 217, Regional Office,
2nd Floor, A.O Building,
Deendayal Port Trust,
Gandhidham (Kutch)– 370 201
Email Id. ro-gpcb-kute@gujarat.gov.in

Annexure -A

Annexure 1

Compliance Report for the period up to May 2023

Subject: Point-wise Compliance of the conditions stipulated in Environmental Clearance granted by MoEF&CC, GoI vide letter dated 10/10/2017 for the project "Proposed Smart Industrial Port City (SIPC) at green Field Site 1 (Adipur side-Northeast of Antarjaal, South of Tagore Road, 580 Acres), Gandhidham, Kutch-Gujarat by M/s Deendayal Port Authority".

Reference: MoEF&CC, GoI accorded Environmental Clearance vide F. No. 21-295/2017-IA-III dated 10/10/2017

Note: The construction has not yet started.

Sr. No.	Conditions	Compliance
PART A: SPECIFIC CONDITIONS		
I.	Construction Phase	
(i)	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building bye-laws	DPA has obtained in-principle approval from Gandhidham Development Authority Annexure I . DPA have obtained NOC/CTE from GPCB vide their letter no. PC/CCA-KUTCH-1511/GPCB ID 60116, Outward No. 451921 dated 13/04/2018, Copy already forwarded vide EC Compliance dated 07.08.2018. Further GPCB issued Extension of CTE vide outward no 749552 dated 02/08/2023.
(ii)	No part of the project will lie in the CRZ area.	Noted Please.
(iii)	The Clearance is only for Infrastructure development and individual allottees shall have to take E.C. as applicable.	Noted Please.
(iv)	No industries covered under Category 'A' or 'B' of the EIA notification shall be permitted.	Noted Please.
(v)	No notified ponds or reservoirs shall be used up in the project. They should be demarcated and preserved.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(vi)	The conditions of this E.C. will form part of the Lessee and Contractor agreements.	Noted Please. It is hereby assured that conditions stipulated in the EC accorded by MoEF&CC, GoI vide letter dated

Sr. No.	Conditions	Compliance
		10/10/2017 will form part of the Lessee and Contractor agreements.
(vii)	The EMP and the DMP shall also form part of the lessee agreements and responsibilities fixed.	Noted Please. It is hereby assured that EMP and DMP will form part of the contractor agreement and lessee agreement.
(viii)	The stipulations as provided in Annexure XIV of the revised EIA notification of 2016 would be implemented and also form part of the Lessee and Contractor agreements.	Stipulations will be part of agreements of contractors and lessees.
(ix)	Open areas would be serviced by 100% Solar Lighting with a 50% power backup.	Shall be implemented
(x)	Sewage shall be treated in the STP based on Submerged Aerated Fixed Reactor and Moving Bed Bio-Reactor (MBBR) technology with tertiary treatment (preferably Ultra Filtration). The treated effluent from STP shall be recycled/reused for flushing, horticulture, and road washing.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xi)	The project will provide a CETP for effluent treatment.	Residential & allied cum commercial development, the necessary space of about 6.31 acres has already been earmarked in the Master Plan of SIPC for the development of STP.
(xii)	Excess treated water shall be entirely used up and also given to member industries for recycle and reuse. Possibilities shall also be explored for use in roadside plantation, spraying for dust suppression and forestry.	Noted Please.
(xiii)	No effluents should be allowed to flow into the creek.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xiv)	No Water desalination plant will be installed in the project without prior permission of the Ministry. Sweet water shall be taken from authorised sources only.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xv)	The local bye-law provisions on rainwater harvesting should be followed. If local bye-	Noted Please.

Sr. No.	Conditions	Compliance
	law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 2 nos. of rainwater storage ponds (catchment channels) for safe percolation of water into ground shall be provided as per CGWB guidelines.	It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xvi)	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. As proposed 1-acre space shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from group housing project will be sent to dumping site.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xvii)	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, Landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xviii)	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/wind-breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as wells taking out debris from the site. Sand, murram, loose	Noted Please. It is hereby assured that stipulated condition will form part of the contractor agreement and lessee agreement.

Sr. No.	Conditions	Compliance
	soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	
(xix)	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	<p>It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.</p> <p>Further, it is relevant to mention here that, DPA had already issued a circular vide dated 3/9/2019 (Copy – Annexure II) regarding Construction and Demolition Waste Management for strict implementation in DPA.</p>
(xx)	Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	<p>Noted Please.</p> <p>It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.</p>
(xxi)	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	<p>Noted Please.</p> <p>It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.</p>
(xxii)	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased daylighting design and thermal mass etc. shall be incorporated in the	<p>Noted Please.</p> <p>It is hereby assured that stipulated condition will form part of the contractor agreement and lessee agreement.</p>

Sr. No.	Conditions	Compliance
	building design. Wall, window, and roof u-values shall be as per ECBC specifications.	
(xxiii)	Use of water-saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxiv)	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing, etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning, etc. shall be done.	Noted Please. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxv)	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxvi)	Solar based electric power shall be provided to each unit for at least two bulbs/light and one fan. As proposed, central lighting and street lighting shall also be based on solar power.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxvii)	A First Aid Room shall be provided in the project both during construction and operations of the project.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxviii)	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxix)	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.

Sr. No.	Conditions	Compliance
	approved sites with the approval of competent authority	
(xxx)	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxii)	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxiii)	As proposed, no groundwater shall be used during construction/ operation phase of the project.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxiv)	Approval of the CGWA require before any dewatering for basements.	DPA will approach CGWA if required.
(xxxv)	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment, etc as per National Building Code including protection measures from lightning, etc.	Noted Please.
(xxxvi)	Any hazardous waste generated during construction phase shall be disposed of as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxvii)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxviii)	Ambient noise levels shall conform to residential standards both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise	It is hereby assured that this condition will be complied with during the construction phase. It is hereby assured that the stipulated condition will form part of the

Sr. No.	Conditions	Compliance
	quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	contractor agreement and lessee agreement.
(xxxviii)	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xxxix)	<p>A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.</p> <ul style="list-style-type: none"> • Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. • Traffic calming measures • Proper design of entry and exit points. • Parking norms as per local regulation 	DPA appointed M/s Tata Consulting Engineers Limited to prepare Master Plan of the proposed SIPC Location 1 (Adipur) & Location 2 (Kandla) in 2016, in the said Master Plan, M/s Tata had incorporated traffic studies & management, Copy already forwarded vide EC Compliance dated 07.08.2018.
(xl)	An assessment of the cumulative impact of all activities being carried out or proposed to be carried out by the project, shall be made for traffic densities and parking capabilities in a 05 kms radius from the site. A detailed traffic management and a traffic decongestion plan drawn up through an organisation of repute and specialising in Transport Planning shall be implemented to the satisfaction of the State Urban Development and Transport Departments	DPA appointed M/s Tata Consulting Engineers Limited to prepare of Master Plan of the proposed SIPC Location 1 (Adipur) & Location 2 (Kandla) in 2016, in the said Master Plan, M/s Tata had incorporated traffic studies & management, Copy already forwarded vide EC Compliance dated 07.08.2018.

Sr. No.	Conditions	Compliance
	shall also include the consent of all the concerned implementing agencies.	
(xli)	Project Proponent should comply with conditions stipulated at Appendix – XIV of the amended EIA Notification vide S.O. 3999(E) dated 09.12.2016.	The stipulations as provided in Appendix – XIV of the amended EIA Notification vide S.O. 3999(E) dated 09.12.2016 will be incorporated in the Contractor and lessee agreements for compliance.
II. Operational Phase		
(i)	Fresh water requirement from Gujarat Water Supply and Sewerage Board (GWSSB) water supply shall not exceed 6062.54 KLD.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(ii)	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Preference should be given to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of 3 trees for every 1 tree that is cut) shall be done and maintained. As proposed 3, 93,035 sqm area shall be provided for green belt development.	Noted Please It is hereby assured that compliance with the statutory conditions will form part of the contractor agreement and lessee agreement.
(iii)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(iv)	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(v)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project	Noted Please

Sr. No.	Conditions	Compliance
	proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	It is hereby assured that compliance with the statutory conditions will form part of the contractor agreement and lessee agreement.
(vi)	The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(vii)	No sewage or untreated effluent water would be discharged through storm water drains.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(viii)	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(ix)	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016, and the Plastics Waste Management Rules, 2016 shall be followed.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(x)	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building by-laws requirement, whichever is higher.	Noted, it is hereby assured that, Solar, wind, or other Renewable Energy will be installed to meet electricity generation equivalent to 1% of the demand load or as per EC Condition by DPA/Plot Allottee as applicable.
(xi)	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be	Noted Please

Sr. No.	Conditions	Compliance
	provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xii)	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed of/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(xiii)	An environmental management plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.	EMP prepared and incorporated in EIA by M/s EQMS India Pvt. Ltd., Copy already forwarded vide EC Compliance dated 07.08.2018. Noted, DPA already has an Environment Management cell. Further, DPA has also appointed an expert agency to provide Environmental Experts from time to time. Recently, DPA appointed M/s Precitech Laboratories Pvt. Ltd., Vapi, for three years vide work order dated 5/2/2021. Further DPA has appointed Manager Environment on a contractual basis for a period of 3 years and extendable to 2 years vide office order dated 17/01/2022 is attached herewith as Annexure III.
(xiv)	The company shall draw up and implement a Corporate Social Responsibility plan as per the Company's Act of 2013	Noted, DPA has already done CSR activities for Upliftment and Socio-Economic welfare as per guidelines of the Ministry of Shipping. The list of CSR Activities is attached as Annexure IV.
PART B GENERAL CONDITIONS		
(i)	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the	-----

Sr. No.	Conditions	Compliance
	Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.	
(ii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.	Point noted. It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(iii)	Officials from the Regional Office of MoEF&CC, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the APCCF, Regional Office of MoEF&CC, Bhopal.	Complete set of all the documents Copy already forwarded vide EC Compliance dated 07.08.2018 to MoEF&CC, GoI.
(iv)	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	Noted Please
(v)	The Ministry reserves the right to add additional safeguard measures subsequently if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory manner.	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(vi)	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980, and the Wildlife (Protection) Act, 1972, etc. Shall be obtained, as applicable by project proponents from the respective Competent authorities	Noted Please It is hereby assured that the stipulated condition will form part of the contractor agreement and lessee agreement.
(vii)	These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment	Noted Please It is hereby assured that the stipulated condition will form part of the

Sr. No.	Conditions	Compliance
	(Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.	contractor agreement and lessee agreement.
(viii)	The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at http://www.envfor.nic.in . The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the Regional Office of this Ministry at Bhopal.	DPA has already been advertised in the daily newspaper 'KUTCHH MITRA (published in the local language Gujarati) dated 16.10.2017 and Newspaper-INDIAN EXPRESS dated 15.10.2017. A copy of the same has been forwarded along with the compliance submitted vide our letter dated 04.01.2018.
(ix)	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted Please
(x)	A copy of the clearance letter be sent by the proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Noted Please, no representations were received while processing the proposal.
(xi)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient	Noted Please. DPA has already submitted the status of compliance with the stipulated EC conditions to R.O., MoEF&CC, and other statutory authorities vide their letter dated 02/02/2023, and the same has been uploaded on the DPA website.

Sr. No.	Conditions	Compliance
	location near the main gate of the company in the public domain.	
(xii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	Noted Please

Annexure -I



GANDHIDHAM DEVELOPMENT AUTHORITY

Post Box No. 31, ADIPUR (Kachchh) 370 205.

260505
260548

No. 1 GDA(1)/2019/257

Date :- 20-2-19

1. Smt Remya Mohan, IAS
Collector & District Magistrate Kutch,
at Bhuj (Ex-officio)
2. Dr. V.K. Joshi
Deputy Collector, Anjar
3. The District Health Officer
Kachchh, at Bhuj (Ex-Officio)
4. The Chief Engineer
Deendayal Port Trust, Gandhidham
5. The Secretary
Deendayal Port Trust, Gandhidham
6. The Development Commissioner
Kandla Special Economic Zone,
Gandhidham

Chairman-
Member

Secretary-
Member

Member

Member

Member

Member

I enclosed herewith Xerox copy of the Minutes of 133rd Board Meeting of the Gandhidham Development Authority held on 13-02-2019 for your kind information. The Suggestions if any may kindly be communicated within seven days.

Encl: Copy of Minutes

(Dr. V.K. Joshi)
Secretary



7 EN (C) R
A EN (C) R

MINUTES OF 133rd BOARD MEETING OF G.D.A. HELD ON
13.02.2019 IN THE OFFICE OF THE DEPUTY COLLECTOR
AT ANJAR.

Persons present: -

- | | | |
|----|--|----------------------|
| 1. | Smt Remya Mohan, IAS
Collector & District Magistrate Kutch,
at Bhuj (Ex-officio) | Chairman-
Member |
| 2. | Dr. V.K. Joshi
Deputy Collector, Anjar | Secretary-
Member |
| 3. | Shri B. K. Jha
The Secretary Deendayal Port Trust | Member |
| 4. | Shri Satyadeep Mahapatra,
Joint. Development Commissioner
Kandla SEZ | Member |
| 5. | Shri Suresh S. Patil
The Chief Engineer, Deendayal Port Trust | Member |
| 6. | Shri M.K. Gamit
Administrative Officer
Representative of District Health Office Bhuj | Member |

Smt Remya Mohan (IAS) Chairman GDA welcomed all the members. The action taken report of 132nd Board Meeting of GDA held on 29-01-2018 was read out. All the members expressed their satisfaction on all the items.

Item No.7

To consider the proposal Regarding preparation of integrated overall Master Plan for GDA area showing sanctioned land use zoning, sanctioned road network plans of different villages.

- 7.1 The matter of consultancy services for Preparation of integrated overall Master Plan for GDA area showing sanctioned land use zoning, sanctioned road network plans of different villages - Expression of Interest (EOI) was explained by the Secretary GDA to the Board Members.
- 7.2 All the Board Members discussed the matter in details & there after following decision was taken unanimously.

RESOLUTION

- 7.3 The Expression of Interest (EOI) consultancy services for Preparation of integrated overall Master Plan for GDA area showing sanctioned land use zoning, sanctioned road network plans of different villages is hereby approved.

Item No.8

To consider the proposal of KPT for change in portion i.e. of District -5 of Master Plan for smart Industrial Port City (S.I.P.C.) - Kandla, location -1 @ Adipur.

- 8.1 The Asst. Secretary GDA explained the matter in details to the Board Members and said that earlier the aforesaid matter was approved by the Authority in its 131st Board Meeting held on 11/05/2017 but now the DPT on 20/01/2019 has submitted the modified land use plan of S.I.P.C - Kandla, Location - 1 @ Adipur showing comparative review of Master Plan Location - 1.
- 8.2 The consultant of KPT now DPT has explained the matter in details to the board members and she has replied the questions of the board members satisfactorily.
- 8.3 The map showing the details of the proposal was shown to all Board Members.
- 8.4 The Secretary GDA and the Chairman GDA both have asked the Secretary DPT that the DPT may explore the policy to allocate a

City Survey Office etc. for State Government in District - 5 of Master Plan for Smart Industrial Port City (S.I.P.C) - Kandla Location- 1 @ Adipur for which the Secretary DPT agreed with the suggestion raised by the Chairman, GDA.

- 8.5 All the Members discussed the matter in details & thereafter following decision was taken unanimously.

RESOLUTIONS

- 8.6 The proposal of KPT now DPT for change in portion i.e. of District -5 of Master Plan for smart Industrial Port City (S.I.P.C.) - Kandla, location -1 @ Adipur is hereby approved. However the Deendayal Port Trust shall allocate a strategically located piece of land for the establishment of Anganwadi, Health Centre, Civil Centre, Jan Seva Kendra, City Survey Office etc. for State Government Office in the portion i.e. of District -5 of Master Plan for smart Industrial Port city location -1 @ Adipur.
- 8.7 The KPT now DPT will have to get approved detailed layout plan from GDA of the said area before allotting the said land.
- 8.8 The procedure as laid down under section 6 of Gandhidham (Development & Control on erection of Buildings) Act, 1957, will have to be followed.

Item No.9


To consider the request of Shri Deepak R. Jogi and 1 other to allow 1.52mt. side set back on plot No. 390, Ward - 5B, Adipur.

- 9.1 The matter of Shri Deepak R. Jogi and 1 other to allow 1.52mt. side set back on plot No. 390, Ward - 5B, Adipur was explained by the Asst. Secretary GDA to all Board Members in details.
- 9.2 All the Members discussed the matter in details & thereafter following decision was taken unanimously.

RESOLUTION

- 9.3 The proposal of Shri Deepak R. Jogi and 1 other to allow 1.52mt. side set back instead of 3.05mt on plot No. 390, Ward - 5B, Adipur was approved

Annexure -II



DEENDAYAL PORT TRUST

Office of the Chief Engineer
A.O. Building,
Gandhidham (Kutch)

No.EG/WK/4751/Part

243(B)

Dated : 03/09/2019

* C I R C U L A R *

The Ministry of Environment, Forest & Climate Change, GoI vide G.S.R. 317 (E) dated 29/3/2016 had issued Notification to address in detail the management of Construction & Demolition Waste. In order to implement the said rules issued by the MoEF&CC,GoI in the Deendayal Port Trust, following instructions may kindly be followed:

- ❖ Proper management of Construction & demolition waste in accordance with the provisions of Construction and Demolition of Waste Management Rules, 2016.
- ❖ Records of generation and disposal of the waste is required to be maintained by the contractor/Lessees at source.
- ❖ All trucks before leaving the storage yards shall be covered with tarpaulin and not over loaded as well as there shall not be spillage during transportation.
- ❖ Appropriate containers shall be placed for collection of waste, removal at regular intervals, transportation to appropriate sites for processing and disposal.

This is issued with the approval of Competent Authority in DPT.


Chief Engineer
Deendayal Port Trust

- | | |
|-----------------------|--|
| 1. All HoD's | - For information and necessary action |
| 2. Sr. PS to Chairman | - For kind information of Chairman |
| 3. PS to Dy. Chairman | - For kind information of Dy. Chairman |

Annexure -III

DEENDAYAL PORT TRUST

ISO 9001 : 2008 ; ISO 14001 : 2004

Ph. : 02836-220167

Fax: 02836-233172

website: deendayalport.gov.in

e-mail : secretary@deendayalportgov.in



General Administration Deptt.
Administrative Office Building,
Post Box No. 50,
Gandhidham (Kutch) 370 201

By Speed Post / E-mail

No. GA/PS/4292/HE(PF)/2017/ 304

Dated, 17 January, 2022

OFFER OF CONTRACTUAL ENGAGEMENT AS MANAGER(ENVIRONMENT), IN DEENDAYAL PORT TRUST.

With Reference to your application for contractual engagement as Manager – Environment, in response to the advertisement, inviting applications for the subject position, on assessment and interview before the Services Selection Committee on 06.01.2022, the Competent authority has been pleased to offer the contractual engagement as Manager (Environment) in Deendayal Port Trust, purely on contractual basis, subject to the following terms and conditions :

a) Roles & Responsibilities

- Develop, implement and manage long term port environmental programmes such as the Green Marine Programme, sustainability plan, air strategies, tenant environment plan and tenant lease management.
- Represent the Port in local, state and federal agency meetings.
- Assist in the development and updating of the Port's comprehensive scheme of Harbour improvements and strategic plan.
- Monitor and conduct regular mock drills to train the employees at different levels.

b) Remuneration :-

Your consolidated remuneration per month will be Rs.1,00,000/- (Rupees One Lakh Only). Suitable increase depending upon the performance and variation in the AICP index may be given after successful completion of yearly service. Applicable taxes will be deducted at the time of payment.

c) Period of Contract :

The contract will be for a period of 3 years, extendable by another two years, subject to satisfactory performance.

d) Duty Hours :

You may be posted at/under any department/authority of Deendayal Port Trust, as per requirement, Duty Hours are from 10.00 AM to 06.00 PM or as may be decided by the Administration from time to time. In case of requirement, you may have to work beyond the normal duty hours, for which no other compensation, monetary or otherwise will be considered.

.....
(Mukkannawar Utkarsh Suresh)

Contd....

You will normally be entitled to a weekly off on Sunday. If situation warrants, the weekly day of rest may be changed with prior intimation. For work on any weekly day off / declared national holiday in exigencies of work, a compensatory day of rest as per the convenience of the Administration, in lieu thereof, will be granted and for which no other compensation, monetary or otherwise will be considered.

Failure to report for duty will entail deduction of wages on pro-rata basis.

- e) Medical facility : Only Outdoor Medical treatment facility for self and your spouse will be provided in the Port Trust Hospital. No other medical facilities will be provided to you/ your family.
- f) Leave entitlement : 10 days leave in a year and National Holidays will be given. No other leave will be admissible and for any absence beyond the said leave, pro-rata deduction will be made from the consolidated remuneration.
- g) Accommodation : Suitable accommodation, if available, may be provided, subject to recovery of charges under FR-45A, and the element of HRA excluded from the lumpsum remuneration.
- h) Your engagement on contractual basis is subject to strict adherence to the norms and conduct.
- i) The engagement can be terminated by giving one month's notice in writing from either side. However, in case of unsatisfactory performance or for any act considered derogatory/ detrimental to the interest of Deendayal Port Trust, this contractual engagement will be terminated forthwith.
- j) If you leave without notice or without acceptance of notice of termination, the amount due i.e., consolidated remuneration payable will be forfeited.
- k) You shall not claim any right/title/interest on par with the regular employees of the Port or otherwise.
- l) You shall not have any claim/right whatsoever for regular appointment / absorption in Deendayal Port Trust under any circumstances.
- m) Your contractual engagement is subject to verification of antecedents by the police. If any adverse report is received from the Police, your contractual services are liable to be terminated forthwith.
- n) You will not be permitted to take any other assignment during the period of contract with Deendayal Port Trust.

.....
(Mukkannawar Utkarsh Suresh)

Contd....

- l) On official tour outside Head Quarters, you will be entitled to TA/DA as admissible under the rules.
- m) The terms and conditions shall be amended / modified depending upon the requirement of the Port. Any dispute(s)/difference(s) shall be decided solely by the Chairman, Deendayal Port Trust, which shall be final and binding.
- n) You are required to submit discharge letter / relieving letter from your present employer at the time of joining Deendayal Port Trust, without you may not be allowed to join.
- o) The contractual engagement is subject to your being found medically fit as per the requirements of Deendayal Port Trust.

2. You have to report for medical examination before the Medical Board of DPT at Gopalpuri Hospital on any working day between 10.00 hrs to 12.00 hrs.

3. If you agree to the above terms and conditions, you may convey acceptance by signing the duplicate of the letter in token of your acceptance and submit the same to this office and call at this office with all certificates and two copies of passport size photographs latest by 27th January, 2022 failing which the offer of contractual engagement stands automatically cancelled.


Secretary
Deendayal Port Trust

To
Shri. Mukkanawar Utkarsh Suresh,
21/1, Madhukunj Housing Society,
Near Canara Bank, Panchavati,
Pashan, Pune, Maharashtra - 411008.
Email : utkaish@gmail.com

I accept the above terms and conditions and will report for duty on _____.

Name :

Date :

Copy to: CMO - for conducting Medical Examination.

Annexure -IV

CSR Activities at Decadavul Port Trust

Details of CSR

Sr. No	Year	Board Resolution For Budget Provision	Board Approved Budget Provision	Board Resolution for approval of the CSR activities	Board Approved Amount For CSR Activities	Actual exp. upto Nov'20 (Rs. In Lakhs)	Net balance (Rs. In Lakhs)	Remarks
1	2	3	4	5	6	7	6-7	
1	2011-2012	369 of 28.03.2012	3.00 Cr					
2	2012-2013	17 of 31.05.2012	4.00 Cr					
3	2013-2014	99 of 30.09.2013	6.43 Cr	64 of 30.08.2012	564.00 Lakh	564.00	Nil	Works completed
4	2014-2015	322 of 21.11.2014	1.07 Cr	20 of 16.04.2015	236.22 Lakh	188.18	8.04	Works in progress
5	2015-2016	151 of 12.02.2016	1.50 Cr	48 of 12.08.2016	28.00 Lakh	5.00	23.00	Works in progress
6	2016-2017	138 of 06.01.2017	2.60 Cr	52 of 2.8.2017	140.30 Lakh	146.00	-5.70	Works completed
7	2017-2018	41 of 2.08.2017	7.02 Cr	15 of 04.05.2018	155.10 Lakh	115.37	39.73	Works in progress
8	2018-19	51 of 07.08.2019	6.70 Cr	111 of 4.12.2018	154.90 Lakh	50.50	104.40	Works in progress
					1278.52 Lakh	1069.05	209.47	
9	2019-20	58 of 10.10.2019	5.49 Cr	92 of 06.12.2019	1838.57 Lakh	Nil		MoS approval is awaited
		Total	37.81 Cr		3117.09 Lakh	Spent in PM Fund for COVID-19-800 Lakhs		

Year-wise details of CSR works undertaken by DPT during 2012 – 13 to 2019 – 20 are given in **Tables 7.3a, 7.3b, 7.3c, 7.3d, 7.3e, 7.3f and 7.3g.**

Table 7.3a: CSR Works Undertaken by DPT during 2011-12 and 2012 – 13

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Repair of road from Dr. Baba Saheb Ambedkar Circle to NH 8A (via Ganesh Nagar)	518
2	Repair of road from S.T. Bus Stand to Sunderpuri Cross Road via Collector Road	
3	Repair of road from NH 8A Railway Crossing to Maninagar (along railway track)	
4	Repair of road from Khanna Market Road (Collector Road) to Green Palace Hotel	
5	Construction of internal roads at "Shri Ram" Harijan Co-operative Housing Society (near Kidana)	
6	Construction of cremation ground and graveyard with other facilities at Vadinar	19.44
7	Providing cement concrete internal roads in Village Vadinar Stage - I	16.16
8	Approach road provided for developing tourism at Village Veera near Harsidhi Mata Temple	4.65
9	Water tank along with R.O. provided near developing tourism area	0.30
10	Creating facilities of flooring and steps surrounding lake to stop soil erosion and attract tourists at Village Veera.	4.80
	TOTAL	563.35

Table 7.3b: CSR Works Undertaken by DPT during 2014-15

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Construction of community hall – cum – school at Maheshwari Nagar, Gandhidham	51.90
2	Renovation of "Muktidham" (cremation ground) at Kandla	10.65
3	Sunderpuri – 1 Valmiki Community Hall	5.00
4	Sunderpuri – 2 Valmiki Community Hall	5.00
5	Ganeshnagar Community Hall	10.00
6	Jagjivan Maheshwari Community Hall	10.00
7	Various works of road at Sapnanagar	99.19
8	Construction of compound wall in the dam of Jogninar Village	14.48
	TOTAL	206.22

Table 7.3c: CSR Works Undertaken by DPT during 2015-16

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	Construction of Bus Stand at Vadinar Village	10.00
2	Providing drainage system at Vadinar Village	6.00
3	Providing and laying of water supply lines in Vadinar Village	6.00
4	Road from Gandhidham Post Office to Merchantile Marine Department Office along with toilet facilities	60.00
5	Construction of toilets for girls / women at Khari Rohar, Village	3.00
6	Construction of toilets for girls at Mathak Primary School, Mathak, Village	3.00
	TOTAL	88.00

Table 7.3d: CSR Works Approved by DPT Board for 2016-17

Sl. No.	Name of Work	Cost (Rs. In lakhs)
1	RCC community hall at Harsidhi Mata Temple, Village Veera, Anjar Taluka	19.00
2	Fabricated Community Hall at Sanghad Village, Anjar Taluka	21.00
3	CSR Works for Shri Maheshwari Meghavad Samaj, Gandhidham at graveyard behind Redison Hotel	8.00
4	CSR Works for Shri Dhanraj Matiyadev Mukti Dham, Sector 14, Rotary Nagar, Gandhidham	30.50
5	CSR Works for Nirvasit Harijan Co-operative Housing Society, Gandhidham Health Cum Education Centre	41.00
6	CSR Works for Shri Rotary Nagar Primary School, Gandhidham	2.80
7	CSR Works at NU-4, NU-10(B) Sapnanagar & Saktinagar, Golden Jubilee Park at Gandhidham	18.00
	TOTAL	140.30

Table 7.3e: CSR Works Approved for 2017-18

Sl. No.	Name of Work	Proposal Received from / / Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR Works at Shri Ganesh Nagar High School, Gandhidham	Principal, Shri Ganesh Nagar Govt High School, Gandhidham	38.30 Lakhs
2	CSR Works for MOLANA AZAD Primary School, Kandla	Shri M L Bellani, Trustee, DPT, Shri Kandla Port Education Society, New Kandla	7.00 Lakhs
3	Grant financial contribution for facility of Army Cantonment for 50 nos. air coolers at Kutch Border Area	Shri Vinod L Chavda, MP	15 Lakhs
4	40% of the estimated cost of providing drainage lines at Tuna and Vandi villages under Swachh Bharat Abhiyan.	Shri Sarpanch, Tuna Village & Vandi village & Shri M L Bellani, Trustee, DPT	Rs. 39.80 Lakhs <i>Approx. estimated Cost Rs.99.50 Lakhs, of which 40% to be contributed by DPT.</i>
5	CSR works for S.H.N. Academy English School (managed by Indian Inst. Of Sindhology – Bharati Sindhu Vidyapeeth), Adipur	Director, S.H.N Academy English School	40 Lakhs
6	Construction of internal roads at Bhaktinagar Society, Kidana	Smt Maltiben Maheshwari, MLA	15 Lakh
	TOTAL		155.10

Table 7.3f: CSR Works Approved for 2018-19

Sl. No.	Name of Work	Proposal Received from / / Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR work to Donate 100 Nos of Computers to Daughters of Martyred Soldiers in the country under the "BETI BACHAO BETI PADHAO" program by Atharva Foundation, Mumbai	Chairman, Atharva Foundation, Mumbai	24.00
2	CSR work to Donate ONE (40 Seater) School Bus for Deaf Children Students for the Institute of Mata Lachmi Rotary Society, Adipur	Mata Lachmi Rotary Society, Adipur	18.00
3	CSR work to Providing One R.O Plant with Cooler at PanchyatPrathmikSala, Gadpadar Village for the ANARDE Foundation, Kandla&Gandhidham Center.	Dist. Rural Development Officer, Annarde Foundation-Kandla & Gandhidham	1.50
4	CSR work for Providing Drainage Line at MeghparBorichi village, AnjarTaluka	Shri Vasanbhai Ahir, MLA, Gujarat Govt	25.00
5	CSR work for Construction of Health Centre at Kidana Village	Shri Vinod L Chavda, MP	13.00
6	CSR work to provide 4 Nos. of Big Dust Bin for MithiRoharJuth Gram Panchayat.	Shri Sarapanch, Mithi RoharJuth Gram Panchayat	3.40

Sl. No.	Name of Work	Proposal Received from // Name of Organization / N.G.O	Cost (Rs. In lakhs)
7	CSR work for Renovation & construction of shed at CharanSamaj, Gandhidham –Adipur.	Shri Vinod L Chavda, MP	10.00
8	CSR Work for Renovation/Repairing of Ceiling of School Building at A. P Vidhyalay, Kandla.	Smt Maltiben K. Maheshwary, MP, Gandhidham.	10.00
9	CSR work for Construction of Over Head Tank & Providing 10 Nos of Computers (for students) of NavjivanViklangSevashray, Bhachau, Kutch	Shri Jitendra Joshi, Founder Secretary, Shri Navjivan Viklang Sevashray, Bhachau, Kutch	9.50
10	CSR work to Provide Books & Tuition fees for Educational facilities to weaker section children of ValmikiSamaj, Kutch.	Shri Manohar Jala, Chairman of "National Commission of Safai Karamcharis"	2.00
11	CSR work to provide Water Purifier & Cooler for the ST. Joseph's Hospital, Gandhidham	Smt. Maltiben K Mahewari, MLA ,Gandhidham	1.50
12	CSR work for Construction of Second Floor (Phase – I) for Training Centre of "GarbhSanskran Kendra" "Samarth Bharat Abhiyan" of Kutch Kalyan Sangh, Gandhidham	Shri Vinod L Chavda, MP, Kutch	37.00
TOTAL			154.90

Table 7.3g: CSR works approved for the year 2019-20 (approval from Ministry of Shipping still awaited)

Sl. No.	Name of Work	Proposal Received from // Name of Organization / N.G.O	Cost (Rs. In lakhs)
1	CSR activities for Providing Drainage line at Nani Nagalpar village.	Sarpanch of Village:-Nani Nagalpar, Taluk: Anjar.	3.00
2	CSR activities for Development of ANGANWADI Building at School no- 12 at Ward no 3 & 6 at Anjar.	Shri Vasanhbai Ahir, MLA	7.00
3	CSR activities for Improving the facilities of Garden at Sapna Nagar(NU-4)& (NU-10 B),Gandhidham.	Shri K P Maheshwari, Resident Sapnanagar, Gandhidham	18.00
4	CSR activities for Providing of Plastic Shredding Machine to Mirror Charitable Trust, Gandhidham.	Mirror Charitable Trust ,Gandhidham	4.75
5	CSR activities for development of School premises of Shri Guru Nanak Edu. Society, Gim.	Shri Guru Nanak Education Society, Gandhidham.	30.00
6	CSR activities for the improvement of the facilities at St. Joseph Hospital & Shantisadan at Gandhidham	St. Joseph Hospital Trust, Gandhidham	20.00
7	CSR activities for the improvement of the facilities at SVP (SardarValabhbbhai Patel) Multipurpose Hall at Gandhidham	Request from MarwadiYuva Munch & UNION Gandhidham	500.00
8	Consideration of Expenditure for running of St Ann's High School at Vadinar of last 5 years 2014 to 2019 under CSR.	Proposal from COM, OOT Vadinar, DPT	825.00
9	CSR activities for development of school premises of Shri Adipur Group Kanya Sala no-1 at Adipur	Principal, Shri Adipur Group KanyaSala, Adipur	6.50
10	CSR activities for development of school premises of Shri Jagjivan Nagar Panchyat Prathmiksala, Gandhidham.	Principal, Shri Jagjivan Nagar Panchyat Prathmiksala, Gandhidham.	16.50
11	CSR activities for development of school premises of Ganeshnagar Government high school, Gandhidham.	Shri Vinod L Chavda, MP, Kutch	9.00
12	CSR activities for improving greenery, increase carbon sequestration and beat Pollution at Kandla, DPT reg.	Work awarded to Forest Department , Bhuj	352.32
13	CSR activities for providing infrastructures facilities at "Bhiratna Sarmas Kanya Chhatralaya" under the Trust of Samaj Nav- Nirman at Mirjapur highway, Ta Bhuj.	SamajNav- Nirman at Mirjapur highway, Ta Bhuj.	46.50
TOTAL			1838.57

List of CSR applications received from various NGOs , Organizations , Village Sharpanchs etc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
1	CSR activities for the development of gardening at Sector -5 , Gim	Shri Sarvodaya Co-Operative Housing Society Ltd	Appx Cost – Rs 25.00 Lakhs Cost for – Comp wall, Benches, Plantation, walkway, other facilities (Land is reserved for Garden development only since from 50 years)
2	CSR activities for providing various facilities in SHRI GANESHNAGAR GOVT HIGHSCHOOL, GANDHIDHAM	Principal of School	Appx cost –Rs 20.00 Lakhs (Two times CSR works carried out at school by DPT)
3	CSR activities for the VadhiyarVankarSamajvaadi, NaviSunderpuriGim	SmtMaltiben K Maheswari, MLA	Appx Cost Rs 6.00 Lakhs Cost for Const. of Comp Wall
4	CSR activities for Construction work of Cabin at Oslo Area- Gim	SmtMaltiben& Shri VinadChavda	Cost not mentioned.
5	CSR activities & Land requirement forAkhil Kutch SamastaMeghvanshiGurjarmeghwal Charitable Trust ,Gim.	Shri Akhil Kutch SamastaMeghvanshiGurjarmeghwal Charitable Trust. Shri Dharmendra R Gohil	Cost Not mentioned. (demand of Land for development of SAMAJ VADI in Gandhidham)
6	CSR Activities for providing Water supply pipe line, Play ground and sports equipment, electric facilities, drinking water facilities for poor people & Fishermen at VANDI Village.	Shri R RKhambhra, PRO , Collector Office, Bhuj.	Appx Cost Rs 51.00 Lakhs (Last year also applied by village Sarpanch) & Recommended by Shri VASANBHAI AHIR, MLA, Shri V L Chavda, MP)
7	CSR activities for the Tuna village,	Sarpanch, Tuna village	Appx Cost Rs. 25 Lakhs Cost for :-

List of CSR applications received from various NGOs , Organizations , Village Sharpanchs etc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	Ta -Gim		2 No Fab shed 20'x20'x1250=10 Lakh 2 Nos of Agnawadi =10 Lakh Fab shed for school=5 Lakh
8	CSR activities for the Global Vision India Foundation, Gim	Global vision India Foundation, G'dham	Requirement of Land –OR- Old building at Gandhidham for foundation of welfare activities.
9	CSR activities for the UNITED ORPHANAGE FOR THE DISABLED, TAMIL NADU	UNITED ORPHANAGE FOR THE DISABLED, TAMIL NADU	Cost Rs 25,000.00 (Winter sweaters for children)
10	CSR activities for the Garden Development on already bounded area with Compound wall near Plot no 448 Sector-1/A, Gandhidham.	Residents, near Plot no 448, Sector-1/A, Gim.	AppxCost Rs 20.00 Lakhs (Requirement to provide benches, drinking water facility, plantation, lightings & walkways in side bounded area)
11	CSR activities for donation of Land for the Shri SUNDARPUI Govt Primary School, Gim	SmtMalti ben Maheshwari, MLA	(request for Land Requirement)
12	CSR activities for Extension of Adarsh Primary School building, Adipur	GandhidhamMatri Mandal, English Medium School, Adipur	Appx Cost Rs. 40.00 Lakhs (Construction for 4 Rooms extension) (Trust registered under Societies Registration Act XXI -1860, Reg No F-42 dtd 23.9.1965. Land belong to Trust)
13	CSR Activities for providing HD projector for KANYA MAHA VIDYALAYA, Adipur	Principal, KANYA MAHA VIDYALAYA, Adipur	Cost Rs 1.50 Lakhs (School Managed by G'dhamMaitry Mandal, Adipur)

List of CSR applications received from various NGOs , Organizations , Village Sharpnchs etc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
14	CSR activities for DONATION various Medical Equipment for the Hospital of Gandhidham Jain SevaSamiti, Adipur	Gandhidham Jain SevaSamiti, Adipur	Cost for :- 1) Fresenius Haemodialysis Machine Rs 38.00 Lakh 2) Maltislice Helical CT Scanner- Rs 52.00 Lakhs 3) Others Rs 54.00 Lakhs (Total Appx Cost Rs 144 Lakhs)
15	CSR activities for SHRI VIDI JUTH GRAM PANCHAYAT, Vidi, Anjar	Sarpanch, Vidi Gram	Appx Cost Rs 30.00 Lakhs Cost for- Drainage , Garbage vehicle, and Cattle shed (Already applied earlier at Sr-5/12)
16	CSR activities for SOS CHILDREN'S VILLAGES INDIA, Madhapar, Bhuj	Director, SOS Children's Village of India-Bhuj	Appx Cost Rs 31.00 Lakhs (request for Financial support towards parentless and abandoned Children Education support located at Bhuj) & support to women working in SOS.
17	Gujarat Biodiversity Board, Gandhinagar invites to involved National & Global endeavour of conservation of biodiversity by creating financial partnership with GBB under CSR programme of expenditure to be incurred 187 Lakh.	GUJARAT BIODIVERSITY BOARD, GANDHINAGAR	Requirement- Financial Support from DPT for AppxRs 1.88 Cr. (Cost for various meetings, collection of primary data from villagers , processing of documentation, printing , TA DA of Technical support & Miscexp for 150 Peoples Biodiversity Register (PBR).

List of CSR applications received from various NGOs , Organizations , Village Sharpnchs etc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
18	CSR activities for providing furniture & Home appliances for ROJAVANAM TRUST at Madurai.	Shri Arul Kannan, Director	Appx Cost Rs 30 Lakhs (seeking help to provide facilities to Aged & Homeless people living in Trust and Purchasing of New Ambulance)
19	CSR activities for providing Dialysis Machine for treatment of Kidney patients at "ST JOSEPH'S HOSPITAL TRUST" at Gandhidham.	Sr. Franciline, Administrator of Hospital.	Appx Cost Rs 31.36 Lakhs (Cost of 5 Nos of Dialysis Machines for treatment of kidney patients)
20	CSR activities for providing facilities in Girls Hostel of Gasturba Gandhi BalikaVidhyalay, Gandhidham.	Shri Vinod L Chavda, MP	Appx cost Rs 30 Lakhs. (Cost of Comp Wall, Entrance gate, Girls toilets etc)
21	CSR works for providing Oxygen Generator Plant and 45 KV Silent Generator for COVID HOSPITAL at Swami LilashahKutia, Adipur.	Secretary, BHARAT VIKAS PARISHAD, Gandhidham	Appx Cost Rs 80.00 Lakhs (Facilities for 100 Beds of COVID patient which it to be extend upto 240 Beds)
22	CSR works for providing Two Numbers of Oxygen Concentrator and others medical equipment for the Trust ,Antarjal, Gim.	President SHRI SARV JEEV KALYAN TRUST, ANTARJAL, Gandhidham	Appx Cost Rs21.50 Lakhs (Facilities to be provided for the treatment of CORONA PATIENTS at their trust.)
23	CSR works for providing Fabricated Shed , Construction of Compound Wall and Land levelling for the Cattle of GauSevaSamiti-Tappar at Gram-Tappar, Ta Anjar.	Shri Vinod Chavda, MP & Presedent , GauSevaSamiti, village Tappar, Ta-Anjar	Appx Cost Rs84 Lakhs (Facilities to be provided for Cattle shelters at Village.) (Land belongs to Gram-panchayat)
24	CSR works for Construction of Auditorium Hall at RSETI (Rural Self Employment Training Institute) at	Shri Vinod Chavda, MP & Director of RSETI, Bhuj	Cost not mentioned. (Facilities to be provided

List of CSR applications received from various NGOs , Organizations , Village Sharparchs etc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	Bhujodi-Bhuj.		for the people needs Self-employment activities.)
25	CSR works for Providing of Furniture for the School “SHRI GALPADAR PANCHAYAT PRATHMIC KUMAR GROUP SALA “ atGalpadar Village Ta Gim.	Principal, SHRI GALPADAR PANCHAYAT PRATHMIC KUMAR GROUP SALA “ atGalpadar Village Ta Gim.	Cost not mentioned. (Facilities to be provided for the Students of Workers & poor village people who study in the school.)
26	Construction of Shed, hall and Gate for the DADA Bhagwandas Charitable Trust, Adipur. (Sr no -4)	Shri Vinod Chavda, MP & DADA BHAGWANDAS CharitableTrust, Gandhidham	<u>As per CSR Guideline-</u> ➤ Promoting gender equality and empowering women ➤ Eradicating extreme hunger and poverty (Considered shed and hall) Fab Shelter Shed - 30’x100’ x 1250=37.00 Lakh & RCC Hall – 20’x100’x1500=30.00 Lakh (Appx Cost Rs67.00 Lakhs) Land authority belongs to Trust given by GDA and NOC given by SRC.Doc submitted.
27	CSR work for reconstruction of the Internal Roads of the Sector-9B-C and Sector-10 area in Gandhidham.	President, Shri TejaKangad, The Gandhidham Chamber of Commerce and Industry, Gandhidham.	Cost not mentioned.

List of CSR applications received from various NGOs , Organizations , Village Sharpachsetc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
	<u>CSR Applications kept pending in last year Agenda:-</u>		
27	CSR Activities for providing Water supply pipe line, Play ground and sports equipment, electric facilities, drinking water facilities for poor people & Fishermen at VANDI Village. (Sr no-3)	Sarpanch ,Village-VANDI , Ta- Anjar (Recommd. By Shri VASANBHAI AHIR, MLA, Shri V L Chavda, MP)	<u>As per CSR Guideline-</u> ➤ Env Sustainability ➤ Eradicating extreme hunger and poverty (to be Consider for health Center ,Drainage line, Water sump etc activities) (Appx Cost - 51.00 Lakhs) (Land authorization of Gram Panchayat)
28	Construction of Shed, hall and Gate for the DADA Bhagwandas Charitable Trust, Adipur. (Sr no -4)	DADA BHAGWANDAS CharitableTrust, Gandhidham (Recommd. By Shri V L Chavda, MP)	<u>As per CSR Guideline-</u> ➤ Promoting gender equality and empowering women ➤ Eradicating extreme hunger and poverty (Considered shed and hall) Fab Shed - 30'x100' x 1250=37.00 Lakh & RCC Hall – 20'x100'x1500=30.00 Lakh (Appx Cost Rs 67.00 Lakhs) Land authority belongs to Trust given by GDA and NOC given by SRC. Doc submitted.
29	10 Nos of Computers required for ShirMaheswarinagar Panchayat Girls Primary School, Gandhidham& Boys Group School, Gandhidham. (Sr no-8)	Maheswarinagar Panchayat Primary Kanya Sala, Gandhidham (Contact no 9913903686)	AppxRs 5.00 Lakhs <u>As per CSR Guideline-</u> ➤ Promotion of Education (to be consider for 20 Computers)

List of CSR applications received from various NGOs , Organizations , Village Sharpachsetc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
			Visited the site. Land belongs to MahewariMeghwadSamaj given by SRC for school purpose, doc are awaited.
30	Construction of Shed and Roof at JeparMatiyadev, shamsanbhumi at Kidana village &Maheswari Community Hall at JuniSundarpuri, Gandhidham. (Sr no-10)	Shri VINOD CHAVDA, MP	AppxRs 15.00 Lakhs (Land authorization not mentioned)
31	Drainage, road, Dust bins, & shed for Cattle shelters at VIDI Village, Ta –Anjar. (Sr no- 12)	Village- VIDI, Ta: Anjar	AppxRs 30.00 Lakhs <u>As per CSR Guideline-</u> ➤ Env Sustainability ➤ Eradicating extreme hunger and poverty (Consider for Garbage vehicle & Drainage Cost)
32	Education, Women empowerment and Primary health care services at Kutch area. (Sr no-13)	Light of Life Trust, Mumbai.	Cost not mentioned.
33	Request for Help Divyang persons to employment by providing machineries. (Sr no-14)	Kutch DivyangSangthan, Gandhidham.	Cost not mentioned
34	Construction of 2 nd Floor of Shri MaheswariMeghwadSamaj, Gandhidham. (Sr no-20)	Shri MaheswariMeghwadSamaj, Gandhidham	AppxRs. 15.00 Lakhs (Visited the site and Land ownership documents awaited) (Name plate of DPT fixed at the Asset)

List of CSR applications received from various NGOs , Organizations , Village Sharpachsetc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
35	Installation of Mini Science Center at Anjar and Gandhidham. (Sr no-21)	STEM Learning Pvt Ltd, Mumbai.	Cost not mentioned.
36	CSR work for Shri Rampar Gram Panchayat. ➤ Wall Plastering for Cattles -7 Lakhs ➤ Shed for Cattel's-15 Lakhs (Sr no-25)	Shri Sarpanch, Rampar Village.	AppxRs 22.00 Lakhs (Land authorization of Gram Panchayat and under taking submitted by applicant)
37	CSR activities for the 45,000 Patients over the period of 3 years by "SMILE FOUNDATION", Mumbai. 1. Concept for Nutrition covering 3 years 2. Concept for Mobile Health Unit reaching beneficiaries for 3 years 3. Concept for Vocational Training with NGO (Sr no-29)	Proposal from "SMILE FOUNDATION " Mumbai.	Appx Cost- Rs 539 Lakhs for 3 years
38	Development of Park in Public utility plot in between Block "C" & "D" of Sapna Nagar (NU-4) , Gandhidham (Sr no -31)	Shri RAVI MAHESHWARI, DPT	Land belongs to DPT earmarked for recreational purpose. (Total Cost – Rs88.75 Lakhs)
39	CSR works for NariJanshsktiVikas Foundation at Gandhidham near Shakti Nagar. (Sr no-33)	NariJanshsktiVikas Foundation, Ahmedabad	➤ Promoting gender equality and empowering women ➤ Env Sustainability ➤ Under promotion of education (Consider for Computers with printers, Sewing machine & RO plant Cost Rs 48 Lakhs)

List of CSR applications received from various NGOs , Organizations , Village Sharpanchsetc for the FY 2021-22 .

Sr.No	Name of Scheme	Proposal Received from / Name of Organization / N.G.O	Brief Details
--------------	-----------------------	--	----------------------

Annexure -B

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment, Forest and Climate Change, Regional Office,
DATA SHEET

1.	Project type: River-valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	New Construction Projects and Industrial Estates
2.	Name of the project	:	Proposed Smart Industrial Port City (SIPC) at green Field Site 1 (Adipur side-Northeast of Antarjaal, South of Tagore Road, 580 Acres), Gandhidham, Kutch-Gujarat by M/s Kandla Port Trust
3.	Clearance letter (s) / OM No. and Date	:	Environment clearance by MoEF & CC vide F. No. 21-295/2017-IA-III dated 10/10/2017.
4.	Location	:	
	a. District (S)	:	Kutch
	b. State (s)	:	Gujarat
	c. Latitude/ Longitude	:	23°03'32.1" N, 70°05'54.1" E
5.	Address for correspondence		
	a. Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax numbers)	:	Chief Engineer, Deendayal Port Authority, A.O. Building, Gandhidham- 370 201. P.O. Box no. 50. Phone: 02836 233192 02836 220050
	b. Address of Project: Engineer/Manager (with pin code/ Fax numbers)	:	Same as above
6.	Salient features		
	a. of the project	:	The proposed development in a 580 Acres site is a Mixed-use township, commercial, residential and institute uses, covering various grades of housing, educational, hospitality, health, shopping, offices, and recreational facilities, near Adipur and Gandhidham City.
	b. of the environmental management plans	:	Copy of EMP is already forwarded vide EC Compliance dated 04.04.2019.
7.	Breakup of the project area	:	580 Acres
	a. submergence area forest & non-forest	:	NIL
	b. Others	:	NIL
8.	Breakup of the project affected Population with enumeration of Those losing houses / dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan	:	NIL
	a. SC, ST/Adivasis	:	NIL
	b. Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	:	NIL

9.	Financial details	:	
	a.	Project cost as originally planned and subsequently revised estimates and the year of price reference :	
	1.	Estimated Cost of the Project	: Rs. 500 Cr.
	b.	Allocation made for environmental management plans with item wise and year wise Break-up.	: Copy of EMP is already forwarded vide EC Compliance dated 04.04.2019.
	c.	Benefit cost ratio / Internal rate of Return and the year of assessment	: Project not yet started
	d.	Whether (c) includes the Cost of environmental management as shown in the above.	: NA
	e.	Actual expenditure incurred on the project so far	: Project not yet started however, an approximate cost of Rs.8.48 crores are incurred on planning and design.
	f.	Actual expenditure incurred on the environmental management plans so far	: Construction phase yet not started
10.	Forest land requirement	:	
	a.	The status of approval for diversion of forest land for non-forestry use	: NIL
	b.	The status of clearing felling	: NIL
	c.	The status of compensatory afforestation, if any	: NIL
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	: NIL
11.	The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	:	NIL
12.	Status of construction	:	Construction phase yet not started
	a.	Date of commencement (Actual and/or planned)	: Project is planned to start soon.
	b.	Date of completion (Actual and/or planned)	: NA
13.	Reasons for the delay if the Project is yet to start	:	Approval under process.