




DEENDAYAL PORT AUTHORITY

ISO 9001-2015 & ISO 14001-2015



Office of The Executive Engineer (TD)
Town Development Division
Room No. 125, ANNEXE,
Administrative Office Building.
Gandhidham – Kutch Pin – 370 201
E – Mail: xentd2018@gmail.com
Website: www.deendayalport.gov.in

No.TW/WK/7909/2128

Date : 03/06/2025

To,

EXPRESSION OF INTEREST (EOI)

Sub: Supply & Installation of GYM Equipment's at Sports complex, Gopalpuri

Sir,

Deendayal Port Authority intends to invite E-tender cum budgetary quotation offer for the subject work.

Kindly submit your Expression of Interest (EOI) along with best budgetary quotation offer for the subject work on the basis of as per requirement, list of GYM Equipment's enclosed herewith. The rates best quoted must be inclusive of all taxes, duties for performing scope of work & Exclusive of GST. Applicable GST shall be shown separately, which shall not be considered for evaluation purpose.

Interested Authorized suppliers / Authorized Dealers / Reputed Company to supply & Installation of Gym Equipment's items to Deendayal Port Authority, Sports Complex at Gopalpuri, Gandhidham.

Your Expression of Interest submit along with budgetary quotation for the above work should be reach to following address by Registered post/Speed post/ courier on or before **10/06/2025 by 16:00 Hrs**

Thanking you,

Executive Engineer (TD),
Room No. 103, A.O. Building
Deendayal Port Authority.
Gandhidham-370201

Sd/-
Executive Engineer (TD)
Deendayal Port Authority

(on the letter head of Supplier/Bidder)

To,
Executive Engineer (TD Division),
Room No. 105, A.O. Building
Deendayal Port Authority,
Gandhidham-Kutch-370201

Sub: Supply & Installation of Gym Equipment's at Sports complex, Gopalpuri

Sl. No.	Name of Items	Specification & Features	Qty.	Unit	Amt in Fig	Amt. in Words
<u>CARDIO EQUIPMENTS</u>						
1	Treadmill	Refer Annexure-I		Nos		
2	Upright Exercise Cycle	Refer Annexure-I		Nos		
3	Cross Trainer/ Elliptical	Refer Annexure-I		Nos		
<u>SELECTORIZED STATIONS</u>						
4	Cable Cross Over	Refer Annexure-I		Nos		
5	Counter Balanced Smith Machine	Refer Annexure-I		Nos		
6	<u>Dual Stations</u>					
	(i) Leg Extension and Leg Curl	Refer Annexure-I		Nos		
	(ii) Abdominal/ Back Machine	Refer Annexure-I		Nos		
	(iii) Popfly/ Rear Deltoid Machine	Refer Annexure-I		Nos		
	(iv) Late Pull down Machine	Refer Annexure-I		Nos		
	(v) Seated Chest Press & Vertical Shoulder Machine/ Multi press	Refer Annexure-I		Nos		
<u>FREE WEIGHT EQUIPMENTS</u>						
7	Olympic Flat Bench	Refer Annexure-I		Nos		
8	Olympic Incline	Refer Annexure-I		Nos		
9	Olympic Decline Bench	Refer Annexure-I		Nos		
10	Flat Bench/ Utility Bench	Refer Annexure-I		Nos		
11	Hyper Extension Bench	Refer Annexure-I		Nos		
12	Preacher Curl Bench	Refer Annexure-I		Nos		
13	Rubberized Weight Dumbbells (200 kg denomination from 1-30 kg)	Refer Annexure-I		Nos		
14	Rubberized Weight (200 kg denomination from 1.25-25 kg)	Refer Annexure-I		Nos		

15	Olympic Barbell/ Rod with Locks (Superior cross hatch knurling)			Nos		
I.	7 feet Olympic size	Refer Annexure-I		Nos		
II.	6 feet Olympic size	Refer Annexure-I		Nos		
III.	5 feet Olympic size	Refer Annexure-I		Nos		
IV.	3 feet Olympic size	Refer Annexure-I		Nos		
V.	1 feet Olympic size	Refer Annexure-I		Nos		
VI.	4 feet Olympic size EZ Curl bar	Refer Annexure-I		Nos		
VII.	Olympic triceps bar	Refer Annexure-I		Nos		
VIII.	Olympic trapezius 48" bar	Refer Annexure-I		Nos		
16	Kettle Bell Dumbbells (High quality with following denominations)		Refer Annexure-I	Nos		
(i)	2 kg	Refer Annexure-I		Nos		
(ii)	4 kg	Refer Annexure-I		Nos		
(iii)	6 kg	Refer Annexure-I		Nos		
17	Heavy Duty Leather Boxing Trainer Bag (Suspended from Roof)		Refer Annexure-I	Nos		
18	Dumbbell Rack		Refer Annexure-I	Nos		
19	Rod Stand		Refer Annexure-I	Nos		
20	Gym Ball/ Swiss Ball (With hand pump, durable PVC)		Refer Annexure-I	Nos		
(i)	45cm	Refer Annexure-I		Nos		
(ii)	55cm	Refer Annexure-I		Nos		
(iii)	65cm	Refer Annexure-I		Nos		
21	Double exercise wheel (PVC)		Refer Annexure-I	Nos		
22	Rubber flooring (Sq. ft)		Refer Annexure-I	Nos		
23	Aerobic Steps		Refer Annexure-I	Nos		
24	Yoga Mats		Refer Annexure-I	Nos		

Note:-(Refer Detailed Specifications & Feature all above GYM Equipment's as per Annexure – "I"

Annexure – “I”

Sr. No.	Item	Description & Specification	Unit.	Amt. in Rs.	
				In Fig	In Words
CARDIO EQUIPMENTS					
1.	Treadmill	<div>1. Heavy duty (Professional)</div> <div>2. Drive system- AC Servo</div> <div>3. Motor: - AC minimum 4 HP (Continuous) or more with superior cooling mechanism for internal component.</div> <div>4. Running surface- Width: 55 cm or more Length: 150 cm or more</div> <div>5. Speed Range- 1.0 to 19 km/hour or higher.</div> <div>6. Running belt- Extra smooth cushioned lubricant with auto lubrication, maintenance free belts and reversible deck is required for both side usage of deck for friction free motion & double life.</div> <div>7. Program- 10 or more Pre-set program, manual program & fit test etc.</div> <div>8. Elevation- Motorized system offering elevation from 0 to 15 % and above with graded elevation from 0.5 to 1.0 %.</div> <div>9. Display Console- LED/ LCD display window showing (time, distance, speed, calories, pulse rate, elevation, METs & Pace) etc.</div> <div>10. Safety Keys- Safety key stop system</div> <div>11. Machine Weight – 130 Kg or more</div> <div>12. User Weight- 150 kg or more</div> <div>13. Proper Electrical Safety features.</div> <div>14. Hand sensor.</div> <div>15. Proper hand rails with soft grips with proper calibration.</div> <div>16. Heavy gauge steel welded frame.</div> <div>17. Dimensions: Length: 205 cm; Width: 80 cm & Height: 140 cm or more</div> <div>18. Certificates EN957,LVD, EMC</div>			

2.	Upright Exercise Cycle	<ol style="list-style-type: none"> 1. Heavy duty (professional) 2. Electromagnetic resistance with 20 or more difficulty levels 3. Pre-set and manual programs for time, speed, test probe and other training protocols. 4. Built in hand grip pulse and heart rate sensors 5. Large Fore-Mid-Aft adjustable seat with good cushion, At least 10 levels of seat adjustment option for proper comfort and posture. 6. Machine weight – 55 kg or more 7. Machine dimension: Length: 100 cm, Width: 55 cm & Height: 130 cm or more 8. User weight: 180 kg or more 9. Adjustable paddle foot straps. 10. Display- LED/ LCD showing (speed, RPM, Watts, Actual HR, Weight loss HR, Cardio 			
3.	Cross Trainer/ Elliptical	<ol style="list-style-type: none"> 1. Heavy duty (professional) 2. Built in handgrip pulse and heart rate sensors 3. Digital display (LED/ LCD) for time, distance, calories burnt and resistance level 4. Minimum 20 resistance levels 5. Machine dimension: Length: 180 cm, Width 70 cm & Height: 150 cm or more 6. User Weight: 180 kg or more 7. Self-powered and dual voltage adaptability & power safety mechanism 8. Fluent working and pedals which fit all sizes and self-balancing. 9. Easy rear and from drive to avoid injury to joints keeping the correct biomechanical aspects of movements. 10. Programmers: 06 or more. 11. Stride length: 45cm and above 12. Machine weight- 120 kg or more 13. Frame quality- anti rust alloy steel frame 14. Certificates- EN 957, LVD, EMC 	Nos.		

SELECTORIZED STATIONS

4.	Cable Cross Over	<ol style="list-style-type: none"> 1. Dual swivel pulleys with vertical adjust and locking for functional training from various angles 2. Maximum incremental adjustments 3. Pull up/ chin up bars 4. Length: 380 cm or more 5. Width: 60 cm or more 6. Height: 200 cm or more 7. Net weight: 250 kg or more 8. Weight stack standard: 2x 68 kg or more 9. General specification as detailed below in Annexure- II 10. Double tower 11. Certificates- EN 957, LVD, EMC 	Nos.		
----	------------------	---	------	--	--

5.	Counter balanced Smith machine	1. Length: 125 cm or more 2. Width (with rod): 210 cm or more 3. Height: 205 cm or more 4. Weight plates load bearing capacity: 250 or more 5. Net weight (without weight plates): 170 Kg or more. 6. Low starting resistance 7. Adjustable bar stoppage 8. Weight plate storage. 9. Linear ball bearing smith system with 20 cross members lock-out points for a safe, solid stop at any point during routine workout. 10. Heavy duty all 4 side welded with 12 gauge rectangular /oval mainframe steel construction with solid point stance for maximum stability. 11. Minimum six Olympic weight plate storage posts. 12. Olympic bar holder mounted to the frame. 13. Certificates EN957, LVD, EMC.	Nos.		
6.	Dual Stations	Supplier should quote models with maximum features in this segment (in all dual stations).			
a)	Leg Extension and Leg Curl	1. Width (Min): 100 cm or more 2. Length (Min): 150 cm or more 3. Height (Min): 145 cm or more 4. Net weight: 170 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II	Nos.		
b)	Abdominal/ Back Machine	1. Width (Min): 100 cm or more 2. Length (Min): 120 cm or more 3. Height (Min): 145 cm or more 4. Net weight: 200 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II	Nos.		
c)	Popfly/ Rear Deltoid Machine	1. Width (Min): 120 cm or more 2. Length (Min): 100 cm or more 3. Height (Min): 145 cm or more 4. Net weight: 180 kg or more 5. Block weight: 90 Kg or more with 5 kg increment	Nos.		

d)	Late Pull down Machine	1. Width (Min): 110 cm or more 2. Length (Min): 170 cm or more 3. Height (Min): 210 cm or more 4. Net weight: 190 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II	Nos.		
e)	Seated Chest Press & Vertical Shoulder Machine/ Multi press	1. Width (Min): 120 cm or more 2. Length (Min): 140 cm or more 3. Height (Min): 150 cm or more 4. Net weight: 200 kg or more 5. Block weight: 90 Kg or more with 5 kg increment 6. General specification as detailed below in Annexure- II	Nos.		

FREE WEIGHT EQUIPMENTS

7.	Olympic Flat Bench	Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension: 1. Length: 165 or more 2. Width: 165 cm or more 3. Height: 135 cm or more 4. Net weight: 60 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	Nos.		
8.	Olympic Incline Bench	Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension: 1. Length: 170 or more 2. Width: 165 cm or more 3. Height: 140 cm or more 4. Net weight: 70 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	Nos.		
9.	Olympic Decline Bench	Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size). Dimension: 1. Length: 170 or more 2. Width: 165 cm or more 3. Height: 135 cm or more 4. Net weight: 65 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety	Nos.		

10.	Flat Bench/ Utility Bench	<p>Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size).</p> <p>Dimension:</p> <ol style="list-style-type: none"> 1. Length: 120 or more 2. Width: 60 cm or more 3. Height: 40 cm or more 4. Net weight: 20 kg or more 5. Weight limit: 150 kg or more 6. Compatible with Olympic size rods. 7. Wide base for added safety 8. Weight holders should be inclined upwards for added safety 	Nos.		
11.	Hyper Extension Bench	<p>Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size).</p> <p>Dimensions:</p> <ol style="list-style-type: none"> 1. Length: 160 or more 2. Width: 90 cm or more 3. Height: 90 cm or more 4. Weight limit: 150 kg or more 5. Start position at 45-degree angle 6. Adjustable height, side hand grip & thing pad for optimal use 7. Wide base for added safety 	Nos.		
12.	Preacher Curl Bench	<p>Main frame of high strength steel with heavy duty cushions (4" X 2" gauge or oval pipes of similar size).</p> <p>Dimensions:</p> <ol style="list-style-type: none"> 1. Length: 90 cm or more 2. Width: 70 cm or above 3. Height: 90 cm or above 4. Weight limit: 150 kg or more 5. Adjustable oversized arm pad 6. Wide base for added safety 	Nos.		
13.	Rubberized Weight Dumbbells	<ol style="list-style-type: none"> 1. Rubber coated with steel inside 2. Hexagonal in shape for increased safety and comfort 3. Knurled Chrome steel handle 4. 200 kg of dumbbells (mention all available Weight denomination from 1-30 Kg) 5. Anti-rust & Anti-skid 	Kg		

14.	Rubberized Weight Plates	<ol style="list-style-type: none"> 1. Rubber coated with steel inside 2. Round in shape 3. With 50mm steel ring 4. 200 kg of weight plates (mention all available weight denomination from 1.25 to 25 kg) 5. Should have groves for easy holding/handling 6. Should have steel rim inside for rod slot. 7. Tear proof, soundless & bouncy effect 8. Anti-rust 9. Anti-skid 	Kg		
15.	Olympic Barbell/ Rod with locks	Superior cross hatch knurling	Nos.		
		1. 7 feet Olympic size	Nos.		
		2. 6 feet Olympic size	Nos.		
		3. 5 feet Olympic size	Nos.		
		4. 3 feet Olympic size	Nos.		
		5. 1 feet Olympic size	Nos.		
		6. 4 feet Olympic size EZ Curl bar	Nos.		
		7. Olympic triceps bar	Nos.		
		8. Olympic trapezius 48" bar	Nos.		
16.	Kettle Bell Dumbbells	High quality with following denominations:	Nos.		
		1. 2 kg	Nos.		
		2. 4 kg	Nos.		
		3. 8 Kg	Nos.		
17.	Heavy duty leather boxing trainer bag	Suspend able from Roof	Nos.		
18.	Dumbbell Rack	<ol style="list-style-type: none"> 1. Easily holds one pair each 1-30 kg of Hexagonal dumbbells 2. Heavy duty 2x 4-inch mainframe and design that allows easy racking and unracking, with two tiers or more 3. Tray length should be 50 inches or more 4. Dimensions (L x W x H)- 62" x 23" x 32" or more 	Nos.		
19.	Rod Stand	<ol style="list-style-type: none"> 1. Perfect for 1', 3', 4', 5', 6', 7' Olympic bar curl bar, triceps bar, trapezius bar 2. Heavy duty 2 x 4-inch mainframe 3. Weight- 20 kg or more 	Nos.		
20.	Gym ball/ Swiss ball	1. 45 cm	Nos.		
		2. 55cm	Nos.		
		3. 65 cm	Nos.		
		With hand pump, durable PVC			
21.	Double Exercise wheel (PVC)	Double exercise wheel (PVC) with hand grips & steel rod			
22.	Rubber flooring	15-20 mm (SBR) styrene Butadiene rubber flowing in the Sq. M. (gym area)	M2		

23.	Aerobic steps	Aerobic steps Should have the following: 1. Elevated platform for performing step exercises. 2. Non –slip aerobic stepper.	Nos.		
24.	Yoga mats	Yoga mats: Dimensions: - Length: 72" or more Width: - 30" or more Thickness- 8 mm or more Material: - PVC (Latex free)/thermoplastic elastomer High-performance mat for professional daily practices Guaranteeing little wear out Providing extra cushioning effect.	Nos.		

General Specification

1. All products should be Heavy commercial use with steel frame body.
2. All machines must be made on bio- mechanical principles to perform natural movements.
3. High quality powder coating finish.
4. High quality continuous welded, factory assembled weight frame, and sand blasted mouldings for all bends of the square/oval/circular pipe used.
5. All equipment of quality material and fittings.
6. Adjustable seats with high density and quality upholstery. Non-magnetic steel handles with rubber coat finish of handles with various grip provisions (close & wide) with non-slip texture.
7. High quality pulleys made of high quality synthetic fiber.
8. High quality cables/wires or belts for pulleys.
9. Quick ratcheting seat and lever adjustment system to take minimum time for adjustment.
10. Adequate damping system for weight stack suspension with quality weight stack pins / switch, etc.
11. Provision of variable increment weight stack suspension with quality weight stacks pins / switch, etc.
12. Shrouded weight stack guards and pulley covers to protect from accidents.
13. Smooth operational machines with high precision transmission system and weight stack assembly which reduces friction (rubber bumpers under each weight stack).
14. High degree adjustable mechanism which allows for easy adjustment for users.
15. Machines should be based on cam/pulley/lever system as per requirement of the exercise equipment.
16. Provision to perform at various ranges of motion/ angles fitting all user sizes.
17. Standard rubber feet to protect frame from slipping and other damage.

Seal & Signature of the Authorized Supplier