



DEENDAYAL PORT AUTHORITY
(Erstwhile: DEENDAYAL PORT TRUST)

ISO 9001-2015 &
ISO 14001-2015 Certified Port

Administrative Office Building
Post Box NO. 50
GANDHIDHAM (Kutch).
Gujarat: 370 201.
Fax: (02836) 220050
Ph.: (02836) 220038

www.deendayalport.gov.in

EG/WK/EMC/CCA/ Part(III)/51

Date: 23/07/2025

To,
The Member Secretary
Gujarat Pollution Control Board
Paryavaran Bhavan,
Sector 10A, Gandhinagar - 382010

Sub: Submission of Annual Return of Hazardous waste in format form IV for the financial year 2024-25 reg.

- Ref.:** 1) KPT letter no. EG/WK/4660(EC)/549 dated 20/6/2012
2) KPT letter no. MR/GN/1527(Part I)/2012 dated 20/5/2013
3) KPT letter no. MR/GN/1527(Part I)/336 dated 17/05/2014
4) KPT letter no. MR/GN/1527/ (Part I)/dated 27/04/2015
5) KPT letter no. EG/WK/EMC/CCA (Part II)/217 dated 27/6/2016
6) KPT letter no. EG/WK/EMC/CCA (Part II)/213 dated 19/6/2017
7) DPT letter no. EG/WK/EMC/CCA (Part II)/294 dated 13/6/2018
8) DPT letter no. EG/WK/EMC/CCA (Part II) dated 27/5/2019
9) DPT letter no. EG/WK/4751 (CCA Renewal) dated 22/5/2020
10) DPT letter no. EG/WK/4751 (CCA Renewal)/13 dated 30(4)/4(5)/2021
11) DPA letter no. EG/WK/4751 (CCA Renewal)/131 dated 06/07/2022
12) DPA letter no. EG/WK/EMC/CCA/Part III/325 dated 19/06/2023
13) DPA letter no. EG/WK/EMC/CCA/Part III/91 dated 19/07/2024

Sir,

It is requested to kindly refer above cited references for the said subject.

In this connection, it is to state that, the Deendayal Port Authority had obtained renewal of consent order from the GPCB Vide order no. AWH – 110594 dated 22/01/2021 valid up to 21/07/2025 for Deendayal Port Authority area and correction to consent order done dated 09/04/2021 and its further amendment dated 11/01/2024. Further Renewal of the consent order issued by the GPCB to the DPA vide consent order no. AWH – 143399 letter no. PC/CCA-KUTCH-812(6)/GPCB ID 28494/864889 dated 16/06/2025 valid upto 21/07/2030

In this regard, as per statutory requirement, the DPA has regularly submitted Annual Returns (as mentioned in reference above) in format Form IV to the GPCB.

Now please find the enclosed herewith Annual Return of Hazardous Waste in Form IV for the year 2024-25.

This is for kind information and record please.

Encl: As above

yours faithfully

XEN (EMC)
Deendayal Port Authority



Annexure I GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,
GANDHINAGAR - 382010,
(T) 079-23232152

By R.P.A.D

In exercise of the power conferred under section-25 of the Water (Prevention and Control of Pollution) Act-1974, under section-21 of the Air (Prevention and Control of Pollution)-1981 and Authorization under rule 6(2) of the Hazardous and Other Waste (Management and Transboundary) Rules, 2016 framed under the Environmental (Protection) Act-1986.

And whereas Board has received consolidated consent application inward No.331753 dated 24/04/2025 for the **Renewal of Consolidated Consent and Authorization (CC&A)** of this Board under the provisions / rules of the aforesaid Acts. Consents & Authorization are hereby granted as under:

CONSENTS AND AUTHORISATION:

(Under the provisions /rules of the aforesaid environmental acts)

To,
M/s. Kandla Port Trust,
Kandla, A.O. Building Gandhidham,
Tal: Gandhidham,
Dist: Kutch - 370 201.

1. Consent Order No. AWH-143399 Date of issue: 06/03/2025.
2. The consents shall be valid upto 21/07/2030 for the use of outlet for the discharge of trade effluent and emission due to operation of industrial plant for manufacturing of the following items/ products:

Sr. No	Product	Quantity
1.	Dry Cargo Handling	26,54,00,000 MTM
2.	Liquid Cargo Handling	54,34,00,000 MTM
3.	Loading and unloading operation at 13 th and 15 th Berth	2 MMTPA (each)
4.	Loading and unloading operation at 14 th and 16 th Berth	4.5 MMTPA (each)

Subject to specific condition:

1. Industry shall strictly comply with all conditions of Environment and CRZ Clearance issued by MoEF vide letter no. F. no. 10-26/2018-IA-III dated 14/06/2018 & 11/06/2020.
2. Applicant shall comply with Manufacture, Storage and Import of Hazardous Chemicals Rules-1989 (MSIHC) as amended time to time.
3. Applicant shall ensure that all storage terminal located within DPT area shall strictly comply with MSIHC Rules including site notification & submit details periodically to board with relevant details.
4. Applicant shall renew Public Liability Insurance time to time & submit a copy to this Board.
5. Unit shall notify site under MSIHC Rule-1989 from competent authority as mentioned in schedule-5 of MSIHC Notifications.

Page 1 of 8

9

Clean Gujarat Green Gujarat

Website : <https://gpcb.gujarat.gov.in>

Outward No:864889-16/08/2025

6. Industry shall not withdraw groundwater without prior NOC from CGWA as per Hon. National Green Tribunal order.
7. Industry shall manage Solid Wastes generated from industrial activities as per Solid Waste Management Rules-2016 (solid waste as defined in Rule-3(46)).
8. Applicant shall ensure that there shall be no damage to the existing mangrove patches near site and also ensure the free flow of water to avoid damage to the mangroves.
9. Applicant shall ensure as per EC condition that no creeks or rivers are blocked due to any activities at the site and free flow of water is maintained.
10. Applicant shall provide proper system for collection, storage & treatment & disposal of waste water generated by vessel as per MARPOL & maintain records.
11. Applicant shall install storm drainage catch basin to avoid directly discharge into surface water.
12. Waste effluent accumulated with port activities including storm water & sewage from port operation including sewage ballast water, bilge water & clean waste water from ships shall be as per MARPOL norms.
13. Applicant shall make separate records regarding generation, collection, transportation & disposal of waste generation from ship & maintain its records.
14. Applicant shall made necessary arrangement for the plastic Waste, Solid Waste or other waste generation due to port activities & for facilitation of reception facilities under MARPOL & Environment (Protection) Act-1986 rules etc.
15. Ports shall obtain approval of their oil spill contingency plan (OSCP) as required under national oil spill disaster contingency plan (NOS-DCP) of coast guard, ministry of defence, govt. of India.
16. Best environmental practices by ports maybe uploaded on "Indian ports Association" as well as the same maybe linked to websites of CPCB and respective SPCBs.
17. Manually handling of cargo should be converted into mechanized system, in time bound manner.
18. Industry shall comply with circular of the Board dated 27/08/2021 regarding retrofitting of emission control/ equipment in D.G. Set of capacity 125 KVA and above as per system & procedure for emission compliance testing of Retrofit Emission Control Devices (RECD) for D.G. Set issued by CPCB dated 01/02/2022 at the earliest and submit compliance.

3. CONDITIONS UNDER THE WATER ACT:

- 3.1 Water Source: - GWIL.
- 3.2 There shall be no industrial water consumption & industrial waste water generation from manufacturing process and other ancillary operations.
- 3.3 The quantity of the fresh water consumption for domestic purpose shall not exceed 3000 KL/Day.
- 3.4 The quantity of domestic waste water shall not exceed 800 KL/Day.
- 3.5 Sewage shall be treated separately to conform to the following standards as per Hon.ble NGT order in the matter of OA No.1069/2018 dated 30/04/2019

PARAMETERS	GPCB NORMS
pH	5.5-9.0
Biochemical Oxygen Demand (BOD)	10 mg/L
Total suspended solids (TSS)	20 mg/L
Chemical Oxygen Demand (COD)	50 mg/L





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,

GANDHINAGAR - 382010,

(T) 079-23232152

Nitrogen –Total	10 mg/L
Phosphorous-Total (for discharge into Ponds, Lakes)	1.0 mg/L
Fecal Coliform	Desirable-100 MPN/100ml Permissible -230 MPN/100 ml

- 3.6 Treated domestic effluent conforming to above standard shall be discharged on land for gardening and plantation purpose within premises. In no case waste water shall be discharged outside premises.
- 3.7 Industry shall provide fixed pipeline network with flow meter for even distribution of treated domestic effluent and maintain its record.
- 3.8 Disposal system for storm water shall be provided separately, in no circumstances storm water shall be mixed with the industrial effluent in any case.

4. Conditions under the Air Act-1981:

- 4.1. The following shall be used as a fuel in D.G. Sets;

Sr. No.	Utility	Name of Fuel	Quantity
1.	D G Sets	HSD	500 Lit/Hr

- 4.2. The applicant shall install & operate air pollution control system efficiently in order to achieve prescribed norms.
- 4.3. The flue gas emission through stack attached to D.G. Sets shall conform to the following standards;

Sr. No.	Stack attached to	Stack height	APCM	Parameter	Permissible Limit
1.	D. G. Set (2 nos.) (1010 KVA, stand by)	15 mtr each	Adequate Stack Height	PM SO ₂ NO _x	150 mg/NM ³ 100 ppm 50 ppm

- 4.4. There shall be no process gas emission from manufacturing process and other ancillary operations.
- 4.5. The concentration of the following parameters in the ambient air within the premises of the industry shall not exceed the limits specified hereunder as per National Ambient Air Quality Standards issued by MoEF & CC dated 18th November-2009. In addition to following parameters Industry shall also carry out AAQ monitoring of all other applicable parameter as per MoEF notification dated 18/11/2009 and submit the report to the Board.

Sr. No.	Pollutant	Time Weighted Average	Concentration in Ambient air in µg/M ³
1.	Sulphur Dioxide (SO ₂)	Annual 24 Hours	50 80
2.	Nitrogen Dioxide (NO ₂)	Annual 24 Hours	40 80

3.	Particulate Matter (Size less than 10 µm) or PM ₁₀	Annual 24 Hours	60 100
4.	Particulate Matter (Size less than 2.5 µm) or PM _{2.5}	Annual 24 Hours	40 60

4.6. The applicant shall provide portholes, ladder, platform etc. at chimney(s) for monitoring the air emissions and the same shall be open for inspection to/and for use of Board's staff. The chimney(s) vents attached to various sources of emission shall be designed by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

4.7. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75dB(A) during day time and 70 dB (A) during night time. Daytime is reckoned in between 6a.m. and 10 p.m. and nighttime is reckoned between 10 p.m. and 6 a.m.

4.8. **D.G. Sets Conditions**

The D.G. Set shall have acoustic enclosure and shall comply with the standards specified at Sr. no. 95 of Schedule-I of the rule-3 of E.P. Rules -1986 and Noise pollution level as per the Air Act-1981.

D.G. Sets standards:-

The flue gas emission through stack attached to D.G. Sets shall conform to the following standards.

- The minimum height of stack to be provided with each of the generator set shall be $H = h + 0.2 (KVA)^{1/2}$, where H= Total stack height in meter, h= height of the building in meters where or by the side of which the generator set is installed.
- Noise from DG set shall be controlled by providing an acoustic enclosure or by treating the room acoustically, at the users end.
- The acoustic enclosure or acoustic treatment of the room shall be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on the higher side (if the actual ambient noise is on the higher side, it may not be possible to check the performance of the acoustic enclosure/ acoustic treatment. Such circumstances the performance may be checked for noise reduction up to actual ambient noise level, preferably, in the night time). The measurement for insertion loss may be done at different points at 0.5 m from the acoustic enclosure/room, and the averaged.
- The D.G. Set shall be provided with proper exhaust muffler with insertion loss of minimum 25 dB (A).
- All efforts shall be made to bring down the noise level due to the D.G. Set, outside the premises, within the ambient noise requirements by proper siting and control measures.
- Installation of a D.G. Sets must be strictly in compliance with the recommendations of the D.G. Set manufacturer.

9



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,

GANDHINAGAR - 382010,

(T) 079-23232152

- g) A proper routine and preventive maintenance procedure for the D.G. Set should be set and followed in consultation with the DG Set manufacture which would help prevent noise levels of the DG Set from deteriorating with use.

5. AUTHORIZATION as per HAZARDOUS AND OTHER WASTE (MANAGEMENT AND TRANSBOUNDARY) RULES, 2016 Form-2 [See rule 6 (2)]

Form for grant of authorization for occupier or operator handling Hazardous waste

5.1 Authorization order no:-**AWH-143399** Date of issue: 03/06/2025.

5.2 **M/s. Kandla Port Trust** is hereby granted an authorization based on the enclosed signed inspection report for generation, collection, treatment, storage, transport of hazardous waste on the premises situated at Kandla, A.O. Building Gandhidham, Tal: Gandhidham, Dist: Kutch.

Sr. No.	Waste	Quantity per Annum	Schedule & Category	Facility
1.	Used Oil	4250 MT	I-5.1	Collection, Storage, Transportation, and send to registered processors.
2.	Waste Residue containing oil	8500 MT	I-5.2	

5.3 The authorization shall be valid up to **21/07/2030**.

5.4 The authorization is subject to the conditions stated below and such other conditions as may be specified in the rules from time to time under the Environment (Protection) Act-1986.

5.5 The authorization is granted to operate a facility for collection, storage within factory premises transportation and ultimate disposal of Hazardous wastes as per condition no 5.2 to the industry having valid CCA of this Board.

5.6 TERMS AND CONDITIONS OF AUTHORISATION

1. The applicant shall comply with the provisions of the Environment (Protection) Act-1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Gujarat Pollution Control Board.
3. The persons authorized shall not rent, lend, sell, and transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Gujarat Pollution Control Board.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the authorization order by the persons authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Wastes and Penalty"

Page 5 of 8

Clean Gujarat Green Gujarat

Website : <https://apcb.gujarat.gov.in>

7. It is the duty of the authorized person to take prior permission of the Gujarat Pollution Control Board to close down the facility.
8. An application for the renewal of an authorization shall be made as laid down in rules 6(2) under Hazardous and Other Waste Rules, 2016.
9. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
10. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
11. The hazardous and other wastes which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.
12. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. The waste generator shall be totally responsible for (i.e. collection, storage, transportation and ultimate disposal) the wastes generated.
15. Records of waste generation, its management and annual return shall be submitted to Gujarat Pollution Control Board in Form-4 by 30th day of June of every year for the preceding period April to March.
16. In case of any accident, details of the same shall be submitted on Form-11 to Gujarat Pollution Control Board.
17. As per "Public Liability Insurance Act-91" company shall get Insurance Policy, if applicable.
18. Empty drums and containers of toxic and hazard material shall be treated as per guideline published for "Management & Handling of discarded containers". Records of the same shall be maintained and forwarded to Gujarat Pollution Control Board regularly.
19. In case of transport of hazardous wastes to a facility for (i.e. treatment, storage and disposal) existing in a State other than the State where hazardous wastes are generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board or Committee of the concerned State of Union Territory Administration where the facility exists.
20. Unit shall take all concrete measures to show tangible results in waste generation, reduction, avoidance, reuse and recycle. Actions taken in this regard shall be submitted within three months and also along with Form-4.
21. Industry shall have to display the relevant information with regards to hazardous waste as indicated in the Hon. Supreme Court's Order in W.P. No.657 of 1995 dated 14th October, 2003.
22. Industry shall have to display on-line data outside the main factory gate with regard to quantity and nature of hazardous chemicals being handled in the plant, including





GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN, SECTOR 10-A,
GANDHINAGAR - 382010,
(T) 079-23232152

wastewater and air emissions and solid hazardous wastes generated within the factory premises.

6. SPECIFIC CONDITIONS:-

- 6.1 The authorized actual user of hazardous and other wastes shall maintain records of hazardous and other wastes purchased in a passbook issued by the State Pollution Control Board along with the authorization.
- 6.2 Handling over of the hazardous and other wastes to the authorized actual user shall be only after making the entry in the passbook of the actual user.
- 6.3 In case of renewal of authorization, a self-certified compliance report in respect of effluent, emission standards and the conditions specified in the authorization for hazardous and other wastes shall be submitted to SPCB.
- 6.4 The occupier of the facility shall comply Standard operating procedure/guidelines published by MOEF&CC or CPCB or GPCB from time to time.
- 6.5 Unit shall comply provisions of E-Waste Management Rules-2016.
- 6.6 The disposal of Hazardous Waste shall be carried out as per the waste Management hierarchy.
- 6.7 The occupiers of facilities shall not store the hazardous and other wastes for a period not exceeding **ninety days**. Prior permission of the Board shall be obtained for extension of the storage period.
- 6.8 The occupier shall maintain the records of generation, sale, storage, transport, recycling, co processing and disposal of hazardous waste and make available during the inspection.
- 6.9 The transportation of the hazardous waste shall be carried out in GPS mounted dedicated vehicles.

7. GENERAL CONDITIONS: -

- 7.1 Any change in personnel, equipment or working conditions as mentioned in the consents form/order should immediately be intimated to this Board.
- 7.2 Applicant shall also comply with the general conditions given in annexure I.
- 7.3 Whenever due to accident or other unforeseen act or ever, such emissions occur or is apprehended to occur in excess of standards laid down such information shall be forthwith reported to Board, concerned Police Station Office of Directorate of Health Service, Department of Explosives, Inspectorate of Factories and local body.
- 7.4 In case of failure of pollution control equipments, the production process connected to it shall be stopped. Remedial actions/measures shall be implemented immediately to bring entire situation normal.
- 7.5 The Environmental Management Unit/Cell shall be setup to ensure implementation on and monitoring of environmental safeguards and other conditions stipulated by statutory authorities. The Environmental Management Cell/Unit shall directly report to the Chief Executive of the organization and shall work as a focal point for

- internalizing environmental issues. These cells/units also coordinate the exercise of environmental audit and preparation of environmental statements.
- 7.6 The Environmental audit shall be carried out yearly and the environmental statements pertaining to the previous year shall be submitting to this State Board latest by 30th September every year.
- 7.7 The Board reserves the right to review and/or revoke the consent and/or make variations in the conditions, which the Board deems, fit in accordance with Section 27 of the Act.
- 7.8 In case of change of ownership/management the name and address of the new owners/ partners/directors/proprietor should immediately be intimated to the Board.
- 7.9 Industry shall have to display the relevant information with regard to hazardous waste as indicated in the Hon. Supreme order in w.p. no. 657 of 1995 dated 14th October 2003.

**For and on behalf of
GUJARAT POLLUTION CONTROL BOARD**


(T.C. Patel)
Unit Head

Date: - /06/2025

NO: PC/CCA-Kutch-812(6)/GPCB ID-28494/

Issued to:

M/s. Kandla Port Trust,
Kandla, A.O. Building Gandhidham,
Tal: Gandhidham,
Dist: Kutch - 370 201.

Outward No: 864889, 16/06/2025 12:55:00 PM

"FORM-IV"

[(See rule 6(%), 13(8), 16(6) and 20(21)]

(To be submitted to State Pollution Control Board by 30th day of June of every year for the preceding period April 24 to March 25)

Sr. No.	Particulars	Details
1.	Name and Address of the Facility	Deendayal Port Authority Administrative Office Building Post Box No. 50 Gandhidham Dist.: Kutch- 370201 Gujarat State Tel. No.: 02836-233192 Fax No.: 02836-220050
2.	Authorization No. and Date of issue	Consent order no. AWH – 110594 granted by the GPCB dated 22/01/2021 and correction to consent order done dated 09/04/2021 and its further amendment dated 11/01/2024.
3.	Name of Authorized Person and full address with telephone, Fax number and E-Mail	Mr. Raveendra Reddy Chief Engineer Deendayal Port Authority Administrative Office Building Post Box No. 50 Gandhidham Dist.: Kutch- 370201 Gujarat State Tel. No.: 02836-233192 Fax No.: 02836-220050
4.	Production during the year (product wise) wherever applicable	NA Deendayal Port Authority has only loading & unloading activities for dry cargo and liquid cargo. During FY 2024-25 Total Cargo Handled is 150.15 MMTPA

PART A. To be filled by Hazardous Waste Generator

1.	Total quantity of waste generated category wise	Used oil/Waste residue containing oil 1. Used Spent Oil: 4498.91 2. Waste residue containing oil: 13496.72
2.	Quantity Dispatched a. To disposal Facility b. To recycler or co-processor or pre-processor c. Others	Used Oil/Waste residue containing oil has been disposed of through CPCB/GPCB authorized vendor (Annexure-II)
3.	Quantity utilized inhouse -if any	NA
4.	Quantity in storage at the end of the year	NA

Enclosure – A

Annual Return of Hazardous waste Return (Form IV)
For Deendayal Port Authority, Kandla
For the FY @ 2024-2025

PART B To be filled Treatment, Storage and Disposal Facility Operator

1.	Total Quantity Received 1. Direct Landfill 2. Incineration 3. Land fill after treatment	NA
2.	Quantity at stock at the beginning of the year 1. Direct Landfill 2. Incineration 3. Land fill after treatment	
3.	Quantity treated (Landfill) Land fill after Treatment	
4.	Quantity disposed in landfill as such and after treatment 1. Direct Landfill 2. Land fill after treatment 3. Incineration Ash 4. Salts from Spray Dryer 5. Total	
5.	Quantity incinerated (if applicable)	
6.	Quantity processed other than specified above	
7.	Quantity in storage at the end of the year 1. Incineration 2. Landfill after treatment	

PART C To be filled by recyclers or co-processor or other users

1.	Quantity of the waste received during the year 1. Domestic sources 2. Imported (if applicable)	NA
2.	Quantity in stock at the beginning of the year	
3.	Quantity recycled or co processed or used	
4.	Quantity of products dispatched (wherever applicable)	
5.	Quantity of waste generated	
6.	Quantity of waste disposed	
7.	Quantity re-exported (wherever Applicable)	
8.	Quantity in storage at the end of the year	

Date: 25/07/2025

Place:

Gandhi Dham

[Signature]
21/07
XEN (EMC)
Deendayal Port Authority

MARINE DEPARTMENT

Sub : Annual Return Showing the collection & disposal of Hazardous and Non-Hazardous Wastes carried out by various parties for the year 04/2024 to 03/2025.

With reference to the above subject, the annual return showing the collection and disposal of Hazardous and Non-Hazardous Wastes carried out by various parties for the period from 01-04-2024 to 31-03-2025 of Marine Department is enclosed herewith.

Encl : As above


Deputy Conservator
Deendayal Port Authority

EMC (I/C)

No. MR/WK/1316/ 422

Date : 13.05.2025.

**Deendayal Port Authority
Marine Department**

**Statement of Hazardous and Non hazardous Waste disposal from the Vessels at
Kandla Port for the Period April 2024 to March 2025 – For the Whole Port Area**

(PCB ID 28494)

Sr.No.	Month	Year	Hazardous Waste Generation in MT			Solid Waste Generated in MT
			Total Quantity	Used Oil	Waste Residue Containing Oil	
1.	April	2024	1124.53	281.13	843.40	170.96
2.	May	2024	1004.00	251.00	753.00	265.01
3.	June	2024	2194.23	548.56	1645.67	174.14
4.	July	2024	1330.64	332.66	997.98	247.80
5.	August	2024	2333.80	583.45	1750.35	302.37
6.	September	2024	2055.17	513.79	1541.38	285.17
7.	October	2024	2198.00	549.50	1648.50	405.24
8.	November	2024	1024.58	256.15	768.44	368.41
9.	December	2024	1283.96	320.99	962.97	404.33
10.	January	2025	1214.05	303.51	910.54	245.46
11.	February	2025	1328.61	332.15	996.46	294.38
12.	March	2025	904.06	226.01	678.04	111.33
Total			17995.63	4498.91	13496.72	3274.60


Deputy Conservator
Deendayal Port Authority

Marine Department

(IN MT)

Statement showing the Collection and disposal of Hazardous and Non-Hazardous Wastes carried out by 2024-25

Sr. No.	Name of Party	Type of Licence	Apr-24	May-24	Jun-24	Jul-24	Aug-24	Sep-24	Oct-24	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25	Total
1	Alicid Organic Industries Limited	Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Amar Hydrocarbon Pvt. Ltd	Hazardous	-	-	-	-	81.08	-	-	-	-	-	62.32	-	143.40
3	Atlas Organics Pvt. Ltd	Hazardous	-	17.62	-	-	-	62.74	33.00	72.24	32.49	96.83	-	-	314.92
4	Aviation Corporation	Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Mahlexmi Asphalt Pvt Ltd	Hazardous	85.73	98.06	341.38	112.90	93.29	39.25	130.21	61.47	159.73	189.88	176.28	98.08	1,586.26
6	Priyansu Corporation	Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Revolution Petrochem LLP	Hazardous	736.28	721.55	1,635.77	1,021.52	2,033.29	1,792.89	1,855.24	701.58	839.45	658.23	790.31	729.14	13,515.25
8	Shane Oil Process	Hazardous	-	-	-	-	-	-	-	-	-	88.00	132.64	-	220.64
9	United Shipping Company	Hazardous	358.75	216.97	285.83	227.57	233.45	263.05	249.85	231.88	263.26	241.81	233.49	122.04	2,927.95
10	Kutch Energies Pvt.Ltd.	Hazardous	-	-	40.96	35.18	9.38	-	39.60	8.64	53.23	-	-	-	186.99
11	Pureflow Greens Private Limited	Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
12	Jay Ambe Industries, Sanand	Hazardous	-	-	-	-	-	-	-	-	-	-	-	44.38	156.80
13	Chitrakut Trading & Industries	Non-Hazardous	5.65	17.52	11.44	27.20	30.02	5.56	12.11	54.50	28.00	-	-	-	192.00
14	Golden Shipping Services	Non-Hazardous	13.97	24.68	51.63	24.81	40.86	34.77	169.57	38.96	35.50	21.56	48.15	28.41	532.87
15	Green Earth Marine Solutions	Non-Hazardous	5.33	12.80	3.80	-	19.98	41.22	3.30	9.59	7.70	10.73	3.74	-	118.19
16	Hansh A. Pandya	Non-Hazardous	6.30	17.84	1.10	12.36	4.17	21.83	37.53	55.06	86.48	-	-	-	242.67
17	K M Enterprise	Non-Hazardous	73.16	153.62	50.10	85.46	163.77	109.71	124.14	134.78	157.50	131.16	197.07	-	1,380.41
18	Naaz Shipping Services Ent	Non-Hazardous	-	-	-	11.00	-	8.93	4.57	3.94	4.57	4.58	-	-	37.59
19	New India Marine Works	Non-Hazardous	21.10	-	9.29	31.32	6.84	17.35	7.60	10.08	7.16	11.45	11.95	14.69	148.83
20	Omega Marine Services	Non-Hazardous	28.58	29.10	36.86	39.89	28.03	25.34	27.11	41.88	33.68	37.58	25.34	63.19	416.58
21	V K Enterprise	Non-Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Vishwa Trade-link Inc.	Non-Hazardous	16.87	9.45	9.92	15.76	8.70	15.38	12.11	14.36	34.83	18.14	8.19	-	163.71
23	Bhavya Engg. Work & Multi.	Non-Hazardous	-	-	-	-	-	5.08	7.20	5.26	3.91	-	-	5.04	31.49
24	Shri Ganesh Traders, Anjar	Non-Hazardous	-	-	-	-	-	-	-	-	-	4.26	7.36	-	11.62
25	Nar Narayan Multiservices	Non-Hazardous	-	-	-	-	-	-	-	-	-	6.00	-	-	14.50
26	Mohantal & Co, Jamnagar	Non-Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
27	M/s. Kiyara Ship Chandlers & Marine Services, Mehlpar-	Non-Hazardous	-	-	-	-	-	-	-	-	-	-	-	-	-
Hazardous - Total			1,180.76	1,054.20	2,303.94	1,397.17	2,450.49	2,157.93	2,307.90	1,075.81	1,348.16	1,274.75	1,395.04	949.26	18,895.41
Non-Hazardous - Total			170.96	265.01	174.14	247.80	302.37	285.17	405.24	368.41	404.33	245.46	294.38	111.33	3,274.60

Copy to : GPCB, Gandhidham / Harbour Master