

**Deendayal Port Authority
(Erstwhile :Deendayal Port Trust)**

Tel(O) : (02836) 220038,
Fax : (02836) 220050
E – Mail : kptdesignsection@gmail.com
kptemc@gmail.com
Website: www.deendayalport.gov.in



Office of the XEN (EMC),
ANNEX, Administrative Office
Gandhidham - Kutch
Pin – 370 201.

ISO 9001 – 2015 &
ISO 14001 – 2015 Certified Port

CN/WK/1600 - A/ (EC & CRZ Clearance onwards - Pipavav) 57

Dated: 06/08/2025
07

To,
The Deputy Director General of Forests (C),
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office,
Gandhinagar, A wing-407 & 409,
Aranya Bhavan Near CH-3 Circle,
Sector 10 A, Gandhinagar - 382010
Email : iro.gandhingr-mefcc@gov.in

Sub: Development of Setting up of RoRo/RoPax Facility at Pipavav, Gujarat, Rajula, Amreli by Deendayal Port Authority – **Pointwise Compliances of the conditions stipulated in the EC&CRZ Clearance and Monitoring Report in Datasheet reg.**

(EC Identification No. EC23B033GJ148149 and Proposal No. SIA/GJ/NCP/79603/2021)

- Ref.:**
1. EC & CRZ Clearance accorded by the SEIAA, Gujarat vide letter no. SEIAA/GUJ/EC&CRZ/7(e)/1709/2023 dated 30/12/2023.
 2. DPA communication no. CN/WK/1600- A/ (EC & CRZ Clearance onwards - Pipavav)/30 dated 27/2/2024.
 3. DPA letter no. CN/WK/1600-A/(EC & CRZ Clearance onwards - Pipavav)/80 dated 01/07/2024 – Compliance report of stipulated conditions of EC & CRZ Clearance submitted through email & also in PARIVESH PORTAL (Period up to May, 2024).
 4. DPA letter no. CN WK 1600 - A (EC & CRZ Clearance onwards - Pipavav) 31 dated 19.02.2025

Sir,

It is requested to kindly refer above cited reference for the said subject.

In this connection, it is once again to state that, SEIAA, Gujarat had accorded EC&CRZ clearance dated 30/12/2023 to the subject project of the DPA provisionally for six-month duration subject to the compliance in stipulated time period of the certain conditions (marked as dark in EC & CRZ Clearance - Specific condition no. 1,5,10&11). Therefore, DPA vide communication no. CN/WK/1600-A (EC & CRZ Clearance onwards- Pipavav)/30 dated 27/02/2024 had submitted requisite compliance of specific conditions no. 1,5, 10, &11 to the SEIAA, Gujarat within stipulated time period mentioned in the EC & CRZ Clearance, for information & consideration.

In the said EC & CRZ Clearance letter dated 30/12/2023, in Para C. COMPLIANCE OF ENVIRONMENT CLEARANCE / REPORTING? ADMINISTRATION? APPEAL, Condition No. 89, the SEIAA, Gujarat has stipulated the conditions that, ***"Designated key person shall***

.....Cont.....


submit six monthly compliance report to SEIAA/SEAC, MOEF&CC, GPCB and Nodal Department of the Government".

In this regard, we are submitting herewith compliance report in the PARIVESH 2 Portal of the MoEF&CC, GoI vide letter no. SEIAA/GUJ/EC&CRZ/7(e)/1709/2023 dated 30/12/2023 (period October 2024 - March 2025). Further, we are also submitting herewith Monitoring Report in Data Sheet.

This is for your kind information and record, please.

This has the approval of Chief Engineer, Deendayal Port Authority.

Yours faithfully,



XEN (EMC)

Deendayal Port Authority

Encl.: As above

Copy along with point wise compliance of stipulated conditions, to:

1) The Member Secretary,
State Level Environment Impact Assessment Authority, Gujarat,
Office: Gujarat Pollution Control Board, "Paryavaran Bhavan"
Sector-10 A, Gandhinagar-382010.
E-mail : msseiaagj@gmail.com, seiaaguj@yahoo.com.

2) Shri Prasoon Gargava,
Scientist E & Regional Director,
Central Pollution Control Board,
Parivesh Bhawan,
Opp. VMC Ward Office No.10, Subhanpura,
Vadodara - 390 023.
Email Id : Prasoon.cpcb@nic.in

3) The Unit Head, Amreli,
Gujarat Pollution Control Board,
Paryavaran Bhavan,
Sector 10A,
Gandhinagar- 382 010.
Email : uh-gpcb-bhav@gujarat.gov.in

4) The Regional Officer,
Gujarat Pollution Control Board,
Regional Office, 1st floor, Swastik Complex, Plot No. 1616-1617,
Bhav - 364002
Email Id : ro-gpcb-bhav@gujarat.gov.in

Annexure -1

**Half Yearly Compliance Report
2025
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name		Setting up of RoRo/RoPax Facility at, Pipavav, Gujarat	
Name of Entity / Corporate Office		Deendayal Port Authority	
Village(s)		N/A	
District		AMRELI	
Proposal No.	SIA/GJ/NCP/79603/2021	Category	INFRA-1
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****EQUIRED
MoEF File No.	SIA/GJ/124107/2022	Entity name as per PAN	Deendayal Port Authority

Compliance Reporting Details

Reporting Year 2025
Remarks (if any)
Reporting Period 01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Deendayal Port Authority

	Project Area as per EC Granted	Actual Project Area in Possession
Private	0	0
Revenue Land	0	0
Forest	0	0
Others	6	6
Total	6	6

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
--------	--------------	-------	------------	----------	----------------------	---------------------

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	PP shall submit approval order of revised wildlife/ lion conservation plan from competent authority within six month.

PPs Submission: Complied The necessary compliance has already been communicated to SEIAA, Gujarat vide letter no. CN/WK/1600 - A/ (EC and CRZ Clearance onwards - Pipavav)/30 dated 27/02/2024. A copy has already been communicated with earlier compliance report submitted vide communication dated 1/7/2024.		Date: 23/07/2025
2	Statutory compliance	PP shall strictly adhere to all conditions of CRZ Clearance issued by GCZMA vide order no. ENV-T2022-77- T dated 15.06.2023
PPs Submission: Being Complied The pointwise compliance of stipulated conditions mentioned therein is attached herewith as Annexure A.		Date: 06/08/2025
3	WASTE MANAGEMENT	PP shall provide STP of 35 KLD capacity in premises and treated domestic wastewater will be used for gardening and green belt development in premises
PPs Submission: Agreed to Comply No construction activity has been started. Generated waste water shall be sent to septic tank equipped with soak pits. However, it is assured that, if waste water quantity		Date: 23/07/2025
4	WASTE MANAGEMENT	Construction debris generated during the construction phase shall not be disposed into creek, sea, estuary or into the CRZ areas, in any case. Construction debris shall be disposed as per provisions of construction and demolition waste management rules 2016 etc.
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that Construction debris generated during the construction phase shall not be disposed into creek, sea, estuary or into the CRZ areas. Construction debris shall be disposed as per provisions of construction and demolition waste management rules 2016 etc.		Date: 23/07/2025
5	Statutory compliance	PP shall not carry out any parking activities including construction in CRZ IA area as per provisions of CRZ Notification 2011
PPs Submission: Complied The necessary compliance has already been communicated to SEIAA, Gujarat vide letter no. CN/WK/1600 - A/ (EC and CRZ Clearance onwards - Pipavav)/30 dated 27/02/2024. A copy of the same had already been submitted along with pointwise compliance report (period up to May, 2024) submitted vide communication dated 01/7/2024.		Date: 23/07/2025
6	GREENBELT	PP shall carry out gardening area of 33 percentage in premises
PPs Submission: Agreed to Comply No construction activity has been started. However, it is assured that, necessary gardening area as per the stipulated condition will be developed.		Date: 23/07/2025
7	Marine/Coastal	PP shall submit shoreline management plan
PPs Submission: Agreed to Comply No construction activity has been started. However, it is assured that DPA shall prepare shoreline management plan and submit the same in due course.		Date: 23/07/2025
8	Marine/Coastal	PP all dispose off dredged material quantity (280,000 m3) at location, identified by Department of Ocean Engineering in IIT, Madras. PP will give the details of site and location of disposal of dredge materials one-month prior from date of disposal

PPs Submission: Agreed to Comply No dredging activity has been started. However, it is assured that, dredged material will be disposed off at the location identified by IIT, Madras.		Date: 23/07/2025
9	Corporate Environmental Responsibility	PP shall provide budget allocation of Rs. 1 crore for conservation activities to conserve for schedule-I species
PPs Submission: Complied It is submitted that DPA vide letter dated 02/03/2023 had submitted Conservation plan for Indian Peafowl and Asiatic Lion wherein budget allocation of Rs. 1 Crore for conservation activities is provided. The Conservation plan mentioning budget allocation has already been submitted along with pointwise compliance report (period up to May, 2024) submitted vide communication dated 1/7/2024.		Date: 23/07/2025
10	Statutory compliance	Proponent shall submit the certificate of no fatality in sea turtle area and also approval of Forest department on turtle conservation plan
PPs Submission: Complied The necessary compliance has already been communicated to SEIAA, Gujarat vide letter no. CN/WK/1600 - A/ (EC and CRZ Clearance onwards - Pipavav)/30 dated 27/02/2024. A copy of the same had already been submitted along with pointwise compliance report (period up to May, 2024) submitted vide communication dated 1/7/2024.		Date: 23/07/2025
11	Statutory compliance	PP shall obtain permission from forest department on revised conservation plan of 30.6.2023
PPs Submission: Complied The necessary compliance has already been communicated to SEIAA, Gujarat vide letter no. CN/WK/1600 - A/ (EC and CRZ Clearance onwards - Pipavav)/30 dated 27/02/2024. A copy of the same had already been submitted along with pointwise compliance report (period up to May, 2024) submitted vide communication dated 1/7/2024.		Date: 24/07/2025
12	WASTE MANAGEMENT	Authorized end-users shall have permissions from the concerned authorities under the rule-9 of the Hazardous and other wastes (Management and transboundary movement) Rules 2016
PPs Submission: Complied Not applicable		Date: 24/07/2025
13	Risk Mitigation and Disaster Management	Stream Segregation during drilling and testing activities should be adopted to separate oil and water
PPs Submission: Agreed to Comply Point Noted for compliance.		Date: 24/07/2025
14	Statutory compliance	The Environmental and CRZ Clearance to the project is primarily under provisions of EIA Notification, 2006 and CRZ Notification, 2011. It does not tantamount to approvals/consent/permissions etc required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes as applicable to the project
PPs Submission: Complied Point Noted.		Date: 24/07/2025
15	Statutory compliance	The project proponent shall abide by all the commitments and recommendations made in the Form-II, EIA and EMP report and also

		that have been made during their presentation to EAC
PPs Submission: Complied It is assured that DPA shall abide by the commitments and recommendations made in the Form-II, EIA and EMP report and also that have been made during their presentation to EAC.		Date: 24/07/2025
16	Statutory compliance	Construction activity shall be carried out strictly according to the provisions of the CRZ Notification, 2011. No construction works other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area. Proponent shall obtain the CRZ Clearance for their project
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that, Construction activity shall be carried out strictly according to the provisions of the CRZ Notification, 2011. No construction works other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area. Proponent shall obtain the CRZ Clearance for their project		Date: 24/07/2025
17	Marine/Coastal	The Project proponent shall ensure that no creeks or rivers are blocked due to any activities at the project site and free flow of water is maintained. Creek water monitoring program shall be implemented during the construction phase
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that no creeks or rivers are blocked due to any activities at the project site and free flow of water is maintained. Creek water monitoring program shall be implemented during the construction phase.		Date: 24/07/2025
18	Marine/Coastal	Dredging shall not be carried out during the fish breeding season. Dredging, etc. shall be carried out in confined manner to reduce the impacts on marine environment. As committed, Silt curtains shall be used to minimize spreading of silt plume during dredging operation. Turbidity should be monitored during the dredging using online monitoring system. No removal of silt curtain unless baseline values are achieved
PPs Submission: Agreed to Comply No dredging activity has been started. However, it is assured that, dredging activity shall be carried out as per the stipulated condition.		Date: 24/07/2025
19	Marine/Coastal	Maintenance dredging provided, the dredged material shall be disposed within port limits.
PPs Submission: Agreed to Comply No dredging activity has been started. However, it is assured that the dredged material shall be disposed of at the location identified by the IIT, Madras.		Date: 24/07/2025
20	Marine/Coastal	Wherever possible, dredged material shall be used for bank nourishment. With the enhanced quantities, the impact of dumping on the estuarine environment should be monitored and necessary measures s taken on priority basis if any adverse impact is observed
PPs Submission: Agreed to Comply No dredging activity has been started. However, it is assured that, possibility will be explored to use dredged material for bank nourishment. Point Noted for compliance.		Date: 24/07/2025
21	Marine/Coastal	An independent monitoring be carried out by any Government Agency/institute to evaluate the during dredging. impact of dredged material on estuarine environment along with shore line change be monitored by the PP and necessary mitigation measures be taken in

		case any adverse observed. The details shall be submitted along with the six-monthly monitoring report
PPs Submission: Agreed to Comply No dredging activity has been started. Point Noted for compliance.		Date: 24/07/2025
22	Marine/Coastal	marine ecological monitoring and its mitigation measures for protection of phytoplankton, zooplankton macro benthos, estuaries, sea-grass, algae, sea weeds, Crustaceans, Fishes, coral reefs and mangroves etc. as given in the EIA-EMP Report shall be complied with in letter and spirit.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
23	WASTE MANAGEMENT	Domestic wastewater generated shall be sent to Septic Tanks equipped with Soak Pits. Wastewater generated from terminal buildings shall be treated and used for green cover development only
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that Domestic wastewater generated shall be sent to Septic Tanks equipped with Soak Pits. Wastewater generated from terminal buildings shall be treated and used for green cover development.		Date: 24/07/2025
24	Marine/Coastal	Mangroves conservation and management plan to be prepared in consultation with State Forest department and approved plan shall be implemented
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that Mangroves conservation and management plan to be prepared in consultation with State Forest department and approved plan shall be implemented.		Date: 24/07/2025
25	Marine/Coastal	A continuous monitoring programme covering all the seasons on various aspects of the estuarine, coastal and marine environs including intertidal and subtidal marine flora and fauna with focus on sea turtles, corals and sea grass (if any) need to be undertaken by reputed universities available in the State or by entrusting to the National institutes/reowned Universities/accredited Consultant with rich experiences in marine science aspects. The monitoring should cover various physico-chemical parameters along with PHC coupled with biological indices such as microbes, plankton, benthos and fishes on a periodic basis during construction and operation phase of the project. Any deviations in the parameters shall be given adequate care with suitable measures to conserve the marine environment and its resources. Adequate funds be allocated for the same
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
26	Statutory compliance	Continuous online monitoring of air and water covering the total area shall be carried out and the compliance report of the same shall be submitted along with the 6 monthly compliance reports
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
27	LAND RECLAMATION	The actions shall be in accordance with proposed landscape

		planning concepts to minimize major landscape changes. The change in land use pattern shall be limited to the proposed port limits and be carried out in such a way as to ensure proper drainage by providing surface drainage systems including storm water network.
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
28	MISCELLANEOUS	All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan along with half yearly compliance report.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
29	MISCELLANEOUS	Tripart agreement between GPPL and DPT shall be done
PPs Submission: Agreed to Comply It is under discussion. Once its finalized tripart agreement will be done.		Date: 24/07/2025
General Conditions		
Sr.No.	Condition Type	Condition Details
1	WATER QUALITY MONITORING AND PRESERVATION	Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused for horticulture, flushing, backwash, HVAC purposes and dust suppression
PPs Submission: Agreed to Comply No construction activity has been started. Generated waste water shall be treated in septic tank/soak pit. However, it is assured that if waste water quantity exceed, STP shall be provided to treat domestic wastewater and treated wastewater will be used for gardening and green belt development, as per stipulated condition.		Date: 24/07/2025
2	WATER QUALITY MONITORING AND PRESERVATION	A certificate from the competent authority for discharging treated effluent untreated effluents into the public sewer/ disposal/drainage systems along with the final disposal point should be obtained
PPs Submission: Agreed to Comply Point Noted.		Date: 24/07/2025
3	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the project area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
4	AIR QUALITY MONITORING AND PRESERVATION	Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed emission standards

PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
5	AIR QUALITY MONITORING AND PRESERVATION	Shrouding shall be carried out in the work site enclosing the dock/proposed facility area. This will act as dust curtain as well achieving zero dust discharge from the site. These curtain or shroud will be immensely effective in restricting disturbance from wind in affecting the dry dock operations, preventing waste dispersion, improving working conditions through provision of shade for the workers.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
6	AIR QUALITY MONITORING AND PRESERVATION	Dust collectors shall be deployed in all areas where blasting (surface cleaning) and painting operations are to be carried out, supplemented by stacks for effective dispersion
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
7	AIR QUALITY MONITORING AND PRESERVATION	The Vessels shall comply the emission norms prescribed from time to time.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
8	AIR QUALITY MONITORING AND PRESERVATION	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
9	AIR QUALITY MONITORING AND PRESERVATION	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
10	WATER QUALITY	The Project proponent shall ensure that no creeks or rivers are

	MONITORING AND PRESERVATION	blocked due to any activities at the project site and free flow of water is maintained
PPs Submission: Agreed to Comply No construction has been started. However, it is assured that, no creeks or rivers are blocked due to any activities at the Project site and free flow of water is maintained.		Date: 24/07/2025
11	WATER QUALITY MONITORING AND PRESERVATION	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality. Silt curtains shall be used to contain the spreading of suspended sediment during dredging within the dredging area
PPs Submission: Agreed to Comply No construction activity including dredging has been started. Point Noted for compliance.		Date: 24/07/2025
12	WATER QUALITY MONITORING AND PRESERVATION	No ships docking at the proposed project site will discharge its on-board waste water untreated in to the estuary/ channel. All such wastewater load will be diverted to the proposed Effluent Treatment Plant of the project site
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
13	WATER QUALITY MONITORING AND PRESERVATION	Measures should be taken to contain, control and recover the accidental spills of fuel and cargo handle if any
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
14	WATER QUALITY MONITORING AND PRESERVATION	The project proponents will draw up and implement a plan for the management of temperature differences between intake waters and discharge waters
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
15	WATER QUALITY MONITORING AND PRESERVATION	Spillage of fuel / engine oil and lubricants from the construction site are a source of organic pollution which impacts marine life. This shall be prevented by suitable precautions and also by providing necessary mechanisms to trap the spillage
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
16	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
17	WATER QUALITY MONITORING AND PRESERVATION	No diversion of the natural course of the river shall be made without prior permission from the Ministry of Water resources

PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
18	WATER QUALITY MONITORING AND PRESERVATION	All the erosion control measures shall be taken at water front facilities. Earth protection work shall be carried out to avoid erosion of soil from the shoreline/boundary line from the land area into the marine water body.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
19	Noise Monitoring & Prevention	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted as a part of six-monthly compliance report
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
20	Noise Monitoring & Prevention	Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipments.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
21	Noise Monitoring & Prevention	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
22	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
23	ENERGY PRESERVATION MEASURES	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
24	ENERGY PRESERVATION MEASURES	Provide LED lights in their offices and residential areas
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
25	WASTE MANAGEMENT	Dredged material shall be disposed safely in the designated areas. Shoreline should not be disturbed due to dumping. Periodical study

		on shore line changes shall be conducted and mitigation carried out, if necessary. The details shall be submitted along with the six monthly monitoring reports.
PPs Submission: Agreed to Comply No dredging activity has been started. Point Noted for compliance		Date: 24/07/2025
26	WASTE MANAGEMENT	Necessary arrangement for the treatment of the effluents and solid wastes must be made and it must be ensured that they conform to the standards laid down by the competent authorities including the orl State Pollution Control Board and under the Environment (Protection) Act, 1986
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
27	WASTE MANAGEMENT	The solid wastes shall be managed and disposed as per the norms of the Solid Waste Management 2016
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
28	WASTE MANAGEMENT	Any wastes from construction and demolition activities related thereto shall be managed so as to conform to the Construction and Demolition Waste Management Rules, 2016
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
29	WASTE MANAGEMENT	A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
30	WASTE MANAGEMENT	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
31	WASTE MANAGEMENT	Oil spill contingency plan shall be prepared and part of DMP to tackle emergencies. The equipment and recovery of oil from a spill would be assessed. Guidelines given in MARPOL and Shipping Acts for oil spill management would be followed. Mechanism for integration of terminals oil contingency plan with the overall area contingency plan under the coordination of Coast should be covered
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
32	GREENBELT	Green belt shall be developed in area as provided in project details with a native tree species in accordance with CPCB guidelines. The

		greenbelt shall inter alia cover the entire periphery of the plant
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
33	GREENBELT	Top soil shall be separately stored and used in the development of green belt
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
34	Marine/Coastal	Dredging shall not be carried out during the fish breeding and spawning seasons
PPs Submission: Agreed to Comply No dredging activity has been started.		Date: 24/07/2025
35	Marine/Coastal	Dredging, etc shall be carried out in the confined manner to reduce the impacts on marine environment
PPs Submission: Agreed to Comply No dredging activity has been started. Point Noted for compliance		Date: 24/07/2025
36	Marine/Coastal	The dredging schedule shall be so planned that the turbidity developed is dispersed soon enough to prevent any stress on the fish population
PPs Submission: Agreed to Comply No dredging activity has been started. Point Noted for compliance		Date: 24/07/2025
37	Marine/Coastal	While carrying out dredging, an independent monitoring shall be carried out through a Government Agency/institute to assess the impact and necessary measures shall be taken on priority basis if any adverse impact is observed
PPs Submission: Agreed to Comply No dredging activity has been started. Point Noted for compliance		Date: 24/07/2025
38	Marine/Coastal	A detailed marine biodiversity management plan shall be prepared through the NIO or any other institute of repute on marine, brackish water and fresh water ecology and biodiversity and submitted to and implemented to the satisfaction of the State Biodiversity Board and the CRZ authority. The report shall be based on a study of the impact of the project activities on the intertidal biotopes, corals and coral communities, molluscs, sea grasses, sea weeds, subtidal habitats, fishes, other marine and aquatic micro, macro and mega flora and fauna including benthos, plankton, turtles, birds etc. as also the productivity. The data collection and impact assessment shall be as per standards survey methods and include underwater photography
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
39	Marine/Coastal	Marine ecology shall be monitored regularly also in terms of sea weeds, sea grasses, mudflats, sand dunes, fisheries, echinoderms, shrimps, turtles, corals, coastal vegetation, mangroves and other

		marine biodiversity components including all micro, macro and mega floral and faunal components of marine biodiversity
PPs Submission: Agreed to Comply No construction has been started. Point Noted for compliance		Date: 24/07/2025
40	Marine/Coastal	The project proponent shall ensure that water traffic does not impact the aquatic wildlife sanctuaries that fall along the stretch of the river
PPs Submission: Agreed to Comply Point Noted for compliance However, it is assured that water traffic does not impact the aquatic wildlife sanctuaries that fall along the stretch of the river		Date: 24/07/2025
41	Human Health Environment	The work space shall be maintained as per international standards for occupational health and safety with 71 provision of fresh air respirators, blowers, and fans to prevent any accumulation and inhalation of undesirable levels of pollutants including VOCs
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
42	Human Health Environment	Workers shall be strictly enforced to wear personal protective equipments like dust mask, ear muffs or ear plugs, whenever and wherever necessary/ required. Special visco-elastic gloves will be used by labour exposed to hazards from vibration
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
43	Human Health Environment	In case of repair of any old vessels, excessive care shall be taken while handling Asbestos and Freon gas. Besides, fully enclosed covering should be provided for the temporary storage of asbestos materials at site before disposal to CTSDf
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
44	Human Health Environment	Safety training shall be given to all workers specific to their work area and every worker and employee will be engaged in fire hazard awareness training and mock drills which will be conducted regularly. All standard safety and occupational hazard measures shall be implemented and monitored by the concerned officials to prevent the occurrence of untoward incidents/ accidents
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
45	Human Health Environment	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
46	Human Health Environment	Provision shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for

		cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
47	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
48	Statutory compliance	The project proponent shall prepare a Site-Specific Conservation Plan and Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area)
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
49	Statutory compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project
PPs Submission: Agreed to Comply DPA is not using ground water for any purpose. Water requirements will be met through procurement from GWSSB or private tankers.		Date: 24/07/2025
50	Statutory compliance	All excavation related dewatering shall be as duly authorized by the CGWA. A NOC from the CGWA shall be obtained for all dewatering and ground water abstraction
PPs Submission: Agreed to Comply DPA is not using ground water for any purpose. Water requirements will be met through procurement from GWSSB or private tankers.		Date: 24/07/2025
51	Statutory compliance	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
52	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel / fuel from Chief Controller of Explosives, Fire Department, Coast Guard, Civil Aviation Department shall be obtained, as applicable tly project proponents from the respective competent authorities
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025

53	Corporate Environmental Responsibility	As per the Ministry's Office Memorandum F. No.22-6512017-IA.III dated'1st May,2018, project proponent has proposed that an amount of 250 Lakhs for installation of Solar Lights and Solar Panels nearby villages Awareness program on Fire and Safety Construction of 10 Public Toilets under Total Sanitation Campaign in nearby villages Sanitation and Menstrual Hygiene Awareness Programme Fishermen Endowment Fund Medical Camp Facilities for Villagers
PPs Submission: Agreed to Comply Point Noted for compliance DPA had assigned the work to GEMI, Gandhinagar for the Planning and Monitoring of the activities to be undertaken under Environment Management Plan (EMP) under EIA and EC vide work order dated 25/10/2023		Date: 24/07/2025
54	Statutory compliance	The company shall have a well laid down environmental policy duly approved by the Board of Directors The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholder / stake holders. The copy of the board resolution in this regard shall be submitted as a part of six-monthly report
PPs Submission: Agreed to Comply The DPA has Environmental Policy approved by the competent authority. The Environmental policy has already prescribed for standard operating process/ procedure to bring into focus any infringements/ deviation/ violation of the environmental or forest norms. DPA is already having well established environmental Cell for ensuring proper checks on non-compliances/ violations of Environmental norms.		Date: 24/07/2025
55	Statutory compliance	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization
PPs Submission: Complied DPA is already having well established environmental Cell for ensuring proper checks on non-compliances/ violations of Environmental norms.		Date: 24/07/2025
56	Statutory compliance	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/RegionalOffice along with the Six Monthly Compliance Report
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
57	MISCELLANEOUS	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
58	Statutory compliance	Project proponent shall inform to all the concerned authorities

		including Municipal Corporation and District Collector and shall also give wide publicity through advertisement in minimum two local newspapers within seven days, about the Environment Clearance order accorded
PPs Submission: Complied DPA has already given advertisement in two newspapers i.e. in Divya Bhaskar, Rajkot Edition (Gujarati and English) and Times of India, Ahmedabad Edition (Gujarati and English) dated 04/01/2024. Copies of the same were already been communicated along with pointwise compliance report (period up to May 2024) submitted vide communication dated 1/7/2024. Further, DPA vide letter dated 04/01/2024 had already informed to the concerned local bodies		Date: 24/07/2025
59	Statutory compliance	Project proponent shall appoint a key person in the organization who shall be responsible for compliance of above condition fully on behalf of the proponent. It will not mean that appointing a key person will exempt the project proponent from the responsibility of compliance. Any change in key person shall immediately be informed to SEIAA and all concerned authorities
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
60	Statutory compliance	Designated key person shall submit six monthly compliance report to SEIAA/SEAC, MOEFandCC, GPCB and Nodal Department of the Government.
PPs Submission: Agreed to Comply Point Noted for compliance		Date: 24/07/2025
61	Statutory compliance	The Nodal Department or any authority or officer authorized by MOEFandCC/SEIAA can inspect the site of the project and all the facilities, for verification of compliances of environment clearance conditions
PPs Submission: Agreed to Comply Point Noted. It is assured DPA shall assist Nodal Department or any authority or officer authorized by MOEFCC/SEIAA during their inspection to the site of the project and all the facilities.		Date: 24/07/2025
62	Statutory compliance	In case of violation reported upon, the project proponent shall be responsible for all the legal actions as per Environment Protection Act, 1986 including SEIAA may cancel, withdraw or keep in abeyance, the Environment Clearance accorded
PPs Submission: Agreed to Comply Point Noted		Date: 24/07/2025
63	Statutory compliance	Any person including the project proponent affected by this Environment Clearance order may file appeal to Honorable National Green Tribunal West Zone branch, Pune, preferably within a period of thirty days from the date of issue of Environment Clearance as prescribe under section 16 of National Green Tribunal Act 2010
PPs Submission: Complied Point Noted		Date: 24/07/2025
64	Statutory compliance	All complaints and public grievance or representations may be addressed to SEIAA/SEAC in the email addresses (a) msseiaagj(at)gmail.com and (b) seacgujara(at)gmail.com

PPs Submission: Complied
Point Noted

Date:
24/07/2025

Visit Remarks

Last Site Visit Report Date:

N/A

Additional Remarks:

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.

Annexure -A

COMPLIANCE REPORT (Period October, 2024 to March, 2025)

Subject: Compliance of conditions stipulated in CRZ recommendations issued by GCZMA for the proposal "Setting up of Ro-Ro/Ro-Pax Facility by M/s. Deendayal Port Authority (Erstwhile: Deendayal Port Trust) at Pipavav, Gujarat".

Ref.: Letter No. ENV-10-2022-77-T dated 15/06/2023 of Director (Environment) & Member Secretary, GCZMA, Forest & Environment Department, GoG.

Sr. No.	Conditions in CRZ Recommendation Letter	Compliance
	Specific Conditions	
1	DPA shall have to take precaution during dredging operation and reduce dispersal of suspended load will be employed including scheduling dredging operation during a tidal condition so as to cause least increases suspended load and siltation.	No dredging activity has been started. However, it is assured that DPA shall take precaution during dredging operation and reduce dispersal of suspended load employed including scheduling dredging operation during a tidal condition so as to cause least increase suspended load and siltation.
2	DPA shall submit the Lion Conservation plan to PCCF(WL) for approval and provide due financial assistance to PCCF(WL) for its implementation or implement by its CSR/CER amounting Rs.1.00 crore(rupees one crore) fund for coastal and marine flora & fauna conservation & management.	Chief Wildlife Warden, Gujarat State, Gandhinagar vide letter no. WLP/32/CR/T-1&2/885-887/2023-24 dated 22/5/2022 had accorded approval to the Conservation Plan (revised) (Asiatic Lion & Indian Peafowl) submitted by DPA for the project of "Setting up of Ro-Ro/Ro-Pax Facility at Pipavav, Gujarat", vide letter dated 2/3/2023. Based on the above, it would be relevant to submit here that, date mentioned in the said approval i.e. 22/5/2022 (typographical error), which may kindly be treated as 22/5/2023. A copy of the said approval has already been submitted along with earlier compliance report (Period up to May, 2024) submitted vide communication dated 1/7/2024.
3	DPA shall obtain all necessary clearances from competent authorities/departments before construction and commissioning of the activities.	No construction activity has been started. However, it is assured that DPA shall obtain all necessary clearances from competent authorities/departments before construction and commissioning of the activities. DPA had already obtained CTE from the GPCB vide letter no. 17470 dated 28/02/2023. Copy has already been submitted along with the earlier compliance report.
4	DPA shall carry out Corporate Environment Responsibility (CER) programs in line with the commitments made in the Environment Management Plan submitted and shall submit	Point Noted for compliance.

	the report to Director (Environment) & GCZMA periodically.	
5	The provisions of the CRZ notification, 2011 and as amended from time to time shall be strictly adhered to by the DPA.	No construction activity has been started. However, it is assured that provisions of the CRZ notification, 2011 and as amended from time to time shall be strictly adhered to by the DPA.
6	All the recommendations and suggestions given by Ultra Tech Environmental Consultancy and laboratory in their Environment Impact Assessment Study shall be implemented strictly by DPA.	No construction activity has been started. However, it is assured that all the recommendations and suggestions given in Environment Impact Assessment Study shall be implemented by DPA.
7	No Parking facility shall be provided in CRZ-1A area. Multiple parking provision shall be explored.	No construction activity has been started. However, it is assured that no Parking facility shall be provided in CRZ-1A area.
8	Dredging shall be as per the Dredging plan of study report submitted by IIT, Madras on "Hydrodynamic and Dredge Disposal Modelling/EIA/EMP/Undertaking and disposal of Dredged materials to the tune of 2,80,000 cu.mt shall be carried at designated area only.	No dredging activity has been started. However, it is assured that, DPA shall comply with the stipulated condition and dredged materials shall be disposed in designated area, as per IIT, Madras report.
9	No effluent or sewage shall be discharged into the sea / creek or in the CRZ area and shall be treated to conform to the norms prescribed by the Gujarat Pollution Control Board and shall be reused/ recycled as per the approval of the Board.	No construction activity has been started. However, it is assured that No effluent or sewage shall be discharged into the sea/ creek or in the CRZ area and shall be treated to conform to the norms prescribed by the Gujarat Pollution Control Board and shall be reused/ recycled as per the approval of the Board.
10	PP shall obtain consents/ authorisation/ permission of the Gujarat Pollution Control Board under applicable Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act'1981 and Rules made under Environment (Protection) Act' 1986. Discharge of pollutants shall not exceed the limits prescribed under the Environmental Acts/Rules.	No construction activity has been started. However, it is assured that DPA shall obtain consents/ authorisation/ permission of the Gujarat Pollution Control Board under applicable Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act'1981 and Rules made under Environment (Protection) Act' 1986. Discharge of pollutants shall not exceed the limits prescribed under the Environmental Acts/Rules.
11	The labour camps shall be located outside the CRZ area and labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the labours.	No construction activity has been started. However, it is assured that the labour camps shall be located outside the CRZ area and labour shall be provided with the necessary amenities, including sanitation, water supply and fuel and it shall be ensured that the environmental conditions are not deteriorated by the labours.

12	The groundwater shall not be tapped to meet with the water requirements in any case.	No construction activity has been started. However, it is assured that the groundwater shall not be tapped to meet with the water requirements.
13	The ferry vessels and Jetty sites shall have sign boards so that the passengers do not leave the food leftovers and other wastes in the sea and at jetty site and training in these aspects shall be given to the crew.	Point Noted for compliance
14	The noise level during transport and construction of marine facilities shall be kept minimum and shall not exceeded prescribed norms under their Rules.	No construction activity has been started. Point Noted for compliance.
15	All construction materials are to be kept covered in storage depots or in any other enclosed space to minimize the impact on ambient air quality.	No construction activity has been started. However, it is assured that all construction materials shall be kept covered in storage depots or in any other enclosed space to minimize the impact on ambient air quality
16	The construction debris generated during the construction phase shall not be discharged into the creek, sea, estuary or into the CRZ area. The debris shall be removed from the construction site immediately after the construction is over and shall be disposed off as per the guidance of the GPCB.	No construction activity has been started. However, it is assured that the construction debris generated during the construction phase shall not be discharged into the creek, sea, estuary or into the CRZ area. The debris shall be removed from the construction site immediately after the construction is over and shall be disposed off as per the guidance of the GPCB.
17	DPA shall take up greenbelt development activities in consultation with the Gujarat Institute of Desert Ecology/ Forest Department/ Gujarat Ecology Commission.	No construction activity has been started. However, it is assured that DPA shall take up greenbelt development activities.
18	The cost of the external agency that may be appointed by this department supervision / monitoring of the project activities during construction/ operational phases shall be paid by DPA.	Point Noted for compliance
19	DPA shall contribute financially for any common study or project that may be proposed by this Department for environmental management/ conservation/ improvement for the areas.	Point Noted for compliance
20	DPA shall prepare and regularly update their local Oil Spill Contingency and Disaster Management Plan in consonance with the National Oil Spill and Disaster Contingency Plan.	Point Noted for compliance

21	DPA shall adopt the necessary soil conservation measures to prevent any exposed soil from being eroded or blown over.	Point Noted
22	A Disaster Management Plan to meet with any eventualities that may arise during construction and/or operation phase shall be prepared implemented.	Point Noted for compliance
23	DPA shall exercise extra precautions to ensure the navigation safety and mitigation of the risk associated with the project activities especially due to collision, sinking or accidents of the ships and would deploy the latest communication and navigation aids for this purpose.	Point Noted for compliance
24	A separate environmental management cell with qualified personnel shall be created for environmental monitoring and management during construction and operational phases of the project. Such cell shall monitor the implementation of Environmental Management Plan and a separate budget shall be provided for this purpose.	DPA is already having well established environmental Cell for environmental monitoring and management during construction and operational phases of the project.
25	A six monthly report on compliance of the conditions mentioned in this letter shall have to be furnished by DPA on a regular basis to this Department.	Point Noted for compliance
26	A separate budget shall be earmarked for environmental management and socio-economic activities and details thereof shall be furnished to this Department. The details with respect to the expenditure from this budget head shall also be furnished.	Point Noted for compliance
27	DPA shall have to contribute financially for taking up the socio-economic upliftment activities in this region in consultation with the Forests and Environment Department and the District Collector/District Development Officer.	Point Noted for compliance
28	An Environmental report indicating the changes, if any, with respect to the baseline environmental quality in the coastal and marine environment shall be submitted every year by DPA.	Point Noted for compliance
29	Environmental Audit report shall be submitted every year. The report shall also over the change in the coastal and marine environment due to commissioning of the proposed activities.	Point Noted for compliance

30.	Any additional condition that may be imposed by this department/ SEIAA from time to time shall have to be complied with by DPA.	Point Noted
-----	---	-------------

Annexure -2

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment Forest & Climate Change
Integrated Regional Office (WZ), Gandhinagar
Monitoring Report
(for the period October, 2024 to March 2025)

DATA SHEET

1.	Project type: River-valley/ Mining / Industry / Thermal / Nuclear / Other (specify)		:	Infrastructure & miscellaneous projects + CRZ
2.	Name of the project		:	"Setting up of RoRo/RoPax facility at Pipavav, Gujarat".
3.	Clearance letter (s) / OM No. and Date		:	Environment and CRZ clearance accorded by the SEIAA, Gujarat vide letter SEIAA/ GJ/ EC&CRZ/ 7(e)/ 1709/ 2023 dated 30/12/2023.
4.	Location		:	
	a.	District (S)	:	Amreli
	b.	State (s)	:	Gujarat
	c.	Latitude/ Longitude	:	20°54' N, 71°30' E
5.	Address for correspondence		:	
	a.	Address of Concerned Project Chief Engineer (with pin code & Telephone/telex/fax numbers)	:	Chief Engineer, Deendayal Port Authority, A.O. Building, Gandhidham- 370 201. P.O. Box no. 50. Phone: 02836 233192; 02836 220050
	b.	Address of Project: Engineer/Manager (with pin code/ Fax numbers)	:	Same as above
6.	Salient features		:	
	a.	of the project	:	Setting up of RoRo/RoPax Facility at Pipavav, Gujarat (Backup area of 6Ha onshore and 270 m length of waterfront) for berthing of vessel capacity of 2,000 DWT to 10,000 DWT. Maintenance Dredging: About 2,80,000 m ³ required for the berthing pocket and turning circle.
	b.	of the environmental management plans	:	The salient feature of the EMP was already submitted
7.		Production details during the compliance period and (or) during the previous financial year	:	No construction has been started.
8.	The breakup of the project area		:	Backup area of 6 Ha onshore and 270 m length of waterfront.
	a.	submergence area forest & non-forest	:	NIL
	b.	Others	:	NIL
9.	Breakup of the project affected Population with enumeration of Those losing houses / dwelling		:	NIL

	units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan		
	a.	SC, ST/Adivasis	: NIL
	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	: NIL
10.	Financial details		:
	a.	Project cost as originally planned and subsequently revised estimates and the year of price reference:	
	1.	Estimated Cost of the Project	: Rs. 165 Crore
	b.	Allocation made for environ-mental management plans with item wise and year wise Break-up.	: The allocation made under the scheme of 'Environmental Services & Clearance thereof other related Expenditure' during RBE 2024-25 is Rs. 585 Lakhs
	c.	Benefit cost ratio / Internal rate of Return and the year of assessment	: --
	d.	Whether (c) includes the cost of environmental management as shown above.	: Yes
	e.	Actual expenditure incurred on the project so far	: No construction has been started.
	f.	Actual expenditure incurred on the environmental management plans so far	: No construction has been started.
11.	Forest land requirement		:
	a.	The status of approval for diversion of forest land for non-forestry use	: NIL
	b.	The status of clearing felling	: NIL
	c.	The status of compensatory afforestation, it any	: NIL
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far	: NIL
12.	The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), it any with quantitative information		: NIL
13.	Status of construction		:
	a.	Date of commencement (Actual and/or planned)	: No construction has been started. Date of commencement will be intimated once actual Project implementation started on Project site
	b.	Date of completion (Actual and/or planned)	: 12 months
14.	Reasons for the delay if the Project is yet to start		: ----
15	Details of site visit:		

	<p>a) The dates on which the project was monitored by the MoEF&CC Regional Office on previous occasions (if applicable).</p> <p>b) Date of site visit for this monitoring report.</p>		<p>-----</p> <p>-----</p>
16	<p>Details of correspondence with project authorities for obtaining action plans/information on the status of compliance to safeguards other than the routine letters for logistic support for site visits.</p> <p>(The first monitoring report may contain the details of all the letters issued so far, but the later reports may cover only the letters issued subsequently)</p>	:	<p>-----</p>