

MARINE DEPARTMENT

"Hiring of 03 Nos. Fire Tenders with operational and maintenance contract for period of 03 years"

Pre-bid Queries & its Clarifications

Sr. No.		Page No.	Clause No.	Tender Clause	Pre-bid Queries	Pre-bid clarifications
1	35	Technical Specification of 03 nos. Fire Tender- Part 1(E.) of section-IV	3. Model: Not earlier than 2022	TECHNICAL SPECIFICATION OF 03 Nos. FIRE TENDERS	It is observed that in Section IV and Section VI of the tender documents related to the manufacturing of fire tenders, two different manufacturing years are mentioned. Kindly clarify which manufacturing year should be considered as valid.	It is clarified that the Model of offered Fire Tenders, should not older than April 2024.
2	54	Clause No. 7 of Section-VI	7. 01 FOAM AND 02 Nos. WATER TENDERS REQUIREMENTS: 03 Nos. Fire Tender as per IS: 10460 – to be built on TATA / Ashok Leyland/ BharatBenz or equivalent shall be in good working condition and model of not earlier than April-2024 at the time of deployment. THE VEHICLE TO BE REGISTERED IN GANDHIDHAM RTO BEFORE COMMENCEMENT OF CONTRACT.		In Section VI: Scope of Work, Clause 7 – Requirements of 01 Foam Tender and 02 Nos. Water Tenders, it is mentioned that "the vehicle is to be registered in Gandhidham RTO before commencement of the contract."	
3	54	Clause No. 7 of Section-VI	THE VEHICLE TO BE REGISTERED IN GANDHIDHAM RTO BEFORE COMMENCEMENT OF CONTRACT.		In this regard, we would like to submit that the required fire tenders are rental vehicles. However, these vehicles can be registered either in another state or within the same state but under a different district RTO. Kindly clarify whether fire tenders registered in other states or other district RTOs within the same state may be permitted. We hereby assure that all statutory formalities, permits, taxes, and compliance requirements necessary for operating the vehicles in the concerned state and district shall be duly completed prior to commencement of the contract. We request your kind consideration in this matter.	The condition no.7 may be read as "The offered Fire Tenders should be registered any RTO within Gujarat state only.
4	61	Clause No. 4 of part 1 of Section-VIII	A self-attested certificate/License towards "Approved Fire Safety Service Organization issued by the Government".		Said Approved Fire Safety Service License/Certificate is not issued in Haryana or Other state except Maharashtra Government. Since This clause is not applicable on us. Please clarify can we submit Undertaking on letter head mentioning that Not Applicable on us.	The condition stands deleted.
5	62	Clause No. 16(3) of part 1 of Section-VIII	3. Copy of Labour license issued for past executed work /services in supply of manpower by the Labour Department for the contract under Contract Labour (Regulation and Abolition) Act, 1970.		Since we are uploading Work Experience of supply of fire equipment where manpower are below the prescribed limit as required, since labour license is not required for particular work. Please clarify whether we can upload undertaking on letter head mentioning Not applicable on us or can submit Labour License issued by the Haryana Labour Department.	It is clarified that, as per Central Labour Act, 1970, where in the nos. of engaged Labour are as per the limit or above, than the license require to submit as per the tender.

6	8	Clause No-21 of MIT Of section-I	2. Experience in terms of : Similar works means "Experience in providing of Fire Fighting Services either in supply of Fire Personnel or supply of fire equipment for any Govt./Semi Govt./PSU/Pvt. reputed organization". If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted.	We recommend that the experience shall be considered only of the Govt./SemiGovt./PSU only, since the respective documents from these institute will be only given if they have completed /ongoing work job as per the awarded Purchase Order to the vendor. Accordingly the necessity to submit TDS certificate which is required in case of Pvt experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails
7	33	Note (B) of Part-I of section-IV	B. Past Experience : b) "Similar Work" means Experience in providing of Fire Fighting Services either in supply of Fire Personnel or supply of fire equipment for any Govt./Semi Govt./ PSU / Pvt. reputed organization. If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted	We recommend that the experience shall be considered only of the Govt./SemiGovt./PSU only, since the respective documents from these institute will be only given if they have completed / ongoing work job as per the awarded Purchase Order to the vendor. Accordingly the necessity to submit TDS certificate which is required in case of Pvt experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails
8	34	1(C) Part-I of Section-IV	C. Satisfactory Performance: The Bidder should submit the documentary proof for satisfactory performance from the owners/clients (Not in bidder's letter head) indicating date of completion, work completion amounts, to whom the Fire Tenders were supplied on hire basis and operated successfully. In case of ongoing works, completed more than one-year period, completed value of work as on last day of month previous to the one in which applications are invited should be considered for qualification. Note: If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted.	We recommend that the experience shall be considered only of the Govt./SemiGovt./PSU only, since the respective documents from these institute will be only given if they have completed /ongoing work job as per the awarded Purchase Order to the vendor. Accordingly the necessity to submit TDS certificate which is required in case of Pvt experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails
8A	50	1 (1) of Section-VI	Educational Qualifications for Station Officer 1. Should have graduate from any recognized University. 2. Should have valid heavy vehicle license. 3. Should have Sub- Officer course or Station Officer Course from NFSC, Nagpur.	Educational Qualifications for Station Officer is reproduce as under : 1. Should have graduate from any recognized University. 2. Should have valid heavy vehicle license. 3. Should have Sub- Officer course or Station Officer Course from NFSC, Nagpur or any equivalent Govt. approved institute. The remaining condition is unaltered and this condition will supersede wherever it variance.	Tender condition prevails

9	35	1(E) (Technical Specification) Part-I of Section-IV	3. Model not earlier than 2022	We recommend to demand the newly fabricated Fire tender instead of demanding older as mentioned in the tender clause. New fabricated tender shall guarantee the latest emission norms of the chassis as well as guarantee the longer life cycle of the fire tender in case of further extension if demanded by DPT. The same shall also benefit with the Fire Tender supplied with the latest and newly installed equipment guaranteeing less downtime.	Already clarified under sr. no. 1 of this document.
10	54	Clause No.-7 of Section- VI	7. 01 FOAM AND 02 Nos. WATER TENDERS REQUIREMENTS: 03 Nos. Fire Tender as per IS: 10460 – to be built on TATA / Ashok Leyland / BharatBenz or equivalent shall be in good working condition and model of not earlier than April-2024 at the time of deployment. THE VEHICLE TO BE REGISTERED IN GANDHIDHAM RTO BEFORE COMMENCEMENT OF CONTRACT.		
11	55		ACCESSORIES	We suggest to have following accessories to be equipped with Fire Tender so that the Fire Tender can be used as a Multipurpose equipped with accessories which may be in addition to the standard accessories as per the tender. ATTACHED ACCESSORIES ANNEXURE : Water Based Fire Extinguisher: Indigenous & non toxic Special Class "A" Water Based Achuk Fire Extinguisher with Complete SS 304 Cylinder of the extinguisher, SS 304 customised nozzle, SS 304 make Leak proof Valve, Controllable discharge with multiple use possible without subsequent leakage, with 6 Litre capacity and not limited to "3A" fire rating of wood crib, it should be highly effective on modern synthetic materials like plastic, foam, rubber and synthetic materials. Dispensing range should be minimum 3 to 4 meters. Product should be usable and effective on ceiling, vertical as well as horizontal surface fires. It should provide coating on fuel to cut oxygen supply and also sustain cooling of fire. Provide smoke retardation in class A fuel and retard rekindling by separation. Eco-friendly product with 10 Years of Operational Warranty. The product should be sustainable and green fulfilling the SDG goals. Necessary documents if any to be attached if required. The bidder has to submit credentials certificates documents/videos for Indian patent and validity. There should not be any violation of intellectual property. The bidder should confirm writing to provide back up support for essential parts or composition for 10 years. The entire product including the extinguishing agent and the extinguisher should necessarily be Indian products. Note: Above Fire Extinguisher shall be maintained with OEM facility in India, Valid document to be submitted along with bid. No Deviation shall be accepted against the above specification. The Bidder must submit MAKE, MODEL, TECHNICAL BROCHURE & OEM Authorisation Letter as per Annexure "B" mentioning the tender reference number confirming the specifications along with technical bid. Failing which the bid may be rejected.	Tender condition prevails
					Tender condition prevails

			MINI CUTTER: The mini cutter shall be light weight ergonomically designed to be used in confined space to cut Vehicle pedals, steering wheels, head restraints, Seat Belts, Reinforced bar, Padlocks and chains. It shall be a first response tool for rescue operation. The Cutter shall have maximum operating pressure of not exceeding 700 bars. The Cutter shall not need to be connected to an external hydraulic source, generation of the required hydraulic pressure takes place within the body of the device by a quick exchangeable lithium/ion battery of 18V. The tool shall be made of an -corrosive light aluminium alloy. The blades shall be made of forged steel with high strength and are regrindable. The tool should be fully operational for longer periods at temperature of -20 Degree C up to +55 Degree C. The control mechanism shall feature a star-grip control actuator for ease of operation by allowing 360° operations in any position. Toggle switches or push buttons shall not be acceptable. The tool must provide a non-interflow shear seal "dead man" actuator, whereby the unit stops functioning when thumb pressure is released. The star grip automatically returns to the central position, guaranteeing the full load-holding. The battery should have status indicator. The batteries should be locally available in INDIAN market and not specified to the tool OEM. OEM must have NFPA / TUV approved Service centres in INDIA. Service & Tool Spares should be available in INDIA. APPROVED MAKE: LUKAS / HURST / WEBBER. The tool must be certified as compliant with latest NFPA 1936 Edition.	Tender condition prevails
12	8	2. Experience in terms of Similar Works means "Experience in providing of Fire Fighting Services either in supply of Fire Personnel or supply of fire equipment for any Govt./Semi Govt./PSU/Pvt. reputed organization". If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted	We recommend that the experience shall be considered only of the Govt./Semi Govt./PSU only. Since the respective documents from these institute will be only given if they have completed /ongoing work job as per the awarded Purchase Order to the vendor. Accordingly, the necessity to submit TDS Certificate which is required in case of Pvt. experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails
13	33	B) Past Experience : Note : "Similar Work" means Experience in providing of Fire Fighting Services either in supply of Fire Personnel or supply of fire equipment for any Govt./Semi Govt./PSU / Pvt. reputed organization. If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted	We recommend that the experience shall be considered only of the Govt./Semi Govt./PSU only. Since the respective documents from these institute will be only given if they have completed /ongoing work job as per the awarded Purchase Order to the vendor. Accordingly, the necessity to submit TDS Certificate which is required in case of Pvt. experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails

14	34	Section-IV (C.)	C. Satisfactory Performance: The Bidder should submit the documentary proof for satisfactory performance from the owners/clients (Not in bidder's letter head) indicating date of completion, work completion amounts, to whom the Fire Tenders were supplied on hire basis and operated successfully. In case of ongoing works, completed more than one-year period, completed value of work as on last day of month previous to the one in which applications are invited should be considered for qualification. Note: If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted.	We recommend that the experience shall be considered only of the Govt./Semi Govt./PSU only. Since the respective documents from these institute will be only given if they have completed /ongoing work job as per the awarded Purchase Order to the vender. Accordingly, the necessity to submit TDS Certificate which is required in case of Pvt. experience is not needed. As such we request you to kindly remove the Pvt experience from the criteria of similar works completed.	Tender condition prevails
15	35 & 54	Appendix 1	C. Satisfactory Performance: The Bidder should submit the documentary proof for satisfactory performance from the owners/clients (Not in bidder's letter head) indicating date of completion, work completion amounts, to whom the Fire Tenders were supplied on hire basis and operated successfully. In case of ongoing works, completed more than one-year period, completed value of work as on last day of month previous to the one in which applications are invited should be considered for qualification. Note: If the bidder has executed the work in private organization, necessary TDS certificate issued by the private organization shall be submitted.	It is surprising that DPT is okay with the OLD TENDER supplied for the purpose of firefighting. We recommend demanding the newly fabricated Fire Tender instead of demanding older as mentioned in this tender clause. New fabricated tender shall guarantee the latest emission norms of the chassis as well as guarantee the longer like cycle of the fire tender in case of further extension if demanded by DPT. The same shall also benefit with the Fire Tender supplied with the latest and newly installed equipment guaranteeing less downtime.	Tender condition prevails
16	55	Accessories		We also suggest having following accessories to be equipped with Fire Tender so that the Fire Tender can be used as a Multipurpose,equipped with accessories which may be in addition to the standard IS accessories as per the tender. ACCESSORIES ANNEXURE :	Tender condition prevails
				1. Water Based Fire Extinguisher : Indigenous & non toxic Special Class "A" Water based..... Necessarily be Indian products.	Tender condition prevails
				2. MINI CUTTER : The Mini cutter shall be light weight ergonomically designed to be.... With latest NFPA 1936 Edition.	Tender condition prevails
				Accessories : Rechargeable Battery Qty. 1 Microporcessor - controlled Battery charger. Qty. 1	Tender condition prevails

17	5.7&11	EMD	Earnest Money Deposit (EMD) - Rs.5,09,644.00 (Rupees Five lakhs nine thousand six hundred forty-four Only). Shall be made through Bank Guarantee drawn in favour of Board of Deendayal Port Authority, Gandhidham, from any Nationalized Bank / Scheduled Bank (except co-operative bank) having its branch in Gandhidham. OR Insurance Surety Bond for EMD as per Form XV	Earnest Money Deposit (EMD) - Rs. 10,19,289/- (Rupees Ten lakhs nineteen thousand two hundred eighty nine only). Shall be made through Bank Guarantee drawn in favour of Board of Deendayal Port Authority, Gandhidham, from any Nationalized Bank / Scheduled Bank (except co-operative bank) having its branch in Gandhidham. OR Insurance Surety Bond for EMD as per Form XV. This amended clause shall supersede the existing clause, wherever, they are in variance.
----	--------	-----	---	--

H.M.

T.M.

Dy. Conservator

FA & CAO