

DEENDAYAL PORT AUTHORITY

ISO 9001-2015 & ISO 14001-2015



Office of The Superintending Engineer (R)
Road Division, Room No. 103, ANNEXE,
Administrative Office Building,
Gandhidham - Kutch Pin - 370 201
E - Mail: xenroadskpt@gmail.com
Website: www.deendayalport.gov.in

No. RW/WK/5508 1/0/0

Date : 27/01/2026

To,

EXPRESSION OF INTEREST

Sub: Construction of CISF Barrack providing drainage line, parade ground, Toilet block and SWD, Culvert at Kandla.

Sir,

Deendayal Port Authority intends to carry out the subject work of Road Division of Civil Engineering Department.

Kindly submit your Expression of Interest (EOI) along with budgetary offer for the items considered in preparing the estimate under **Annexure-I**.

The rates quoted must be inclusive of all taxes, duties for performing scope of work & Exclusive of GST. Applicable GST shall be shown separately, which shall not be considered for evaluation purpose.

Your Expression of Interest submitted along with budgetary quotation for the above work shall reach to following address on or before **03/02/2026 by 15:00 Hrs.**

**Superintending Engineer (Roads),
Room No. 103, Annex, A.O. Building
Deendayal Port Authority,
Gandhidham-Kutch-370201
Email: xenroadskpt@gmail.com**


Super. Engineer (R)
Deendayal Port Authority

(on the letter head of Consultant/Bidder)

To,
Superintending Engineer (Roads),
Room No. 103, Annex, A.O. Building
Deendayal Port Authority,
Gandhidham-Kutch-370201
Email: xenroadskpt@gmail.com

Name of Work: Construction of CISF Barrack providing drainage line, parade ground, Toilet block and SWD, Culvert at Kandla.

Sr. No .	Description	Unit	Rate
1	Supplying decorative / ornamental plants of various types with round earthen / CC pots of approx. size 30cm dia including plastic tray, decorative plants, sweet earth, manure including painting to pots. Decorative plants to be supplied at the place as directed by engineer-in-charge including loading, un-loading and transportation.	Each	
2	Supplying decorative / ornamental plants of various types as directed by engineer-in-charge. Including loading, un-loading and transportation.	Each	
3	Providing & fixing of 4.5 KG CO2 gas type Fire Extinguishers fitted with screw down type high pressure control valve with 1.0 MTR long rubber braided discharge hose with horn. The body shall be CCE approved with IS:2878 marking and supplied with initial charge of Co2 gas. The valve shall confirm to IS:3224 and as per IS:15683.	Each	

4	<p>Supplying & fixing of 250 LPH R.O. Water purifier at CISF Barrack with following specifications:</p> <ul style="list-style-type: none"> • Power stabilizer with necessary arrangements for electricity supply (wiring, plug point, etc.) • ISO standard water tank (500 litres capacity, up to 4.00m height) with all necessary ISO standard fixtures and fittings.) • One-year warranty with three free services in one year for the RO plant, including all labor and materials at no cost. • Completion as directed by the Engineer in charge, with all materials, labor, tools, and tackles. 	Each	
EOI for Rate Analysis			
1	BIRLA Cement base wall care putty	Kg	
2	Textured exterior paint (Apex Ultima Paint)	Litre	
3	Vitrified floor tiles 600 x 1200 mm (Glossy/Matt finish double charges tiles) (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622	M2	
4	Providing and laying Vitrified full body tiles of 600 x 1200 mm (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to IS. 15622, of approved make, in all colours & shade, in skirting and dedo.		
5	1.5 mm decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish	Sq.m	
6	Wood glue (Adhesive) Comapatible with laminate to wood	Kg	
7	Supplying stainless steel (SS 304) following fixtures:		
a	Aldrops 300x16 mm Size	Each	
b	Aldrops 200x12 mm Size	Each	
c	Door Latch 250x16x5 mm Size	Each	
d	Handle 150 mm	Each	
e	Handle 125mm	Each	
f	Tower Bolts 200 mm Size	Each	

g	Tower Bolts 100 mm Size	Each	
8	PVC manhole cover Heavy duty with frame 600 x 600 mm	Each	
9	Supplying of Stainless Steel Towel Rail complete with brackets fixed to cleats with CP brass screws. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm (Jaquar Make)	Each	
10	Supplying Stainless Steel towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of (Jaquar Make)	Each	
11	PVC Nanhi Trap with Stainless Steel Jhali (100 x 100 mm)	Each	
12	Supplying Jaquar Stainless Steel Overhead Shower 100 mm Dia with Shower Arm and Wall Flange	Each	

Seal & Signature of the Authorized Representative