

DEENDAYAL PORT AUTHORITY
(Erstwhile: DEENDAYAL PORT TRUST)

Tel(O) : (02836) 220038,
Fax : (02836) 220050
E Mail : kptemc@gmail.com
Website: www.deendayalport.gov.in



Administrative Office Building
Post Box NO. 50
GANDHIDHAM (Kutch).
Gujarat: 370 201
Ph.: (02836) 220038

EG/WK/4751/Part (Ro-Pax)/ 94

Dated: 15/06/2026

To,
The Deputy Director General of Forests (C),
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office, Gandhinagar,
A wing- 407 & 409, Aryan Bhawan,
Near CH-3 Circle,
Sector 10 A, Gandhinagar - 382 010.

Sub: Bifurcation (600 mt waterfront out of total 4800 mt) of Environmental and CRZ clearance issued to M/s Essar Bulk Terminal Limited for Expansion of Port Facility at Hazira, Surat, Gujarat - **Submission of Compliance Report of Stipulated Conditions req.**

- Ref.:**
1. Bifurcation (600 mt water front out of total 4800 mt) of Environmental and CRZ Clearance issued to M/s Essar Bulk Terminal Limited for expansion of port facility at Hazira, Surat, Gujarat by the MoEF&CC, GoI vide letter F. No. 11-46/2011 - IA III dated 4/4/2022.
 2. Environmental and CRZ Clearance for the expansion of port facility at Hazira, Surat, Gujarat by M/s Essar Bulk Terminal Ltd by the MoEF&CC, GoI vide letter F. No. 11-46/2011 - IA III dated 06/05/2014
 3. DPT Letter no. EG/WK/4751/Part (Ro-Pax)/156 dated 05/08/2022
 4. DPA letter no. EG/WK//4751/Part (Ro-Pax)/347 dated 07/08/2023
 5. DPA letter no. EG/WK//4751/Part (Ro-Pax)/35 dated 18/03/2024
 6. DPA letter no. EG/WK//4751/Part (Ro-Pax)/180 dated 02/12/2024
 7. DPA letter no. EG/WK//4751/Part (Ro-Pax)/64 dated 08/05/2025
 8. DPA letter no. EG/WK//4751/Part (Ro-Pax)/71 dated 30/09/2025
 9. DPA letter no. EG/WK//4751/Part (Ro-Pax)/08 dated 04/12/2025

Sir,

It is requested to kindly refer above cited reference for the said subject.

In this regard, it is to state that, the MoEF&CC, GoI, New Delhi vide above mentioned letter dated 4/4/2022 cited at Reference 1 had issued Bifurcation of Environmental and CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter of even number dated 6th May, 2014 in the name of Deendayal Port Trust for **"Development of 600 m Waterfront and 24 ha. Back up Area at Hazira, Surat by Deendayal Port Trust (Now: Deendayal Port Authority)"**.

.....Cont.....

In the said letter dated 4/4/2022, the MoEF&CC, GoI under Para 8 has mentioned that, Deendayal Port Authority shall comply with all the specific & general conditions stipulated in the EC & CRZ Clearance of even no. dated 6th May, 2014 cited at Reference 2.

Accordingly, we are submitting herewith compliance report in the PARIVESH 2 PORTAL for the period October, 2025 to March, 2026. Further we are also submitting the Monitoring Report in Data Sheet.

This is for your kind information and record please

This has the approval of Chief Engineer, Deendayal Port Authority.

Encl.: As above

Yours faithfully,



XEN (EMC)
Deendayal Port Authority

**Half Yearly Compliance Report
2026
01 Jun(01 Oct - 31 Mar)**

Acknowledgement

Proposal Name	Bifurcation (600 mt waterfront out of total 4800 mt) of Environmental and CRZ Clearance issued to M/s ESSAR Bulk Terminal Limited for expansion of Port facility at Hazira, Surat, Gujarat		
Name of Entity / Corporate Office	Deendayal Port Authority		
Village(s)	N/A		
District	SURAT		
Proposal No.	IA/GJ/MIS/167825/2020	Category	INFRA-2
Plot / Survey / Khasra No.	N/A	Sub-District	N/A
State	GUJARAT	Entity's PAN	*****EQUIRED
MoEF File No.	F. No. 11-46/2011-IA.III	Entity name as per PAN	Deendayal Port Authority

Compliance Reporting Details

Reporting Year 2026
Remarks (if any)
Reporting Period 01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Deendayal Port Authority

	Project Area as per EC Granted	Actual Project Area in Possession
Private	24	24
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	24	24

Others Area

Sr. no	Other Name	Area Granted	Area Actual

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	Statutory compliance	Consent for Establishment shall be obtained from Gujarat Pollution Control Board under Air and Water Act and a copy shall be submitted to the Ministry before start of any construction work at the site.
<p>PPs Submission: Complied As directed in the Bifurcated EC and CRZ Clearance issued by the MoEFCC, GoI dated 4/4/2022, DPA also obtained Consent to Establish (CTE-55353) (after obtaining Environmental Clearance), vide dated 24/6/2022 from the Gujarat Pollution Control Board (under Water Act 1974 and Air Act 1981) in the name of DPA for development of 600 m waterfront and 24 ha back up area. A copy of the same was submitted in the earlier compliance report.</p>		Date: 04/06/2026
2	Statutory compliance	Project Proponent shall appoint a consultant to look after and advice on the transportation of dangerous chemicals. Sensors for early detection of leakage of propylene and butadiene shall be provided at berths along with water sprinklers.
<p>PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility at Hazira which is being used for public conveyance and also for trailer, trucks, cars etc.</p>		Date: 04/06/2026
3	Marine/Coastal	Project Proponent shall ensure proper flushing/free flow of tidal water to the mangroves.
<p>PPs Submission: Being Complied The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves. However, due care is being taken for proper flushing/free flow of tidal water to the mangroves in surrounding areas.</p>		Date: 04/06/2026
4	Statutory compliance	Project Proponent shall submit once in 12 months the latest satellite imagery to MoEF and CC to ensure that mangroves are remains fully intact. Any shrinkage in mangrove area noticed either in the satellite imaginary or during site visit, shall be taken as violation.
<p>PPs Submission: Complied N/A. The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves.</p>		Date: 04/06/2026
5	Statutory compliance	The Project Proponent shall get third party inspection carried out once in a year preferably by NEERI to ensure compliance of all the Environmental Clearance (EC) conditions.
<p>PPs Submission: Agreed to Comply DPA is in the process of engaging third party for inspection to ensure compliance of all the applicable EC conditions.</p>		Date: 08/06/2026
6	Marine/Coastal	There shall be no encroachment of project activities in the mangrove area. The various referral distances/latitudes/ longitudes as indicated in the enclosed map (Annexure-II) shall be maintained for the conservation of this mangrove area within the port limit.
<p>PPs Submission: Complied N/A. The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves.</p>		Date: 04/06/2026
7	AIR QUALITY MONITORING AND PRESERVATION	Stock yard on northern side (Hazira Village side) shall be provided with bund and wind screen of atleast 15 mt height with well-designed water spray fogging arrangement along with three rows of trees in

		canopy formation.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
8	AIR QUALITY MONITORING AND PRESERVATION	The height of coal stack yard shall be at least 2 feet below the height of wind curtain.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
9	GREENBELT	Green belt shall be provided all along stack yard and in the premises.
PPs Submission: Complied DPA had already developed required planation (area of about 7000 m2) within the Ro-Ro/Ro-Pax Terminal area.		Date: 04/06/2026
10	AIR QUALITY MONITORING AND PRESERVATION	The existing coal conveyor from berth to stock yard shall be closed with cover since the present water spray appears to be inadequate.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
11	AIR QUALITY MONITORING AND PRESERVATION	The transportation in the proposed facility shall be in closed conveyor only.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
12	Marine/Coastal	Natural drainage system shall be maintained so that there is free flow to the existing mangroves. Mangrove plantation in 500 ha of land in consultation with GEC/Forests Department, Government of Gujarat.
PPs Submission: Being Complied The GMB had allotted land of 24 Hectares to Deendayal Port Authority devoid of Mangroves. However, due care is being taken so that Natural Drainage System will be maintained.		Date: 04/06/2026
13	Marine/Coastal	There shall be no disposal of wastes in to the coastal areas.
PPs Submission: Agreed to Comply It is assured that no disposal of wastes will be made in to the coastal areas.		Date: 04/06/2026
14	Statutory compliance	Hazardous chemicals except the permissible Petroleum products shall not be stored within CRZ area. All the construction, storage shall be as per the CRZ Notification, 2011.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026

15	Statutory compliance	All the conditions/recommendations stipulated by Gujarat Coastal Zone Management Authority (GCZMA) No.ENV-10- 2011-877-E dated 01.06.2013 shall be complied with.
PPs Submission: Being Complied The compliance of the conditions/recommendations stipulated by GCZMA vide letter dated 01/06/2013 applicable to this project is attached herewith as Annexure 1.		Date: 18/06/2026
16	Statutory compliance	Oil spill Contingency plan shall be put in place.
PPs Submission: Agreed to Comply No oil handling is envisaged in proposed RoRo/RoPax development. Oil spill can happen only during bunkering and collision of vessels. Hence, the oil spill scenario will be considered as Tier 1 (less than 700 tons). RoRo/RoPax operation is proposed and oil spill can occur only if there is any accident.		Date: 04/06/2026
17	Statutory compliance	Hydrocarbon monitors with provision for alarms set at specific concentrations shall be installed at strategic locations on the berth and around storage tanks as per ISGOTT and OISD.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
18	Risk Mitigation and Disaster Management	On site Emergency Management plan shall be put in place.
PPs Submission: Being Complied A copy of Disaster Management plan has already been communicated with the compliance report dated 05/08/2022.		Date: 04/06/2026
19	Statutory compliance	All the recommendation of the EMP, Risk Assessment and DMP shall be complied with letter and spirit. All the mitigation measures submitted in the EIA report shall be prepared in a matrix format and the compliance for each mitigation plan shall be submitted to MoEF along with half yearly compliance report to MoEF-RO.
PPs Submission: Agreed to Comply Point Noted for compliance. A copy of EMP prepared for the Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority and copy of Risk assessment and disaster management plan already been communicated with the compliance report dated 05/08/2022.		Date: 04/06/2026
20	Statutory compliance	The port shall ensure that the ship under operation follows the MARPOL convention regarding discharge or spillage of any toxic, hazardous or polluting material like ballast water, oily water or sludge, sewage, garbage etc. The emission of NOx and SOx shall remain within the permissible limits.
PPs Submission: Complied Currently ferry is operated by ISPL. ISPL stated that, In compliance 1. No ballast handling. 2. Engine room Bilges and slopes are disposed ashore in certified reception facilities.		Date: 04/06/2026
21	WASTE MANAGEMENT	The hazardous wastes generated shall be collected and disposed as per rules, disposable wastes shall be sent to authorized TSDF. MoU in this regard shall be submitted to the Ro, MoEF along with the six monthly monitoring report.
PPs Submission: Complied Currently ferry is operated by ISPL. ISPL stated that, In compliance The Hazardous Waste and ships		Date: 04/06/2026

galley refuse will be transferred ashore to authorized reception facilities for proper disposal.		
22	WASTE MANAGEMENT	The dredging materials shall be utilized for reclamation and excess shall be disposed at the site identified by CWPRS.
PPs Submission: Agreed to Comply No dredging carried out		Date: 04/06/2026
23	Human Health Environment	A study to determine the reasons for increase in cancer patient in the vicinity shall be carried out.
PPs Submission: Complied N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.		Date: 04/06/2026
24	Statutory compliance	A separate Environment Monitoring Cell shall be set up especially for this plant and details shall be submitted to the Ministry prior to the commencement of operation.
PPs Submission: Complied DPA is already having Environment Management cell. Further, DPA has also appointed expert agency for providing Environmental Experts from time to time. DPA appointed M/s Precitech Laboratories, Vapi for providing Environmental Experts vide work order dated 4/10/2024. Copy of work order has already been communicated along with last compliance report submitted on 04/12/2025. In addition, it is relevant to submit here that, DPA has appointed a Chief Manager (Environment and Safety) and two Managers (Environment and Safety) on contractual basis for the period of 3 years and further extendable to 2 years. Copy of duty report has already been communicated along with last compliance report submitted on 04/12/2025.		Date: 04/06/2026
25	WASTE MANAGEMENT	Controlled cutter suction dredging shall be used along with the enclosure to contain the turbidity.
PPs Submission: Agreed to Comply Point noted for compliance.		Date: 04/06/2026
26	PUBLIC HEARING	The responses/commitments made during public hearing shall be complied with letter and spirit.
PPs Submission: Complied N/A.		Date: 04/06/2026
27	Statutory compliance	CSR activities shall cover the villages within 10 km radius. CSR for fishermen shall be carried out as committed.
PPs Submission: Being Complied As per the CSR Guidelines issued from time to time by the MoPSW, GoI, DPA since the year 2011-12 had carried out various CSR activities (Annexure 2).		Date: 04/06/2026
28	Marine/Coastal	There shall be no ground water drawl within CRZ area
PPs Submission: Agreed to Comply Point Noted for compliance.		Date: 04/06/2026
29	WASTE MANAGEMENT	Sewage shall be treated and the Treatment Facility shall be provided in accordance with the Coastal Regulation Zone Notification, 2011. The disposal of treated water shall confirm the regulation of State Pollution Control Board.

PPs Submission: Being Complied Septic Tanks has already been provided for treatment of sewage.		Date: 04/06/2026
30	WASTE MANAGEMENT	Solid Waste Management shall be as per Municipal Solid (Management and Handling) Rules, 2000.
PPs Submission: Agreed to Comply Point Noted for compliance.		Date: 04/06/2026
31	MISCELLANEOUS	The project shall be executed in such a manner that there shall not be any disturbance to the fishing activity.
PPs Submission: Being Complied The Ro-Ro Ro-pax facility is under operation. However, due care is taken to avoid hindrance to the fishing activity, along with ensuring regular operations.		Date: 04/06/2026
32	MISCELLANEOUS	It shall be ensured that there is no displacement of people, houses or fishing activity as a result of the project.
PPs Submission: Complied Not Applicable. The Ro-Ro Ro-pax facility is under operation. The GMB had allotted 600 m water front and 24 Hectares land to Deendayal Port Authority.		Date: 04/06/2026
33	Marine/Coastal	No construction work other than those permitted in Coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.
PPs Submission: Agreed to Comply Currently, the Ro-Ro Ro-pax facility is under operation.		Date: 04/06/2026
34	Statutory compliance	The project proponent shall set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.
PPs Submission: Complied DPA is already having Environment Management cell. Further, DPA has also appointed expert agency for providing Environmental Experts from time to time. DPA appointed M/s Precitech Laboratories, Vapi for providing Environmental Experts vide work order dated 4/10/2024. Copy of work order has already been communicated along with last compliance report submitted on 04/12/2025. In addition, it is relevant to submit here that, DPA has appointed a Chief Manager (Environment and Safety) and two Managers (Environment and Safety) on contractual basis for the period of 3 years and further extendable to 2 years. Copy of work order has already been communicated along with last compliance report submitted on 04/12/2025.		Date: 04/06/2026
35	Statutory compliance	The funds earmarked for environment management plan shall be included in the budget and this shall not be diverted for any other purposes.
PPs Submission: Being Complied The allocation made under the scheme of Environmental Services and Clearance thereof other related Expenditure during RBE 2025-2026 is Rs. 1300.00 Lakhs.		Date: 18/06/2026

General Conditions

Sr.No.	Condition Type	Condition Details
--------	----------------	-------------------

1	WATER QUALITY MONITORING AND PRESERVATION	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.
PPs Submission: Complied Currently, the Ro-Ro Ro-pax facility is under operation.		Date: 04/06/2026
2	Statutory compliance	Full support shall be extended to the officers of this Ministry/ Regional Office at Bhopal by the project proponent during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.
PPs Submission: Agreed to Comply It is assured that full support will be extended to the officers of this Ministry/ Regional Office at Bhopal/Gandhinagar during inspection of the project for monitoring purposes by furnishing full details and action plan including action taken reports in respect of mitigation measures and other environmental protection activities.		Date: 04/06/2026
3	Statutory compliance	A six-Monthly monitoring report shall need to be submitted by the project proponents to the Regional Office of this Ministry at Bhopal regarding the implementation of the stipulated conditions.
PPs Submission: Being Complied DPA has assigned the work of monthly environmental monitoring to GEMI, Gandhinagar for a period of 3 years vide work order dated 18/04/2023. The work is in progress, and the latest monthly monitoring report submitted by GEMI, Gandhinagar, is attached herewith as Annexure 3.		Date: 06/06/2026
4	Statutory compliance	Ministry of Environment and Forests or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and the same shall be complied with.
PPs Submission: Agreed to Comply Point Noted.		Date: 06/06/2026
5	MISCELLANEOUS	The Ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the Ministry.
PPs Submission: Agreed to Comply Point Noted.		Date: 06/06/2026
6	Statutory compliance	In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment and Forests.
PPs Submission: Agreed to Comply Point Noted.		Date: 06/06/2026
7	Statutory compliance	The project proponents shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of land development work.
PPs Submission: Complied The Board of Deendayal Port Authority vide resolution no. 101 in its meeting held on 16/1/2021 had		Date: 06/06/2026

<p>accorded approval to the project (Copy of Board Resolution has already been communicated with the compliance report dated 05/08/2022). Accordingly, DPA issued work order to the contractor M/s Marymatha Infrastructure Pvt. Ltd., JV M/s BMS Projects Pvt. Ltd., Cochin vide letter no. CN/WK/1600/Pre-Bid/10 dated 15/4/2021 (Copy of work order has already been communicated with the compliance report dated 05/08/2022.). Currently, the Ro-Ro Ro-pax facility is under operation.</p>		
8	Statutory compliance	A copy of the clearance letter shall be marked to concern Panchayat/local NGO, if any, from whom any suggestion/representation has been made received while processing the proposal.
<p>PPs Submission: Complied N/A.</p>		<p>Date: 06/06/2026</p>
9	Statutory compliance	Gujarat Pollution Control Board shall display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's office for 30 days.
<p>PPs Submission: Complied -----</p>		<p>Date: 06/06/2026</p>
10	Statutory compliance	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification 1994, including the amendments and rules made thereafter.
<p>PPs Submission: Agreed to Comply Point Noted.</p>		<p>Date: 06/06/2026</p>
11	Statutory compliance	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
<p>PPs Submission: Agreed to Comply Point Noted for compliance.</p>		<p>Date: 06/06/2026</p>
12	Statutory compliance	The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental and CRZ Clearance and copies of clearance letters are available with the Gujarat Pollution Control Board and may also be seen in the website of the Ministry.
<p>PPs Submission: Complied Deendayal Port Authority had already given advertisement in two newspapers i.e. GUJARAT SAMACHAR (Surat Edition (In Gujarati)) dated 07/04/2022 and THE TIMES OF INDIA (Surat Edition (In English)) dated 08/04/2022, w.r.t. bifurcation of EC and CRZ Clearance accorded by the MoEFCC, GoI dated 4/4/2022. The copies of the above advertisement given had already been informed to the integrated Regional Office, MoEFCC, GoI, Gandhinagar vide letter dated 23/4/2022 (Copy has already been communicated with the compliance report dated 05/08/2022)</p>		<p>Date: 06/06/2026</p>
13	MISCELLANEOUS	This clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this

		project.	
PPs Submission: Agreed to Comply Point Noted.			Date: 06/06/2026
14	MISCELLANEOUS	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	
PPs Submission: Agreed to Comply Point Noted.			Date: 06/06/2026
15	Statutory compliance	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	
PPs Submission: Being Complied DPA had already uploaded compliance report submitted dated 04/12/2025 to the Integrated Regional Office, MoEFCC, GoI, Gandhinagar. However, for subsequent period also, it is assured that w.r.t. subject project, the status of compliance to the various stipulated environmental conditions will be uploaded by DPA in website www.deendayalport.gov.in.			Date: 06/06/2026
16	Statutory compliance	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	
PPs Submission: Complied A copy of Bifurcation of EC and CRZ Clearance accorded by the MoEFCC, GoI dated 4/4/2022 had already been uploaded in the website of DPA i.e. www.deendayalport.gov.in.			Date: 06/06/2026
17	Statutory compliance	The proponent shall upload the status of compliance of the stipulated Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF and CC, the respective Zonal Office of CPCB and the SPCB.	
PPs Submission: Being Complied The status of compliance to the various stipulated environmental conditions are being uploaded by DPA in website www.deendayalport.gov.in (DPA had already uploaded compliance report submitted dated 04/12/2025 to the Integrated Regional Office, MoEFCC, GoI, Gandhinagar) and will also be updated the same periodically. Further, the same will be sent to the Regional Office, MoEFCC, Gandhinagar and to the CPCB, Vadodara and GPCB, Gandhinagar.			Date: 06/06/2026
18	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF and CC, the respective Zonal Office of CPCB and the SPCB	
PPs Submission: Being Complied DPA had already uploaded compliance report submitted dated 04/12/2025 to the Integrated Regional Office, MoEFCC, GoI, Gandhinagar. However, for subsequent period also, it is assured that w.r.t. subject project, six monthly reports on the status of compliance to the various stipulated Clearance conditions including results of monitoring data will be submitted to the Regional Office, MoEFCC, Gandhinagar and to the CPCB, Vadodara and GPCB, Gandhinagar.			Date: 06/06/2026

19	Statutory compliance	The environmental statement for each financial year ending 31" March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional Office of MoEF and CC by e-mail.
----	----------------------	---

<p>PPs Submission: Being Complied Point noted. The Ro-Ro Ro-pax facility is under operation. As per bifurcated EC and CRZ Clearance dated 4/4/2022 issued by the MoEFCC, GoI, DPA has obtained CCA (PCB Id: 88242) from GPCB vide Order dated 10/07/2023 with validity up to 26/07/2027. DPA has submitted Annual returns in Format Form IV and Environmental Statement in Form V to the GPCB (Annexure 4). Further, DPA also uploaded the said Environmental statement in Form V in the website www.deendayalport.gov.in.</p>	<p>Date: 08/06/2026</p>
--	-----------------------------

Visit Remarks

Last Site Visit Report Date:	N/A
Additional Remarks:	

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.

Monitoring the implemental Safe guards
Ministry of Environment, Forests & Climate Change
Regional office (WZ), Gandhinagar.
Monitoring Report (Period from October, 2025 to March, 2026)
DATA SHEET

Sr. No.	Particulars	Reply
1.	Project type: River valley/Mining/ Industry/thermal/ nuclear/Other (specify)	Infrastructure and Miscellaneous Projects + CRZ
2.	Name of the project	Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority (600 m water front and 24 Ha. backup area
3.	Clearance Letter (s). OM no and date	MoEF&CC, GoI vide letter dated 4/4/2022 issued Bifurcation of Environmental and CRZ Clearance accorded to M/s Essar Bulk Terminal Limited vide letter dated 6th May, 2014 in the name of Deendayal Port Trust (Now Deendayal Port Authority)
4.	Location a) District (s) b) State (s) c) Location/latitude/longitude	Dist: Surat State: Gujarat Location: Geo Coordinates: Latitude: 21° 04' 39.432" N to 21° 4 39.15 N Longitude: 72°38' 26.93" E to 72°38'58.88" E
5.	Address for Correspondence a) address of Concerned Project Chief Engineer (with pin code & telephone/telex/fax numbers b) Address of Executive project Engineer/manager/ (with pin code fax numbers)	Chief Engineer, Deendayal Port Authority, A.O. Building, Annex, Post Box No.-50, Gandhidham- Kutch. Gujarat Pin – 370201 Tel: 02836-233192, Fax-02836-220050. XEN (RoRo), A.O. Building, Annex, Gandhidham, Gujarat.
6.	Salient features a) Of the Project b) Of the Environmental Management Plan	<ul style="list-style-type: none"> • Development of 600 m waterfront and 24 ha back up area at Hazira port for RoRo/RoPax facility. <p>Salient Features of EMP prepared for the Development of Ro-Ro/Ro-Pax Facility at Hazira by Deendayal Port Authority has already been communicated with the compliance report dated 05/08/2022.</p>

	Production Details during compliance period and (or) during the previous financial year	N/A. DPA developed Ro-Ro/Ro-Pax facility which is being used for public conveyance and also for trailer, trucks, cars etc.
7.	Breakup of the project area: a) Submergence area: forest & non-forest b) Others	N/A. Project area is 600 m waterfront and 24 ha back up area
8.	Breakup of the project affected population with enumeration of those losing houses/dwelling units only agricultural land & landless laborer's/artisen a) SC. ST/Adivasis b) Others (please indicate whether these figures are based on any scientific and systematic survey carried out of only provisional figures, if a survey is carried out give details and years of survey).	N/A The GMB had allotted land of 24 Hectares to Deendayal Port Authority. N/A N/A
9.	Financial details a) Project cost as originally planned and subsequent revised estimates and the year of prices reference. b) Allocation made for environmental management plans with item wise and year wise break-up c) Benefit cost ratio/ Internal Rate of Return and the year of assessment Whether (c) includes the cost of environmental management plans so far. d) Actual expenditure incurred on the project. e) Actual expenditure incurred on the environmental management plans so far.	69.06 Crores The allocation made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" during RBE 2025-26 is Rs. 1300 Lakhs. The project is carried out on public interest; hence, IRR is not possible. 83.41 Crores (Excluding GST) The expenditure made under the scheme of "Environmental Services & Clearance thereof other related Expenditure" is Rs. 1084.64 Lakhs from October, 2025 to March, 2026.

10.	<p>Forest land requirement</p> <p>a) The status of approval for diversion of forest land for non-forestry use</p> <p>b) The status of clear felling</p> <p>c) The status of compensatory afforestation, if any</p> <p>d) Comments on the viability & sustainability of compensatory afforestation programmed in the light of actual field experience so far</p>	<p>Nil (Not Applicable)</p> <p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>
11.	<p>The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.</p>	<p>N/A</p>
12.	<p>Status of construction:</p> <p>a) Date of commencement (Actual and/or planned)</p> <p>b) Date of completion (Actual and/or planned)</p>	<p>Work Order has been issued on 15/4/2021 and accordingly work has been initiated</p> <p>Date of completion 20/12/2022</p>
13.	<p>Reasons for the delay if the Project is yet to start</p>	<p>N/A</p>
14.	<p>Date of site visited</p> <p>a) The dates on which the project was monitored by the regional office on previous occasion. if any</p> <p>b) The date site visit for this monitoring report</p>	<p>---</p>
15.	<p>Details of the correspondence with project authorities for obtaining action plans/information on status of compliance to safeguard other than the routine letters for logistic support for site visit.</p> <p>(The first monitoring report may contain the details of all the letters issued so far but the later reports may cover only the letters issued subsequently.)</p>	<p>---</p>