

दीनदयाल पत्तन प्राधिकरण  
DEENDAYAL PORT AUTHORITY

An ISO 9001:2000 Certified Port

(Ministry of Ports, Shipping & Waterways, Govt. of India)

दूरभाष / Tel: 02836 223912  
फैक्स / Fax: 02836 220050  
ई-मेल: seroadsdpa@gmail.com



Office of the Executive Engineer (T.D.)  
उपभवन / Annexe Building  
ए ओ बिल्डिंग पोस्ट बॉक्स नं. 50  
A.O. Building, Post Box No 50  
गांधीधाम (कच्छ) / Gandhidham (Kutch)

No.TW/WK/7925

Date 21/06/2026

To,

-----,  
-----,  
-----,

**EXPRESSION OF INTEREST**

Sub: **Renovation of CONFERENCE ROOM at old PR Cell Room  
No. 117-B, in Admin Building, Gandhidham.**

Sir,

Kindly submit your Expression of Interest (EOI) along with budgetary quotation offer for the subject work for the items considered for preparation of the Estimate under (Annexure-I)

The rates quoted must be inclusive of all taxes, duties for performing scope of work & Exclusive of GST. Applicable GST shall be shown separately, which shall not be considered for evaluation purpose.

Your Expression of Interest submit along with budgetary quotation for the above work should be reach to following address by Registered Post/Speed Post/ Courier on or before **2/06/2026 by 16:00 Hrs.**

Thanking you,

To,  
Office of Executive Engineer (T.D.),  
Room No. 103, A.O. Building Annexe  
Deendayal Port Authority,  
Gandhidham-Kutch-370201

Yours faithfully,

  
Executive Engineer (T.D.)  
Deendayal Port Authority



**Annexure-I**

<b>Sr. No</b>	<b>Description</b>	<b>Unit</b>	<b>Rate</b>
1.	Providing and fixing of Conference Table; - Top 25mm + 12mm Corine Finishing while other all panels in 18mm Marine ply with laminate (Waterproof Ply) matching edge banding. Wooden raceway for electrical. Round hole on table top for cable manager as directed by Engineer in Charge	m <sup>2</sup>	
2.	providing & fixing of wall panels with following specifications including all material & labour as directed by engineer-in-charge and as per drawing. 19 mm ply box framing + laminate sheet with paint on applying material, including light points.	m <sup>2</sup>	
3.	Finishing & smoothing the wall surface with two coats of acrylic based cement putty of approved make & brand including and over the one of cement primer on new / old surface etc. complete all labour and material as directed by the Engineer-In-Charge.	m <sup>2</sup>	
4.	Providing & fixing of executive 360' revolving chair with high back and ss body base with wheels & pneumatic up & down with one-point locking mechanism.	EACH	
5.	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type	m <sup>2</sup>	

	fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge including Door handle, lock and stopper etc.		
6.	Providing and laying/fixing Vinyl flooring 1mm thick as directed by the Engineer-in-charge.	m <sup>2</sup>	
7.	Providing and fixing sofa dimension 2 m (L)X 0.90M(D)X0.76M(H), upholstered in fabric and should be following the following specifications. frame-seasoned solid wood with plywood boxing that undergoes a 3 -step treatment for protection against borers and is kiln-dried for moisture control. Seat, backrest and armrests - padded with polyurethane foam and upholstered and designed to combat sagging. The multi-density foam in the seat cushions to reduce sagging. A grid of poly fill pockets in the back cushions top prevent the cushions from weighing down because of gravity. base of seat and backrest equipped with metal Z-shape springs. Flammability - the flammability of the fabric should comply with BS 5952 Part 1 1979 Ignition Source O (Cigarette).	EACH	